


Antelope Valley aquifer
SW NW SW SW sec. 36, T. 119 N., R. 51 W.
(south of South Shore, Codington County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 29, 1995

Antelope Valley aquifer
NE NE NE NW sec. 28, T. 120 N., R. 51 W.
(north of South Shore, Grant County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 28, 1995

Arikaree aquifer
SE SE SE NE sec. 10, T. 36 N., R. 38 W.
(south of Martin, Bennett County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 24, 1998

Arikaree aquifer
NE SE SE NE sec. 13, T. 38 N., R. 36 W.
(south of Patricia, Bennett County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 24, 1998

Arikaree aquifer
NW NW NW NW sec. 21, T. 40 N., R. 32 W.
(east of Norris, Mellette County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 29, 1998

Arikaree aquifer
NW SW NW NW sec. 14, T. 96 N., R. 79 W.
(west of Clearfield, Tripp County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 29, 1998

Bear Butte Creek aquifer
SE NE NE NE sec. 6, T. 5 N., R. 6 E.
(upper Bear Butte Creek, Meade County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on October 28, 1995

Bear Butte Creek aquifer
NE NE NE SW sec. 16, T. 6 N., R. 7 E.
(lower Bear Butte Creek, Meade County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on October 29, 1995

Big Sioux aquifer
SE SE SE SW sec. 2, T. 92 N., R. 49 W.
(near Richland, Union County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 8, 1994

Big Sioux aquifer
 SW SW SW SW sec. 21, T. 94 N., R. 48 W.
 (near Big Springs, Union County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 8, 1994

Big Sioux aquifer
SE SE SE SW sec. 24, T. 96 N., R. 48 W.
(near Hudson, Lincoln County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 8, 1994

Big Sioux aquifer
 NE SE SE NE sec. 8, T. 98 N., R. 48 W.
 (near Canton, Lincoln County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 9, 1994

Big Sioux aquifer
SE SE SE SW sec. 4, T. 101 N., R. 48 W.
(near East Sioux Falls, Minnehaha County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 9, 1994

Big Sioux aquifer
SE SE SE SE sec. 8, T. 102 N., R. 49 W.
(near Renner, Minnehaha County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 9, 1994

Big Sioux aquifer
SW SW SW SW sec. 31, T. 104 N., R. 49 W.
(near Baltic, Minnehaha County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 10, 1994

Big Sioux aquifer
NE NE NE SE sec. 10, T. 105 N., R. 49 W.
(near Trent, Moody County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 4, 1994

Big Sioux aquifer
SW SW SE NE sec. 7, T. 106 N., R. 48 W.
(near Egan, Moody County)

SW ← → NE



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



—▼— Water level on August 10, 1994

Big Sioux aquifer
NE NE NE SE sec. 9, T. 108 N., R. 49 W.
(near Ward, Moody County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 4, 1994

Big Sioux aquifer
NW NW NW NW sec. 18, T. 110 N., R. 50 W.
(near Volga, Brookings County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 10, 1994

Big Sioux aquifer
 SW SW SW SE sec. 27, T. 111 N., R. 49 W.
 (near White, Brookings County)

W ← → E



Neat cement



Bentonite slurry



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 3, 1994

Big Sioux aquifer
NW NW SW SW sec. 29, T. 112 N., R. 50 W.
(near Bruce, Brookings County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 3, 1994

Big Sioux aquifer
SE SW SW SE sec. 10, T. 113 N., R. 51 W.
(near Estelline, Hamlin County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 3, 1994

Big Sioux aquifer
SE SW SE SW sec. 24, T. 114 N., R. 52 W.
(near Lake Florence, Hamlin County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 3, 1994

Big Sioux aquifer
SW SW SW SE sec. 15, T. 115 N., R. 52 W.
(near Castlewood, Hamlin County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 3, 1994

Big Sioux aquifer
NW SW NW NW sec. 21, T. 118 N., R. 52 W.
(near Watertown, Codington County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 2, 1994

Big Sioux aquifer
NW NW NW NW sec. 14, T. 119 N., R. 52 W.
(near Cottonwood Lake, Codington County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 2, 1994

Big Sioux aquifer
NE SE SE SE sec. 9, T. 120 N., R. 52 W.
(near Lonesome Lake, Grant County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 2, 1994

Bowdle aquifer
SE SE SE NE sec. 17, T. 119 N., R. 74 W.
(north of Lebanon, Potter County)


W ← → E



—▼— Water level on August 31, 1994

Bowdle aquifer
SW SW SW SW sec. 22, T. 119 N., R. 74 W.
(near Lebanon, Potter County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 31, 1994

Bowdle aquifer
SE SW SE SW sec. 4, T. 120 N., R. 74 W.
(near Hoven, Potter County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 31, 1994

Bowdle aquifer
NE NE NE NE sec. 15, T. 121 N., R. 74 W.
(north of Hoven, Walworth County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Bowdle aquifer
SE NE SE NE sec. 24, T. 123 N., R. 74 W.
(west of Bowdle, Walworth County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Chapelle Creek aquifer
NE SE NE NE sec. 32, T. 111 N., R. 74 W.
(northeast of De Grey, Hughes County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 12, 1998

Cheyenne River aquifer
SE SE SW NE sec. 29, T. 6 S., R. 9 E.
(lower Cheyenne River, Custer County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on October 16, 1995

Cheyenne River aquifer
SW NW NE NE sec. 28, T. 7 S., R. 7 E.
(upper Cheyenne River, Fall River County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on October 16, 1995

Coteau Lakes aquifer
NE SE SE SE sec. 11, T. 122 N., R. 53 W.
(east of Blue Dog Lake, Day County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 25, 1998

Coteau Lakes aquifer
 NW NE NW SW sec. 21, T. 126 N., R. 53 W.
 (west of Sisseton, Marshall County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 25, 1998

Cow Creek aquifer
 NW NW NW NW sec. 35, T. 114 N., R. 78 W.
 (southwest of Onida, Sully County)

W ← → E



Neat cement



Granular bentonite



Bentonite and cuttings




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 12, 1998

Delmont aquifer
SE SE SE SW sec. 26, T. 98 N., R. 63 W.
(near Delmont, Douglas County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 30, 1994

Delmont aquifer
NE NE SE NE sec. 36, T. 98 N., R. 63 W.
(near Delmont, Douglas County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 30, 1994

Elm aquifer
SE SE SE SE sec. 17, T. 124 N., R. 63 W.
(north of Aberdeen, Brown County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 23, 1999

Highmore-Blunt aquifer
SW NW NW NW sec. 15, T. 112 N., R. 73 W.
(south of Holabird, Hyde County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Highmore-Blunt aquifer
NW SW NW NW sec. 2, T. 112 N., R. 76 W.
(east of Blunt, Hughes County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Highmore-Blunt aquifer
 SW SW SW SW sec. 4, T. 114 N., R. 74 W.
 (east of Onida, Sully County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Missouri aquifer
SE SE SE NW sec. 14, T. 32 N., R. 4 E.
(south of Vermillion, Clay County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on July 7, 1995

Missouri aquifer
SW SW SW NW sec. 28, T. 90 N., R. 49 W.
(west of Jefferson, Union County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 29, 1996

Missouri aquifer
SW SW SW SW sec. 15, T. 91 N., R. 50 W.
(west of Elk Point, Union County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on June 5, 1995

Missouri aquifer
SW SW SE NE sec. 35, T. 93 N., R. 54 W.
(south of Gayville, Yankton County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 23, 1995

Missouri aquifer
NE NE NE NE sec. 17, T. 94 N., R. 54 W.
(west of Volin, Yankton County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on July 11, 1995

Ogallala aquifer
NW NW NW sec. 3, T. 35 N., R. 27 W.
(west of Littleburg School, Todd County)

W ← → E



Neat cement



Granular bentonite



Bentonite slurry




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 9, 1995

Ogallala aquifer
SE SE SE SE sec. 6, T. 35 N., R. 30 W.
(south of St. Francis, Todd County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



— ▼ — Water level on May 9, 1995

Ogallala aquifer
SE SE SE NE sec. 29, T. 36 N., R. 29 W.
(south of Lakeview, Todd County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 16, 1995

Ogallala aquifer
SE SE SE SE sec. 17, T. 37 N., R. 34 W.
(south of Vetal, Bennett County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 8, 1995

Ogallala aquifer
NW NW NW NW sec. 29, T. 95 N., R. 76 W.
(west of Wewela, Tripp County)

W ← → E



Neat cement



Bentonite slurry




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 16, 1995

Ogallala aquifer
NW SW SW NW sec. 6, T. 96 N., R. 71 W.
(near Burke, Gregory County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 17, 1995

Ogallala aquifer
NW NW NW NW sec. 23, T. 97 N., R. 77 W.
(south of Winner, Tripp County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 10, 1995

Okobojo Creek aquifer
NW NW NW NE sec. 26, T. 117 N., R. 74 W.
(southeast of Gettysburg, Potter County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 12, 1998

Parker-Centerville aquifer
SW SW SW SW sec. 2, T. 95 N., R. 52 W.
(south of Centerville, Clay County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 19, 1996

Parker-Centerville aquifer
NW NW NW NW sec. 24, T. 97 N., R. 52 W.
(southeast of Davis, Turner County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on September 8, 1994

Parker-Centerville aquifer
SE SE SE SW sec. 18, T. 98 N., R. 52 W.
(near Hurley, Turner County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on September 7, 1994

Parker-Centerville aquifer
NE NE NE NE sec. 29, T. 98 N., R. 52 W.
(near Davis, Turner County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on September 8, 1994

Rapid Creek aquifer
NW NE SW SE sec. 19, T. 1 N., R. 9 E.
(upper Rapid Creek, Pennington County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on February 15, 1996

Rapid Creek aquifer
NW NW NW NW sec. 30, T. 1 S., R. 11 E.
(lower Rapid Creek, Pennington County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on February 15, 1996

Sand Hills aquifer
SW SE SE NW sec. 7, T. 35 N., R. 35 W.
(south of Tuthill, Bennett County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on May 17, 1995

Selby aquifer
SW NW SW NW sec. 9, T. 124 N., R. 76 W.
(east of Selby, Walworth County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Selby aquifer
SW SE SE SE sec. 16, T. 126 N., R. 76 W.
(east of Mound City, Campbell County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 20, 1996

Skunk Creek aquifer
NW NW NE NE sec. 18, T. 101 N., R. 50 W.
(west of Sioux Falls, Minnehaha County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on April 25, 1995

Skunk Creek aquifer
SE SE SW NE sec. 25, T. 103 N., R. 51 W.
(northwest of Sioux Falls, Minnehaha County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on April 25, 1995

Skunk Creek aquifer
NE NE NE SE sec. 23, T. 105 N., R. 51 W.
(near Chester, Lake County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on April 25, 1995

Skunk Creek aquifer
NE NE NE SE sec. 8, T. 106 N., R. 52 W.
(near Madison, Lake County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on April 25, 1995

Spearfish Creek aquifer
SW NE NW NW sec. 9, T. 7 N., R. 2 E.
(lower Spearfish Creek, Lawrence County)



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on November 8, 1995

Spearfish Creek aquifer
 NE NE SE SE sec. 33, T. 7 N., R. 2 E.
 (upper Spearfish Creek, Lawrence County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on November 10 and 11, 1995

Spring Creek aquifer
NE SE SE SE sec. 5, T. 127 N., R. 70 W.
(west of Long Lake, McPherson County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 9, 1999

Tulare aquifer
SE SE SE SE sec. 15, T. 114 N., R. 62 W.
(east of Spink County dam, Spink County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 19, 1996

Tulare aquifer
NE NE NE NE sec. 23, T. 114 N., R. 63 W.
(north of Hitchcock, Spink County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 19, 1996

Tulare aquifer
SW SW SW SW sec. 23, T. 115 N., R. 63 W.
(east of Tulare, Spink County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 19, 1996

Vermillion-East-Fork aquifer
SE SE NE SE sec. 6, T. 111 N., R. 56 W.
(north of De Smet, Kingsbury County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 19, 1996

Vermillion-East-Fork aquifer
SE SW SE SW sec. 7, T. 115 N., R. 57 W.
(south of Clark, Clark County)

W ← → E



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 19, 1996

Vermillion-West-Fork aquifer
SW NW SW NW sec. 15, T. 99 N., R. 53 W.
(near Parker, Turner County)

S ← → N



Neat cement



Granular bentonite




Native sediment (sand/gravel) and/or graded sand filter pack



Water level on September 7, 1994

Vermillion-West-Fork aquifer
SE SW SW SW sec. 29, T. 101 N., R. 54 W.
(southwest of Canistota, McCook County)

W ← → E



Neat cement



Granular bentonite



Native sediment (sand/gravel) and/or graded sand filter pack



Water level on August 12, 1998