

What are Windbreaks?

Windbreaks are barriers used to reduce and redirect wind.

Types of Windbreaks

- Trees and shrubs
- Crops and grasses
- Fences
- Other materials

How Windbreaks Work

As wind blows against a windbreak, air pressure builds up on the windward side (the side toward the wind), and large quantities of air move up and over the top or around the ends.

Windbreak Effectiveness

A windbreak's effectiveness is determined by:

- Height
- Width
- Density
- Species composition
- Orientation
- Length
- Continuity

For more information contact South Dakota Division of Resource Conservation & Forestry

Division of Resource Conservation and Forestry Field Offices:	
Hot Springs	605-745-5820
Lead	605-584-2300
Mitchell	605-995-8189
Rapid City	605-394-2395
Sioux Falls	605-362-2830
Watertown	605-882-5367
Pierre	605-773-3623

Dept. of Agriculture and Natural Resources
Division of Resource Conservation & Forestry
523 E. Capitol Ave
Pierre, SD 57501



This brochure was funded in part by a grant from USDA Forest Service Forest Stewardship Program.

In accordance with Federal law and U.S. Department of Agriculture policy, this institution is prohibited from discriminating on the basis of race, color, national origin, sex, age, or disability (Not all prohibited bases apply to all programs.) To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

How Windbreaks Work



**Department of Agriculture
and Natural Resources**
Division of Resource Conservation
and Forestry

Effect of Height

Windbreak height (H) is the most important factor determining the downwind protection area. This value varies from windbreak to windbreak and increases as the windbreak matures. The tallest tree row determines H for multiple row windbreaks. On the windward side of a windbreak, wind speed reduction is measurable upwind for a distance of 2 to 5 times H. See Figure 2 for leeward (side away from wind) protection zone.

Effect of Density

Windbreak density is the ratio of the solid barrier portion to the total barrier area. Wind flows through the open portion of a windbreak, thus the more solid the windbreak the less air that flows through. A low pressure area develops on the leeward side of very dense windbreaks. This low pressure area pulls air coming over the windbreak down, creating turbulence, and reducing downwind protection. As density decreases, the amount of air passing through the windbreak increases, moderating the low pressure area and increasing the downwind protection area. Conifer trees provide a denser windbreak than deciduous trees.

Effects of Orientation

Windbreaks are most effective when oriented at right angles to prevailing winds.




Figure 1. In areas with variable winds, multiple-leg windbreaks or windbreak systems provide greater protection to the field or farmstead than single-leg windbreaks (from University of Nebraska Extension EC-91-1763-B).




Figure 2. (H) is height of the tallest row in the windbreak (from University of Nebraska Extension EC-91-1763-B).

Effect of Length

The length determines the amount of area receiving protection. For maximum efficiency, the uninterrupted length should exceed the height by at least 10:1. This ratio reduces the influence of end-turbulence on the total protected area.

The continuity of a windbreak also influences its efficiency. Gaps in a windbreak become wind tunnels, creating areas on the downwind side where wind speed often exceeds open field wind speed. Lanes or field accesses through windbreaks should be located to minimize this effect or, if possible, avoided altogether.




Figure 3. Wind flow increases through gaps in a windbreak decreasing the effectiveness of the windbreak. Numerical values represent the percent of open field wind speed (from University of Nebraska Extension EC-91-1763-B).

Microclimate Modification

The reduction in wind speed behind a windbreak leads to changes in the microclimate within the protection zone. Temperature and humidity usually increase, decreasing evaporation and plant water loss. Actual modification depends on windbreak height, density, orientation, and time of day.