RECEIVED

JUN 1 3 2022

MINERALS & MINING PROGRAM



BASELINE SOUND STUDY OF THE WHARF BOSTON EXPANSION PROJECT

REVISION 1 TOPICAL REPORT RSI-3144

PREPARED FOR
Coeur Wharf
10928 Wharf Road
Lead, South Dakota 57754

MAY 2022



BASELINE SOUND STUDY OF THE WHARF BOSTON EXPANSION PROJECT

REVISION 1 TOPICAL REPORT RSI-3144

PREPARED BY Crystal M. Hocking, PE, PG

RESPEC 3824 Jet Drive Rapid City, South Dakota 57703

PREPARED FOR
Coeur Wharf
10928 Wharf Road
Lead, South Dakota 57754

MAY 2022

Project Number M0025.21001





TABLE OF CONTENTS

1.0	INTRODUCTION				
2.0	PREV	IOUS INVESTIGATIONS	3		
3.0	METH	HODOLOGY	4		
	3.1	WHARF MONITORING	4		
	3.2	RESPEC MONITORING	5		
4.0	RESU	LTS AND DISCUSSION	8		
	4.1	RESPEC RESULTS	8		
		WHARF RESULTS			
	4.3	HISTORICAL DATA COMPARISON	11		
5.0	SUMI	MARY	15		
		RENCES			
7.0	GLOS	SARY	17		
APP	ENDIX	A. SITE PHOTOGRAPHS	A-1		
APP	ENDIX	B. RESPEC MONITORING DATA PLOTS	B-1		
ΔΡΡ	ENDIX	C. WHARE MONITORING DATA PLOTS	C-1		



LIST OF TABLES

TABLI	E	PAGE
3-1	Sound-Monitoring Locations	6
3-2	Sound Sources and Average Decibels	7
4-1	Sound-Monitoring Data	9
4-2	Summary of Wharf Sound Data From April 20 to July 27, 2021	10
4-3	Summary of Wharf Sound Data From April 22 to May 6, 2022	11
4-4	Site SND-05 and Wharf Meter 1248 Sound-Data Comparison	12
4-5	Site SND-06 and Wharf Meter 1249 Sound-Data Comparison	13
4-6	Sound-Monitoring Data From Kliche [2010]	14



LIST OF FIGURES

FIGUR	NE CONTROL CON	PAGE
1-1	Boston Expansion Baseline Study Area Map	1
3-1	Wharf Sound Monitoring Location Map	4
3-2	RESPEC Sound-Monitoring Location Map	5
3-3	Instantel Micromate Sound-Level Meter	7
A-1	Site SND-01	A-2
A-2	Site SND-02	A-3
A-3	Site SND-03	A-4
A-4	Site SND-04	A-5
A-5	Site SND-05	A-6
Δ-6	Site SND-06	Δ_7



1.0 INTRODUCTION

Coeur Wharf (Wharf) has proposed to expand its existing gold mine operations in the area known as the Boston Expansion, located on the southern edge of the Wharf Mine along the Portland Ridgeline. This area is approximately 4 miles west of Lead, South Dakota, in Lawrence County. The proposed permit area consists of approximately 47.4 acres of private land located in Sections 2 and 3, Township 4 North, Range 2 East. Figure 1-1 shows the expansion study area. The blue outline represents the current permitted mine boundaries for Wharf and Golden Reward, and the pink outline represents the proposed Boston Expansion permit area.




Figure 1-1. Boston Expansion Baseline Study Area Map.

A baseline environmental study in the Boston Expansion area was completed per the requirements of the South Dakota Department of Agriculture and Natural Resources (SD DANR). The SD DANR mining rules, Administrative Rules of South Dakota (ARSD) 74:29, and South Dakota Codified Law (SDCL) 45-6B require a baseline sampling plan to characterize baseline sound adequately. SDCL 45-6B-92 states that the reclamation plan shall describe and address critical resources that are potentially affected by the mining operation, including noise at "areas near potential receptors including residences and recreational areas."



In fulfillment of SDCL 45-6B-92 and the baseline sampling plan for the Boston Expansion area, a sound study was conducted. To evaluate current sound conditions as work progresses along the Portland Ridgeline and the Flossie Pit, Wharf installed two Sonitus EM2030-A fully automated, remote sound meters in April 2021. Monitoring is still active as of this report. RESPEC also conducted a supplemental sound study with handheld instruments at nearby noise receptors on 4 separate days (July 13, July 20, and July 28, 2021, and May 3, 2022). The purpose of this report is to summarize the existing or baseline sound near the proposed mining expansion based on data collected by RESPEC and Wharf and compare those data to historical data collected during previous sound investigations.

This report is organized to optimize available information and understanding of the sound surrounding the site. Chapter 2.0 summarizes previous sound studies at the Wharf Mine, and the methodology used to conduct the study is presented in Chapter 3.0. A discussion of the results is presented in Chapter 4.0, and Chapter 5.0 provides a summary of this study. References are cited in Chapter 6.0. The report concludes with site photographs in Appendix A, tables and plots of RESPEC data in Appendix B, and plots of the Wharf sound data over the review period are in Appendix C.



2.0 PREVIOUS INVESTIGATIONS

Several pertinent baseline sound-level studies have been performed near the Wharf Mine. The last study was performed in 2010 by Dr. Charles Kliche, and the other two studies were both performed by MartyAnn Apa in 1987 and 1992. A study was also conducted by John Erickson in 1988–1989. A summary of the studies is as follows:

- / 1987 A sound study was conducted for the Golden Reward Mine in 1987 [Apa, 1987]. Sound measurements were obtained at 12 locations in and around Golden Reward's proposed open pit. The report concluded "average background noise levels from all sites fall within or near environmental levels for rural areas." Noise levels were highest at sites along roadways where vehicle traffic contributed to the overall sound levels.
- 1988/1989 The study conducted by Erickson [1988] aimed to quantify sound from mine operations regarding receptors outside of the mine boundary. A subsequent report by Apa [1989] analyzed Erickson's 1988 data. These reports concluded that mine-related sound (excluding blasting) was 35-50 decibels (dB) and would be expected to have minimal effect on nearby dwellings.
- 1992 The 1992 sound study conducted by Apa was for the Clinton Expansion. For this study, sound measurements were taken at ten locations around the proposed Clinton Expansion. The report concluded that sound levels at eight of the ten sites were typical for rural areas. At the other two sites, sound readings 10-15 dB higher than background noise were caused by high winds and local and highway traffic noise [Apa, 1993].
- 2010 A baseline sound study was conducted in 2010 for the Green Mountain/Golden Reward Expansion. Measurements were taken at 11 locations on four dates in July and August 2010 (some of these locations coincided with monitoring locations in Apa [1993]). The results from this study indicated that most sound levels were typical for rural area forests. Most higher levels of sound were from wind, wildlife (i.e., birds), or traffic. The only verifiable mine activity sounds were related to a backup alarm, water truck, lowboy trailer, and general shift changes in mine traffic [Kliche, 2010].

RSI-3144



3.0 METHODOLOGY

This study includes sound measurements collected by Wharf and RESPEC. RESPEC conducted a complementary sound-monitoring program to confirm that sound data collected by Wharf were accurate and to expand the monitored area.

3.1 WHARF MONITORING

To evaluate current sound conditions as work progresses along the Portland Ridgeline and the Flossie Pit, Wharf installed two Sonitus EM2030-A fully automated, remote sound meters in April 2021, as shown in Figure 3-1. These meters are located at the Terry Peak Ski area overflow parking lot (meter 1249, Site SND-06) and south of the closest residence (meter 1248, Site SND-05). The installation locations were selected with respect to proximity to the housing development and Wharfowned properties. These sound meters were factory calibrated and then installed by Wharf staff.




Figure 3-1. Wharf Sound-Monitoring Location Map.

Beginning on April 20, 2021, data have been collected at 5-minute-average intervals. Data recorded include LA_{eq} , LA_{max} , LA_{10} , LA_{90} , LC_{eq} , LC_{max} , LC_{10} , and LC_{90} . These functions are measured simultaneously with the A-weighted and C-weighted frequencies. When readings over 60 dB are

¹ Chapter 7.0 contains a glossary of terms.





measured, sound clips are automatically recorded to capture the source of the sound. For this report, 3 months of data from 2021 (i.e., April 20, 2021, through July 27, 2021) and 2 weeks of data from 2022 (April 24, 2022, through May 8, 2022) were reviewed and analyzed. Wharf intends to conduct continuous sound monitoring for the foreseeable future.

3.2 RESPEC MONITORING

RESPEC performed an independent sound-monitoring study in July 2021 and May 2022. RESPEC sound-monitoring locations are shown in Figure 3-2 and described in Table 3-1. Site photographs are included in Appendix A. The locations of RESPEC sound-monitoring sites were established to provide paired locations with the two Wharf sound-monitoring stations (meters 1248 and 1249) and several of the same locations measured by Kliche [2010]. Corresponding historical monitoring sites are noted in Table 3-1. However, the 2021 monitoring locations may not be exactly coincident with the corresponding historical monitoring site. For example, monitoring location SND-05 was at the site of Wharf meter 1248 and is within a few hundred feet but not in the exact location as Kliche's Point 9. Location SND-07 was added in May 2022 based on SD DANR comments on April 13, 2022; this location provides additional spatial coverage within the Lost Camp subdivision, and the added May 2022 data provides additional temporal data.



Figure 3-2. RESPEC Sound-Monitoring Location Map.



Table 3-1. Sound-Monitoring Locations

Point	Location Description	Corresponding Historical Monitoring Site
SND-01	Intersection of Last Chance Trail and Whitetail Trail	Kliche [2010] – Point 1
SND-02	Last Chance Trail (south end)	Kliche [2010] – Point 2
SND-03	Parking Lot of Barefoot Condos	Kliche [2010] – Point 10
SND-04	Terry Valley Road District Storage Shop	Near Kliche [2010] – Point 4
SND-05	End of Moose Trail at Residence	Wharf Meter 1248 Near Kliche [2010] – Point 9
SND-06	East End of Terry Peak Overflow Parking Lot	Wharf Meter 1249
SND-07	Last Chance Trail (southwest of intersection with Antelope Trail)	N/A

All sound-level measurements were made using the handheld portable instrument Instantel Micromate, as shown in Figure 3-3. The Micromate can simultaneously measure the following sound levels: LA_{max} , LA_{min} , LA_{50} , LA_{90} , and LA_{eq} . These functions are measured simultaneously with the A-weighted frequency. The Micromate is equipped with communications software that allows configuring the instrument to download plots of measurements for reporting purposes.

RESPEC conducted monitoring at each point for an approximate 10-minute period on five events over 4 separate days (July 13, 20, and 28, 2021, and May 3, 2022). On July 13, 2021, locations were field verified, and monitoring was conducted during midday, which included a monitoring event that coincided with a blast event at 12 p.m. Each location was monitored twice on July 13, 2021. Monitoring was conducted in the afternoon of July 20, 2021, and the third monitoring event was conducted midmorning on July 28, 2021. Monitoring was conducted midday on May 3, 2022. Decibel levels for common environments and sounds are provided in Table 3-2. Results are provided and discussed in Chapter 4.0.

RSI-3144






Figure 3-3. Instantel Micromate Sound-Level Meter.

Table 3-2. Sound Sources and Average Decibels [Apa, 1989]

Source	dBA
Pneumatic Drill	100
Noisy Factory on Urban Street	80-90
Heavy Truck	70–80
Business Office	60-70
Conversation Speech	50-65
Living Room	40
Rural Area Forest	25-30



4.0 RESULTS AND DISCUSSION

4.1 RESPEC RESULTS

The results of RESPEC's sound monitoring in July 2021 and May 2022 are presented in Table 4-1, and plots of the monitoring data are included in Appendix B. A summary of sound at each monitoring location is provided in the following text:

- SND-01: Site SND-01 is located at the intersection of Last Chance and Whitetail Trail. This site is generally a busier intersection within the subdivision; traffic was observed during all of the monitoring events. On July 28, 2021, the equivalent continuous sound LA_{eq} was the highest value of any monitoring (61.5 dBA) and the highest maximum reading (86.9 dBA); during this monitoring period, several all-terrain vehicles (ATVs) and other vehicles drove immediately adjacent to the meter. Wharf heavy equipment was barely audible (40–45 dBA) on July 28, 2021, when no traffic was present. The maximum sound ranged from 61.0 to 86.9 dBA. In addition to traffic and ATVs, other observed sounds at this site included wind, thunder, birds, distant construction noise from within the subdivision, and an airplane.
- / SND-02: This site, located on southern Last Chance Trail, is the quietest site with some of the lowest average readings. Sounds included vehicle traffic, wind, wildlife, and distant construction/chainsaw noises within the subdivision. The maximum sound ranged from 56.5 to 69.3 dBA. No noises attributable to the mine were observed.
- / SND-03: The parking lot at the Barefoot Resort condos was a relatively noisy site. During two monitoring events in July 2021, landscaping activities (lawnmowing and weed eating) were occurring in the area. On July 13, 2021, a family created noise in the parking lot by unlocking, opening, and closing doors and driving their vehicle that was parked in the lot. Additional sounds included wind, voices, traffic, and insects. No noises attributable to the mine were observed. The maximum sound ranged from 59.6 to 74.0 dBA.
- / SND-04: Located just outside the entrance to Wharf and near Highway 473 and adjacent to the Terry Valley Road District storage shop, this site had consistent light traffic, which included notable ATV traffic, during monitoring. Other noises included wind, wildlife, plane, helicopter, semi brakes, and a truck backup alarm. The maximum sound ranged from 68.7 to 77.8 dBA.
- SND-05: This site is a paired location with Wharf meter 1248 located southeast of the closest residence to the Boston Expansion. The first monitoring event on July 13, 2021 was during a scheduled blast, and noises included the blast and pre- and postblast emergency sirens; the maximum sound was 61.5 dBA, and LA_{eq} was 39.4 dBA on that date. Noises associated with the mine (trucks and/or possible drilling operations) were audible on July 28, 2021, with equivalent continuous sound (LA_{eq}) of 50.7 dBA. Other observed noises included wind, wildlife, thunder, voices, and distant traffic and chainsaws within the subdivision. The maximum sound ranged from 55.1 to 62.9 dBA.
- / SND-06: This site is a paired location with Wharf meter 1249 located on the east side of the Wharf-owned overflow ski parking lot. Most noises were distant traffic and construction along the roads and within the subdivision. No noises attributable to the mine were observed. Other observed noises included wind, wildlife, airplanes, truck backup alarms within the overflow.



Table 4-1. Sound-Monitoring Data

Site I.D.	Time Start Monitoring (M/D/Y H:M)	Monitoring Duration (min:sec)	Maximum Reading (L _{max})	Minimum Reading (L _{min} dBA)	Average of the Readings (L ₅₀ dBA)	Sound Level Just Exceeded for 90% of the Measurement Period (L ₉₀ dBA)	Equivalent Continuous Sound Level (L _{eq} dBA)
SND-01	7/13/2021 11:21	09:57	65.6	33.4	38	36	42.8
SND-01	7/13/2021 13:45	10:42	66.4	37	45	41	48.8
SND-01	7/20/2021 12:14	09:52	61	37.1	44	39	47
SND-01	7/28/2021 10:29	16:00	86.9	37.3	44	41	61.5
SND-01	5/3/2022 12:45	10:50	74.7	36.8	46	43	50.9
SND-02	7/13/2021 11:03	10:29	68.3	33.2	37	36	43.4
SND-02	7/13/2021 13:31	10:22	59.2	35.4	42	38	43.3
SND-02	7/20/2021 12:28	10:15	69.3	34	40	36	47.7
SND-02	7/28/2021 10:49	10:55	67.6	33	36	34	44.2
SND-02	5/3/2022 12:30	10:31	56.5	35	44	40	46.1
SND-03	7/13/2021 10:44	09:56	74	41.7	51	48	52.6
SND-03	7/13/2021 13:14	10:04	59.6	39.3	47	44	48.4
SND-03	7/20/2021 13:06	10:57	59.8	35.6	43	38	46.5
SND-03	7/28/2021 9:38	10:08	66.2	36.3	46	40	51.2
SND-03	5/3/2022 11:15	11:40	66.7	34.6	48	41	50.9
SND-04	7/13/2021 10:27	10:18	71.8	41.7	50	46	54.3
SND-04	7/13/2021 13:01	09:52	68.7	32.6	39	35	46.7
SND-04	7/20/2021 11:35	10:15	75.1	35.9	48	39	55.9
SND-04	7/28/2021 9:24	10:10	77.8	34.6	45	38	57.9
SND-04	5/3/2022 10:56	12:09	73.6	35.1	47	40	54.5
SND-05	7/13/2021 11:50	15:04	61.5	32.6	36	35	39.4
SND-05	7/13/2021 14:00	10:20	55.1	40.1	45	43	46.1
SND-05	7/20/2021 11:54	15:35	55.8	36.6	41	39	42.3
SND-05	7/28/2021 10:12	12:59	62.2	38	50	47	50.7
SND-05	5/4/2022 11:58	10:27	62.9	37.3	48	44	48.4
SND-06	7/13/2021 12:14	10:05	71.4	33.4	40	37	51.8
SND-06	7/13/2021 14:17	10:14	63.9	40	48	43	49.1
SND-06	7/20/2021 12:51	10:01	59	35.4	42	39	44.1
SND-06	7/28/2021 9:51	10:22	51.8	34.9	39	37	40.5
SND-06	5/3/2022 11:31	14:13	60.3	33.7	42	38	45.0
SND-07	5/3/2022 12:15	10:52	67.2	31.7	45	38	47.7
SND-07	5/3/2022 13:55	13:12	78.7	<30.0	42	37	55.1



D/M/Y = day/month/year

H:M:S = hours:minutes:seconds

min:sec = minutes:seconds.



- parking lot, and the hum of a generator that powers a temporary portable office trailer currently being used by Montana Dakota Utilities Co. (MDU) for project staging in the parking lot. The maximum sound ranged from 51.8 to 71.4 dBA.
- SND-07: Site SND-07 is located on Last Chance Trail, approximately 360 feet southwest of the intersection with Antelope Trail and southeast of the Boston Expansion. The maximum sound recorded ranged from 67.2 to 78.7 dBA. Noises at this site was predominantly related to local traffic within the subdivision. Other noises included light wind, wildlife, distant voices and music, and distant noises related to construction within the subdivision (skid steer, hammering, and chop saw). No noises attributable to the mine were observed.

The overall range in sound measurements collected by RESPEC ranged from 31.7 to 86.9 dB. The maximum sound levels were brief momentary highs and related to traffic in almost every instance. LA_{eq} values ranged from 39.4 to 61.5 dB, which are equivalent to the sound levels found in a typical living room to a busy office setting (see Table 3-2).

4.2 WHARF RESULTS

As part of this investigation, RESPEC reviewed sound-monitoring data collected by Wharf with emphasis on comparing simultaneous measurements by Wharf and RESPEC as well as a review of a select period of data. Wharf has been monitoring sound at two meters (i.e., meters 1248 and 1249) located at the closest residence and the overflow parking lot. Monitoring data have been collected at 5-minute-average intervals since April 20, 2021. RESPEC reviewed Wharf sound data collected between April 20, 2021, through July 27, 2021, and April 24, 2022, through May 8, 2022. Note, meter 1249 was offline from April 23 through 30, 2021, because the 3G data connector wasn't properly transmitting data. Sound data from over the review period are plotted in Appendix C; additional Wharf data from over the period of record are available in electronic format upon request. Wharf's sound meters record a sound clip for each measurement over 60 dBA. RESPEC's staff listened to a selection of sound clips with a focus on the events with the highest readings and those that coincided with the time period in which Wharf typically conducts blasts.

A summary of the sound data collected by Wharf between April 20, 2021, through July 27, 2021, is provided in Table 4-2. Over this time period, sound levels ranged from 22.87 to 103.03 dB at meter 1248. Sixty 5-minute intervals recorded sound levels exceeding 85 dBA. Over one-half of these recordings occurred during the late afternoon or evening hours; few, if any, records were triggered during times typical of blast events (12 p.m. to 4 p.m.). Wharf does not conduct blasting after 4:30 p.m. or in the evening. Based on the review of sound clips of events exceeding 85 dBA, most high-sound levels are associated with thunderstorms, wind, wildlife, voices, or vehicles. Sound levels at meter 1249 were generally similar. Sound readings ranged from 22.78 to 101.73 dBA, and 49 readings exceeded 85 dBA.

Table 4-2. Summary of Wharf Sound Data From April 20 to July 27, 2021

Meter	Smallest LA ₉₀ Value (dBA)	Maximum (dBA)	Smallest LA _{eq} (dBA)	Largest LA _{eq} (dBA)
1248	22.87	103.03	24.77	74.52
1249	22.78	101.73	23.33	78.87



A summary of data over the 2-week period from April 24, 2022, through May 8, 2022, is provided in Table 4-3. Over this time period, sound levels ranged from 24.0 to 97.2 dBA at meter 1248. Nine 5-minute intervals recorded sound levels exceeding 85 dBA. Sound levels at meter 1249 were generally similar, with sound readings that ranged from 22.66 to 97.44 dBA and 25 readings exceeded 85 dBA. The majority of these high-sound recordings occurred during midday hours with a few night readings, and all recordings RESPEC listened to were associated with weather events (wind, rain, and thunder) that occurred on April 24 and 29, 2022.

Smallest LA₉₀ Value Maximum Smallest LA_{eq} Largest LA_{eq} Meter (dBA) (dBA) (dBA) (dBA) 1248 24.0 97.2 25.24 76.31 1249 22,66 97.44 23.27 76.15

Table 4-3. Summary of Wharf Sound Data From April 22 to May 6, 2022

At Site SND-05 and meter 1248, all of the LA_{max} and LA_{eq} values measured by RESPEC were within the range of values recorded by Wharf, as shown in Table 4-4. LA_{eq} values for RESPEC and Wharf data were similar, and all values were within a few decibels of each other; however, L_{max} values measured by RESPEC were lower than the highest Wharf-measured values except for on May 3, 2022. Site SND-05/1248 was intentionally monitored during a blast to monitor blast noise and compare monitoring instruments. At the time of the blast (approximately 12:03 p.m. on July 13, 2021), the LA_{max} value was 66.3 dBA at Wharf meter 1248 compared to an LA_{max} value of 61.5 dBA at Site SND-05.

Site SND-06 was a paired location with meter 1249 at the overflow parking lot. LA_{eq} values for RESPEC and Wharf data were similar, and all values were within a few decibels of each other, as shown in Table 4-4. During the first three monitoring events, the LA_{max} data collected were similar. However, on July 28, 2021, Wharf meter 1249 had an LA_{max} value of 74.72 dBA and RESPEC measured an LA_{max} value of only 51.8 dBA.

Discrepancies between datasets may be caused by differences in instrument type, calibration, meter height, or other unaccounted metrics. Wharf's continuous sound meters and recordings appear to be working adequately and will serve to provide reliable sound data into the foreseeable future.

4.3 HISTORICAL DATA COMPARISON

Data collected by Kliche [2010] for the paired sites that RESPEC monitored for this investigation are provided in Table 4-5. Sound levels measured in 2021–2022 were generally similar to those measured in 2010. Site SND-01/Point 1 was slightly noisier (higher average maximum sound) in 2021–2022 compared to 2010, although LA $_{50}$ values were of similar magnitude. At SND-03/Point 10, L $_{50}$ levels were higher on average in 2021–2022, and at SND-05/Point 9, the average LA $_{eq}$ values were slightly higher in 2021–2022. During 2010, most peak sounds were associated with "wind, wildlife (woodpeckers) or far off traffic noise" that included motorcycles [Kliche, 2010].



Table 4-4. Site SND-05 and Wharf Meter 1248 Sound-Data Comparison

Time Start (M/D/Y H:M)	Duration (min:sec)	LA _{max} (dBA)	LA _{eq} (dBA)
7/13/2021 11:50	15:04	61.5	39.4
7/13/2021 11:55	5:00	54.57	41.39
7/13/2021 12:00	5:00	47.32	35.81
7/13/2021 12:05	5:00	66.3	42.08
7/13/2021 14:00	5:00	52.57	43.15
7/13/2021 14:00	10:20	55.1	46.1
7/13/2021 14:05	5:00	68.57	47.8
7/13/2021 14:10	5:00	50.73	46.66
7/20/2021 11:54	15:35	55.8	42.3
7/20/2021 11:55	5:00	74.45	47.84
7/20/2021 12:00	5:00	60.49	43.64
7/20/2021 12:05	5:00	50.21	44.31
7/20/2021 12:10	5:00	49.86	44.42
7/28/2021 10:10	5:00	58.16	53.45
7/28/2021 10:12	12:59	62.2	50.7
7/28/2021 10:15	5:00	75.8	54.26
7/28/2021 10:20	5:00	64.43	53.84
7/28/2021 10:25	5:00	67.58	50.96
5/3/2022 11:55	5:00	50.93	44.74
5/3/2022 11:58	10:27	62.9	48.4
5/3/2022 12:00	5:00	58.57	48.06
5/3/2022 12:05	5:00	55.5	49.8

Wharf data in blue text; RESPEC data in black text.

RSI-3144



Table 4-5. Site SND-06 and Wharf Meter 1249 Sound-Data Comparison

Time Start (M/D/Y H:M)	Duration (min:sec)	LA _{max}	LA _{eq}
7/13/2021 12:14	10:05	71.4	51.8
7/13/2021 12:15	5:00	59.09	41.87
7/13/2021 12:20	5:00	72.41	56.74
7/13/2021 14:17	10:14	63.9	49.1
7/13/2021 14:20	5:00	61.99	49.35
7/13/2021 14:25	5:00	67.05	51.64
7/20/2021 12:50	5:00	54.44	45.31
7/20/2021 12:51	10:01	59	44.1
7/20/2021 12:55	5:00	58.59	45.92
7/20/2021 13:00	5:00	52.7	43.89
7/28/2021 9:50	5:00	56.74	41.73
7/28/2021 9:51	10:22	51.8	40.5
7/28/2021 9:55	5:00	74.72	46.83
7/28/2021 10:00	5:00	49.93	41.96
5/3/2022 11:30	5:00	68.3	51.47
5/3/2022 11:31	14:13	60.3	45
5/3/2022 11:35	5:00	53.03	43.68
5/3/2022 11:40	5:00	55.1	43.9
5/3/2022 11:45	5:00	60.25	43.91

Wharf data in blue text; RESPEC data in black text.

RSI-3144



Table 4-6. Sound-Monitoring Data From Kliche [2010]

Kliche Site I.D. (RESPEC Site I.D.)	Date (M/D/Y)	Maximum Sound (dB)	Minimum Sound (dB)	LA ₅₀
	7/5/2020	78.5	31.2	40.4
Point 1	7/13/2010	63.3	28.4	41.6
(SND-01)	7/27/2010	42.5	38.4	35
	7/27/2010	53.5	41.4	46
	7/5/2020	67.4	29.5	37.7
Point 2	7/13/2010	67.5	25.1	38.1
(SND-02)	7/27/2010	52.8	26.9	29.4
	7/27/2010	53	37.6	43.1
	7/5/2020	67	32.3	38.1
Point 10	7/13/2010	59.8	33.5	41.6
(SND-03)	7/27/2010	60.2	36	42.3
	7/27/2010	70.3	45	47.8
	7/5/2020	84.4	34	39.2
Point 4	7/13/2010	75.3	28.4	34.2
(SND-04)	7/27/2010	61.9	34.5	41.1
	7/27/2010	73	42.9	48.9
	7/5/2020	74.9	27.7	35.4
Point 9	7/13/2010	60.4	29.2	34.5
(SND-05)	7/27/2010	61.6	37.3	37.7
	7/27/2010	49.7	41.2	46



5.0 SUMMARY

Wharf installed two fully automated, remote sound meters in April 2021 and has been conducting continuous sound monitoring since that time. RESPEC conducted sound monitoring at seven points for approximate 10-minute periods; monitoring occurred on 4 separate days (July 13, 20, and 28, 2021; and May 3, 2022). The locations of RESPEC sound-monitoring sites were established to provide paired locations with the two Wharf sound-monitoring stations (meters 1248 and 1249) as well as several of the same locations measured by Kliche [2010].

The sound measurements collected by RESPEC ranged from less than 30 to 86.9 dB. The maximum sound levels were brief momentary highs and related to local traffic in almost every instance. Equivalent continuous sound levels (L_{eq}) ranged from 39.4 to 61.5 dB. These L_{eq} levels are equivalent to that found in a typical living room to busy office setting.

Compared to 2010 sound data [Kliche 2010], noise in the area is slightly higher. ATV usage seems to have significantly increased in the last decade, and much of the noise in 2021–2022 is attributed to ATVs and traffic. Other sounds observed were related to wind, wildlife, airplanes, thunder, construction, and mining activities.

The only verifiable recorded mine activities were at Site SND-05. A scheduled blast event at the Flossie Pit was recorded on July 13, 2021; the blast as well as the pre- and postblast sirens were audible. On July 28, noise associated with the mine operations just over the hill was audible, which included trucks and possible drilling operations; on that date, the maximum sound recorded was 62.2 dBA.

Under the proposed Boston Expansion, the highwall will be pushed back to the south approximately 400 feet and some trees and vegetation will be removed. Noise is expected to temporarily increase for initial blasts at the top of the Portland Ridgeline and will then likely return to current baseline levels after the upper benches are complete. Although sound is greatest where there is a line of sight, there are minimal areas south of Wharf where there is a line of sight of the Boston Expansion area.



6.0 REFERENCES

Apa, M., 1987. *Background Sound Analysis for Proposed Mining Site*, prepared for Golden Reward Mining Company, Lead, SD.

Apa, M., 1989. Impact Analysis of Sound Level Study, prepared for Wharf Resources, Lead, SD.

Apa, M., 1993. Baseline Sound Level Studies for Wharf Resources Clinton Extension, prepared for Wharf Resources, Lead, SD.

Erickson, J. D., 1988. Wharf Resources Mining Company Sound Level Study, prepared for Wharf Resources, Lead, SD.

Kliche, C. A., 2010. Background Sound-Level Study Wharf Resources for the Golden Reward and Wharf Mine Expansions, prepared for Wharf Resources (USA) Inc., Lead, SD, by South Dakota School of Mines and Technology, Rapid City, SD.



7.0 GLOSSARY

Term	Definition
A-Weighted Frequency	The A-weighting curve is used extensively for general-purpose noise measurements
LA _{eq}	A-weighted, equivalent continuous sound level
LA _{max}	A-weighted, maximum sound level
LA _{min}	A-weighted, minimum sound level
LA ₁₀	The A-weighted, sound level just exceeded for 10 percent of the measurement period and calculated by statistical analysis
LA ₅₀	The A-weighted, sound level just exceeded for 50 percent of the measurement period and calculated by statistical analysis
LA ₉₀	The A-weighted, sound level just exceeded for 90 percent of the measurement period and calculated by statistical analysis
C-Weighted Frequency	C-weighting is used for high-level measurements and peak sound pressure levels. Approximately following the 100 phon curve; also written as dB(C) or dBC
LC _{eq}	C-weighted, equivalent continuous sound level
LC _{max}	C-weighted, maximum sound level
LC ₁₀	The C-weighted, sound level just exceeded for 10 percent of the measurement period and calculated by statistical analysis
LC ₉₀	The C-weighted, sound level just exceeded for 90 percent of the measurement period and calculated by statistical analysis

APPENDIX A SITE PHOTOGRAPHS










Figure A-1. Site SND-01.






Figure A-2. Site SND-02.





Figure A-3. Site SND-03.












Figure A-4. Site SND-04.





Figure A-5. Site SND-05.






Figure A-6. Site SND-06.

APPENDIX B

RESPEC MONITORING DATA PLOTS







Manual at July 13, 2021 11:21:18 0.00 sec/597.5 sec (Fixed) 1024 sps UM14409.MMB SND1

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713112118.IDFW Disabled

Post Event Notes No text to be displayed.








Manual at July 13, 2021 13:45:24 0.00 sec/642.0 sec (Fixed) 1024 sps UM14409.MMB SND1

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713134524.IDFW Disabled

Post Event Notes No text to be displayed.







Manual at July 20, 2021 12:14:21 0.00 sec/592.0 sec (Fixed) 1024 sps UM14409.MMB SND1

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210720121421.IDFW Disabled

Post Event Notes No text to be displayed.







Pre-Trigger/Record Time Sample Rate Setup File Name Operator

Manual at July 28, 2021 10:29:05 0.00 sec/959.5 sec (Fixed) 1024 sps UM14409.MMB SND1

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210728102905.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone

LMax


Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude

A-Weight Fast 86.9 dB(A) 930.637 sec **LMin L50**

44 **✓** Passed

LMin 37.3 L90 41 1197 mv





Notes Location

Client Company General Notes Manual at May 3, 2022 12:45:21 0.00 sec/649.5 sec (Fixed) 1024 sps UM15175.MMB SND1

L90

43

200

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel UA10073, April 18, 2022 by Field Calibration UM15175_20220503124521.IDFW Disabled

Sensor Check

Extended Notes No text to be displayed. **Post Event Notes** No text to be displayed.

Sound Level Microphone LMax

Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude


0

0

100

A-Weight Fast 74.7 dB(A) 137.029 sec **LMin L50** 36.8 46

✓ Passed 782 mv



400

300

Time(sec)

500

600




Manual at July 13, 2021 11:03:40 0.00 sec/629.0 sec (Fixed) 1024 sps UM14409.MMB SND2

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713110340.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level MicrophoneA-Weight FastLMax68.3 dB(A)Time (Relative to Trigger)601.438 secLMinL50L90Sound(dB(A))33.23736Sensor Check✓ PassedTest Amplitude1180 mv





Manual at July 13, 2021 13:31:30 0.00 sec/622.0 sec (Fixed) 1024 sps UM14409.MMB SND2 Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support


UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713133130.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone

LMax
59.2 dB(A)
Time (Relative to Trigger)
618.120 sec
LMin L50 L90
Sound(dB(A))
Sensor Check
Test Amplitude

A-Weight Fast
59.2 dB(A)
618.120 sec
LMin L50 L90
Y Passed
1199 mv





Pre-Trigger/Record Time Sample Rate Setup File Name Operator

Manual at July 20, 2021 12:28:35 0.00 sec/615.0 sec (Fixed) 1024 sps UM14409.MMB SND2

L90

36

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210720122835.IDFW Disabled


Post Event Notes No text to be displayed.

Sound Level Microphone LMax

Time (Relative to Trigger) Sound(dB(A)) Sensor Check Test Amplitude

A-Weight Fast 69.3 dB(A) 301.983 sec **LMin L50** 34.0 40

301.983 Se LMin L5 34.0 40 Passed 1190 mv





Manual at July 28, 2021 10:49:00 0.00 sec/655.0 sec (Fixed) 1024 sps UM14409.MMB SND2


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210728104900.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone
LMax
67.6 dB(A)
Time (Relative to Trigger)
460.111 sec
LMin L50 L90
Sound(dB(A))
Sensor Check
Test Amplitude

A-Weight Fast
467.6 dB(A)
460.111 sec
LMin L50 L90
133.0 36 34
✓ Passed
1197 mv





Notes

Location Client Company General Notes Manual at May 3, 2022 12:30:25 0.00 sec/631.5 sec (Fixed) 1024 sps UM15175.MMB SND2

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel UA10073, April 18, 2022 by Field Calibration UM15175_20220503123025.IDFW Disabled


Sensor Check

Extended Notes No text to be displayed.

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 56.5 dB(A) 5.431 sec LMin L50 L90 35.0 44 40 ✓ Passed 809 mv





Manual at July 13, 2021 10:44:15 0.00 sec/596.5 sec (Fixed) 1024 sps UM14409.MMB SND3

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support


UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713104415.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast
74.0 dB(A)
314.033 sec
LMin L50 L90
41.7 51 48

✓ Passed
1180 mv






Manual at July 13, 2021 13:14:00 0.00 sec/604.0 sec (Fixed) 1024 sps UM14409.MMB SND3 Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713131400.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone
LMax
59.6 dB(A)
Time (Relative to Trigger)
Sound(dB(A))
Sensor Check
Test Amplitude

A-Weight Fast
59.6 dB(A)
566.364 sec
LMin L50 L90
44
44
44
44
44
44
44
44
44
44
44
44





Manual at July 20, 2021 13:06:30 0.00 sec/657.0 sec (Fixed) 1024 sps UM14409.MMB SND3


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210720130630.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone
LMax
Time (Relative to Trigger)
Sound(dB(A))
Sensor Check
Test Amplitude

A-Weight Fast
59.8 dB(A)
655.325 sec
LMin L50 L90
35.6 43 38
✓ Passed
1170 mv





Manual at July 28, 2021 09:38:00 0.00 sec/608.0 sec (Fixed) 1024 sps UM14409.MMB SND3

L90

40


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210728093800.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 66.2 dB(A) 16.605 sec LMin L50 36.3 46 ✓ Passed





Notes

Location Client Company **General Notes** Manual at May 3, 2022 11:15:25 0.00 sec/700.0 sec (Fixed) 1024 sps UM15175.MMB SND3

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel
UA10073, April 18, 2022 by Field Calibration
UM15175_20220503111525.IDFW Disabled


Sensor Check

Extended Notes No text to be displayed. Post Event Notes No text to be displayed.

Sound Level Microphone

LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 66.7 dB(A) 424.725 sec **LMin** L50 L90 34.6 48 41 **✓** Passed 793 mv





Manual at July 13, 2021 10:27:14 0.00 sec/618.0 sec (Fixed) 1024 sps UM14409.MMB SND4

L90

46


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713102714.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 71.8 dB(A) 194.642 sec LMin L50 41.7 50 ✓ Passed






Pre-Trigger/Record Time Sample Rate Setup File Name Operator

Manual at July 13, 2021 13:01:13 0.00 sec/592.5 sec (Fixed) 1024 sps UM14409.MMB SND4

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713130113.IDFW Disabled

Post Event Notes No text to be displayed.




Sound(dB(A)) Sensor Check Test Amplitude

A-Weight Fast 68.7 dB(A) 483.424 sec **LMin L50**

LMin L5 32.6 39 ✓ Passed L90 39 35

1199 mv





Manual at July 20, 2021 11:35:51 0.00 sec/615.5 sec (Fixed) 1024 sps UM14409.MMB SND4

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support


UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210720113551.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast
75.1 dB(A)
300.163 sec
LMin L50 L90
35.9 48 39

✓ Passed
1190 mv





Manual at July 28, 2021 09:24:00 0.00 sec/610.0 sec (Fixed) 1024 sps UM14409.MMB SND4

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support


UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210728092400.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast
77.8 dB(A)
181.805 sec
LMin L50 L90
34.6 45 38

✓ Passed
1197 mv





Notes

Location Client Company General Notes Manual at May 3, 2022 10:56:56 0.00 sec/729.5 sec (Fixed) 1024 sps UM15175.MMB SND4

WHARF

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel UA10073, April 18, 2022 by Field Calibration UM15175_20220503105656.IDFW Disabled

Sensor Check

coloued


Extended Notes No text to be displayed. **Post Event Notes** No text to be displayed.

Sound Level Microphone LMax

Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast
73.6 dB(A)
49.177 sec
LMin L50 L90
35.1 47 40

✓ Passed
802 mv





Manual at July 13, 2021 11:50:00 0.00 sec/904.5 sec (Fixed) 1024 sps UM14409.MMB SND5


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713115000.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone
LMax
Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 61.5 dB(A) 697.345 sec LMin L50 L90 32.6 36 35 ✓ Passed 1187 mv





Manual at July 13, 2021 14:00:35 0.00 sec/619.5 sec (Fixed) 1024 sps UM14409.MMB SND5

L90

43


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713140035.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 55.1 dB(A) 592.579 sec LMin L50 40.1 45 ✓ Passed





Pre-Trigger/Record Time Sample Rate Setup File Name Operator

Manual at July 20, 2021 11:54:30 0.00 sec/935.0 sec (Fixed) 1024 sps UM14409.MMB SND5

L90

39

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210720115430.IDFW Disabled


Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude

A-Weight Fast 55.8 dB(A) 907.447 sec **LMin L50** 36.6 41

36.6 4: **√** Passed 1190 mv





Manual at July 28, 2021 10:12:01 0.00 sec/779.5 sec (Fixed) 1024 sps UM14409.MMB SND5


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210728101201.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level MicrophoneA-WeiLMax62.2 dTime (Relative to Trigger)772.00LMinSound(dB(A))Sensor Check✓ PastTest Amplitude1197 r

A-Weight Fast
62.2 dB(A)
772.068 sec
LMin L50 L90
38.0 50 47
✓ Passed
1197 mv





Notes

Location Client Company General Notes Manual at May 3, 2022 11:58:17 0.00 sec/627.0 sec (Fixed) 1024 sps UM15175.MMB SND5

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel UA10073, April 18, 2022 by Field Calibration UM15175_20220503115817.IDFW Disabled


Sensor Check

Extended Notes No text to be displayed. **Post Event Notes** No text to be displayed.

Sound Level Microphone LMax

LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 62.9 dB(A) 441.181 sec LMin L50 L90 37.3 48 44 ✓ Passed 817 mv





Manual at July 13, 2021 12:14:58 0.00 sec/605.0 sec (Fixed) 1024 sps UM14409.MMB SND6


L90

37


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713121458.IDFW Disabled

Post Event Notes No text to be displayed.



Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 71.4 dB(A) 29.267 sec LMin L50 33.4 40 ✓ Passed





Manual at July 13, 2021 14:17:23 0.00 sec/614.0 sec (Fixed) 1024 sps UM14409.MMB SND6

L90

43

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210713141723.IDFW Disabled


Post Event Notes No text to be displayed.

Sound Level Microphone LMax

Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude **A-Weight Fast** 63.9 dB(A) 465.956 sec **LMin L50** 40.0 48

40.0 48 ✓ Passed 1199 mv





Manual at July 20, 2021 12:51:32 0.00 sec/600.5 sec (Fixed) 1024 sps UM14409.MMB SND6

Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210720125132.IDFW Disabled


Post Event Notes No text to be displayed.

Sound Level Microphone
LMax
Time (Relative to Trigger)
Sound(dB(A))
Sensor Check
Test Amplitude

A-Weight Fast
59.0 dB(A)
529.771 sec
LMin L50 L90

Sound(dB(A))
35.4 42 39

Passed
1170 mv





Manual at July 28, 2021 09:51:40 0.00 sec/622.0 sec (Fixed) 1024 sps UM14409.MMB SND6


Serial Number
Model Number
Battery Level
Unit Calibration
Microphone Calibration
Event File Name
USB Sensor Support

UM14409 Micromate ISEE 10.90 3.8 volts March 22, 2021 by Instantel UA10072, July 6, 2021 by Instantel UM14409_20210728095140.IDFW Disabled

Post Event Notes No text to be displayed.

Sound Level Microphone LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 51.8 dB(A) 50.931 sec LMin L50 L90 34.9 39 37 ✓ Passed





Notes

Location Client Company **General Notes** Manual at May 3, 2022 11:31:15 0.00 sec/853.0 sec (Fixed) 1024 sps UM15175.MMB SND6

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel
UA10073, April 18, 2022 by Field Calibration
UM15175_20220503113115.IDFW Disabled

Sensor Check


813 mv

Extended Notes No text to be displayed. Post Event Notes No text to be displayed.

Sound Level Microphone

LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 60.3 dB(A) 843.602 sec **LMin** L50 L90 33.7 42 38 **✓** Passed





Notes

Location Client Company General Notes Manual at May 3, 2022 12:15:45 0.00 sec/652.0 sec (Fixed) 1024 sps UM15175.MMB SND7

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel UA10073, April 18, 2022 by Field Calibration UM15175_20220503121545.IDFW Disabled

Sensor Check


Extended Notes No text to be displayed. **Post Event Notes** No text to be displayed.

Sound Level Microphone

LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude A-Weight Fast 67.2 dB(A) 201.445 sec LMin L50 L90 31.7 45 38 ✓ Passed

807 mv





Pre-Trigger/Record Time Sample Rate Setup File Name Operator

Notes Location

Client Company **General Notes** Manual at May 3, 2022 13:55:50 0.00 sec/792.0 sec (Fixed) 1024 sps UM15175.MMB SND7

WHARF

Serial Number Model Number Battery Level Unit Calibration Microphone Calibration Event File Name USB Sensor Support

UM15175 Micromate ISEE 10.90 3.8 volts May 14, 2021 by Instantel
UA10073, April 18, 2022 by Field Calibration
UM15175_20220503135550.IDFW Disabled

Extended Notes No text to be displayed. Post Event Notes No text to be displayed.


Sound Level Microphone

LMax Time (Relative to Trigger)

Sound(dB(A)) Sensor Check Test Amplitude **A-Weight Fast** 78.7 dB(A) 240.281 sec LMin L50

L90 <30 42 ✓ Passed 42 37 799 mv





APPENDIX C

WHARF MONITORING DATA PLOTS



