

DEPARTMENT of ENVIRONMENT and NATURAL RESOURCES Minerals & Mining Program - Oil & Gas Section 2050 West Main, Suite #1, Rapid City, SD 57702-2493 Telephone: 605-394-2229, FAX: 605-394-5317 RECENVED SEP 2 9 2010

DEPT OF ENVIRONMENT & NATURAL RESOURCES - RAPID CITY

, WA			111-0
APPLICA	TION FOR	PERMIT TO	DRILL
3 30			

		-2230	·					
Type of work:	A Skeomer W	Drill Direct	tional Well	Type of well: ✓ Oil Well	Gas Well	Injection		
Other				Other				
Name and Address	of Operator:				ė	Telephone		
Continental R	esources, Inc.	P.O. Box 1032			(58	30) 233-8955		
Type of work: Drill New Well Recenter Well Drill Directional Well Joil Well Gas Well Injection Other								
David Niemi		P.O. Box 227 Buffalo, SD 57720						
Name and Address of Drilling Contractor and Rig Number: Cyclone Drilling, Inc. 5800 Mohan Road Gillette, WY 82718-6937 Rig: Cyclone #1								
Surface Location of well: Qtr-Qtr, Sec, Twp, Rge, County, feet from nearest lines of section, and latitude and longitude (if available):								
NESE, Sec. 31-21N-4E, 1900' FSL & 800' FEL, Harding County; Lat: 45.7381145 Long: -103.6689862								
If Directional, top of pay and bottom hole location from nearest lines of section: TOP Lat #1- 1829' FSL & 1203' FEL, Sec. 31-21N-4E BHL 247' FNL & 950' FEL, Sec. 6-20N-4E TOP Lat #2- 1805' FSL & 1300' FEL, Sec. 31-21N-4E BHL 660' FNL & 1707' FWL, Sec. 31-21N-4E Description of Spacing Unit								
4580.93 Unitized; West Buffalo Red River Unit; Order #10-96								
Well Name and l	Number	Elevation	Field and Pool, or Wildcat Proposed Depth and Formation					
WBRRU 43-3	1H	3147 GL	Buffalo	Lat #1-11,085' Lat #2-12,669		Lat #2-12,669'		
Size of Hole 1) 13 1/2" 2) 8 3/4" 3) 6 1 1/8 4) 6 1/8	Size of Casing 9 5/8" 7"	Weight per Foot 36# 23,26,29#	Depth 1440 8714 11085 12669	Cementing Program (2 657 Sks Type I 605 Sks Premium I Open Hole (1: Open Hole (2:	II Lite & "G" st Lateral)			
Describe Proposed Operations (Clearly State all Pertinent Details, and Give Pertinent Dates, Including Estimated Date of								
	· -	dditional page(s) if a		,				
Plans are to drill the vertical wellbore to the Interlake interval, then build angle to 90 degrees in the direction of 260 degree azimuth. Set and cement 7" csg through the build. Wellbore will be drilled approximately 2383' in the Red River "B" formation. Second lateral will be drilled 3891' in the Northerly direction.								
I hereby certify that the foregoing as to any work or operation performed is a true and correct report of such work or operation.								
		Nicole Cadde				0 <u>9/16</u> /2010		
Signatur	re	Nar	ne (Print)		Γitle	Date		
FOR OFFICE USE ONLY								
Approved By:	hed to	Mue		Title: <u>C</u>	oil and Gas S	upervisor		
Permit No. 1985 API No. 40 063 20719 Date Issued: February 18, 2011 Conditions, if any, on attached page.								