

Town of Ward Drinking Water Information

(General Information and Sampling Requirements as of October 24, 2025)



2024 Certificate of Achievement Award.

Population Served:	41	System Population:	41
Certified Operator:	Mr Tom Kampmann 309 223rd Street Ward, SD 57026	Work Phone:	(605)690-7727
		Home Phone:	
		Cell Phone:	
		Fax:	
		Email:	feathersnest@gmail.com
Financial Contact:	Ms Charity Kuehl 309 223rd Street Ward, SD 57026	Work Phone:	(605)690-8763
		Home Phone:	
		Cell Phone:	
		Fax:	
		Email:	ckuehl65@gmail.com
Other Contacts:	President Scott Handberg 309 223rd Street Ward, SD 57074	Work Phone:	
		Home Phone:	
		Cell Phone:	
		Fax:	
		Email:	littlejoe1975@gmail.com
Last Inspection:	August 28, 2024	Area Served:	Moody County
Type of System:	Community	Contract Laboratory:	State Health Lab, Pierre
Service Connections:	28	Contamination Risk:	low
PWS Owner Type:	Local Government	Service Area:	Municipality

Water Produced And Used By The Town of Ward Public Water System

Monitoring/Reporting - Entry Point

Town of Ward

EPA ID: 0351

SAMPLING

Entry point: Treatment Site - Well #1

	Chemical	Sampling Frequency	Waivers	Taken Last	Due Next	Notes
1	Inorganic Chemicals					
	A. Antimony	Triennially	No	Jul-25		
	B. Arsenic	Triennially	No	Jul-25		
	C. Barium	Triennially	No	Jul-25		
	D. Beryllium	Triennially	No	Jul-25		
	E. Cadmium	Triennially	No	Jul-25		
	F. Chromium	Triennially	No	Jul-25		
	G. Cyanide		Yes			State-wide waiver
	H. Fluoride	Triennially	No	Jul-25		
	I. Mercury	Triennially	No	Jul-25		
	J. Nickel	Triennially	No	Jul-25		
	K. Selenium	Triennially	No	Jul-25		
	L. Thallium	Triennially	No	Jul-25		
2	Radiological Chemicals	Triennially	N/A			
3	VOC Chemicals		No	Jul-24		
4	SOC Chemicals					
	A. Method 515.1	Triennially	No	Mar-24	2027	
	B. Method 524	Triennially	No	Mar-24	2027	
	C. Method 525	Triennially	No	Mar-24	2027	
	D. Method 531.1	Triennially	No	Mar-24	2027	
	E. Method 547	Triennially	No	Mar-24	2027	
	F. Method 548	Triennially	No	Mar-24	2027	
	G. Method 549	Triennially	No	Mar-24	2027	
5	Nitrate	Annually	N/A	Oct-25		
6	Nitrite	Triennially	N/A	Oct-25		

(These values are calculated from available data. Check correspondence for verification.)

Bacteriological Monitoring

Bacteriological sampling and analysis: October 1, 2024 to October 1, 2025

A	Samples submitted:	<u>12</u>
B	Samples required:	<u>One Sample Monthly.</u>
C	Survey samples:	<u>0</u>
D	Safe samples:	<u>12</u>
E	Unsafe samples:	<u>0</u>
F	Repeat samples:	<u>0</u>
H	Groundwater Samples:	

Lead and Copper Monitoring

(These values are calculated from available data. Check correspondence for verification.)

A	Date Last Tested:	<u>September 30, 2024</u>
B	Samples required:	<u>5</u>
C	Sampling Frequency	<u>Annually</u>
D	Date Due Next	<u>2025</u>
E	Lead - 90% Level	<u>1.65</u> Action Level - 15 ug/l
F	Copper 90% Level	<u>1.13</u> Action Level - 1.3 mg/l

Disinfectant Residual Monitoring

Residual sampling and analysis: October 1, 2024 to October 1, 2025

A	Samples submitted:	<u>12</u>
B	Samples required:	<u>One Sample Monthly.</u>
C	Last Qtr Cl Residual:	<u>0.6</u> mg/l
D	Running Annual Average:	<u>0.57</u> mg/l
E	Date of last DBP test:	<u>September 25, 2024</u>
F	THM - Qtr Average:	<u>6.73</u> ug/l
G	Haa5 - Qtr Average:	<u>1.3</u> ug/l

Asbestos

A	Date of last test:	
B	Asbestos Result:	million fibers per liter

Comments	

Violations and Significant Deficiencies

Town of Ward

EPA ID: 0351

Violations From

October 1, 2020

To

October 1, 2025

Violation Type	Parameter	Date	Status
Failure to Monitor	SOCs - Diquat	01/01/2023	Public Notice Requested
	SOCs - Diquat		Compliance Achieved
Failure to Monitor	SOCs - Glyphosate	01/01/2023	Public Notice Requested
	SOCs - Glyphosate		Compliance Achieved
Failure to Monitor	SOCs - Endothall	01/01/2023	Public Notice Requested
	SOCs - Endothall		Compliance Achieved
Failure to Monitor	SOCs - Ethylene dibromide	01/01/2023	Public Notice Requested
	SOCs - Ethylene dibromide		Compliance Achieved
Failure to Monitor	SOCs - Dibromochloropropane	01/01/2023	Public Notice Requested
	SOCs - Dibromochloropropane		Compliance Achieved
Failure to Monitor	SOCs - 2,4-D	01/01/2023	Public Notice Requested
	SOCs - 2,4-D		Compliance Achieved
Failure to Monitor	SOCs - Pichloram	01/01/2023	Public Notice Requested
	SOCs - Pichloram		Compliance Achieved
Failure to Monitor	SOCs - Pentachlorophenol	01/01/2023	Public Notice Requested
	SOCs - Pentachlorophenol		Compliance Achieved
Failure to Monitor	SOCs - 2,4,5-TP (Silvex)	01/01/2023	Public Notice Requested
	SOCs - 2,4,5-TP (Silvex)		Compliance Achieved
Failure to Monitor	SOCs - Dinoseb	01/01/2023	Public Notice Requested
	SOCs - Dinoseb		Compliance Achieved
Failure to Monitor	SOCs - Dalapon	01/01/2023	Public Notice Requested
	SOCs - Dalapon		Compliance Achieved
Failure to Monitor	SOCs - Oxamyl	01/01/2023	Public Notice Requested
	SOCs - Oxamyl		Compliance Achieved
Failure to Monitor	SOCs - Carbofuran	01/01/2023	Public Notice Requested
	SOCs - Carbofuran		Compliance Achieved
Failure to Monitor	SOCs - Simazine	01/01/2023	Public Notice Requested
	SOCs - Simazine		Compliance Achieved
Failure to Monitor	SOCs - Toxaphene	01/01/2023	Public Notice Requested
	SOCs - Toxaphene		Compliance Achieved
Failure to Monitor	SOCs - Chlordane	01/01/2023	Public Notice Requested
	SOCs - Chlordane		Compliance Achieved
Failure to Monitor	SOCs - Lindane	01/01/2023	Public Notice Requested
	SOCs - Lindane		Compliance Achieved
Failure to Monitor	SOCs - Hexachlorobenzene	01/01/2023	Public Notice Requested
	SOCs - Hexachlorobenzene		Compliance Achieved
Failure to Monitor	SOCs - Endrin	01/01/2023	Public Notice Requested
	SOCs - Endrin		Compliance Achieved
Failure to Monitor	SOCs - Hexachlorocyclopentadiene	01/01/2023	Public Notice Requested
	SOCs - Hexachlorocyclopentadiene		Compliance Achieved
Failure to Monitor	SOCs - Di(2-ethylhexyl)phthalate	01/01/2023	Public Notice Requested
	SOCs - Di(2-ethylhexyl)phthalate		Compliance Achieved
Failure to Monitor	SOCs - Di(2-ethylhexyl)adipate)	01/01/2023	Public Notice Requested
	SOCs - Di(2-ethylhexyl)adipate)		Compliance Achieved
Failure to Monitor	SOCs - PCBs	01/01/2023	Public Notice Requested

	SOCs - PCBs		Compliance Achieved
Failure to Monitor	SOCs - Methoxychlor	01/01/2023	Public Notice Requested
	SOCs - Methoxychlor		Compliance Achieved
Failure to Monitor	SOCs - Benzo(a)pyrene (PAH)	01/01/2023	Public Notice Requested
	SOCs - Benzo(a)pyrene (PAH)		Compliance Achieved
Failure to Monitor	SOCs - Atrazine	01/01/2023	Public Notice Requested
	SOCs - Atrazine		Compliance Achieved
Failure to Monitor	SOCs - Heptachlor Epoxide	01/01/2023	Public Notice Requested
	SOCs - Heptachlor Epoxide		Compliance Achieved
Failure to Monitor	SOCs - Heptachlor	01/01/2023	Public Notice Requested
	SOCs - Heptachlor		Compliance Achieved
Failure to Monitor	SOCs - Alachlor	01/01/2023	Public Notice Requested
	SOCs - Alachlor		Compliance Achieved
Failure to Monitor	VOCs - Toluene	01/01/2023	Public Notice Requested
	VOCs - Toluene		Compliance Achieved
Failure to Monitor	VOCs - Trichloroethylene	01/01/2023	Public Notice Requested
	VOCs - Trichloroethylene		Compliance Achieved
Failure to Monitor	VOCs - 1,2 Dichloroethane	01/01/2023	Public Notice Requested
	VOCs - 1,2 Dichloroethane		Compliance Achieved
Failure to Monitor	VOCs - p-Dichlorobenzene	01/01/2023	Public Notice Requested
	VOCs - p-Dichlorobenzene		Compliance Achieved
Failure to Monitor	VOCs - Benzene	01/01/2023	Public Notice Requested
	VOCs - Benzene		Compliance Achieved
Failure to Monitor	VOCs - 1,2 Dichloropropane	01/01/2023	Public Notice Requested
	VOCs - 1,2 Dichloropropane		Compliance Achieved
Failure to Monitor	VOCs - trans 1,2 Dichloroethylene	01/01/2023	Public Notice Requested
	VOCs - trans 1,2 Dichloroethylene		Compliance Achieved
Failure to Monitor	VOCs - o-Dichlorobenzene	01/01/2023	Public Notice Requested
	VOCs - o-Dichlorobenzene		Compliance Achieved
Failure to Monitor	VOCs - Styrene	01/01/2023	Public Notice Requested
	VOCs - Styrene		Compliance Achieved
Failure to Monitor	VOCs - Chlorobenzene	01/01/2023	Public Notice Requested
	VOCs - Chlorobenzene		Compliance Achieved
Failure to Monitor	VOCs - Carbon Tetrachloride	01/01/2023	Public Notice Requested
	VOCs - Carbon Tetrachloride		Compliance Achieved
Failure to Monitor	VOCs - 1,1 Dichloroethylene	01/01/2023	Public Notice Requested
	VOCs - 1,1 Dichloroethylene		Compliance Achieved
Failure to Monitor	VOCs - Total Xylenes	01/01/2023	Public Notice Requested
	VOCs - Total Xylenes		Compliance Achieved
Failure to Monitor	VOCs - 1,1,2 Trichloroethane	01/01/2023	Public Notice Requested
	VOCs - 1,1,2 Trichloroethane		Compliance Achieved
Failure to Monitor	VOCs - 1,2,4 Trichlorobenzene	01/01/2023	Public Notice Requested
	VOCs - 1,2,4 Trichlorobenzene		Compliance Achieved
Failure to Monitor	VOCs - Dichloromethane	01/01/2023	Public Notice Requested
	VOCs - Dichloromethane		Compliance Achieved
Failure to Monitor	VOCs - Ethylbenzene	01/01/2023	Public Notice Requested
	VOCs - Ethylbenzene		Compliance Achieved
Failure to Monitor	VOCs - Tetrachloroethylene	01/01/2023	Public Notice Requested
	VOCs - Tetrachloroethylene		Compliance Achieved
Failure to Monitor	VOCs - 1,1,1 Trichloroethane	01/01/2023	Public Notice Requested
	VOCs - 1,1,1 Trichloroethane		Compliance Achieved
Failure to Monitor	VOCs - Vinyl Chloride	01/01/2023	Public Notice Requested
	VOCs - Vinyl Chloride		Compliance Achieved
Failure to Monitor	VOCs - cis 1,2 Dichloroethylene	01/01/2023	Public Notice Requested

	VOCs - cis 1,2 Dichloroethylene		Compliance Achieved
--	---------------------------------	--	---------------------

Significant Deficiency	Date Identified	Date Corrected