


SOUTH DAKOTA WELL AND TEST HOLE PLUGGING REPORT 11-02

Location SW 1/4 SW 1/4 Sec 24 Twp 127N Rg 59W Well Owner:County MarshallPlease mark well
location with an "X"Name: Schott Family PartnershipAddress: 601 Main AveCity, State, Zip: Britton, SD 57430

Comments:

Plugging Completion Date 4/10/2019 / 4/19/2019
6/10/2019 / 6/11/2019

CHECK APPROPRIATE BOX

EXISTING WELL ☐TEST HOLE ☒ Ten (10) test
holes

Well depth _____

Casing material _____

Casing size(s) _____

Casing condition _____

Hole depth Five (5) to 20 ft. bg.Hole size 2"

Describe plugging procedure:

Cement grout was utilized to plug the test holes from total depth to grade.

Describe grout or plugging material:

The grout mixture consisted of high sulfate resistant portland cement and no more than six (6) gal. of water for each 94-pound sack of cement.

Type of non-slip plug: _____

This well or test hole was plugged under license # 653 and this report is true and accurate.Drilling firm: Coteau Environmental

Signature of Licensed Representative: _____

RECEIVED

Signature of Well Owner: _____

JAN 23 2020

Date: 1/16/20WATER RIGHTS
PROGRAM

BORING LOG

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/18/2019			BORING: B-1	
			GRADE ELEVATION:				
			SCALE: 1" = 3'				
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 12:13 END: 14:00				
	0.0	OL	SILT; some fine-course sand; some silt; black trace fine-cs. Sand; trace fine-med. gravel; saturated. Fill.		470	Odor/2.0 ft.	
	2.0	CL	CLAY; some silt; black trace fine-cs. sand; trace fine-med. gravel; saturated. Fill.		105	Odor/2.0 ft.	
	4.0	CL	CLAY; some silt; black trace fine-cs. Sand; trace fine-med. gravel; saturated. Fill.		0.0	No Odor/2.0 ft.	
	6.0	END OF BORING AT 5 FT. BG FT.=FEET ND=NONDETECTABLE BG=BELOW GRADE					
	8.0						
	10.0						
	12.0						
	14.0						
	16.0						
	18.0						
	20.0						

RECEIVED
 JAN 23 2020
 WATER RIGHTS
 PROGRAM

BORING LOG

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/18/2019			BORING: B-2	
			GRADE ELEVATION:			SCALE: 1" = 3'	
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 12:13 END: 14:00				
	0.0	OL	SILT; some fine-course sand; some silt; black trace fine-cs. sand; trace fine-med. gravel; saturated. Fill.		55	Odor/2.0 ft.	
	2.0	CL	SILT; some fine-course sand; some silt; black trace fine-cs. sand; trace fine-med. gravel; saturated. Fill.		36	Odor/2.0 ft.	
	4.0	CL	SAND; fine-course and fine-medium gravel, brown, moist. Fill		19	Odor/2.0 ft.	
			SILT; some fine sand, black, moist-saturated. Lacustrine		19	Odor/2.0 ft.	
	6.0	CL	SILT; some fine sand; brown; moist-saturated. Lacustrine.		7.1	Odor/2.0 ft.	
	8.0	CL	SILT; some fine sand; brown; moist-saturated. Lacustrine.		2.0	Odor/2.0 ft.	
	10.0		No sample. Slough.		6.0		
v	12.0		Silt; some very fine sand; brown; saturated. Lacustrine.		15.0	No odor/2.0 ft.	
	14.0		SAND, fine, well sorted, brown, saturated. Lacustrine.		1.0	No odor/1.0 ft.	
	16.0		SAND, fine to medium, well sorted, brown,, saturated. Alluvium.		1.6	No odor/1.6	
	18.0		SAND, fine-medium, well sorted, brown, saturated. Alluvium.		0.9	No odor/0.9	
	20.0		END OF BORING AT 20 FT. BG			RECEIVED JAN 23 2020 WATER RIGHTS PROGRAM	

BORING LOG

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/18/2019			BORING: B-3	
			GRADE ELEVATION:				
			SCALE: 1" = 3'				
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 14:46 END: 15:17				
	0.0	OL	SILT: some fine-coarse sand; trace fine gravel; brown/black; moist-saturated. Fill.		10.8	No Odor/2.0 ft.	
	2.0	CL	SILT: some fine-coarse sand; trace fine gravel; brown/black; moist-saturated. Fill		12.0	No Odor/2.0 ft.	
	4.0	CL	SILT: some fine-coarse sand; trace fine gravel; brown/black; moist-saturated. Fill.		4.7	No Odor/2.0 ft.	
	6.0		END OF BORING AT 5.0 FT. BG FT.=FEET ND=NONDETECTABLE BG=BELOW GRADE				
	8.0						
	10.0						
	12.0						
	14.0						
	16.0						
	18.0						
	20.0						

RECEIVED
 JAN 23 2020
 WATER RIGHTS
 PROGRAM

BORING LOG

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/18/2019			BORING: B-4	
			GRADE ELEVATION:				
SCALE: 1" = 3'							
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 15:22 END: 1550				
<u>v</u>	0.0	OL	SILT; some fine to med. sand; trace fine gravel; black; moist-saturated. Fill		16	Slight odor/2.0 ft.	
	2.0	CL	SILT; some fine to med. sand; trace fine gravel; black; moist-saturated. Fill		0.2	No odor/2.0 ft.	
	4.0	CL	SILT; some fine to med. sand; trace fine gravel; black; moist-saturated. Fill		1.1	No odor/2.0 ft.	
	6.0	END OF BORING AT 5.0 FT. BG FT.=FEET ND=NONDETECTABLE BG=BELOW GRADE <u>v</u> = WATER TABLE					
	8.0						
	10.0						
	12.0						
	14.0						
	16.0						
	18.0						
	20.0						

RECEIVED
 JAN 23 2020
 WATER RIGHTS
 PROGRAM

BORING LOG

RECEIVED

JAN 23 2020

WATER RIGHTS
PROGRAM

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/19/2019			BORING: B-5	
			GRADE ELEVATION:			WATER RIGH PROGRAM	
						SCALE: 1" = 3'	
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 9:00 END: 11:30				
V	0.0	OL	SILT; black; trace fine sand; moist. Fill.		2.3	No odor/2.0 ft.	
	2.0	CL	SILT; black; trace fine sand; moist. Fill		2.0	No odor/2.0 ft.	
	4.0	CL	SILT; black; trace fine sand; moist. Lacustrine sediment.		3.8	No odor/2.0 ft.	
	6.0		SILT; black; trace fine sand; moist. Lacustrine sediment.		3.3	No odor/2.0 ft.	
	8.0		SILT; black; trace fine sand; moist. Lacustrine sediment.		3.2	No odor/2.0 ft.	
	10.0		SILT; some fine-medium sand; brown; saturated. Lacustrine sediment.		2.8	No odor/2.0 ft.	
	12.0		SAND, very fine, well sorted, brown, saturated. Alluvium.		74.0	Odor/2.0 ft.	
	14.0		SAND, very fine, well sorted, brown, saturated. Alluvium.		50.0	Odor/2.0 ft.	
	16.0		SAND, very fine, well sorted, brown, saturated. Alluvium.		170.0	Odor/2.0 ft.	
	18.0		SAND, very fine, well sorted, brown, saturated. Alluvium.		150.0	Odor/2.0 ft.	
	20.0		SAND, very fine, well sorted, brown, saturated. Alluvium.		6.0	Odor/2.0 ft.	

BORING LOG

RECEIVED

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/19/2019			BORING: B-5		JAN 23 2020 WATER RIGHTS PROGRAM
			GRADE ELEVATION:			SCALE: 1" = 3'		
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY		
			START: 9:00 END: 11:30					
			END OF BORING AT 20.0 FT. BG FT.=FEET ND=NONDETECTABLE BG=BELOW GRADE √= WATER TABLE					

BORING LOG

RECEIVED

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 04/19/2019 GRADE ELEVATION:			BORING: B-6 JAN 23 2020 WATER RIGHTS PROGRAM	
						SCALE: 1" = 3'	
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N"	PID ppm	NOTES ODOR/RECOVERY	
			START: 11:48 END: 13:18				
v	0.0	OL	SILT; some very fine sand; some fine-med. gravel; black, moist. Fill		1.7	No odor/2.0 ft.	
	2.0	CL	SILT; some fine-med. sand; black; moist. Fill		1.5	No odor/2.0 ft.	
	4.0	CL	SILT some fine – med. sand; black, moist. Lacustrine sediment.		0.9	No odor/2.0 ft.	
	6.0		SILT, dark brown, moist – saturated. Lacustrine sediment.		1.6	No odor/2.0 ft.	
	8.0		SILT; dark brown, moist-saturated. Lacustrine sediment.		1.9	No odor/2.0 ft.	
	10.0		SAND, very fine; some silt; brown to red brown to gray; saturated. Alluvium.		1.1	No odor/2.0 ft.	
	12.0		SAND, fine, brown, trace red-brown and gray, mottled, saturated. Alluvium.		0.9	No odor/2.0 ft.	
	14.0		SAND, fine, brown, trace red-brown and gray, mottled, saturated. Alluvium.		0.4	No odor/2.0 ft.	
	16.0		SAND, fine, brown, saturated. Alluvium.		0.5	No odor/2.0 ft.	
	18.0		SAND, fine, brown, saturated. Alluvium.		0.5	No odor/2.0 ft.	
	20.0		END OF BORING AT 20.0 FT. BG				

BORING LOG

RECEIVED

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 06/10/2019			BORING: B-7		JAN 23 2020 WATER RIGHTS PROGRAM
			GRADE ELEVATION: 93.82			SCALE: 1" = 3'		
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY		
			START: 11:52 END: 13:15					
V	0.0		SILT; trace fine to coarse sand; brown; moist. Fill.		ND	No odor/2.0 ft.		
	2.0		SILT; trace fine to coarse sand; brown; moist. Fill.		ND	No odor/2.0 ft.		
	4.0		SILT some fine – med. sand; dark brown, moist. Alluvium.		ND	No odor/2.0 ft.		
	6.0		SILT, dark brown, moist – saturated. Alluvium.		ND	No odor/2.0 ft.		
	8.0		SILT; some very fine sand; moist. moist-saturated. Alluvium.		ND	No odor/2.0 ft.		
	10.0		SILT; some very fine sand; moist. moist-saturated. Alluvium.		ND	No odor/2.0 ft.		
	12.0		SAND, fine to medium, brown, saturated. Alluvium.		ND	No odor/2.0 ft.		
	14.0		SAND, fine to very coarse, poorly sorted, brown-black; saturated. Alluvium.		ND	No odor/2.0 ft.		
	16.0		SAND, fine to very coarse, poorly sorted, brown-black; saturated. Alluvium.		ND	No odor/2.0 ft.		
	18.0		SAND, fine to very coarse, poorly sorted, brown-black; saturated. Alluvium.		ND	No odor/2.0 ft.		
	20.0		END OF BORING AT 20.0 FT. BG					

BORING LOG

RECEIVED

JAN 23 2020

WATER RIGHTS PROGRAM

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 06/10/2019			BORING: B-8	
			GRADE ELEVATION: 92.78			SCALE: 1" = 3'	
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 14:00 END: 14:55				
v	0.0		SILT; some fine-coarse sand; some fine gravel; brown; dry. Fill.		ND	No odor/2.0 ft.	
	2.0		SILT; some fine-coarse sand; some fine gravel; brown; dry. Fill.		ND	No odor/2.0 ft.	
	4.0		SILT; some fine-medium sand; brown-black; damp. Alluvium		ND	No odor/2.0 ft.	
	6.0		SILT; some fine-medium sand; brown-black; damp. Alluvium		ND	No odor/2.0 ft.	
	8.0		SILT; some fine-medium sand; brown-black; damp. Alluvium		ND	No odor/2.0 ft.	
	10.0		SAND, fine; some very fine; brown; saturated. Alluvium.		ND	No odor/2.0 ft.	
	12.0		SAND, fine to medium, well sorted, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	14.0		SAND, fine to medium, well sorted, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	16.0		SAND, fine to medium, well sorted, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	18.0		SAND, fine to medium, well sorted, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	20.0		END OF BORING AT 20.0 FT. BG				

BORING LOG

RECEIVED

JAN 23 2020
WATER RIGHTS
PROGRAM

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 06/10/2019			BORING: B-9	
			GRADE ELEVATION: 94.59			SCALE: 1" = 3'	
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY	
			START: 16:33 END: 18:00				
V	0.0		SAND, fine to coarse, brown, damp. Fill.		ND	No odor/2.0 ft.	
	2.0		SILT; trace fine to coarse gravel; dark brown; damp. Alluvium.		ND	No odor/2.0 ft.	
	4.0		SILT, brown, damp. Alluvium		ND	No odor/2.0 ft.	
	6.0		SAND, fine brown, damp. Alluvium.		ND	No odor/2.0 ft.	
	8.0		SAND, fine to medium, brown, moist. Alluvium.		ND	No odor/2.0 ft.	
	10.0		SAND, fine to medium, brown, saturated. Alluvium.		1.1	Slight odor/2.0 ft.	
	12.0		SAND, fine to coarse, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	14.0		SAND, fine to coarse, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	16.0		SAND, fine to coarse, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	18.0		SAND, fine to coarse, brown, saturated. Alluvium.		ND	No odor/2.0 ft.	
	20.0		END OF BORING AT 20.0 FT. BG				


BORING LOG

RECEIVED

JAN 23 2020

**WATER RIGHTS
PROGRAM**

PROJECT: BUHL'S OF BRITTON BRITTON, SOUTH DAKOTA			DATE: 06/11/2019			BORING: B-10		
			GRADE ELEVATION: 93.06					
						SCALE: 1" = 3'		
WATER LEVEL	DEPTH FEET	ASTM	DESCRIPTION	"N "	PID ppm	NOTES ODOR/RECOVERY		
			START: 16:33 END: 18:00					
V	0.0		SILT and fine to coarse sand, dark brown to black, moist/damp. Fill		ND	No odor/2.0 ft.		
	2.0		SILT and fine to coarse sand, dark brown to black, moist/damp. Fill		ND	No odor/2.0 ft.		
	4.0		SILT; black; moist; trace red brick; trace green. Fill. SILT, black, moist. Fill		1.7	No odor/2.0 ft.		
	6.0		SILT; trace very fine sand; brown-black; moist to saturated. Alluvium.		ND	No odor/2.0 ft.		
	8.0		SILT; trace very fine sand; brown-black; moist to saturated. Alluvium.		1.5	No odor/2.0 ft.		
	10.0		SILT; trace very fine sand; brown-black; moist to saturated. Alluvium.		1.5	No odor/2.0 ft.		
	12.0		SILT; some fine sand; brown; saturated. Alluvium.		1.5	No odor/2.0 ft.		
	14.0		SAND, fine, brown, saturated. Alluvium.		ND	No odor/2.0 ft.		
	16.0		SAND, fine, brown, trace red-brown, saturated. Alluvium.		ND	No odor/2.0 ft.		
	18.0		SAND, fine to medium, brown, saturated. Alluvium.		ND	No odor/2.0 ft.		
	20.0		END OF BORING AT 20.0 FT. BG					



RECEIVED

JAN 23 2020

WATER RIGHTS
 PROGRAM