

Water Right Number 1555-2

1. Considered 3-24, 19 77
2. Name of Applicant DEAN O'NEILL
3. Post Office Address CODY, NB.
4. Amount of Water claimed 1.90
5. Source of Water supply 330' WELL
6. Water to be used for IRR.
Acres to be irrigated 133
7. Water to be diverted and used in TODD County
about 9 1/2 S, 29 W miles of MISSION
8. Proof of Publication
Received 3-14-77
Not Received
9. Application
Approved
Subject to
Not Approved
Action Deferred
10. Remarks:

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 1555-2

LEAN O'NEILL
(Applicant)

COOY
(Post Office Address)

NEBRASKA 69211 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application FEBRUARY 22, 1977
Date of return to applicant for correction, amendments or changes required FEBRUARY 22, 1977
Date of receipt of corrected application MARCH 1, 1977
Approved MARCH 28, 1977, Recorded in Book 17 Page 290

WATER RIGHT PERMIT NO. 1555-2

The Water Rights Commission hereby grants and issues this Water Right Permit No. 1555-2 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 22, 1977
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 24, 1979
3. The whole of said work is to be completed on or before MARCH 24, 1982
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 24, 1982
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.9 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 24, 1982; said water to be used during the following described annual period: MAY 1 - SEPTEMBER 15

Witness my hand this 18TH day of APRIL, 1977

WATER RIGHTS COMMISSION

By: John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued JANUARY 28, 1980

Water License Issued JANUARY 28, 1980

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates:

- (1) Drill Hole, Diameter 30", Depth 330'
(2) Casing, Type Steel Diameter 16" Thickness 1/2"
(wood, concrete, steel, etc)
(3) Perforated Screen.
Type _____, Diameter 4 inches, Length 3 inches
(4) Gravel Pack, Thickness 7', Length of gravel pack 330'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials enclosed

Depth to top of water bearing material 125 ft.

Depth to bottom of water bearing material 330 ft.

Thickness of water bearing material 210 ft.

Depth to water (ground surface to water level) 115 ft.

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 160 rds. On property owned by others 320 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.


Dean D. H. [Signature]
Signature of Applicant

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Orval Dean O'Neill

ADDRESS Cody, Nebraska

COUNTY Todd County, So. Dak.



LEGAL DESCRIPTION

1. WELL LOCATION Center of the NE $\frac{1}{4}$ 21-37-33
2. LOCATION OF AREA TO BE IRRIGATED Approximately 133 acres located in the NE $\frac{1}{4}$ 21-37-33

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn and Alfalfa

WATER QUALITY

5. SAMPLE NUMBER 77-070
6. SALINITY (EC X 10⁶) 298 (low-med)
7. SODIUM (SAR) 0.06 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 101

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Todd Conservation District, County Extension office or Soil Conservation Service, and: that the legal description for the location of the well and land to be irrigated is true and correct.

Orval Dean O'Neill
APPLICANT'S SIGN

SUBSCRIBED AND SWORN BEFORE ME THIS
3rd DAY OF Jan. 19 77.

Wayne Holmes
(TITLE OR SEAL)
Notary Public

(SOILS INFORMATION ON REVERSE SIDE)

APPROVE

APPROVED

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Orval Dean O'Neill
 Address: Gody, Nebraska 69211

Date Rec'd January 6, 1977
 Sample No. 77-C20
 Identification Well -
SW 1/4, Sec. 16, T 37N, R 33W

WATER ANALYSIS

Calcium (Ca)	72	ppm*	3.60	me/l**
Magnesium (Mg)	3	ppm	0.25	me/l
Sodium (Na)	2	ppm	0.09	me/l
Potassium (K)	5	ppm	0.23	me/l
Sulfate (SO ₄)	0	ppm	0.00	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	2	ppm	0.04	me/l
Bicarbonate (HCO ₃)	210	ppm	3.44	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	172	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	298	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.06			
Sodium	2.21	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.29			
Others:				
*ppm=parts per million				
**me/l=millequivalents per liter				
				***g.p.g.=grains per gallon

COMMENTS: Total cations 4.07 me/l
 Total anions 3.48 me/l

By: Shirley Litten

Service Performed	Amount Due
Irrigation analysis	\$15.00
	<u>16.00</u> paid
	\$ 1.00 credit

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 77-020

Amount Enclosed \$

Signed

RED TIGER IRRIGATION, DRILLING & SUPPLY, INC.

COLBY, KANSAS 6/701

P. C. BOX 524

PHONE: 432-3303

OWNER

_____ " NF _____ Sec. 21 _____ TWP. _____ _____ (Page) 5

DATE _____

TEST NO. _____

ADDRESS _____

DEPTH 9 STATIC LEVEL 0

STATIC
LEVEL

[illegible]

10-09 a Training, City, Kansas

TOTAL FOOTAGE 5360 COST PER FOOT 1.00 TOTAL 5360.00

TO1A-051

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 1555-2.

(1) WHEREAS, On the 22nd day of February A. D. 1980
Dean O'Hall
 made Water Right Application No. 1555-2 for a permit to use 1.2 cubic feet per second of the waters
 of groundwater (one well)
 County of Todd State of South Dakota, for irrigation purposes
 purposes; and
 (2) WHEREAS, On the 24th day of March A. D. 1977
 Permit No. 1555-2 with a date of priority of February 22, 1980
 was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water
 supply system therein described on or before the 24th day of March A. D. 1982 and for the
 application to beneficial use of said water on or before the 24th day of March A. D. 1982

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
 relating to completion of the construction of the water supply system and is entitled to divert 2.0 cubic feet
 per second of water for beneficial use and.

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
 relating to the application of water to beneficial use of the following extent.

to irrigate portions of the following land all in T 37N, R33 E

Section 16	acres	NOTE: Permits Nos. 1554-2 & 1555-2 use the same well. Lands in Permit No. 1554-2 have been combined in this Water License and Permit No. 1554-2 has been placed in a cancelled status.
NW 1/4 SE 1/4	33	
NE 1/4 SE 1/4	33	
SW 1/4 SE 1/4	33	
SE 1/4 SE 1/4	33	
Section 21		
NW 1/4 NE 1/4	33	
NE 1/4 NE 1/4	33	
SW 1/4 NE 1/4	33	
SE 1/4 NE 1/4	33	
TOTAL	264 acres	

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Dean O'Neill

_____ of Cody, ND
the holder _____ and owner _____ of said permit No. 1555-3 a water right, dating from February 22, 1977
_____ to use of 2.0 cubic feet per second of the waters
of groundwater (one well)
in the County of Todd and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 1700' West and 50' North of the SE corner
of Section 16, T37N, R33W

and conduct to and upon portions of land in Section 16 and 21, T37N, R33W more fully described
on the face of this license

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 1555-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 28th day of February A. D.
Nineteen Hundred and Eighty

Board of Water Management

By

John Hatch
Chief Engineer, JOHN HATCH

Permit No. 1555-2

Water Diversion No. 2 Little White River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Dean O'Neill

the holder of
Permit No. 1555-2, issued upon Application No. 11555-2 bearing date of priority of February 22,
1977 authorizing the diversion of 2.0 cu. ft. per second of the waters of
groundwater (one well) County of Todd, State of South Dakota at
a point 170.0' West and 50' North of SE corner, Section 16, T37N, R33E

for
purpose, to 71 comply with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.0 cu. ft. per second of water.

Date January 23, 1980

John Hatch
JOHN HATCH, Chief Engineer
Water Rights, WMD

Form 6 Notice of Intent to Appropriate Water

No. 1588-2

Publish first publication, on or before March 10, 1977

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

March 10, 1977

Notice is hereby given that Dean O'Hall,
whose post office address is Cody, Nebraska, Nebraska, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
1.2 cubic feet of water per second of time from the ground water through the
O'Hall, the point of diversion of which is to be located in the _____

Center of NE 1/4
of Section 21, Twp. 37N, Range 32W. Said water to be used for the purpose
of providing irrigation on the following described land:
NE 1/4, Section 21-T37N-R33W

This application No. 1588-2 will be considered by the Water Rights Commission at their office at
Pierre upon the _____ day of March, 1977, at 10:00 A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By: JAMES WINTERSTON

Water Rights Specialist

BFJ/bw

cc: Dean O'Hall, Cody, Nebraska 69001

AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA

County of Todd

Kathy Hansen

being first

duly sworn, on oath says that The Todd County Tribune

(name of newspaper)

is a weekly newspaper printed and published

(daily or weekly)

in Mission in said county of Todd

(city)

by Figert Printing, Inc.

(name of publisher)

a corporation, and that affiant is

an

employee of said corporation

(employee, sole owner, manager, or officer)

(newspaper, co-partnership, or corporation)

and is authorized to and does make this affidavit on behalf of said

corporation

(newspaper, co-partnership, or corporation)

; that affiant has personal knowledge of all the facts stated in this affidavit; that said newspaper

is a legal newspaper as defined by SDCL 17-2-2 as amended, has a bona fide paid circulation of at least two hundred copies weekly

(daily or weekly)

has been published in the English language within said county and has been admitted to the United States mail under the second class mailing privilege, for at least one year continuously next prior to the publication of the notice herein mentioned and was and is printed wholly or in part in an office maintained at said place of publication; that said notice, a printed copy of which taken from the paper in which the same was published is hereto attached and is made a part of this affidavit, was published in said newspaper two times

as follows: that the first publication of said notice in said newspaper aforesaid was on Thursday, the 10 day

of March, 1977, and that the succeeding publications were severally

on Thursday, the 17 day of March, 1977;

on Thursday, the day of , 19 ;

on Thursday, the day of , 19 ;

on Thursday, the day of , 19 ;

on Thursday, the day of , 19 ;

on Thursday, the day of , 19 ;

Affiant further says that the full amount of the fees charged for the publication of said notice inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the division thereof has been made with any other person; that no part thereof has been agreed to be paid to any person whomsoever; and that the fees charged for the publication thereof are

Eight and 98/100 dollars (\$8.98).

Subscribed and sworn to before me this

17 day of March, 1977

Margaret Figert

Notary Public.

Todd

County, South Dakota.

Notice of Intent to Appropriate Water

Notice is hereby given that Dean O'Neill whose post office address is Cody, Nebraska, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 1.9 cubic feet of water per second of time from ground water through the O'Neill No. 2, the point of diversion of which is to be located in the Center of NE 1/4 of Section 21, Twp. 37N, Range 33W. Said water to be used for the purpose of providing irrigation on portions of the following described land: NE 1/4, Section 21-T37N-R33W.

This application No. 1555-2 will be considered by the Water Rights Commission at their office at Pierre upon the 24 day of March, 1977, at 10:00 a.m. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By: James Winterton

Water Rights Specialist

Publ.: March 10 and 17.



1933 2

1934 1

1935 12

Don D. Hall

Well Sept 21 1934 1500 12.1

Aug 22 1935 1500 12.1

Well 10 1936 1500 12.1

Well 10 1937 1500 12.1

Well 10 1938 1500 12.1

Well 10 1939 1500 12.1

Well 10 1940

Well 10 1941 1500 12.1

Well 10 1942

Well 10 1943 1500 12.1

Well 10 1944

REPRODUCTIONS. REDUCTION 25% / ROLL NO 18 / 2-30-32 / DATE MICROFILMED / James O. James / CAMERA OPERATOR

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 7233

PIERRE, January 21, 1980

RECEIVED OF Orval Dean O'Neill, Cody, NE 69211

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. 1555-2	50	00
Fee for Inspecting Beneficial Use, and Issuing Water License No. 1555-2		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filling		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN JOHN HATCH EY

Permit No. 1555-2Water Division 2 Little White River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / ROSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by Dean O'Neillof Cody, Nebraska, 69211 holder
of Permit No. 1555-2, bearing date of priority of February 22, 1977authorizing the diversion of 1.4 cu. ft. per second of the waters of One Well
for Irrigation purposes, in Todd County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor: - 24.5 Elec. F.D. # R-4981-01-210 R2113116
100 H.P., 1770 RPM
Pump: 3 stage Imp dia 8.75.

B. Works used to transport water to place of use,

2640 ft. 8" dia. P.C. Underground Pipe

C. Works used to apply water to beneficial use.

North C.P. = Valley Model 1260, Ser # 22058
South C.P. = Valley Model 1260, Ser # 22116The system is in the following condition: GoodThe point of diversion is located 1700 ft W and 50 ft N of the SE cor of
Sec. 16, T37N R33WThe works are capable of diverting and conveying to the place of use 2.0cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: In Sec. 16, T37N R33WNW 1/4 SE 1/4 - 33 Ac., NE 1/4 SE 1/4 - 33 Ac., SW 1/4 SE 1/4 - 33 Ac.SE 1/4 SE 1/4 - 33 Ac. In Sec. 21, T37N R33W: NW 1/4 NE 1/4 - 33 Ac.NE 1/4 NE 1/4 - 33 Ac., SW 1/4 NE 1/4 - 33 Ac., SE 1/4 NE 1/4 - 33 Ac.comprising a total of 264 acres of land.

Well data:

Depth 250 ftStatic 110 ftPumping 400 gpmcapacity 1200 gpmNote: Permits 1554-24 1555-2
combined. Both have common
Well. Cancell 1554-2.700 gpm - 450 gpm = 2.0 cfs
license for 2.0 cfs

Date

May 3, 1979
LeRoy J. Mernagh
(Signature)

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-2181

May 20, 1986

NOTICE OF AMENDMENT TO WATER PERMIT(S)

To: Dean O'Neill
Cody,
Nebraska 69211

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

SUBJECT: Amendment to Water Permit No(s). 1555-2

Pursuant to the provisions of the notice dated March 31, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No(s). 1555-2 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

The addition of this qualification to your Permit means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water permit and no use of water for up to one year for the first violation. Please include the enclosed attachment with your permit.

Dear Mr. Hatch:

Where is the enclosed attachment, send me a water use Questionnaire for 1985 & I shall retain it, as of today and have not received a questionnaire or it has been lost or misplaced.

Dean O'Neill

HC 77 Box 32

Cody, NE 69211

Equal Opportunity Employer



WATER RIGHTS DIVISION
(605) 773-3352

May 29, 1986

Dean O'Neill
HC 77, Box 32
Cody, Nebraska 69211

Dear Mr. O'Neill:

Enclosed is the attachment for your permit as described in our May 20, 1986 notice to you. Please include the attachment with your permit files.

Also enclosed is a copy of the 1985 irrigation questionnaire. Please complete the form and return it to our office in the enclosed postage paid envelope. The 1986 irrigation questionnaire will be mailed out sometime in November.

Thank you for bringing this matter to our attention. If you have any questions, please advise.

Sincerely,

Genry McMath
Natural Resources Analyst

GK:ms
Enc.

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 20, 1986

NOTICE OF AMENDMENT TO WATER PERMIT(s)

To: Dean O'Neill
Cody,
Nebraska 69211

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

SUBJECT: Amendment to Water Permit No(s). 1555-2

Pursuant to the provisions of the notice dated March 31, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No(s). 1555-2 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

The addition of this qualification to your Permit means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water permit and no use of water for up to one year for the first violation. Please include the enclosed attachment with your permit.

Equal Opportunity Employer

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Attachment to Water Permit No. 1555-2

Pursuant to the provisions of the notice dated May 20, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No. 1555-2 to add the following qualification:

"This Permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

Equal Opportunity Employer

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1990

DEAN O'NEILL
HC 77 BOX 32
CODY, NE 69211

NOTICE

RE: Violation of Water Permit No(s). 1555-2

Our records indicate that the 1989 Irrigation Questionnaire has not been submitted for Permit No(s). 1555-2. The request for the Questionnaire was dated October 13, 1989. The Water Management Board had directed that owners of water permits who have not submitted the 1989 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 7, 1990 at the Howard Johnson's, Roosevelt Jefferson Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 1555-2 until the 1989 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 7th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-2352

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 14, 1990

1555-2

Dean O'Neill
HC 77 Box 32
Cody, NE 69211

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 1989 irrigation questionnaire for Water Permit No. 1555-2. You may disregard the February 2, 1990 Notice of failure to submit the 1989 irrigation questionnaire. Your questionnaire was received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall

RON DUVALL
Natural Resources Engineer
Water Rights Division



1555-2

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: DEAN O'NEILL
HC 77 BOX 32
CONY NE 69211

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Water Permit No(s) 1555-2

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Is your RETURN ADDRESS completed on the reverse side?

fold at line over top of envelope to the

• Complete items 1 and/or 2 for additional services.

• Complete items 3, and 4a & 4b

• Print your name and address on the reverse of this form so that we can return this card to you.

• Attach this form to the front of the mailpiece, or on the back if space does not permit.

• Write "Return Receipt Requested" on the mailpiece below the article number.

• The Return Receipt will show to whom the article was delivered and the date delivered.

3. Article Addressed to:

DEAN O'NEILL
HC 77 BOX 32
CODY NE 69211

5. Signature (Addressee)

Dean O'Neill

6. Signature (Agent)

Mike Conway

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

4a. Article Number

P 906 560 719

4b. Service Type

☐ Registered

☐ Insured

☒ Certified

☐ CGO

☐ Express Mail

☐ Return Receipt for Merchandise

7. Date of Delivery

2-3-93

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1991

U.S. GPO: 1992-323-402

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



1555-2

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 19, 1993

1555-2

Dean O'Neill
HC 77 Box 32
Cody, NE 69212

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 1992 irrigation questionnaire. You may disregard the January 29, 1993, Notice of Violation of Water Permit No. 1555-2.

The questionnaire was received in our office prior to the Water Management Board meeting, your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, reading 'Genny McMath'.

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



January 30, 1996

NOTICE

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607
FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 1555-2

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

SENDER:

- Complete Items 1 and/or 2 for additional services.
- Complete Items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

- 1. ☐ Addressee's Address
 - 2. ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

DEAN O'NEILL
HC 77 BOX 32
CODY NE 69211-9607

4a. Article Number

2161 984 072

4b. Service Type

- ☐ Registered
- ☐ Express Mail
- ☐ Return Receipt for Merchandise
- ☒ Certified
- ☐ Insured
- ☐ COD

7. Date of Delivery

2-2-96

5. Received By: (Print Name)

Judy O'Neill

6. Signature: (Addressee or Agent)

X Judy O'Neill

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1994

Domestic Return Receipt

Thank you for using Return Receipt Service.

is your RETURN ADDRESS completed on the reverse side?



1555-2

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

March 1, 1996

1555-2

Dean O'Neill
HC 77 Box 32
Cody, NE 69211-9607

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 1995 irrigation questionnaire. You may disregard the January 30, 1996, Notice of Violation of Water Permit No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

3. Article Addressed to:

1555-2
DEAN O'NEILL
HC 77 BOX 32
CODY NE 69211 9607

5. Received By: (Print Name)

6. Signature: (Addressee or Agent)

X *Heckie O'Neill*

PS Form 3811, December 1994

Postmark: **PAID**
I also wish to pay for the following services (if any extra fee):
\$7.35

- 1. ☐ Addressee's Address
 - 2. ☐ Restricted Delivery
- Consult postmaster for fee.

4a. Article Number

P378 080 560

4b. Service Type

☐ Registered

☐ Express Mail

☐ Return Receipt for Merchandise

☒ Certified

☐ Insured

☐ COD

7. Date of Delivery

2-7-97

8. Addressee's Address (Only if requested and fee is paid)

Domestic Return Receipt

Thank you for using Return Receipt Service.



1555-2

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3131

February 4, 1997

NOTICE**TO:** LEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607**FROM:** Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program**SUBJECT:** Violation of Water Permit No(s). 1555-2

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 2:30 pm, March 5, 1997 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 1997, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3141

February 21, 1997

1555-2

Dean O'Neill
HC 77 Box 33A
Cody, NE 69211

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 1996 irrigation questionnaire. You may disregard the February 4, 1997, Notice of Violation of Water Permit No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1555-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/den

January 22, 1999

NOTICE

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaire(s)

Our records indicate that the 1998 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1555-2

Is your RETURN ADDRESS completed on the reverse side?

SENDER: - Complete items 1 and/or 2 for additional services. - Complete items 3, 4a, and 4b. - Print your name and address on the reverse of this form so that we can return this card to you. - Attach this form to the front of the mailpiece, or on the back if space does not permit. - Write "Return Receipt Requested" on the mailpiece below the article number. - The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. ☐ Addressee's Address 2. ☐ Restricted Delivery Consult postmaster for fee.	
3. Article Addressed to: DEAN O'NEILL HC 77 BOX 32 CODY NE 69211 9607		4a. Article Number Z 119 141 594	
		4b. Service Type ☐ Registered ☒ Certified ☐ Express Mail ☐ Insured ☐ Return Receipt for Merchandise ☐ COD	
5. Received By: (Print Name) Judy O'Neill		7. Date of Delivery JAN 1/25/99	
6. Signature: (Addressee or Agent) X Judy O'Neill		8. Addressee's Address (Only if requested and fee is paid)	

PS Form 3811, December 1984

102595-97-B-0179 Domestic Return Receipt

Thank you for using Return Receipt Service.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 2, 1999

1555-2

Dean O'Neill
HC 77 Box 32
Cody, NE 69211-9607

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 1998 irrigation questionnaire. You may disregard the January 22, 1999, "Notice" concerning reporting requirements for Water Right No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: NW 1/4 SE 1/4 Section 25 Township 41 N Range 27 W

Well owner: Town of Wood, (Name) Wood, South Dakota (Address)

Date well drilling completed: 6-11-77 Purpose of well: (Domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer
<u>120</u>	<u>Pierre shale</u>
<u>927</u>	<u>Niobrara</u>
<u>1083</u>	<u>Carlisle</u>
<u>1459</u>	<u>Greenhorn</u>
<u>1527</u>	<u>Belle Fourche</u>
<u>1630</u>	<u>Mowry</u>
<u>1672</u>	<u>Newcastle</u>
<u>1747</u>	<u>Dakota</u>

Attach sheet if more space is needed

Depth to top of water producing aquifer: 207 ft.
 Depth to static water level: Dakota
 Name of producing aquifer (if known): 2083
 Total depth of drill hole: 2083 ft.
 Depth to bottom of casing: 2083 ft.

Casing information: In the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing, if used.

1009' of 6" Sched 40 BKT+c Cemented in place
w/271 sacks of Portland II

1123' of 4" Sched 40 BKT+c in place

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

232' w/ 3/8" perforations bottom

If a flowing well, flow of completed well: _____ G.P.M.

Independent Drilling Company, Inc
 Name of Drilling Contractor

(2) PUMP INSTALLATION

Is to be installed in accordance with _____

Company name and size of pump: _____ HP _____ G.P.M.

Type of pump: _____ Capacity of installed pump: _____


Depth of pump placement: _____ ft., Date of pump installation: _____

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.40B of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed: _____ ft., tube diameter: _____, tube material: _____

 Name of Pump Installation Contractor



Wollste.

(1) WELL CONSTRUCTION

WELL CONSTRUCTION

Location of well: _____ 1/4 _____ 1/4 _____ Section _____ Township _____ Range _____

Well owner _____ Town of _____ (Name) _____ Wood, South Dakota (Address)

Date well drilling completed _____ Purpose of well _____ (domestic, irrigation, municipal, industrial, other)

WELL LOU

[illegible]

Depth to top of water producing aquifer _____ ft.
 Depth to static water level _____ ft.
 Name of producing aquifer (if known) _____
 Total depth of drill hole _____ ft.
 Depth to bottom of casing _____ ft.

Casing Information: In the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing, if used.

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

If a flowing well, flow of completed well _____ C.P.M.

Attach sheet if more space is needed

Name of Drilling Contractor

(2) PUMP INSTALLATION

PUMP INSTALLATION

Company name and size of pump _____ Reda _____ H.P. 3

Type of pump Submersible Capacity of installed pump _____ 30 _____ G.P.M.

Depth of pump placement 285'-2" ft., Date of pump installation 7-15-77

(3) WATER SURFACE MEASURING TUBE

WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.403 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

_____, tube when installed _____, tube diameter _____.

WELL CONSTRUCTION STANDARDS.
Show exact vertical length of water surface measuring tube, when installed 285 ft., tube diameter _____,
tube material Plastic.

Independent Drilling Company

Reda Pump = Motor 3 HP 230 V
Phase 1 60 cy 3450 P.P.M.



1555-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 59211 9607
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1555-2

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.		A. Received by (Please Print Clearly) <u>Dean O'Neill</u>	B. Date of Delivery <u>1-15-00</u>
1. Article Addressed to: DEAN O'NEILL HC 77 BOX 32 CODY NE 69211 9607		C. Signature <u>x Dean O'Neill</u> ☐ Agent ☐ Addressee	
		D. Is delivery address different from item 1? ☒ Yes If YES, enter delivery address below: ☐ No	
		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.	
		4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Copy from service label)		<u>Z 227 670 490</u>	

PS Form 3811, July 1999

Domestic Return Receipt

102595-93-M-1789



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 24, 2000

1555-2

Dean O'Neill
HC 77 Box 32
Cody, NE 69221-9607


Dear Mr. O'Neill:

Thank you for calling about your 1999 irrigation questionnaire. I completed a form for you based on our phone conversation.

You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit No. 1555-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1355-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2002

NOTICE

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaire(s)

Our records indicate that the 2001 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1555-2

■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.	A. Received by (Please Print Clearly) B. Date of Delivery Judy O'Neill 1-17-02 C. Signature Judy O'Neill ☒ Agent ☐ Addressee
1. Article Addressed to: DEAN O'NEILL HC 77 BOX 32 CODY NE 69211 9607	D. Is delivery address different from item 1? ☒ Yes ☐ No If YES, enter delivery address below: 3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. ☐ Signature Required 4. Restricted Delivery? (Extra Fee) ☒ Yes ☐ No

7001 2510 0004 4797 4029

PS Form 3811, July 1999

Domestic Return Receipt

102595-00-M-0952



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 28, 2002

1555-2

Dean O'Neill
HC 77 Box 32
Cody, NE 69211-9607

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 2001 irrigation questionnaire. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1555-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7541 3992

Your item was delivered at 11.25 am on January 18, 2003 in CODY, NE 69211. The item was signed for by D ONEILL.

[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt	
SIGNATURE CONFIRMATION NUMBER: 2301 0370 0000 7541 3992	Postage Art Postage Postage
	DEAN O'NEILL HC 77 BOX 32 CODY NE 69211 9607
	Postmark Here
	POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access Internet web site at www.usps.com or call 1-800-222-1811
CHECK ONE (POSTAL USE ONLY)	
☐ Priority Mail	
☐ Package Services	
PS Form 3800, February 2001 (See Reverse)	



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 27, 2003

1555-2

Dean O'Neill
HC 77 Box 32
Cody NE 69211-9607

Dear Mr. O'Neill:


I am writing to acknowledge receipt of your 2002 irrigation questionnaire. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1555-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaire(s)

Our records indicate that the 2004 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 2, 2005 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 25, 2005, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1555-2

Track & Confirm

Current Status

You entered 2301 3460 0000 8516 0674

Your item was delivered at 11:57 am on January 21, 2005 in CODY, NE 69211. The item was signed for by D ONEILL.

[Shipment Details >](#)

Notification Options

- ▶ Track & Confirm by email [What is this?](#) [Go >](#)
▶ Request Proof of Delivery [What is this?](#) [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8516 0674

DEAN O'NEILL
HC 77 BOX 32
CODY NE 69211 9607

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail®
☐ Package Services

(See Reverse)

PS Form 153, July 2001



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 24, 2005

1555-2

Dean O'Neill
HC 77 Box 32
Cody NE 69211-9607

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 2004 irrigation questionnaire. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Right No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE

Point of Diversion: 1700ft W + 50' N
 of SE Cor of Sec. 16, T37N R33W

Preliminary Plan Map

Todd Co. Extension Service




Todd Co. S. Dak.

Date 2-15-

Prepared by

C. J. Seckling
 Co. Extension Agent

Prepared for Dean Oneill



Map # 1324-2
 App # 1555-2

Ben de Ho

MAP # 1324-2
 APP # 1555-2



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: DEAN O'NEILL, HC 77 BOX 32, CODY, NE 69211 9607

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1555-2

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 9334

Service(s): **Signature Confirmation™**Status: **Delivered**

Your item was delivered at 10:28 AM on January 23, 2010 in CODY, NE 69211. The item was signed for by D ONEILL.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 23, 2010, 10:28 am, CODY, NE 69211
- Arrival at Post Office, January 23, 2010, 7:58 am, CODY, NE 69211

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 9334

DEAN O'NEILL
HC 77 BOX 32
CODY NE 69211 9607

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 3, 2010

1555-2

Dean O'Neill
HC 77 Box 32
Cody NE 69211 9607

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 2009 irrigation questionnaire. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right No. 1555-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



1555-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: DEAN O'NEILL, 29263 247th AVE, CODY, NE 69211

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaire(s)

Our records indicate your 2019 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:


1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: DUAHV**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1555-2



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 4, 2020

1555-2

Dean O'Neill
29263 247th Ave
Cody NE 69211

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 2019 irrigation questionnaire.

You may disregard the January 23, 2020, "Notice" concerning reporting requirements for Water Right No. 1555-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: DEAN O'NEILL, 24381 294TH ST, CODY, NE 69211 5714

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaire(s)

Our records indicate your 2020 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1555-2. The request for the Questionnaire was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1555-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1555-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: QQKHUH**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 3, 2021

1555-2

Dean O'Neill
24381 294th St
Cody NE 69211-5714

Dear Mr. O'Neill:

I am writing to acknowledge receipt of your 2020 irrigation questionnaire.

You may disregard the January 22, 2021, "Notice" concerning reporting requirements for Water Right No. 1555-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

1555-2



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 13, 2022

1555-2

Tony O'Neill
24250 292nd St
Cody NE 69211

Dear Mr. O'Neill:

Thank you for visiting with me about the irrigation questionnaire for Dean O'Neill for Water Right No. 1555-2. My intent was to send you the form for completion. Today, Rick O'Neill submitted the form along with his own forms.

The only thing left to do with the water right is determine the current ownership. If ownership has not been determined yet, I can put everything in-care-of you OR Rick O'Neill so any correspondence can be directed to someone with knowledge of the water right.

Let me know what should be done as far as ownership. Thank you in advance.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

1555-2

October 31, 2023

1555-2

Tony O'Neill, MGR
24250 292nd St
Cody NE 69211

Dear Mr. O'Neill:

I am a Program Assistant in the South Dakota Water Rights program, charged with logging all the Irrigation Questionnaire information. Today I'm reaching out to you about the IQ submit for Water Right No. 1555-2.

You had logged 700.0 acres of corn in your report. Presently 1555-2 only authorizes 264.0 acres. If you possibly logged acres covered under another permit/right, I would be happy to make that adjustment for you. OR if your operation has grown, we would need to discuss additional permitting to bring those acres into compliance.

If you would please check your information and get back to me, I would very much appreciate it.

The information we receive each year from irrigators across the state is very valuable. The water use data supplied by irrigators is one of the tools we use to help determine whether an aquifer or stream is nearing full appropriation.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

NOTE: I do not have a phone number on file for that. Could I please have that information for the file?



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

June 5, 2026

1211-2, 1555-2

Tony O'Neill
24250 292nd St
Tuthill, SD 57574

Dear Mr. O'Neill:

I am writing to you today in response to the 2025 Irrigation Questionnaires you submitted to us for Water Right No. 1211-2 & 1555-2.

Water Right No. 1211-2 (copy enclosed), reported irrigation total of 5400 hours in July, and 5400 hours in August of 2025.

Water Right No. 1555-2 (copy enclosed), reported irrigation total of 5400 hours in July, and 5400 hours in August of 2025.

These reported hours would not be possible as there are only 720 hours in a 30-day month. However, if you were reporting in Kilowatt hours, you would need to include the PSI and Depth to Water, so that we can calculate an accurate number of hours being reported for each month of irrigation.

We ask that if you are reporting in Kilowatt hours on this year's 2026 Irrigation Questionnaires that will be sent in October, that you please include the PSI and Depth to Water.

Please let me know if you have any questions or concerns.

Sincerely,

Shannon Konst
Water Rights Program
Shannon.konst@state.sd.us
(605) 773-3352

enclosure