

Water Right No. 1672-2
To be Considered Sept. 27, 1922
County Front about SE, 34
Miles South of Yatal

APPLICATION

Name Jerry J. Donahoe Address Yatal, ID.
Date July 16, 1922 Application
Received July 16, 1922 Complete - Yes No ✓
Date May 4, 1924 Reason Fee Requested - & not received

5-16-29

Date Received May 29, 1924 for
Corrected Appl. 5-16-29 SOURCE Gen'l (one well)
USE Dom. ACRES 210.00 C.F.S. 3.0
ACRE-FEET Diversion Location NW¹ NW⁴

				3/4			
				1/2			
				1/4			

Sec 10 - 37N - 34W

Land to be irrigated SW¹ Sec 3 - NW¹ & NW² NE⁴ Sec 10 -
37N - 34W

Period of annual use May 1 - Sept 30
Type of Map Small Co. Map Prepared by Agent Extension Agent
Map No. 1435-2 located in W/2 X Map File
Received - Yes ✓ Amount 375⁰⁰ No. Date of letter
REASON

Date Returned Corrected
Received w/ Appl. - Yes ✓ No Date of Request
REASON

Date Received
DRILLER Sargent Dr. Co. Licensed in SD Yes X No
DEPTH AND FORMATION 255' deep

OTHER
INFORMATION
FILED WITH
WATER RIGHT

WATER
QUALITY

Date

Received

June 22, 1979

Date Approved

and/or Conditional by S.C.C.

(Circle one)

Date

Disapproved by S.C.C.

Reason

Date Disapproved

Application Returned

71-1 Land

Description- same as Application- yes

X no

Remarks

REVIEWED

This application was reviewed within 30 days of receipt, accepted as complete, Number assigned and written up for advertisement before the Board on

(Signed)

This Application was unable to be completed - Reason

PUBLICATION

Dates Published - 1st August 23, 1979 2nd

Date

Affidavit Received

9-27-79

Remarks

Renell E. Donato, Martin

PROTESTS

Letters/Petitions In File Yes

No

Remarks

STAFF REC-
OMMENDATIONS

BOARD
ACTION

Date Approved

9-27-79

Qualifications

W.T.

Deferred - Date

Reason


Denied

Date

Reason

REMARKS

F.F. & C. OF
LAW, FINAL
DECISIONS,
ETC.

No. 1672-2Map No. 1435-2 Water Division No. 2 LITTLE WHITE RIVER District
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriately Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Jerry J. Donovan
 Postoffice address Vetal, State South Dakota 57575
 If a corporation, show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
 3. Name of diversion work J. J. Well #1
 4. Amount of water claimed (cubic feet per second) 3.0 C.F.S.
 5. Source of water supply Well
 6. Location of point of diversion 500' N.E. Center of N.W. 1/4 Sec 10-37-34
NW 1/4 NW 1/4 10-37N - R 34W
 _____ County Bennett
 7. Annual period or periods during which water is to be used May 1- September 20
 8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
 9. For irrigation use. _____ Total number of acres to be irrigated 210

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW 1/4 of NW 1/4 10-37-34	28
SW 1/4 of NW 1/4 10-37-34	30
NE 1/4 of NW 1/4 10-37-34	30
SE 1/4 of NW 1/4 10-37-34	30

Land Description	No. Acres Irr.
SW 1/4 of SW 1/4 3-37-34	23
SE 1/4 of SW 1/4 3-37-34	23
NW 1/4 of NE 1/4 10-37-34	23
SW 1/4 of NE 1/4 10-37-34	23

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 years. Additional time required to complete application of water to the proposed beneficial use _____ years.
 11. Choice of newspaper for Notice of Intent to Appropriately Water publication Bennett County Booster
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

High volum pump

B. Works proposed to transport water to place of use.

8' aluminum pipe

C. Works proposed to apply water to beneficial use.

Circular sprinklerEstimated Total Cost \$0.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

Bennett) s.

County of _____

I, Jerry J. Donovan

the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction

Signed _____

Subscribed and sworn to before me this 14 day of May 19 79
Lady Rae Eastland
 (Notary Public for other qualified officers)
 Lady Rae Eastland

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 1672-2

JERRY J. DONOVAN
(Applicant)

VETAL
(Post Office Address)

SOUTH DAKOTA 57575 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MAY 16, 19 79

Date of return to applicant for correction, amendments or changes required MAY 16, 19 79

Date of receipt of corrected application JUNE 22, 19 79

Approved SEPTEMBER 27, 19 79, Recorded in Book 21 Page 39

WATER RIGHT PERMIT NO. 1672-2

The Water Rights Commission hereby grants and issues this Water Right Permit No. 1672-2 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MAY 16, 19 79
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 27, 19 80
3. The whole of said work is to be completed on or before SEPTEMBER 27, 19 80
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 27, 19 80
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 3.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before SEPTEMBER 27, 19 80; said water to be used during the following described annual period: MAY 1ST - SEPTEMBER 20TH

Witness my hand this 2ND day of OCTOBER, 19 79

WATER RIGHTS COMMISSION

By:

John H. Hether
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

12. Principal Features of the Proposed Water Supply System (continued.)

G. Well Information or Estimates

- (1) Drill Hole, Diameter 5.0", Depth 255
- (2) Casing, Type Steel Diameter 16" Thickness 1/2
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Steel, Diameter 16", Length 186
- (4) Gravel Pack. Thickness 7", Length of gravel pack 255

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Test well log attached

Depth to top of water bearing material 30

Depth to bottom of water bearing material 255

Thickness of water bearing material 255


Depth to water (ground surface to water level) 55

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 35 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.


Signature of Applicant

CONSERVATION COMMISSION
FORM WI #1
6/77

SOIL/WATER COMPATIBILITY APPLICATION FORM

STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE



IMPORTANT: Read Instructions Before Proceeding!!!

NAME Jerry J. Ponder 685-6076

ADDRESS Veta So. Dak

COUNTY Beauregard

In accordance with State Law (Section 1, SB-58), if a water right is granted with a conditional permit (Soil/Water compatibility), a copy of such conditional permit must be filed with the County Register of Deeds.

This action must be taken by the holder of a water right within 6 months of receipt of such water right.

LEGAL DESCRIPTION:

1. WELL LOCATION OR DIVERSION POINT 500' N.E. of center of NW 1/4 10-37-34

2. LOCATION OF AREA TO BE IRRIGATED Around center pivot from well
Parts of NW 1/4, Sec 10-37-34, Parts of SW 1/4, Sec 3, 37-34,

+ Parts of ~~SW 1/4~~ W 1/4 NE 1/4 10-37-34

TYPE OF IRRIGATION:


3. GRAVITY TOWLINE CENTER PIVOT ✓ GUN PD 6-8-77

OTHER (SPECIFY)

4. CROPS TO BE IRRIGATED Corn

WATER QUALITY: (To be completed by SDSU Water Quality Lab)

5. SAMPLE NUMBER 79-251
6. SALINITY (EC X 10³) 191 (low)
7. SODIUM (SAR) 0.30 (low)
8. RESIDUAL SODIUM CARBONATE (meg/1.) 0/



I do hereby certify that a chemical analysis of the irrigation water representative of that used to irrigate shall be acquired from South Dakota State University and the soils information has been acquired from Conservation District, County Extension Office or Soil Conservation Service; and further, that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
14 DAY OF May, 1979.

Lady Rae Eastland
(TITLE OR SEAL)

Lady Rae Eastland, Notary Public

Jerry J. Ponder
APPLICANT'S SIGNATURE


Ruth L. Harner

X Approved
 Disapproved
 Conditionally Approved

(SOILS INFORMATION ON REVERSE SIDE)

NW 1/4, Sec 10, 37-34

MAP SW 1/4 & SE 1/4 of SW 1/4, Sec 3, 37-31



NARRATIVE

Not on sheet

See correction
on Soils Map

T-D

VAC - Valentine fine sand, rolling 3-18%

Soils are excessively drained, surface runoff is very slow, and permeability is rapid. Although soils have a low capacity to hold moisture, they readily release this moisture to plants. Soils are highly susceptible to blowing.

VgA - Vetal - Goshen soils - 0 - 3% slope


Soils are well drained, surface runoff is slow to medium, and permeability is moderately rapid to rapid, and low to moderate water holding capacity.

AtE - Anselmo - Tossel complex, 9-18% slope.

Complex is on rolling upland. This type soil is located along the outer edge of area to be irrigated, so should cause no problem in this system. Soil are quite unadapted to irrigation because of the steepness.

DTC Dandoy - Anselmo complex 3-7%

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007



Submitted by: Jerry J. Donovan
Address: Vetal, SD 57575

Date Rec'd May 17, 1979
Sample No. 79-251
Identification Well-255
NW, Sec. 10, T. 37N, R. 34W

WATER ANALYSIS

Calcium (Ca)	30	ppm*	1.52	me/l**
Magnesium (Mg)	6	ppm	0.47	me/l
Sodium (Na)	5	ppm	0.22	me/l
Potassium (K)	4	ppm	0.10	me/l
Sulfate (SO ₄)	1	ppm	0.02	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	4	ppm	0.10	me/l
Bicarbonate (HCO ₃)	122	ppm	2.00	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	100	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	191	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.20	Adjusted SAR	0.30	
Sodium	9.50	% of cations		
Residual sodium carbonate	0.01	me/l		
pH	7.25			
Others:				

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 2.31 me/l
Total anions 2.12 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$15.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 79-251

Amount Enclosed \$

Signed

d

White, 1910, p. 27.

Copy to applicant
Copy to Water Rights
Copy on File

SARGENT IRRIGATION CO.

NELIGH, NEBRASKA 68700

PHONE (402) 887-4112

TEST WELL LOG

TO:

Jerry L. Lomovik

DATE:

3/14/79

ADDRESS:

U.S. 100 S.W.

1/2 N of house (111)

0	15	Top Soil @ C.S.
15	30	CS some clay
30	45	CS some SS, trace clay layers
45	60	CS, 1/2 sand, 1/2 clay, 1/2 SS
60	75	CS, 1/2 clay @ 70'
75	90	good coarse sand
90	105	good coarse sand
105	120	coarse sand
120	135	10' med to coarse sand, 5' med sand SS trace clay
135	150	10' med sand trace clay, 5' med to CS, sand
150	165	4' clay, 11' med sand clay layers
165	180	med sand, none SS trace clay
180	195	med sand some clay layers
195	210	med sand trace clay
210	225	med sand trace clay layers
225	240	fine to med sand trace clay layers
240	255	fine to med sand trace clay
255	270	10' fine sand, 1/2 clay, 1/2 fine sand
270	285	fine sand
285	300	fine sand, some clay layers
300	315	med sand
315	330	fine to med sand clay layers (small)
330	345	10' fine sand, 1/2 fine sand, 1/2 clay
345	360	fine sand, trace of red rock
360	375	
375	390	
390	405	
405	420	
420	435	
435	450	
450	465	
465	480	
480	495	
495	510	
510	525	
525	540	
540	555	
555	570	
570	585	
585	600	

Well 255 ft
11' upper 213'

BEST IMAGE POSSIBLE
FROM POOR ORIGINAL

SARGENT IRRIGATION CO.

BROKEN BOW
(308) 872-6451

GOTHENBURG
(308) 537-3625

BASSETT
(402) 664-3323

GRANT
(308) 352-4379

NELIGH
(402) 887-4112

NORTH PLATTE
(308) 534-5530

TEST PUMPING
RECORD

DATE 6/11/1979

NAME

ADDRESS

TERMS

GALLONS PUMPED
Per Minute

DEPTH IN FEET
FROM Ground Level

REMARKS

100	1.0	
100	1.2	
100	1.4	
100	1.6	
100	1.8	
100	2.0	
100	2.2	
100	2.4	
100	2.6	
100	2.8	
100	3.0	
100	3.2	
100	3.4	
100	3.6	
100	3.8	
100	4.0	
100	4.2	
100	4.4	
100	4.6	
100	4.8	
100	5.0	
100	5.2	
100	5.4	
100	5.6	
100	5.8	
100	6.0	
100	6.2	
100	6.4	
100	6.6	
100	6.8	
100	7.0	
100	7.2	
100	7.4	
100	7.6	
100	7.8	
100	8.0	
100	8.2	
100	8.4	
100	8.6	
100	8.8	
100	9.0	
100	9.2	
100	9.4	
100	9.6	
100	9.8	
100	10.0	
100	10.2	
100	10.4	
100	10.6	
100	10.8	
100	11.0	
100	11.2	
100	11.4	
100	11.6	
100	11.8	
100	12.0	
100	12.2	
100	12.4	
100	12.6	
100	12.8	
100	13.0	
100	13.2	
100	13.4	
100	13.6	
100	13.8	
100	14.0	
100	14.2	
100	14.4	
100	14.6	
100	14.8	
100	15.0	
100	15.2	
100	15.4	
100	15.6	
100	15.8	
100	16.0	
100	16.2	
100	16.4	
100	16.6	
100	16.8	
100	17.0	
100	17.2	
100	17.4	
100	17.6	
100	17.8	
100	18.0	
100	18.2	
100	18.4	
100	18.6	
100	18.8	
100	19.0	
100	19.2	
100	19.4	
100	19.6	
100	19.8	
100	20.0	
100	20.2	
100	20.4	
100	20.6	
100	20.8	
100	21.0	
100	21.2	
100	21.4	
100	21.6	
100	21.8	
100	22.0	
100	22.2	
100	22.4	
100	22.6	
100	22.8	
100	23.0	
100	23.2	
100	23.4	
100	23.6	
100	23.8	
100	24.0	
100	24.2	
100	24.4	
100	24.6	
100	24.8	
100	25.0	
100	25.2	
100	25.4	
100	25.6	
100	25.8	
100	26.0	
100	26.2	
100	26.4	
100	26.6	
100	26.8	
100	27.0	
100	27.2	
100	27.4	
100	27.6	
100	27.8	
100	28.0	
100	28.2	
100	28.4	
100	28.6	
100	28.8	
100	29.0	
100	29.2	
100	29.4	
100	29.6	
100	29.8	
100	30.0	
100	30.2	
100	30.4	
100	30.6	
100	30.8	
100	31.0	
100	31.2	
100	31.4	
100	31.6	
100	31.8	
100	32.0	
100	32.2	
100	32.4	
100	32.6	
100	32.8	
100	33.0	
100	33.2	
100	33.4	
100	33.6	
100	33.8	
100	34.0	
100	34.2	
100	34.4	
100	34.6	
100	34.8	
100	35.0	
100	35.2	
100	35.4	
100	35.6	
100	35.8	
100	36.0	
100	36.2	
100	36.4	
100	36.6	
100	36.8	
100	37.0	
100	37.2	
100	37.4	
100	37.6	
100	37.8	
100	38.0	
100	38.2	
100	38.4	
100	38.6	
100	38.8	
100	39.0	
100	39.2	
100	39.4	
100	39.6	
100	39.8	
100	40.0	
100	40.2	
100	40.4	
100	40.6	
100	40.8	
100	41.0	
100	41.2	
100	41.4	
100	41.6	
100	41.8	
100	42.0	
100	42.2	
100	42.4	
100	42.6	
100	42.8	
100	43.0	
100	43.2	
100	43.4	
100	43.6	
100	43.8	
100	44.0	
100	44.2	
100	44.4	
100	44.6	
100	44.8	
100	45.0	
100	45.2	
100	45.4	
100	45.6	
100	45.8	
100	46.0	
100	46.2	
100	46.4	
100	46.6	
100	46.8	
100	47.0	
100	47.2	
100	47.4	
100	47.6	
100	47.8	
100	48.0	
100	48.2	
100	48.4	
100	48.6	
100	48.8	
100	49.0	
100	49.2	
100	49.4	
100	49.6	
100	49.8	
100	50.0	
100	50.2	
100	50.4	
100	50.6	
100	50.8	
100	51.0	
100	51.2	
100	51.4	
100	51.6	
100	51.8	
100	52.0	
100	52.2	
100	52.4	
100	52.6	
100	52.8	
100	53.0	
100	53.2	
100	53.4	
100	53.6	
100	53.8	
100	54.0	
100	54.2	
100	54.4	
100	54.6	
100	54.8	
100	55.0	
100	55.2	
100	55.4	
100	55.6	
100	55.8	
100	56.0	
100	56.2	
100	56.4	
100	56.6	
100	56.8	
100	57.0	
100	57.2	
100	57.4	
100	57.6	
100	57.8	
100	58.0	
100	58.2	
100	58.4	
100	58.6	
100	58.8	
100	59.0	
100	59.2	
100	59.4	
100	59.6	
100	59.8	
100	60.0	
100	60.2	
100	60.4	
100	60.6	
100	60.8	
100	61.0	
100	61.2	
100	61.4	
100	61.6	
100	61.8	
100	62.0	
100	62.2	
100	62.4	
100	62.6	
100	62.8	
100	63.0	
100	63.2	
100	63.4	
100	63.6	
100	63.8	
100	64.0	
100	64.2	
100	64.4	
100	64.6	
100	64.8	
100	65.0	
100	65.2	
100	65.4	
100	65.6	
100	65.8	
100	66.0	
100	66.2	
100	66.4	
100	66.6	
100	66.8	
100	67.0	
100	67.2	
100	67.4	
100	67.6	
100	67.8	
100	68.0	
100	68.2	
100	68.4	
100	68.6	
100	68.8	
100	69.0	
100	69.2	
100	69.4	
100	69.6	
100	69.8	
100	70.0	
100	70.2	
100	70.4	
100	70.6	
100	70.8	
100	71.0	
100	71.2	
100	71.4	
100	71.6	
100	71.8	
100	72.0	
100	72.2	
100	72.4	
100	72.6	
100	72.8	
100	73.0	
100	73.2	
100	73.4	
100	73.6	
100	73.8	
100	74.0	
100	74.2	
100	74.4	
100	74.6	
100	74.8	
100	75.0	
100	75.2	
100	75.4	
100	75.6	
100	75.8	
100	76.0	
100	76.2	
100	76.4	
100	76.6	
100	76.8	
100	77.0	
100	77.2	
100	77.4	
100	77.6	
100	77.8	
100	78.0	
100	78.2	
100	78.4	
100	78.6	
100	78.8	
100	79.0	
100	79.2	
100	79.4	
100	79.6	
100	79.8	
100	80.0	
100	80.2	
100	80.4	
100	80.6	
100	80.8	
100	81.0	
100	81.2	
100	81.4	
100	81.6	
100	81.8	
100	82.0	
100	82.2	
100	82.4	
100	82.6	
100	82.8	
100	83.0	
100	83.2	
100	83.4	
100	83.6	
100	83.8	
100	84.0	
100	84.2	
100	84.4	
100	84.6	
100	84.8	
100	85.0	
100	85.2	
100	85.4	
100	85.6	
100	85.8	
100	86.0	
100	86.2	
100	86.4	
100	86.6	
100	86.8	
100	87.0	
100	87.2	
100	87.4	
100	87.6	
100	87.8	
100	88.0	
100	88.2	
100	88.4	
100	88.6	
100	88.8	
100	89.0	
100	89.2	
100	89.4	
100	89.6	
100	89.8	
100	90.0	
100	90.2	
100	90.4	
100	90.6	
100	90.8	
100	91.0	
100	91.2	
100	91.4	
100	91.6	
100	91.8	
100	92.0	
100	92.2	
100	92.4	
100	92.6	
100	92.8	
100	93.0	
100	93.2	
100	93.4	
100	93.6	
100	93.8	
100	94.0	
100	94.2	
100	94.4	

No. 1672-2

Publish first publication, on or before August 31, 1972

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 14, 1979

Notice is hereby given that Jerry J. Donovan whose post office address is Vetal, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-20; 46-5-41; 46-6-3, 46-6-3.1, 46-6-5, 46-6-6.1, 46-6-10, 46-6-14 and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 3.0 cubic feet of water per second of time from groundwater (one well) through the J. J. Well #1, the point(x) of diversion of which is(~~xxx~~) to be located in the NW 1/4 NW 1/4

of Section 10, Twp. 37N, Range 34W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

S 1/2 SW 1/4, Section 3; NW 1/4 and W 1/4 NE 1/4, Section 10-T37N-R34W,

This Application No. 1672-2 will be considered by the Water Management Board at Community Room, City Hall, 222 E. Dakota, Pierre, SD upon the 17th day of September at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-25 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law.

WATER MANAGEMENT BOARD

Jetty Westlurd,
Water Rights Specialist

cc: Jerry J. Donovan, Vetal, SD 57575

FORM 6 - Notice of Intent to Appropriate Water
GROUNDWATER

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 1672-2

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Bennett) ss.

I, Mary E. Long hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Bennett County, Pooler II

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Martin

County of Bennett and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

August 23, 1979

August 30, 1979

Mary E. Long
(Signature)

Proctor
(Title)

8-21-79
(Date Signed)

No. 1672-2
NOTICE OF HEARING ON
APPLICATION TO
APPROPRIATE WATER
Pierre, South Dakota 57501
August 14, 1979

Notice is hereby given that
Jerry J. Donovan, whose post
office address is Vetat, South
Dakota, has made an application
in accordance with the provisions
of SDCL 46-1-1 thru 46-1-9, 46-1-14;
46-2-9 thru 46-2-11, 46-2-13; 46-5-1
thru 46-5-8; 46-5-10 thru 46-5-22,
46-5-41; 46-6-3, 46-6-3.1, 46-6-5,
46-6-6.1, 46-6-10, 46-6-14 and Board
Rules ARSD 52:01:01:01 thru
52:01:01:13, for a permit to
appropriate for beneficial use
3.0 cubic feet of water per second
of time from groundwater (one
well) through the J. J. Well No. 1,
the point of diversion of which is
to be located in the NW1/4NW1/4 of
Section 10, Twp. 37N, Range 34W.
Said water to be used for the
purpose of providing irrigation on
portions of the following de-
scribed land: S1/2SW1/4, Section 3;
NW1/4 and W1/2NE1/4, Section 10,
T37N-R34W.

This Application No. 1672-2 will
be considered by the Water
Management Board at Com-
munity Room, City Hall, 222 E.
Dakota, Pierre, SD, upon the 27th
day of September at 10 a.m. The
Board is authorized to make a
determination on this application
at the hearing. All interested
persons may appear and be
heard. Any person who may be
affected by a Board decision who
desires to present evidence or
cross-examine witnesses accord-
ing to SDCL 1-26 may notify the
Board in writing prior to the
hearing or orally at the hearing.

This hearing is an adversary
proceeding. Any person has the
right to be present or to be
represented by a lawyer. These
and other due process rights will
be forfeited if they are not
exercised at the hearing. De-
cisions of the Board may be
appealed to the Courts as
provided by law.

Water Management Board
Betty Westlund,
Water Rights Specialist

RECEIPT
WATER RIGHTS COMMISSION
State of South Dakota

No 4 6927

May 20

19

RECEIVED OF Jerry J. Donovan, Vetal SD 57575
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. <u>1672-2</u> (examination, processing, recording and filing) -----	275	00
Fee for inspecting Construction, and issuing Cert. of Construction No. -----		
Fee for inspecting Beneficial Use, and issuing Water License No. -----		
Fee for issuing Location Certificate-Dry Draw, No. -----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for ----- (any other work as provided by law)		
TOTAL	275	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH Rlw

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Division of Water Rights
605 773-3352

No. 1672-2

July 17, 1984

Jerry J Donovan
Vetal,
South Dakota 57575

SR 2 B-46

Dear Mr. Donovan:

The inspection of your water use system and inspection of the extent of the application of water to beneficial use, as developed under your Water Right No. 1672-2 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Karen Schlaak

KAREN SCHLAACK
Administrative Aide

NOTE: On form of payment, please include the number of the water permit.
This insures proper handling of the fee.

Permit No. 1672-2
10149203
White River Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Jerry J. Donavan
 of Vetal, SD (Sec 2, Box 6) holder of
 Permit No. 1672-2, bearing the priority of May 16 1979 authorizing
 the diversion of 3.0 cu. ft. per second of the waters of Ground Water (Ogallala)
 for Irrigation purposes, in Bennet County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

One 255 ft. deep well. Ogallala Formation.
3 stage Sargent pump. size 12 SA. # 09379
100 HP U.S. Electric motor # R-9981-01-524 R2124883 B

B. Works used to transport water to place of use:

50' of 6" aluminum pipe

C. Works used to apply water to beneficial use:

12 Tower Valley Center pivot @ Nelson 100 End gun.
1600' overall length. 130' spans
50 psi operating pressure.

The system is in the following condition Good

The point of diversion is located Center of NW⁴ S 10 T 37 N R 34 W

The works are capable of diverting and conveying to the place of use 2.67

cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows:

S. 10 T 37 N R 34 W		
NW ⁴ NW ⁴ - 28 acres	NW ⁴ NE ⁴ - 20 acres	SW ⁴ SE ⁴ - 20 acres
SW ⁴ NW ⁴ - 28 acres	SW ⁴ NE ⁴ - 15 acres	SE ⁴ SW ⁴ - 23 acres
SE ⁴ NW ⁴ - 36 acres		
NE ⁴ NW ⁴ - 40 acres		

comprising a total of 210 acres of land and the license should be issued for 2.67 cfs

Applicable permit qualifications have been complied with ☒ Yes ☐ No

Exemptions to compliance are: _____ Date: _____

Fred Smith June 12, 1984
 signature

LICENSE FOR PERMIT NUMBER 167212 Jerry O. Donouy

1. Legal location of wells: _____

dams & structures: _____

2. Well Information: Well Drilling Firm Sargent

No. of wells 1 Depth 250

Casing a) diameter 16" Screen a) type _____

b) length _____ b) length _____

c) type _____ Static Water Level 35"

Pump a) make Sargent Motor a) make W.S.

b) model B9 377 b) model no. R-9961-01-52.1 R212.7800 B

c) size 12 3A c) horsepower rating 100

d) capacity 1200 GPM d) motor efficiency rating _____

e) turbine pump _____

no. of stages 3

3. Distribution lines:

a) size of lines _____

b) type _____

c) length _____

4. Dam Information:

a) height to crest _____

b) height to spillway _____

c) crest width _____

d) crest length _____

e) spillway length _____

f) spillway width _____

g) approx. storage _____

h) Distribution lines or canals:

1) size _____

2) type _____

3) length _____

i) Outlet tubes:

1) diameter _____

2) type _____

3) valued (Y/N) _____

4) valve type _____

5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet

2) diameter of pipe _____

3) make, model & number of sprinklers _____

4) spacing of sprinklers _____

5) nozzle size _____

b) towline:

1) length _____ feet

2) make, model & number of sprinklers _____

3) spacing of sprinklers _____

4) nozzle size _____

5. System Type: c) center pivot

- 1) make V. 167
- 2) number of towers 12
- 3) distance between towers _____
- 4) overall length 1600
- 5) End gun (Y/N) Yes - 1615
- 6) high/low pressure low
- 7) make & size of nozzles _____
- 8) PSI reading while system is running 45-50
- 9) GPM 1200

d) Gate Pipe

- 1) length 11
- 2) diameter 11
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) 11
- 5) PSI _____

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

h) Hydromatic

- 1) make _____
- 2) model 1615
- 3) serial number 11
- 4) length 11
- 5) nozzle size 11
- 6) spacing 11
- 7) PSI _____
- 8) capacity (GPM) _____

YES

NO

Check Items


1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.
2. Special Qualifications to permit being abided by.
3. All Structures, wells and lands on map.

REMARKS:

WELL DRILLERS REPORT
SOUTH DAKOTA WATER RIGHTS COMMISSION

4-78

Well Owner:
Name Jerry Joe Donovan
Address Vestal, South Dakota



County Bennett
Center 1/4 NW 1/4 Sec. 10 Twp. 27 Rg. 34

Proposed Use:
☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:
☐ Forward Rotary ☐ Bored ☐ Jetted
☒ Reverse Rotary ☐ Cable ☐ Other

Well Construction:

Diameter of Hole 32
Depth 255
Casing ☒ Steel ☐ Concrete
☐ Plastic ☐ Other
If other, specify _____

Was casing end left open No
Was a well screen installed Yes
Describe Well Screen
Diameter 16 Material Steel
Slot size 3/8" x .150
Was well gravel packed Yes
Was well grouted No
Was water sample taken No

Remarks:

c.s. - coarse sand
ss - sandstone
t. clay - trace of clay
med - med to coarse sand
ly. clay - layer of clay

Water Level Information:

Static water level 32 below land surface.
If flowing: closed in pressure _____ PSI
rate of flow _____ GPH
Controlled by:
☐ Valve ☐ Reducers ☐ Other
If other, specify _____

Well Test Data:

☒ Pumped
☐ Bailed Describe: _____
☐ Other _____
Pumping Level Below Land Surface:
57 ft. After 1 Hrs. pumped 800 GPM
62 " " 1 " " 1000 "
67 " " 15 " " 1200 "
74 " " " " 1542 "

Well Log:

Formation	From	To
top soil, c. sand	0	15
c. sand, some clay	15	30
cs, some ss, t. clay	30	45
coarse sand	45	51
sand & limestone	51	55
coarse sand, ss	55	60
coarse sand ly. clay	60	75
good coarse sand	75	105
coarse sand	105	120
med to coarse sand	120	130
med sand, ss, t. clay	130	135
med sand, trace clay	135	145
m-cs, some clay	145	150
clay	150	154

(Use back if Necessary)

Date Completed: April 6, 1979

Driller:

Saint Irrigation Co. 273
Driller's or Firm's Name License NO.

P.O. Box 70 Bennett, Nebraska
Address

[Signature] 5-3-79
Signed By Date

154	165	med sand & clay layers
165	180	med sand, some sandstone, trace of clay
180	195	med sand, some sandstone with clay layers
195	210	med sand, trace of clay
210	225	med sand, trace of clay layers
225	240	fine to med sand, trace of clay layers
240	255	fine to med sand, trace of clay layers
255	255	fine sand
265	270	clay & fine sand
270	285	fine sand
285	300	fine sand, some clay layers
300	315	med sand
315	330	fine to med sand, clay layers (small)
330	340	fine sand
340	345	fine sand & red clay
345	360	fine sand, trace of red rock

State of South Dakota
Water License No. 1672-2

(1) Jerry J. Donovan
of SR#2, Box 6, Vetal, South Dakota
made Application No. 1672-2 May 16, 1979 for a water permit to appropriate
3.0 cubic feet per second of water from groundwater (one well)
Bennett County, South Dakota for Irrigation purposes.
Permit No. 1672-2, with a priority date of May 16, 1979
was approved September 27, 1979 and issued to applicant(s) for diversion of water with construction of the described
water supply system to be completed on or before September 27, 1980 and for the application to beneficial use of said
water on or before September 27, 1980.

and

(2) It is certified that the application has complied with the provisions of South Dakota State Law relating to completion of
the construction of the water supply system and is entitled to divert 2.67 cubic feet per second of water
for beneficial use. The location of the diversion point(s) is the center of the NW $\frac{1}{4}$ Section 10,
T 37N, R34W.

and

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to the following extent, to irrigate the following land all in T37N, R34W

Section 10

NW $\frac{1}{4}$ NW $\frac{1}{4}$	28 Acres	(BB)
SW $\frac{1}{4}$ NW $\frac{1}{4}$	28 Acres	(BC)
SE $\frac{1}{4}$ NW $\frac{1}{4}$	36 Acres	(BD)
NE $\frac{1}{4}$ NW $\frac{1}{4}$	40 Acres	(BA)
NW $\frac{1}{4}$ NE $\frac{1}{4}$	20 Acres	(AB)
SW $\frac{1}{4}$ NE $\frac{1}{4}$	15 Acres	(AC)

Section 3

SW $\frac{1}{4}$ SW $\frac{1}{4}$	20 Acres	(CC)
SE $\frac{1}{4}$ SW $\frac{1}{4}$	23 Acres	(CD)
TOTAL 210 ACRES		

(4) Pursuant to §46-5-30.1 Jerry J. Donovan

of SR#2, Box 6, Vetat, South Dakota

the holder(s) and/or owner(s) of Water Permit No. 1672-2 is issued a license to appropriate water, the right to use 2.67 cubic feet per second of water from groundwater (one well) with a priority date of May 16, 1979 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of Irrigation

This license is subject to any limitations or qualifications listed in Water Permit No. 1672-2 and subject to South Dakota State Law.

John Hatch
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

JOHN HATCH

July 31, 1984

RECEIPT

Division of Water Rights

No 4 9725

South Dakota Department of Water and Natural Resources

Pierre, July 31, 1934

RECEIVED OF Jerry J. Donovan, SR42, Box 6, Vetal, South Dakota 57575

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 4672-2	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer JOHN HATCH/ms

No. 1672-2

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
521 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

July 24, 1984


Jerry J. Donovan
SR#2, Box 6
Vestal, South Dakota 57575

Dear Mr. Donovan:

Enclosed herewith is, Water License No. 1672-2. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division

JH: ms

Enclosures

WNR-817 3/83
Transmittal of Water License

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

JERRY J DONOVAN
SR 2 BOX 6
VETAL, SD 57574

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 1672-2, 1207-2, 1206-2, 985-2. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 1672-2, 1207-2, 1206-2, 985-2 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 24, 1987

985-2

1206-2

1207-2

1672-2

Jerry J Donovan
St Rt Box 6
Vestal, SD 57575

Dear Mr. Donovan:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 985-2, 1206-2, 1207-2, and 1672-2 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,

A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

#985-2
#1206-2
#1207-2
#1672-2

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Jerry J. Donovan
SR 2, Box 6
Vetal, SD 57575

Dear Mr. Donovan:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,



for JOHN HATCH, Chief Engineer
Water Rights Division



1672-2

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 30, 1996

NOTICE

TO: JERRY J DONOVAN
HC 2 BOX 6
VETAL SD 57575

FROM: Ron Duvall, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 985-2; 1672-2; & 2111-2

The first notice to file chemigation report(s) for Permit No(s) 985-2; 1672-2; & 2111-2 was dated 10/20/95. Our records indicate that we have not received the 1995 chemigation report for Permits No(s) 985-2; 1672-2; & 2111-2. The Water Management Board has directed that owners of water permits who have not submitted the 1995 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 A.M. on March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 985-2; 1672-2; & 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before March 1, 1996 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 14, 1996

985-3

1672-2 ✓

2111-2

Jerry J Donovan
HC 2 Box 6
Vetal, SD 57575

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires and chemical reporting forms. You may disregard the January 30, 1996, **Notice of Violation of Water Permit and Notice of Failure to Report Chemical Use.**

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 9, 1998

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, VETAL, SD 57575
FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaires

Our records indicate that the 1997 Irrigation Questionnaires have not been submitted for Permit Nos. 2111-2, 985-2, 1207-2 & (1672-2). The request for the Questionnaires was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1207-2 & 1672-2 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1207-2 & 1672-2 to require the Irrigation Water Use Questionnaire to be submitted each year.
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 9, 1998

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, VETAL SD 57575

**FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program**

RE: Requirement to Report 1997 Chemical Use

The first notice to file chemigation report(s) for Permit No(s) 985-2, 1672-2 & 2111-2 was dated October 17, 1997. Our records indicate that we have not received your 1997 chemigation report(s). The Water Management Board has directed that owners of water permits who have not submitted the 1997 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application

The hearing will be held at 9:45 am, February 25, 1998, Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 985-2, 1672-2 & 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 20, 1998, contact the Water Rights Program, 523 E. Capitol, Pierre, SD 57501-31 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to February 20, 1998 you will no longer be in violation and your name will be deleted from the Board agenda.



1672-2

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 27, 1998

985-2

1207-2

1672-2

2111-2

Jerry J Donovan
HC 2 Box 6
Vetal SD 57575

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires and chemical reporting forms. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit Nos. 985-2, 1207-2, 1672-2 and 2111-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

www.state.sd.us/denr

January 22, 1999

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, MARTIN SD 57551

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

RE: Requirement to Report 1998 Chemical Use

The first notice to file chemigation report(s) for Permit No(s) 985-2; 1672-2 & 2111-2 was dated October 16, 1998. Our records indicate that we have not received your 1998 chemigation report(s). The Water Management Board has directed that owners of water permits who have not submitted the 1998 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 am, March 3, 1999, Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 985-2; 1672-2 & 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to March 3, 1999, contact the Water Rights Program, 523 E. Capitol, Pierre, SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to March 1, 1999 you will no longer be in violation and your name will be deleted from the Board agenda.



January 22, 1999

1672-2

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, VETAL, SD 57575

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaires

Our records indicate that the 1998 Irrigation Questionnaires have not been submitted for Permit Nos. 2111-2, 985-2, 1207-2 & 1672-2. The request for the Questionnaires was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1207-2 & 1672-2 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1207-2 & 1672-2 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided in law.

If the questionnaires are received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E. Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 28, 1999

Jerry J Donovan
HC 2 Box 6
Martin, SD 57551

RE: Water Right Nos. 985-2, 1207-2, 1672-2 and 2111-2

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 1998 irrigation questionnaires and chemical reporting forms. You may disregard the January 22, 1999, "Notices" concerning reporting requirements for Water Right Nos. 985-2, 1207-2, 1672-2 and 2111-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1672-2

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 19, 2001

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, VETAL, SD 57575

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2000 Irrigation Questionnaires

Our records indicate that the 2000 Irrigation Questionnaires have not been submitted for Permit Nos. 2111-2, 985-2, 1207-2 & 1672-2. The request for the Questionnaires was dated October 20, 2000. The Water Management Board has directed that owners of water permits who have not submitted the 2000 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit Nos. 985-2, 1207-2 & 1672-2 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No. 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 7, 2001 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No. 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit Nos. 985-2, 1207-2 & 1672-2 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 2, 2001, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 5, 2001

985-2
1207-2
1672-2
2111-2

Jerry J Donovan
HC 2 Box 6
Vetal, SD 57575

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 2000 irrigation questionnaires. You may disregard the January 19, 2001, "Notice" concerning reporting requirements for Water Right Nos. 985-2, 1207-2, 1672-2 and 2111-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, VETAL, SD 57575
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaires

Our records indicate that the 2002 Irrigation Questionnaires have not been submitted for Permit Nos. 2111-2, 985-2, 1207-2 & 1672-2. The request for the Questionnaires was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1207-2 & 1672-2 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1207-2 & 1672-2 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2003

985-2
1207-2
1672-2
2111-2

Jerry J Donovan
HC 2 Box 6
Vestal SD 57575

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 2002 irrigation questionnaires. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right Nos. 985-2, 1207-2, 1672-2 and 2111-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL

PIERRE, SOUTH DAKOTA 57501-3182

www.state.sd.us/denr

January 14, 2004

NOTICE

TO: JERRY J DONOVAN, HC 2 BOX 6, VETAL, SD 57575

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaires

Our records indicate that the 2003 Irrigation Questionnaires have not been submitted for Permit Nos. 2111-2, 985-2, 1207-2 & 1672-2. The request for the Questionnaires was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1207-2 & 1672-2 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1207-2 & 1672-2 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2004

985-2
1207-2
1672-2
2111-2

Jerry J Donovan
HC 2 Box 6
Martin SD 57551

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. Your forms were received the same day the notices from our office were mailed out. Unfortunately, the mail had left before I had a chance to retrieve the letter sent to you.

You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Permit or Right Nos. 985-2, 1207-2, 1672-2 and 2111-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE

37-34

2-24 1-175 R Jerry

Donovan 37-34

2m-194

210.0

Owell

Jerry Joe Donovan 2-24 10

15.3

8.0

63.4

37-34

2-24 Jerry

Donovan 37-34 2m-194
1-175 R

66.9

2-24 Jerry Donovan

Licensed W/R 1672-2
Map 1135-2

NOT TO SCALE

0 | 0

38-34

1-175 R

38-34

154.2
75.3

1M-213 Jack Long 3 2-24 Jerry Monahan
49.3

20.0

130.0

37-34

2-271

2-271

1-175 R

Jerry Monahan

37-34

2M-252

R

R. 34 W.

(Joins sheet 39)

1 740 000 FEET

49

1 Mile
5 000 Feet

(Joins sheet 50)

Scale 1:20 000

This map is one of a set compiled in 1969 as part of a soil survey by the United States Department of Agriculture, Soil Conservation Service, the United States Department of the Interior, Bureau of Indian Affairs, and the South Dakota Agricultural Experiment Station. Land division corners are approximately positioned on this map.

BENNETT COUNTY, SOUTH DAKOTA NO. 49


(Joins sheet 48)

T. 37 N.

1 320 000 FEET

1 310 000 FEET

1 720 000 FEET



Plane coordinate projection. 1927 North American datum.
5,000-foot grid ticks based on South Dakota coordinate system,
south zone. Mosaic compiled from 1961 aerial photographs.

MAP No 1435-2 APPL. 1672-2



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

July 11, 2005

Fred Cozad
PO Box E
Martin SD 57551

Dear Mr. Cozad:

Thank you for contacting us regarding possible ownership changes for water rights held by Donovan's. Enclosed as we discussed, are copies of all seven water rights on file for either Jerry J Donovan or William C & Roberta L Donovan.

Also enclosed are a few "Notice of Transfer of Ownership" forms for filing ownership changes with the water rights. The new owner(s) of the land will need to sign the forms. A \$2.50 filing fee is required for each ownership change filed. The check or money order(s) can be made payable to the "Water Rights Program".

If I can answer any questions for you, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

RECEIVED

NOTICE OF TRANSFER OF OWNERSHIP

13 735
WATER RIGHTS
PROGRAM

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 1672-2

Date: 10-11-05

I/We request that Water Right/Permit No. 1672-2

formerly owned by: Jerry J. Donovan

be transferred to: (name & address) William Donovan
28905 238th Ave
Tutthill, SD 57574 Telephone No. 605-685-1043

Title to the following described land(s)/property has been transferred as described above:

NW 1/4 Section 10-T37W-R34W
NW 1/4 NE 1/4 Sec 10-T37W-R34W * SW 1/4 NE 1/4 Sec 10-T37W-R34W
SW 1/4 SW 1/4 Sec 3-T37W-R34W ; SE 1/4 SW 1/4 Sec 3-T37W-R34W

I/We understand that the validity of Water Right/Permit No. 1672-2 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We William Donovan, the new owner, certify that the above information is true and correct.

William Donovan
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED
OCT 13 2005
WATER RIGHTS
PROGRAM

RECEIPT
WATER RIGHTS PROGRAM
South Dakota Department of Environment and Natural Resources

Date October 13, 2005

RECEIVED OF Bill Donovan, HC 77 Box 34, Tuthill SD 57574

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	2	50
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>1672-2</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	
		2.50

No. **001988**

By Darland Erbe
Chief Engineer *grr*



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 27, 2005

985-2
1207-2
1672-2
2111-2

William Donovan
28905 238th Ave
Tuthill SD 57574

Dear Mr. Donovan:

I am writing to acknowledge receipt of the transfer forms and filing fees you submitted for changing ownership on Water Right Nos. 985-2, 1207-2, 1672-2 and 2111-2. The transfers have been completed. The water rights once listed in the name of Jerry J Donovan are now listed in your name.

Enclosed are your Receipt Nos. 001985, 001986, 001987 and 001988 in the amounts of \$2.50 each. You may keep these for your records.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



1672-2
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: WILLIAM C & ROBERTA DONOVAN, 28905 238TH AVE, TUTHILL, SD 57574
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaires

Our records indicate that the 2006 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1672-2



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 5, 2007

William & Roberta Donovan
28905 238th Ave
Tuthill SD 57574

RE: Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B and 2111-2.

Dear Mr. & Mrs. Donovan:

I am writing to acknowledge receipt of your 2006 irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B and 2111-2.

The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: WILLIAM C & ROBERTA DONOVAN, 28905 238TH AVE, TUTHILL, SD 57574

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaires

Our records indicate that the 2007 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2008** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2008

William C & Roberta Donovan
28905 238th Ave
Tuthill SD 57574

RE: Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B & 2111-2


Dear Mr. & Mrs. Donovan:

I am writing to acknowledge receipt of your 2007 irrigation questionnaires. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B & 2111-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1672-2

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2012

NOTICE

TO: WILLIAM C & ROBERTA DONOVAN, 28905 238TH AVE, TUTHILL, SD 57574

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2011 Irrigation Questionnaires

Our records indicate that the 2011 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 14, 2011. The Water Management Board has directed that owners of water permits who have not submitted the 2011 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 7, 2012** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 2, 2012**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:
<http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 6, 2012

William & Roberta Donovan
28905 238th Ave
Tuthill SD 57574

RE: Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B & 2111-2

Dear Mr. & Mrs. Donovan:

I am writing to acknowledge receipt of your 2011 irrigation questionnaires.

You may disregard the January 24, 2012, "Notice" concerning reporting requirements for Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B & 2111-2. The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

1672-2



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

December 20, 2012

Cole Donovan
28905 238th Ave
Tuthill SD 57574

RE: Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B and 2111-2

Dear Mr. Donovan:

Thank you for contacting our office concerning the need for ownership changes on the above listed Water Rights. I have enclosed copies of the water rights in the event you do not have them.

Enclosed are partially completed Notice of Transfer of Ownership forms for filing ownership changes. Please review the forms and make any necessary corrections. Upon completion, please sign and return them to our office with a required filing fee of \$50.00 each (total of \$350). The check or money order for the fee can be made payable to the Water Rights Program.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

NOTICE OF TRANSFER OF OWNERSHIP

RECEIVED

DEC 31 2012

WATER RIGHTS
PROGRAM

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 1672-2

Date: 12/26/12

I/We request that Water Right No. 1672-2

formerly owned by: William Donovan

be transferred to: (name & address) Cole Bla Donovan
28905 238th AVE
Tnph: 11, SD 57574 Telephone No. 605-685-1043

Title to the following described land(s)/property has been transferred as described above:

NW ¼ and W ½ NE ¼ Section 10; S ½ SW ¼ Section 3, all in T37N, R34W

I/We understand that the validity of Water Right No. 1672-2 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Cole Bla Donovan, the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 1/3, 20 13

RECEIVED OF Donavan Farms 28905 238th Ave Tuthill Sd 57574

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>1672-2</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. **05846**

By


Chief Engineer

1672-2



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 11, 2013

Cole Blu Donovan
28905 238th Ave
Tuthill SD 57574

RE: Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B and 2111-2

Dear Mr. Donovan:

I am writing to acknowledge receipt of the transfer forms and filing fees you submitted for changing ownership on the above listed water rights.

The ownership changes have been completed. Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B and 2111-2 are now listed in your name.

Enclosed for your records are the receipts for the filing fees. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2014

NOTICE

TO: COLE BLU DONOVAN, 28905 238TH AVE, TUTHILL, SD 57574

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2013 Irrigation Questionnaires

Our records indicate that the 2013 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 12, 2013. The Water Management Board has directed that owners of water permits who have not submitted the 2013 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at **9:00 am, March 6, 2014** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 3, 2014**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 18, 2014

Cole Blu Donovan
28905 238th Ave
Tuthill SD 57574

RE: Water Permit or Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B & 2111-2

Dear Mr. Donovan:

I am writing to acknowledge receipt of your 2013 irrigation questionnaires.

You may disregard the January 24, 2014, "Notice" concerning reporting requirements for the above listed permits. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

RECEIVED

DEC - 3 2015

WATER RIGHTS
PROGRAM

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 1672-2

Date: 12/3/15

I/We request that Water Right/Permit No. 1672-2

formerly owned by: Cole Blu Donovan, 28905 238th Avenue, Tuthill SD 57574

be transferred to: (name & address) Donovan Farms LLC

28903 238th Ave

Tuthill, SD 57574

Telephone No. 605-685-6978

Title to the following described land(s)/property has been transferred as described above:

S ½ SW ¼ Section 3 and NW ¼, W ½ NE ¼ Section 10; all in T37N, R34W

I/We understand that the validity of Water Right/Permit No. 1672-2 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Donovan Farms LLC, the new owner, certify that the above information is true and correct.

Donovan Farms LLC by
(Signed by new owner)
Roberta L. Donovan, Manager

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 12/4, 20 15

RECEIVED OF Donovan Farms LLC 28903 238th Ave Tuthill SD 57574

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____ 1672-2		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____	50	00
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	
	50	00

No. 07541

By

J. James Handman
Chief Engineer

1672-2



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

December 3, 2015

Roberta L Donovan, Mgr
Donovan Farms LLC
28903 238th Ave
Tuthill SD 57574

RE: Ownership changes for water rights

Dear Ms. Donovan:

I am writing to acknowledge the transfer forms and filing fees you submitted today for changing ownership of Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B, 2111-2 (held by Cole Blu Donovan) and Water Permit No. 2697-2 (held by Roberta L Donovan Real Estate Trust).

The ownership changes have been completed. The above listed water permit and water rights are now listed in the name of **Donovan Farms LLC**.

The receipts for the filing fees paid will be sent to you under separate cover. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



1672-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: DONOVAN FARMS LLC, ROBERTA L DONOVAN, MGR, 28903 238TH AVE, TUTHILL, SD 57574

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaires

Our records indicate your 2017 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2111-2 & 2697-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2111-2 & 2697-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 985-2, 1141-2, 1207-2, 1646-2, 1672-2 & 1680-2B to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1672-2



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 30, 2018

Roberta L Donovan
Donovan Farms LLC
28903 238th Ave
Tuthill SD 57574

RE: Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B, 2111-2 and 2697-2

Dear Ms. Donovan:

I am writing to acknowledge receipt of your 2017 irrigation questionnaires.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right Nos. 985-2, 1141-2, 1207-2, 1646-2, 1672-2, 1680-2B, 2111-2 and 2697-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us