

1. Considered 3-26 19 80
2. Name of Applicant DONALD PUTNAM RANCH, INC.
3. Post Office Address DEL RICHES, S. D. 57763
4. Amount of Water Claimed 120 AC. FT. ANN.
5. Source of Water Supply DEY DRAW
6. Water to be used for IRRIGATION
7. Acres to be irrigated 65.9 maximum acre feet
8. Water to be diverted and used in FALL RIVER County about 4 S. 3/4 miles EAST of DEL RICHES
9. PROOF OF PUBLICATION Received (initials) 3-20-80

Not Received _____

APPLICATION

Approved 3-27-80

Subject to OK

Not Approved _____

Action deferred _____

Priority

Date

Received 1-25-80 Application Complete yes _____ no ☒ (FEE) 150.00

1-25-80

Remarks ADDED FEE & WQ APPROVAL

ADDED Diversion on V/R 101-2

Date information and/or

fee or corrected Application received 3-6-80 (WQ)

Period of Annual use MARCH 1st - OCTOBER 30th WHEN AVAILABLE

WATER
QUALITY

Received yes 3/6/80 no _____ APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as application yes no _____ Remarks _____


Revised WI-1 with App - sent over to SGO

Disapproved _____

Returned _____

Diversion Point _____

NE⁴ NE⁴ 7-11S-8E



Lands to be irrigated _____

S¹/₂ NE⁴ & SE⁴ - 6-11S-8E

WELL
LOG

Remarks _____

Driller _____ Licensed yes _____ no _____

Depth _____

MAP Map No. 1460-2 Map located in Water Right X Map file _____
Type of Map Aerial Prepared by Ascs

+++++

REVIEWED This Application was reviewed within 30 days of date received, accepted as complete, Number assigned and written up for advertisement before the Board on 3-26-80


Westland
(Signed)

+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date _____
F.F. & C Final Decision, including F.F. & C of Law were adopted _____
OF LAW Date _____
FINAL Final Decision mailed to parties and/or parties notified that Final Decision
DECISIONS was adopted _____
ETC. _____

Remarks _____

No. 1701-2Map No. 1460-2 Water Division No. 2 So. CHEYENNE RIVER District
(Forms to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT.

Additional Diversion on 161-2

To Appropriate Water within the State of South Dakota
Vested

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Donald Putnam Ranch Inc.
Postoffice address Oelrichs State S. Dak
If a corporation show date and place of incorporation 4-9-77 Hot Springs, SD.
2. Method of accomplishing work (~~contract~~, employment of others, or by direct labor) _____
3. Name of diversion work Putnam Hald No 2
4. Amount of water claimed (cubic feet per second) (120 AC FT ANN) 693 CFS
5. Source of water supply Dry Draw
6. Location of point of diversion 285 Feet South West 2170
From NE Corner of Section 7-T11-R8
Fall River County County S. Dak
7. Annual period or periods during which water is to be used when Dry Draw runs
MAR - OCT. 30
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use: Total number of acres to be irrigated 65.4

List below each forty-acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SE ¹ SE ⁴ Sec 6 T11 R8	8.5	SW ¹ NE ⁴ Sec 6 T11 R8	2.7
SW ¹ SE ⁴ Sec 6 T11 R8	10.6	SE ¹ NE ⁴ Sec 6 T11 R8	2.2
NW ¹ SE ⁴ Sec 6 T11 R8	26.7	Total	65.4
NE ¹ SE ⁴ Sec 6 T11 R8	14.7		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Completed years. Additional time required to complete application of water to the proposed beneficial use None years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Hot Springs Star
12. Principal features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Storage of water in a Dam on Dry Draw
For Better irrigation use.

B. Works proposed to transport water to place of use.

495 Feet of Ditch
See Maps

C. Works proposed to apply water to beneficial use.

CompletedEstimated Total Cost \$ 3000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Fall RiverI, Donald Putnam the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Subscribed and sworn to before me this 2 day of January 1980

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 1701-2
DONALD PUTNAM RANCH, INC. DEL RICHES, S.D. 57763
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57763 With the following modifications:
 (State)

Approval of this Permit authorizes storage of 120 acre feet of water annually.

Date of first receipt of application JANUARY 25, 19 80
 Date of return to applicant for correction, amendments or changes required _____, 19 ____
 Date of receipt of corrected application WA MARCH 6, 19 80
 Approved MARCH 27, 19 80 Recorded in Book 21 Page 132

WATER RIGHT PERMIT NO. 1701-2

The Water Rights Commission hereby grants and issues this Water Right Permit No. 1701-2 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 25, 19 80
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before _____, 19 ____
3. The whole of said work is to be completed on or before _____, 19 ____
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is COMPLETED, 19 ____
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed .93 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before THIS DATE, 19 ____; said water to be used during the following described annual period: MARCH 1ST - OCT 30TH (WHEN AVAILABLE)

Witness my hand this 31ST day of MARCH, 19 80

WATER RIGHTS COMMISSION

By: John Watson
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 ____

Water License Issued _____, 19 ____

Vested

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to Form 2)

12. Principal Features of the Proposed Water Supply System (continued).

D. Well Information

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc.)
- (3) Screen, Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Attach a copy of test well log)


- Depth to top of water bearing material _____
- Depth to bottom of water bearing material _____
- Depth to water (ground surface to water level) _____

(2) Distance to nearest existing household or livestock watering well.

- On same owner's property _____ rds.
- On property owned by others _____ rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



DAM #1

1. Freeboard 3 Feet
2. Crest width 14 Ft.
3. Height of Dam 15
4. Outlet dimensions:
Pipe diameter 24 inch
Spillway width 231 Ft.
X & Y slope:
Upstream 3 to 1
Downstream 3 to 1
Surface area of impoundment 34.4 Acres
Drainage area above dam 1580 Acres

Dam #2

- Free Board 3 Ft.
Crest width 11 Ft.
Height of Dam 5 Ft.
Pipe diameter 24 in.
Length of Dam 675 ft.

Length 810 Feet

Map attached

Nanaleh Putnam Ranch Inc.
Signature of Applicant

NOTE:

This Form is supplemental to Form 2, and is to be used when an affidavit pertaining to construction and water use, already completed, is needed.

**AFFIDAVIT OF CONSTRUCTION OF WATER USE
SYSTEM AND APPLICATION OF WATER TO BENEFICIAL USE**

Name of Applicant (Same as Form 2) Donald Putnam Ranch Inc.Post Office Address Oelrichs, State South DakotaIf a Corporation show date and place of incorporation March 31, 1977
Place South Dakota

13. Notice of Appropriation (If available)

Date of Posting none

Date of Recording _____

Recording Date _____

14. Date of start of construction of water supply system 193915. Date that water was first applied to beneficial use 193916. Name of owner of original water supply system William Harrison17. Amount of water originally applied to beneficial use Dry Draw c. f. s.

18. Present Use of Water

Amount of water now being used Dry Draw c. f. s.Date that this amount of water was first used 1939

19. Chronological History of Water Use

water only available from snow or rain
run off And varies from year to year.

Attach to this Form 28, any copies of notices, postings, filings, publications, affidavits, or other records that apply. You may also attach any written statement by you, or by others, that you deem pertinent.

STATE OF SOUTH DAKOTA)

County of Fall River) ss.

I, Donald Putnam, the applicant, certify that I have read the foregoing and that the matters therein stated are true.

Signed

Donald Putnam

Subscribed and sworn to before me this

24th

day of


January, 19 80
Wanda M. Hurmiston
(Notary Public or other qualified Officer)

I, the undersigned, do hereby certify that I know about the water use system described above that I have read the foregoing and that the matters therein stated are true.

Werner Leiger
Frank Zeller

CONDITIONAL

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE
DIVISION OF CONSERVATION



NAME OF APPLICANT Donald Putnam Ranch, Inc., Delricts, South Dakota

SOIL RESTRICTIONS:

THE SOIL(S) LISTED BELOW CANNOT BE IRRIGATED:- unless kept in permanent vegetation.

16 - Histo Soli

RECOMMENDED MANAGEMENT:

1. Water should not be applied more than NA times during the irrigation season.
2. Each uninterrupted application (one rotation of center pivot) should be of at least NA inches of water.
3. ☒ Yes ☐ No Surface drainage or grading suggested on areas that pond water long enough to drown crops.
4. ☐ Yes ☐ No Subsurface drainage suggested on _____.
5. ☒ Deep tillage (for the purpose of aiding movement of water through dense subsoils).
COMMENTS: Occasionally, as per experience.
6. ☐ Heavy fall application of irrigation water.
7. Type of irrigation system recommended for use on this application water spreading.

GENERAL COMMENTS:

These soils are characterized by dense compact subsoils and contain an excessive amount of sodium. They are relatively shallow as bedded shale may be found between the 2nd and 3rd foot.


Stetter clay soils are deeper to bedded shale. The potential of moisture availability to the crop is better.

Both soils may benefit from occasional deep chiseling. However, cracking into the sub-soil area is the natural way for deep moisture penetration. To allow cracking to occur it may be necessary to withhold irrigation at certain times.

Generally, run-off waters are of good quality in your area. Salinity readings should not exceed 1200 to 1400 conductivity.

Copy to applicant
Copy to Water Rights

In all cases a WATER RIGHT must be obtained from the State Water Rights Comm.



RECEIPT

WATER RIGHTS COMMISSION

No 4 7278

State of South Dakota

PIERRE, January 30, 1930

Donald Putnam Ranch, Inc, Oelrichs, SD 57763

RECEIVED OF the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. <u>101-2</u> (examination, processing, recording and filing)	150.00
Fee for Inspecting Construction, and issuing Cert. of Construction No.	
Fee for Inspecting Beneficial Use, and issuing Water License No.	
Fee for Issuing Location Certificate-Dry Draw, No.	
Fee for filing	
Fee for certified copy of	
Fee for Print copy of map	
Fee for Certifying	
Fee for (any other work as provided by law)	
TOTAL	150.00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH / ht

No. 1701-2

Publish first publication, on or before March 13, 1980

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 7, 1980

Notice is hereby given Donald Putnam Ranch Inc. whose post office

address is Oelrichs, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, and Board Rules ARSD 52:01:01:01 thru 52:01:01:13, for a permit to appropriate for beneficial use 120 acre surface feet of annually

of water ~~xxxxxxxxxxxx~~ from the a dry draw through the Putnam-Hold No. 2, to add an additional diversion on the existing water right, the point of diversion which is to be located in the NE1 NE1

of Section 7, Twp. 11S, Range 8E. Said water to be used for the purpose of providing irrigation on portions of the following described land:

S1 NE1 and SE1, Section 6, T11S, R8E

This Application No. 1701-2 will be considered by the Water Management Board at the SDEA Auditorium, 411 E Capitol, Pierre, SD upon the 26th day of March, 1980

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses, according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Courts as provided by law. Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWR Building, Pierre, SD prior to the hearing date for assistance to assure access to the hearing.

WATER MANAGEMENT BOARD

BETTY WESTLUND
Water Rights Specialist

cc: Donald Putnam Ranch, Inc., Oelrichs, SD 57763

FORM 6 - Notice of Intent to Appropriate Water
SURFACE WATER

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Fall River) ss.

I, Charles Najacht hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Hot Springs Star

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Hot Springs

County of Fall River and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 12, 1980

March 19, 1980

Charles Najacht

(Signature)

Publisher

(Title)

March 19, 1980

(Date Signed)

NOTICE OF HEARING ON
APPLICATION TO
APPROPRIATE WATER

Pierre, South Dakota 57501
March 7, 1980
Notice is hereby given Donald
Putnam Ranch, Inc., whose post
office address is, Oelrichs, South
Dakota, has made an application
in accordance with the provisions
of SDCL 46-1-1 thru 46-1-3,
46-1-14, 46-2-2 thru 46-2-11,
46-2-13, 46-5-1 thru 46-5-3,
10 thru 46-5-22, WAC 5-41, S and
Board Rules ARSD 52:01:01.01
thru 52:01:01.13 for a permit to
appropriate for beneficial use 120
acre feet annually of water from a
dry draw through the Putnam
Hold No. 2, to add an additional
diversion on the existing water
right, the point of diversion
which is to be located in the NE 1/4
NE 1/4 of Section 7, Twp. 11S,
Range 8E, said water to be used
for the purpose of providing irri-
gation on portions of the follow-
ing described land: SW 1/4 and
SE 1/4 Section 6, T11S, R8E, Tra. 3.
This Application No. 1701-2 will
be considered by the Water
Management Board at the SDEA
Auditorium, 411 N. Capitol
Pierre, SD upon the 26th day of
March, 1980 at 10:30 A.M. The
Board is authorized to make a
determination on this application
at the hearing. All interested
persons may appear and be
heard. Any person who may be
affected by a Board decision who
desires to present evidence or
cross-examine witnesses accord-
ing to SDCL 1-26 may notify the
Board in writing prior to the
hearing or orally at the hearing.
This hearing is an adversary
proceeding. Any person has the
right to be present or to be
represented by a lawyer. These
and other due process rights will
be forfeited if they are not
exercised at the hearing. Deci-
sions of the Board may be
appealed to the Courts as pro-
vided by law. Any handicapped
person wishing to attend this
hearing can contact the Water
Rights Division, DWRN, P.O. Box
1000, Pierre, SD prior to the
hearing date for assistance to
assure access to the hearing.
Water Management Board
Betty Westlund
Water Rights Specialist
Mar. 12, 19



Law Offices
Allen G. Wilson



738 Jennings Avenue
P. O. Box 731
Hot Springs, South Dakota 57747
Telephone 745-4177
Area Code 605

March 20, 1980

Water Management Board
411 East Capitol Avenue
Pierre, South Dakota 57501

Dear Sirs:

I represent the Board of Directors of the Angostura Irrigation Project and am writing to express the concern and opposition of the Board to the granting of Application No. 1701-2 to appropriate water by Donald Putnam Ranch Inc. of Oelrichs, South Dakota.

It is feared that by granting this application along with others the supply of water needed by the water users in the irrigation district will be jeopardized.

The problem is that the Board of Directors has no way to police the appropriation of water by those given the right to do so contingent upon the Project's prior right to one filling of the reservoir each year. The inflow of water to the Angostura Reservoir indicates that there is really no additional water available.

Accordingly, my clients want to go on record as opposing this application.

Very truly yours,

Allen G. Wilson
ALIEN G. WILSON

AGW:g

cc: Board of Directors
Angostura Irrigation Project
Oral, South Dakota 57766

**South Dakota Department of
Water & Natural Resources**
Joe Foss Building Water Rights, Water Management Division
Pierre, South Dakota 57501 (605) 773-3352

April 29, 1980

Allen G. Wilson, Attorney
P.O. Box 731
Hot Springs SD 57747

Dear Mr. Wilson:

This will acknowledge your letters of March 20, 1980 on behalf of the Angostura Irrigation Project, regarding the following applications:

No. 1695-2 Lyle Hald
No. 1700-2 Vernon Schenose
No. 1701-2 Donald Putnam Ranch, Inc.

This is to inform you that the above applications were approved by the Water Management Board at their meeting on March 27, 1980.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights, WMD

JH:kw

Equal Opportunity Employer

Form 10.

No. 1701-2

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Debrueks S.D.

Date May 11, 1980

TO: Water Rights [REDACTED]
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 1701-2.

Water Right Permit No. 1701-2 specifies that the diversion system is to be constructed by completed, 19 and that the water is to be put to beneficial use by March 1, 1980.

The diversion system was completed on Jan 25, 1980.
Applying the water to beneficial use was completed on March 1, 1980.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.



Ronald R. Putnam
(Signature)

SOUTH DAKOTA
Department of
Water & Natural Resources
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501
WATER RIGHTS DIVISION
Phone (605) 773-3352

DEC 21 1983


Donald Putnam Ranch, Inc.
HCR 46, Box 2
Oelrichs, South Dakota 57763

Dear Mr. Putnam:

Enclosed herewith is, Water License No. 2043-2. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division

JH: ms

Enclosures

NOTE: Applicable portions of Water Permit No. (1701-2) have been incorporated into this Water License No. 2043-2.

WNR-817 3/83
Transmittal of Water License

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 11, 1989

NOTICE

711-2, 1701-2
2043-2

TO: Donald Putnam
Box 188
Oelriches, SD 57763

FROM: JOHN HATCH, CHIEF ENGINEER
Water Rights Division
(605)773-3352

John Hatch

SUBJECT: Shut Off Order for Junior Water Rights Upstream of
Angostura Irrigation District

Effective May 19, 1989, you are ordered to cease diversions of water under Water Right Nos. 711-2, 1701-2, 2043-2. The priority date for your water rights is junior to the April 11, 1941 priority date for Angostura Irrigation District Water Right No. 579-2.

The Angostura Irrigation District's water supply is as follows:

May 2, 1989

24,673 acre feet available for
irrigation at elevation 3173.4 ft. msl

The Irrigation District needs 45,000 acre feet per year for irrigation.

One fill of Angostura reservoir is authorized per year. The District has agreed to allow junior priority irrigation upstream, if the reservoir fills to elevation 3,183.7 ft. msl, 3.5 feet below full elevation (3187.2 ft msl). If the reservoir fills to 3,183.7 ft. msl, the shutoff order will be rescinded. Any releases by the District for irrigation will be included in the 3183.7 ft. msl. calculation.

If you have any questions, please contact Jim Winterton (605 773-3352).



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3101


March 19, 1990

711-2
1701-2
2043-2

NOTICE

TO: Donald Putnam
Box 188
Oelriches, SD 57763

FROM: JOHN HATCH, CHIEF ENGINEER
Water Rights Division
(605)773-3352



SUBJECT: Shut Off Order for Junior Water Rights Upstream of
Angostura Irrigation District

This is a follow-up notice to the May 10, 1990 notice that you received ordering you to cease diversion of water under Water Right Nos. 711-2, 1701-2 and 2043-2. You are reminded that the order is still in effect and will remain in effect until Angostura Reservoir has filled. The May 10, 1989 order stated that the order was effective until the reservoir had reached an elevation of 3183.7 feet above mean sea level (msl). This has been changed and the order will remain in effect until the reservoir has reached the full elevation of 3187.2 msl. On March 6, 1990 the reservoir elevation was 3171.1 msl.

All water rights above Angostura Reservoir will be monitored until the reservoir has filled. I am asking for your cooperation in complying with this order. The Water Management Board can suspend any water right that does not comply. The option also exists in that a water use control area can be established to enforce compliance.

If you have any questions, please contact Del Brosz (605 773-3352).

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 14, 1991

711-2
1701-2
2043-2

NOTICE

TO: Donald Putnam
Box 188
Oelriches, SD 57763

FROM: *for* JOHN HATCH, CHIEF ENGINEER
Water Rights Division
(605) 773-3352

Delvin H. Brosz

SUBJECT: Reminder of Shut Off Order for Junior Water
Rights Upstream of Angostura Reservoir

This is a reminder that the March 19, 1990 notice you received ordering you to cease diversion under your water right is still in effect and will remain in effect until Angostura Reservoir has filled. The elevation of Angostura Reservoir when full is 3187.2 feet above mean sea level (msl). On February 27, 1991 the reservoir elevation was 3170.25 msl.

All water rights above Angostura Reservoir will be monitored until the reservoir has filled. I am again asking for your cooperation in complying with this order.

If you have any questions, please contact Mark Rath or Del Brosz (605) 773-3352.

South Dakota

GREAT FACES. GREAT PLACES.

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

May 20, 1991

711-2
1701-2
2043-2

RESCISSION OF SHUTOFF ORDER

TO: Donald Putnam
Box 188
Delriches, SD 57763

FROM: *for* JOHN HATCH, CHIEF ENGINEER
Water Rights Division
(605) 773-3352

Delvin W. Brosz

SUBJECT: Rescission of Shut Off Order for Junior Water
Rights Upstream of Angostura Reservoir for 1991
Irrigation Season.

The recent rains in the Upper Cheyenne River Basin have provided large inflows for Angostura Reservoir. Now that Angostura Reservoir has filled, the shutoff order for all junior water rights upstream of the reservoir is rescinded for the 1991 irrigation season.


If you have any questions, please contact Mark Rath or Del Brosz (605) 773-3352.

10-8



Maps Prepared and measured by
Richard E. Miller
Program Assistant
Fall River County ASCS

1/16/80



11-8