

1. Considered: April 7, 19 82

Water Right No. 1808-2

2. Name of Applicant Raymond D. Pravecek

3. Post Office Address RR 1, Box 91, Winner, S.D. 57580

4. Amount of Water Claimed 1.14 maximum acre feet

5. Source of Water Supply two wells 144' and 126' deep

6. Water to be used for IRR acres to be irrigated 80

7. County Tripp about 105.4W miles of WINNER

8. PROOF OF PUBLICATION: Received (1st) 4-6-82 Not Received

APPLICATION: Approved Subject to

Not Approved Action Deferred

PRIORITY Dated Received 3/15/82 Application complete-yes x no FEE 225.00

Remarks

Corrected Application received Period of Annual Use May - September

WATER Received 3/15/82 (yes) no APPROVED/CONDITIONAL (Circle one)

QUALITY WI-1 Description same as application-yes xx no Remarks

Disapproved Returned

					x
					x

Diversion Point

in SW $\frac{1}{4}$ NE $\frac{1}{4}$ and the approximate center
of E $\frac{1}{2}$, both in Sec. 9-T97N-R77W

Land to be irrigated

S $\frac{1}{2}$ NE $\frac{1}{4}$ and N $\frac{1}{2}$ SE $\frac{1}{4}$, Section 9-97N-77W

WELL LOG Driller Beck's Well Company Licensed - yes xx no

Depth 144' and 126' deep

Remarks

MAP Map No. 1552-2 Map located in Water Right xx Map file _____
 Type of Map aerial Prepared by SCS

+++++

REVIEWED This Application was received within 30 days of the date received, accepted as complete, Number assigned and written up for advertisement before the Board on:


3/17/82

Betty Westlund
 (Signed)

+++++

PROTESTS Letters/Petitions in File - yes _____ no _____ Remarks _____

REMARKS Date
 F.F. & C. Final Decision, including F.F. & C. of Law were adopted _____
 OF LAW, Date
 FINAL Final Decision mailed to parties and/or parties notified that Final Decision was
 DECISIONS adopted _____
 ETC. Remarks _____

No. 1808-2Map No. 1552-2 Water Division No. 2 WHITE RIVER DistrictAbove for Office Use 10140204

APPLICATION FOR PERMIT To Appropriate Water within the State of South Dakota

Check one of the following:

New X Vested Right _____ Future Use _____

Change in Diversion _____ Additional Diversion _____

Change in Acreage _____ Additional Acreage _____

1. Name of Applicant Pravecek, Raymond D. Phone No. (605) 842-3505
 Post Office Address R.R.#1, Box 91, Winner, South Dakota 57580
 (Street, RR, or Box) (Town) (State) (Zip Code)
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract3. Name of diversion work IRRIGATION PROJECT4. Amount of water claimed (cubic feet per second) 1.66 1.17 MAX ALLOWABLE (See)5. Source of water supply Wells

6. Location of point of diversion 300 Yds. due East of the middle of Sec. 9,
T97N R77W. This is two wells approximately 500 ft. apart joined
at this location. (SW⁴NE⁴ + E APPROX CENTER OF E¹/₂) County Tripp

7. Annual period or periods during which water is to be used May - September8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation9. For irrigation use, Total number of acres to be irrigated 80

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
SW ¹ / ₄ NE ¹ / ₄ Sec9 T97N R77W	20
SE ¹ / ₄ NE ¹ / ₄ Sec9 T97N R77W	20
NW ¹ / ₄ SE ¹ / ₄ Sec9 T97N R77W	20
NE ¹ / ₄ SE ¹ / ₄ Sec9 T97N R77W	20

Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 4 years.

11. Choice of county newspaper for publication of Notice of Intent to Appropriate Water Winner Advocate.

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.
Drill Irrigation Well.

B. Works proposed to transport water to place of use.
Pump and Pipe.

C. Works proposed to apply water to beneficial use.
Pivot Irrigation System.

Estimated Total Cost \$ 45,000.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (see instructions concerning preparation.)

STATE OF SOUTH DAKOTA)
) ss.
 County of Tripp)

I, Raymond D. Pravecek the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Raymond D. PravecekSubscribed and sworn to before me this 5th day of MARCH, 1982

James E. Haley
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

1808-2

The Water Management Board hereby approves Water Right Application No. _____

Raymond D. Pravecek

RR #1, Box 91, Winner

(Applicant)

(Post Office Address)

South Dakota, 57580

(State)

With the following qualifications.

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells.

This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

Date of first receipt of application _____ MARCH 15, 1982

Date of return to applicant for correction, amendments or changes required _____, 19__

Date of receipt of corrected application _____ MARCH 17, 1982

Approved _____ APRIL 7, 1982, Recorded in Book _____ Page _____

WATER RIGHT PERMIT NO. 1808-2

The Water Management Board hereby grants and issues this Water Right Permit No. 1808-2 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as qualified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is _____ MARCH 15, 1982
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before _____ OCTOBER 7, 1984
3. The whole of said work is to be completed on or before _____ APRIL 7, 1987
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is _____ APRIL 7, 1991
5. The water appropriated shall be used for the purpose of _____ IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed _____ 1.14 _____ cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied

for irrigation on or before _____ APRIL 7, 1991; said water to be used during the following described

annual period: _____ MAY - SEPTEMBER

Witness my hand this _____ 12TH day of _____ APRIL, 1982

THE WATER MANAGEMENT BOARD

By:

Chief Engineer, Water Rights

Certificate of Construction Issued _____, 19__

Water License Issued _____ 19__

D Well Information

- (1) Drill Hole, Diameter (A) 24" (B) 24", Depth (A) 144' (B) 126'
- (2) Casing, Type A & B - transite, Diameter A & B- 12", Thickness A & B- 1"
(wood, concrete, steel, etc)
- (3) Screen, Type Both-Johnson well screen, Diameter Both-12", Length (A) -80' (B) -70'
- (4) Gravel Pack, Thickness Both- 12", Length of gravel pack (A) -144' (B) -126'

E. Dugout Information or Estimates

- (1) Surface dimensions, _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Attach a copy of test well log)

Depth to top of water bearing material A & B- 50'

Depth to bottom of water bearing material A-144' B-126'

Depth to water (ground surface to water level) A & B-50'


- (2) Distance to nearest existing household or livestock watering well.

On same owner's property 160 rds.

On property owned by others 160 rds.

G Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, length, maximum water depth, surface area, drainage area, storage capacity, dam slope, dimensions, location and size of outlet works, of each storage dam. The location of each water storage dam should be shown on the water right map.



1. Freeboard _____
- 2a Crest width _____ b. length _____
3. Height of Dam _____
4. Outlet dimensions:
Pipe diameter _____
Spillway width _____
- X & Y slope:
Upstream _____
Downstream _____
- Surface area of impoundment _____
- Drainage area above dam _____

Raymond D. Paresik
Signature of Applicant

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 8768

PIERRE, March 15, 1982

Raymond D. Pravecek, RR#1, Box 91, Winner, SD 57580

RECEIVED OF

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 1808-2 (examination, processing, recording and filing)	225	00
Fee for inspecting Construction, and issuing Cert. of Construction No.		
Fee for inspecting Beneficial Use, and issuing Water License No.		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for (any other work as provided by law)		
TOTAL	225	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH/ms



BECK'S WELL CO.

Phone 402-387-2052

345 North Cedar St.

AINSWORTH, NEBRASKA 69210

Irrigation,
Stock
and
Domestic
Wells

Ray Pravacek

August 1981

Test Hole Log

0-50-Coarse sand

50-54-White Clay

54-63-Clay and Sand mixed

62-85-Coarse clean sharp sand

85-90-Medium sand, sharp

90-108-Medium sand, sharp and clean

108-126-Coarse sand, sharp and clean

126-144-Fine sand, clay layers

144-162-Clay and red rock

Jerry R. Beck

Beck's Well Co.

March 8, 1982



BECK'S WELL CO.

Phone 402-387-2052

345 North Cedar St.

AINSWORTH, NEBRASKA 69210

Irrigation,
Stock
and
Domestic
Wells

Ray Pravecsek

March 1, 1981

Test Hole Log

0-54-Coarse sharp sand

54-72-Coarse sharp sand-thin layers of green
sandstone

72-90-Coarse sharp sand

90-108-Medium sharp sand

108-120-Coarse sand, sharp

120-126-White Clay

Jerry R. Beck
Beck's Well Co.
March 8, 1982

SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM

STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

Office Use Only

OWNERS NAME: Pravecek, Raymond D. OWNERS ADDRESS: R.R. #1, Box 91
Winnier, S.Dak. 57500
COUNTY LAND LOCATED IN: Tripp PHONE: (605) 842-3505
TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, if a water permit is granted with a conditional Soil/Water Compatibility permit, a copy of such conditional soil/water compatibility permit must be filed with the County Register of Deeds. This action must be taken by the holder of a water permit within 6 months of receipt of such water permit.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres)

1. WELL LOCATION OR DIVERSION POINT: 300 Yds. due E. of middle of Sec. 9 T97N R77W
2. SURFACE WATER SOURCE: _____
3. LOCATION OF AREA TO BE IRRIGATED. NOTE: SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)

Legal Description	Acres	Legal Description	Acres
SW $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec. 9 T97N R77W	20		
SE $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec. 9 T97N R77W	20		
NW $\frac{1}{4}$ of SE $\frac{1}{4}$ Sec. 9 T97N R77W	20		
NE $\frac{1}{4}$ of SE $\frac{1}{4}$ Sec. 9 T97N R77W	20		

4. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XX GUN: _____ OTHER: _____ (Specify) _____
5. CROPS TO BE IRRIGATED: Corn
6. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: 1981
LEGAL DESCRIPTION: NE $\frac{1}{4}$ of Sec. 15 T97N R77W
IN WHAT NAME: Raymond D. Pravecek

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER: 82-0771
8. SALINITY (EC X 10⁶): 3.30
9. SODIUM (SAR): .18
10. ADJUSTED (SAR): .26

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at 4:00 a.m./p.m., on Mar. 2, 1982, at the following location: 300 Yds. due E. of middle of Sec 9 T97N R77W by Raymond D. Pravecek (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

5th DAY OF MARCH, 1982.

[Signature]
(NOTARY PUBLIC)

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application. In all cases a WATER PERMIT must be obtained from the Board of Water Management.

[Signature]
APPLICANT'S SIGNATURE

[Signature]
Director, Division of Conservation

- ☒ APPROVED
☐ DISAPPROVED
☐ CONDITIONALLY APPROVED

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007

Name: RAY PRAVECEK Date Rec'd Mar 11, 1982
Address WINNER SD Sample No. 82-0771
57580 Identification

WATER ANALYSIS

Calcium (Ca)	46	ppm*	2.30	me/l**
Magnesium (Mg)	6	ppm	0.49	me/l
Sodium (Na)	5	ppm	0.22	me/l
Potassium (K)	7	ppm	0.18	me/l
Sulfate (SO4)	17	ppm	0.35	me/l
Nitrate (as N)	21.00	ppm	1.50	me/l
Chloride (Cl)	12	ppm	0.34	me/l
Bicarbonate (HCO3)	68	ppm	1.12	me/l
Carbonate (CO3)	0	ppm	0.00	me/l
Iron (Fe)		ppm		me/l
Flouride (F)		ppm		me/l
Manganese (Mn)		ppm		
Boron (B)	0.08	ppm		
Hardness (EDTA asCaCO3)		ppm		g.p.g.***
Total solids		ppm		
Total Cations			3.19	me/l
Total Anions			3.31	me/l
Alkalinity (Methyl Orange)	56	ppm(as CaCO3)		
Alkalinity (Phenolphthalein)	0	ppm(as CaCO3)		
Electrical Conductivity	330	micromhos per cm at 25 C		
Sodium Adsorption Ratio	0.18	Adjusted SAR	0.26	
Sodium	6.82	% of Cations		
Residual sodium carbonate	0.00	me/l		
pH	6.91			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS

By: Shirley Mittan

Service Performed:

Irrigation Analysis

Total Cost: \$ 28.00

Amount Received: 0.00

Balance Due: 28.00

Make checks payable to: "SDSU Water Quality Lab"

Please write lab number on your check!

Lab No. 82-0771

1808-2

March 19, 1982

Ray Pravecsek
Winner, SD 57580

Dear Mr. Pravecsek:

Enclosed is your copy of the laboratory report of analysis for water sample No. 82-0771.

I have plotted the approximate quality of your water by means of a red cross in the chart located on the back cover of the accompanying AES pamphlet #13.

Sample No. 82-0771 is classified as a medium saline, low sodic water. It is suitable as a source for irrigation. However, it should be pointed out that this sample contains a rather high level of nitrate in relationship to the total salt load. In fact, nitrate is dominant negatively charged element carried by this sample.

The Doger, Dunday-Doger loamy fine sands, and the Valentine-Dunday complex located in the S 1/2 of the NE 1/4 and H 1/2 of the SE 1/4 of Section 9-97-77 are compatible with the quality of your water. However, the Valentine-Tassel complex found in the southeast corner of your proposed irrigation development are excessively sloping soils. These soils are subject to severe erosion and should be maintained in permanent plant cover.

If an erosion problem does occur under irrigation, please contact your county extension agent or this office for assistance.

I will forward a copy of this letter along with your soils information to the Conservation Commission.

Sincerely,

Michael H. Sanders
Water Quality Lab
Division of Conservation

MHS:ckb

Enclosures

cc: Division of Conservation
- Division of Water Rights
D. Pahl, Extension Service



No. 1808-2

Publish first publication, on or before March 24, 1982

NOTICE OF HEARING ON
APPLICATION TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 17, 1982

Notice is hereby given Raymond D. Pravecak whose post office

address is RR#1, Box 91, Winner, South Dakota, has made an application in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-12 thru 46-1-14; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-25, 46-5-41 (~~ground~~) 46-6-3 thru 46-6-5, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14, (~~future use~~) 46-5-38; (~~transfer lands~~) 46-5-13 thru 46-5-24 and Board Rules ARSD 74:02:01:01 thru 74:02:01:15, (~~future use~~) 74:02:01:23 thru 74:02:01:26 (10,000 AFA) 74:02:07:01 thru 74:02:07:03, for a permit to appropriate for beneficial use

1.14 cubic feet of water per second of time from groundwater (two wells) through the Pravecak Irrigation Project, the point (s) of diversion which is (are) to be located in the Approximate Center of E $\frac{1}{2}$ and in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, both in

of Section 9, Twp. 97N, Range 77W. Said water to be used for purpose of providing irrigation on portions of the following described land:

S $\frac{1}{2}$ NE $\frac{1}{4}$ and N $\frac{1}{2}$ SE $\frac{1}{4}$, Section 9, T-97N, R-77W

This Application No. 1808-2 will be considered by the Water Management Board at Meeting Room #1, Kneip Bldg. Church & Illinois, Pierre SD upon the 7th day of April, 1982.

at 10 A.M. The Board is authorized to make a determination on this application at the hearing. All interested persons may appear and be heard. Any person who may be affected by a Board decision who desires to present evidence or cross-examine witnesses according to SDCL 1-26 may notify the Board in writing prior to the hearing or orally at the hearing.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any handicapped person wishing to attend this hearing can contact the Water Rights Division, DWNR, Joe Foss Building, Pierre SD, prior to the hearing date for assistance to assure access to the hearing.

For the Water Management Board

cc: applicant

BETTY WESTLUND, Water Rights Specialist

WNR-806-2/82

No. 1808-2

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Tripp) ss.

I, D. L. Thannan hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Winner Advocate

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

city of Winner
County of Tripp and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 24, 1982
March 31, 1982

D. L. Thannan
(Signature)
Publisher
(Title)
March 31, 1982
(Date Signed)

No. 1808-2
NOTICE OF HEARING ON
APPLICATION TO
APPROPRIATE WATER
Pierre, South Dakota 57501
March 17, 1982

Notice is hereby given
Raymond D. Pravecek whose
post office address is RR#1,
Box 91, Winner, South Dakota,
has made an application in
accordance with the provi-
sions of SDCL 46-1-1 thru
46-1-9; 46-1-12 thru 46-1-14;
46-2-9 thru 46-2-11, 46-2-13;
46-5-1 thru 46-5-8, 46-5-10 thru
46-5-22, 46-5-25, 46-5-41, 46-6-3
thru 46-6-5, 46-6-6.1, 46-6-10,
46-6-13, 46-6-14, and Board
Rules ARSD 74:02:01:01 thru
74:02:01:15, for a permit to
appropriate for beneficial use
1.14 cubic feet of water per
second of time from ground-
water (two wells) through the
Pravecek Irrigation Project,
the point (s) of diversion
which is (are) to be located in
the approximate Center of E $\frac{1}{2}$
and in the SW $\frac{1}{4}$ NE $\frac{1}{4}$, both in
Section 9, Twp. 97N, Range
77W. Said water to be used for
purpose of providing irriga-
tion on portions of the
following described land:

S $\frac{1}{2}$ NE $\frac{1}{4}$ and N $\frac{1}{2}$ SE $\frac{1}{4}$,
Section 9, T-97N, R-77W

This Application No. 1808-2
will be considered by the
Water Management Board at
Meeting Room #1, Kneip Bldg.
Church & Illinois, Pierre SD
upon the 7th day of April, 1982
at 10 A.M. The Board is

authorized to make a de-
termination on this applica-
tion at the hearing. All
interested persons may
appear and be heard. Any
person who may be affected
by a Board decision who
desires to present evidence or
cross-examine witnesses
according to SDCL 1-26 may
notify the Board in writing
prior to the hearing or orally
at the hearing.

This hearing is an adver-
sary proceeding. Any person
has the right to be present or
to be represented by a lawyer.
These and other due process
rights will be forfeited if they
are not exercised at the
hearing. Decisions of the
Board may be appealed to the
Circuit Court and the State
Supreme Court as provided by
law.

Any handicapped person
wishing to attend this hearing
can contact the Water Rights
Division, DWNR, Joe Foss
Building, Pierre SD, prior to
the hearing date for assist-
ance to assure access to the
hearing.

For the Water Management
Board:
Betty Westlund

BETTY WESTLUND
Water Rights Specialist.
(12-13)

Cost of Printing: 21.69





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

March 22, 1983

1808-2
Raymond Praveck
RR 1 Box 91
Winner SD 57580

Dear Sir:

Water Permit No. 1808-2 was approved with the qualification that the irrigation questionnaire be submitted each year. To date we have not received the 1982 questionnaire from you.

Please complete the enclosed questionnaire and return to this office. Failure to return the questionnaire is in violation of the conditions under which the permit was approved.

Please advise, if you have any questions.

Very truly yours,

A handwritten signature in black ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division

JH:ks

enclosure

#1808-2
#1829-2



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Raymond D. Pravecek
RR 1, Box 91
Winner, SD 57580

Dear Mr. Pravecek:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,

for 
JOHN HATCH, Chief Engineer
Water Rights Division



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

1808-2

February 9, 1990

RAYMOND D PRAVECEK
RR 1 BOX 91
WINNER, SD 57580

NOTICE

RE: Violation of Water Permit No(s). 1829-2, 1769-2 and 1989 Irrigation Questionnaire Requirements

Our records indicate that the 1989 Irrigation Questionnaire has not been submitted for Permit No(s). 1829-2, 1769-2. The request for the Questionnaire was dated October 13, 1989. The Water Management Board has directed that owners of water permits who have not submitted the 1989 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 1829-2, 1769-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No. 1808-2 should be amended with the qualification to require the Questionnaire to be submitted each year. The hearing will be held at 8:30 am, March 7, 1990 at the Howard Johnson's, Roosevelt-Jefferson Room, I-90 at LaCrosse, Rapid City SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 1829-2, 1769-2 until the 1989 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Amend Permit No(s). 1808-2 also held by RAYMOND D PRAVECEK to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the March 7th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 16, 1990

1769-2
1808-2
1829-2

Ray Pravecek
RR 1, Box 91
Winner SD 57580

Dear Mr. Pravecek:

I am writing to acknowledge receipt of your 1989 irrigation questionnaire for Water Permit Nos. 1769-2, 1808-2 and 1829-2. You may disregard the February 9, 1990 Notice of failure to submit the 1989 irrigation questionnaire. Your questionnaire was received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall
RON DUVALL
Natural Resources Engineer
Water Rights Division

Conversation or File Documentation

NAME OF PERSON OR FILE: Raymond Pravecek
ADDRESS: RR1 Box 91 Winner SD 57580 COUNTY Tripp
DATE: August 21, 1990 TELEPHONE 842-3505
RE: Cancellation of #1829-2

COMMENTS:

I talked to Mr. Pravecek on August 16, 1990 concerning his comments on the 1988 Irrigation Questionnaire for Permit #1769-2. Mr. Pravecek has 3 Permits (#1829-2, #1808-2 & #1769-2) and had the numbers mixed up. Permits #1808-2 and #1769-2 are groundwater permits and have been developed. Permit #1829-2 is a surface water permit from Dog Ear Creek and Mr. Pravecek said he will probably not develop this one. I told him we should cancel #1829-2 because of non-development, and I would stop by and inspect the other permits for licensing.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: Tom Schaal



GREAT FACES. GREAT PLACES.
February 1, 1991

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

RAYMOND D. PRAVECEK
RR 1, BOX 91
WINNER, SD 57580

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s). 1808-2; & 1829-2

Our records indicate that the 1990 chemigation report(s) has not been received for Permits No(s) 1808-2; & 1829-2. The request for the chemigation report(s) was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 chemigation report(s) be given notice of violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of South Dakota general rule 74:02:09:02(3) requiring chemigation users to report the dates and hours of chemical application.

The hearing(s) will be held at 9:15 am, on February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.

The hearing(s) will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 1808-2; & 1829-2 until either the 1990 chemigation report(s) is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is received in this office before the February 27th hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

South Dakota

1808-2

DEPARTMENT OF WATER & NATURAL RESOURCES

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

GREAT FACES. GREAT PLACES.

February 1, 1991

RAYMOND D PRAVECEK
RR 1 BOX 91
WINNER SD 57580

NOTICE

RE: Violation of Water Permit No(s) 1808-2, 1769-2, 1829-2 and 1990 Irrigation Questionnaire Requirements

Our records indicate that the 1990 Irrigation Questionnaire has not been submitted for Permit No(s) 1808-2, 1769-2, 1829-2. The request for the Questionnaire was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s) 1769-2, 1829-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 1808-2 should be amended with the qualification to require the Questionnaire to be submitted each year. The hearing will be held at 9:15 am, February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s) 1769-2, 1829-2 until the 1990 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Amend Permit No(s) 1808-2 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the February 27th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,



Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 5, 1991

1769-2
1808-2
1829-2

Raymond D Pravacek
RR #1 Box 91
Winner, SD 57580

Dear Mr. Pravecek:

I am writing to acknowledge receipt of your 1990 irrigation questionnaires and chemical use data for Water Permit Nos. 1769-2, 1808-2 and 1829-2. You may disregard the February 1, 1991, Notice of failure to submit the 1990 irrigation questionnaire and Notice of failure to report chemical use. The questionnaires were received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

A handwritten signature in black ink, appearing to read "Ron Duvall". The signature is written in a cursive, flowing style.

Ron Duvall, Natural Resources Engineer IV
Water Rights Division

LICENSE FOR PERMIT NUMBER 1808-2

1. Legal location of wells: Well #1 - 425 ft. North & 900 ft. East (SW 1/4 NE 1/4),
Well #2 - 30 ft. South & 1200 ft. East (NW 1/4 SE 1/4) of the Center
dams & structures: of Sec. 9-T97N-R71W.

2. Well Information: Well Drilling Firm Beck's Well Co., Ainsworth, Neb

Completion Report Yes ☒ No ☐ No. of Wells 2 Depth Well #1 - 126 ft., Well #2 - 144 ft.

Casing a) diameter 12 inch Screen a) type Johnson stainless steel
b) length #1 - 56 ft., #2 - 64 ft. b) length #1 - 70 ft., #2 - 80 ft.

c) type Transite Pipe Static Water Level _____

Pump a) make 2 Flint & Walling Submersible Motor a) make _____

b) model 6T200A20 b) model No. _____

c) size 4" c) horsepower rating 20 hp

d) capacity 200/each = 400 gpm

e) turbine pump - no. of stages _____

f) operating PSI _____

3. Distribution lines or canals

a) size 6"

b) type Buried PVC

c) length ≈ 500 ft.

4. Dam Information:

a) height to crest _____ m) Outlet tubes:

b) height to primary spillway _____ 1) diameter _____

c) height to secondary spillway _____ 2) type _____

d) crest width _____ 3) valved (Y/N) _____

e) crest length _____ 4) valve type _____

f) spillway length _____ 5) location on structure _____

g) spillway width _____

h) approx. storage _____ n) Category of Dam _____

i) approx. storage to crest _____

j) date constructed _____

k) inspection sheet completed (Y/N) _____

l) Name of Contractor _____

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make Minigator
- 2) number of towers 6
- 3) distance between towers _____
- 4) overall length 1100
- 5) end gun (Y/N) No
- 6) high or low pressure High 65 ps.
- 7) make & size of nozzles _____
- 8) capacity (GPM) 400

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
<u>X</u>	___	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
<u>X</u>	___	2. Special qualifications to permit being abided by?
<u>X</u>	___	3. All structures, wells and lands on map?
___	___	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
___	<u>X</u>	5. Is chemigation used?
___	<u>NA</u>	6. If yes, does equipment comply with chemigation rules?

REMARKS:

White River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Raymond D. Pravecsek
 of Rt. 1 Box 91 Winner, SD holder of
 Permit No. 1808-2, bearing the priority of March 15 19 82 authorizing
 the diversion of 1.14 cu. ft. per second of the waters of Groundwater (2 wells)
 for Irrigation purposes, in Tripp County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

2 Flint & Walling 20 Hp Submersible Pumps

B. Works used to transport water to place of use:

≈ 500 ft. 6" Buried PVC Pipe

C. Works used to apply water to beneficial use:

Minigator 6 tower Center PivotThe system is in the following condition GoodThe point of diversion is located #1 - 425 ft. North & 900 ft. East (SW 1/4 NE 1/4), #2 - 30 ft South & 1200 ft. East (NW 1/4 SE 1/4) of the Center of Sec. 9-T91N-R77W.The works are capable of diverting and conveying to the place of use 0.89 (400 gpm)
 cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: Sec. 9-T91N-R77W.SW 1/4 NE 1/4 - 30 Ac.SE 1/4 NE 1/4 - 15 Ac.NW 1/4 SE 1/4 - 22 Ac.NE 1/4 SE 1/4 - 13 Ac.comprising a total of 80 acres of land and the license should be issued for 1.14 cfslicense for
0.89 cfs (Am)Applicable permit qualifications have been complied with X Yes NoExceptions to compliance are: Date July 30, 1991


(signature)

Timothy H. Schaal

Far south well

SOUTH DAKOTA WATER WELL COMPLETION REPORT

10-85

Well #2
X Location NE 1/4 SE 1/4 Sec 9 Twp 97 Rg 77County
TrippPlease mark well
location with
an "X"

X Well Completion Date Spring 1982

PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Reverse Rotary

CASING DATA:

☐ Steel ☐ Plastic ☒ Other
 If other describe Transite

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
600 LB/FT	12 IN	0 FT	56 FT	24 IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUT:

Was the well grouted? ☒ YES ☐ NO

To what depth? Twenty FEET

What is grouting material? Neat Cement

If cement, number of sacks? Ten

Describe grouting procedure Neat Cement pump in

What was grout weight? 27 LB/GAL

SCREEN: ☒ Perforated pipe ☒ Manufactured

Diameter 12 IN Length _____ FEET

Material Johnson Irrigator Screen

Slot Size 100 Set From 64 Feet To 144 Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Other information _____

Was a packer or seal used? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

Was well disinfected upon completion? ☒ YES ☐ NO

Explain Chlorine was added to grave 1 pack

Bacteriological analysis ☐ YES ☒ NO

Laboratory sent to _____

Well Owner:

Name

Ray Pravacek


Address

RR #1 Box 91 Winner

Well Log:

Depth

Formation	From	To
Coarse sand	0	50
white clay	50	54
clay & sand mixed	54	63
Coarse sand	63	85
Medium sand	85	126
Fine sand clay layers	126	144
clay & red rock	144	162



STATIC WATER LEVEL 55 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other; specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped☐ Bailed☐ Other

Describe: Pumped with Turbine pump

Pumping Level Below Land Surface

115 ft. After 10 Hrs. pumped 225 GPM

_____ ft. After _____ Hrs. pumped _____ GPM

_____ ft. After _____ Hrs. pumped _____ GPM

REMARKS:

This well was drilled under license # 377

And this report is true and accurate.

Drilling firm Beck's Well Company

Signature of License Representative:

[Signature]

Signature of Well Owner:

[Signature]


Date Aug 22, 1991

Well #1

X Location SW 1/4 NE 1/4 Sec 9 Twp 97 Rg 77

County
Tripp

Please mark well
location with
an "X"



X Well Completion Date Spring 1982

PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Reverse Rotary

CASING DATA:

☐ Steel ☐ Plastic ☒ Other
If other describe Transite

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
600 LB/FT	12 IN	0 FT	64 FT	24 IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUT:

Was the well grouted? ☒ YES ☐ NO
To what depth? Twenty FEET

What is grouting material? Neat Cement

If cement, number of sacks? Ten

Describe grouting procedure Neat Cement pumped
In

What was grout weight? _____ LB/GAL

SCREEN: ☐ Perforated pipe ☒ Manufactured
Diameter 12 IN Length 80 FEET
Material Johnson Irrigator Screen
Slot Size 100 Set From 50 Feet To 120 Feet
Slot Size _____ Set From _____ Feet To _____ Feet
Slot Size _____ Set From _____ Feet To _____ Feet
Other information _____

Was a packer or seal used? ☐ YES ☒ NO

If so, what material? _____

Describe packer(s) and location? _____

Was well disinfected upon completion? ☒ YES ☐ NO

Explain Chlorine was added to gravel pack

Bacteriological analysis ☐ YES ☒ NO

Laboratory sent to _____


Well Owner:

Name Ray Pruvack

Address RR1 Box 91 Winner South Dakota

Well Log: _____ Depth _____

Formation	From	To
Sand & thin layers clay	0	54
Sand & clay	54	80
sand very little clay	80	90
medium sand	90	108
coarse sand	108	126
white clay	126	126



STATIC WATER LEVEL 50 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other; specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped Describe: Pumped with Torbine
☐ Bailed
☐ Other

Pumping Level Below Land Surface
115 ft. After 10 Hrs. pumped 225 GPM
_____ ft. After _____ Hrs. pumped _____ GPM
_____ ft. After _____ Hrs. pumped _____ GPM

REMARKS:

This well was drilled under license # 377

And this report is true and accurate.

Drilling firm Beck's Well Co

Signature of License Representative: _____

Signature of Well Owner: _____

Date Aug 22, 1991



GREAT FACES. GREAT PLACES.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

September 23, 1991

1769-2
1808-2

Raymond D Pravecek
RR 1, Box 91
Winner SD 57580

Dear Mr. Pravecek:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit Nos. 1769-2 and 1808-2, have been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for each inspection and issuance of each Water License. Upon receipt of the \$100.00 fee from you, we will begin processing your Water Licenses.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the license fees have been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath/ks

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit numbers. This will insure proper handling of the fee.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

June 16, 1992

SECOND NOTICE

Permit No. 1769-2
1808-2

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Raymond D. Pravecek
RR 1, Box 91
Winner, SD 57580

Dear Mr. Pravecek:

On September 23, 1991, you were notified that the two final inspection fees of \$50.00 for each permit for a total of \$100.00 are due before Water License Nos. 1769-2 and 1808-2 can be issued. As of this date, the fees have not been received.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$100.00, your Water Licenses will be sent to you. These are the final documents for the perfection of your Water Rights. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the License fee has been paid. Please submit the required fees immediately to avoid jeopardizing your water permits.

Very truly yours,

John Hatch, Chief Engineer
Water Rights Division
Phone: (605) 773-3352

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

440233

Pierre, June 24, 1992

RECEIVED OF Janna Pravecek, RR 1 Box 91, Winner, SD 57580

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 1808-2	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By [Signature]
Chief Engineer

NOT TO SCALE

T9188/108.4

(149-L)

T401

77.0

SW $\frac{1}{4}$ NE $\frac{1}{4}$
30 Ac.

SE $\frac{1}{4}$ NE $\frac{1}{4}$
15 Ac.

900' $\rightarrow$ X Well #1

9

1200'

Well #2
30'

NW $\frac{1}{4}$ SE $\frac{1}{4}$
22 Ac.

NE $\frac{1}{4}$ SE $\frac{1}{4}$
13 Ac.

L3

31.3 T1612
CRP
1989-1998

25.3
NG

19.2
CRP
1988

19.2
CRP
1988-1999

2

97.77

(149-L)

T936

35.0

1989-1998

1808-2

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 1808-2


(1) Raymond D. Pravecek of RR 1, Box 91, Winner, SD 57580 made Application No. 1808-2, March 15, 1982 for a water permit to appropriate 1.14 cubic feet of water per second from groundwater (two wells), Tripp County, South Dakota for irrigation purposes. Permit No. 1808-2 with a priority date of March 15, 1982 was approved April 7, 1982 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before April 7, 1987 and for the application to beneficial use of said water on or before April 7, 1991.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.89 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 425'N and 900'E of the center of Section 9 (SW 1/4 NE 1/4) and Well #2 - 30'S and 1200'E of the center of Section 9 (NW 1/4 SE 1/4), T97N, R77W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T97N, R77W Section 9	SW 1/4 NE 1/4	30 Acres
	SE 1/4 NE 1/4	15 Acres
	NW 1/4 SE 1/4	22 Acres
	NE 1/4 SE 1/4	13 Acres
	Total-----	80 Acres

(4) Pursuant to Section 46-5-30.1 Raymond D. Pravecek of RR 1, Box 91, Winner, SD 57580 the holder(s) and/or owner(s) of Water Permit No. 1808-2 is issued a license to appropriate water, the right to use 0.89 cubic feet of water per second from groundwater (two wells) with a priority date of March 15, 1982 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 1808-2 and subject to South Dakota State Law.


AUG 7 1992
JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

AUG 7 1992

1769-2
1808-2

Raymond D. Pravecek
RR 1, Box 91
Winner, SD 57580

Dear Mr. Pravecek:

Enclosed are Water License Nos. 1769-2 and 1808-2. These are the final water right documents completing your process of obtaining Water Right. Enclosed are Receipt Nos. 413263 and 413264 in the amount of \$50.00 each which you paid for the inspection and issuance of the Water Licenses.


For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right Nos. 1769-2 and 1808-2, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water Licenses, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 8, 1994

No. 1769-2
1808-2

Glen Novotny
RR 1, Box 67A
Winner, SD 57580

Dear Mr. Novotny:

Enclosed are partially completed "Notice of Transfer" forms for use in filing an ownership change on Water Right Nos. 1769-2 and 1808-2. The water rights are currently listed in the name of Raymond D. Pravecek.

The transfer forms should be checked over for accuracy and signed by the new owner in the presence of a notary public. Upon completion, return the forms to our office with a required filing fee of \$2.50 per transfer, a total of \$5.00.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a water permit or water right to appropriate water to be filed with this office within ninety days.


If you have any questions, please contact me.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

enclosure

NOTICE OF TRANSFER OF OWNERSHIP



To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 1808-2

Date: March 8, 1994

I/We request that Water Right No. 1808-2

formerly owned by: Raymond D Fravecak

be transferred to: (name & address) Glen Novotny, RR 1, Box 67A, Winner, SD 57580

(Telephone No) (605) 842-0596

Title to the following described land(s)/property has been transferred as described above:

SW 1/4 NE 1/4 and NW 1/4 SE 1/4 Section 9, T97N, R77W

I/We understand that the validity of Water Right No. 1808-2 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)

County of Tripp)

I/We Glen Novotny being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

Glen Novotny
(Signed)

Subscribed and sworn to before me this 8th day of March, 19 94.

John L. Morris
(Notary Public)


My Commission Expires: 2/28/97

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181



No. 1808-2

Date: March 8, 1994

I/We request that Water Right No. 1808-2

formerly owned by: Raymond D Pravecek

be transferred to: (name & address) Glen Novotny, RR 1, Box 67A, Winner, SD 57580

(Telephone No) (605) 842-0596

Title to the following described land(s)/property has been transferred as described above:

S 1/4 NE 1/4 and N 1/4 SE 1/4 Section 9, T97N, R77W

I/We understand that the validity of Water Right No. 1808-2 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)

County of Tripp)

I/~~We~~ Raymond D. Pravecek being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

Raymond D Pravecek
(Signed)

Subscribed and sworn to before me this 8th day of March, 19 94.

Robert L. Medina
(Notary Public)

My Commission Expires: 2/28/97

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

414084

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ March 11, 19 94

RECEIVED OF Glen Novotny, RR 1, Box 67A, Winner, SD 57580

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Right No. 1808-2</u>	2	50
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	2 50

By John Hatch 
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 24, 1994

No. 1769-2
1808-2

Glen Novotny
RR 1, Box 67A
Winner, SD 57580

Dear Mr. Novotny:

Enclosed are receipts in the amount of \$2.50 each which you paid for the transfer of Water Right Nos. 1769-2 and 1808-2.

Our records now show you as the owner of Water Right Nos. 1769-2 and 1808-2.

Sincerely,


Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

enclosure

NOT TO SCALE

(149-L)

Trans
to
Todd Co.



31.3

25.3

1.6

19.2

97-77

(149-L)

Mark Washecket
Soil Conservationist
Winner Field office
SCS.

~~Map # 1552-2~~ Appl. 1808-2