

Considered: _____

WATER PERMIT NO. 1984-2

MAP No. same

Name of Applicant Black Hills Natural Spring Water Inc.

Post Office Address Box 612, Rapid City SD 57709

Amount of Water Claimed .10 cfs Total Acres N/A

Source of Water Supply springs

Water to be used for commercial purposes County Pennington

About South miles part of Rapid City.

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received September 10, 1986 Fee \$50.00 Remarks _____

Corrected Application Received _____ Period of Annual Use Jan 1 - Dec 31


WATER QUALITY APPROVAL RECEIVED NA APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES _____ NO _____ REMARKS _____

Diversion Point springs: Lot 35, E 1/2 NE 1/4

sec 32 - T1N - R7E

Land to be Irrigated NA



Well Log: Driller NA Licensed YES _____ NO _____

Depth of Well _____ REMARKS _____

Type of Map Topo PREPARED BY R. Duvall Reviewed and the Number

assigned on September 10, 1986 By Ron Duvall

No. 1984-2 Hydrologic Unit 10120110
 Map No. same Basin Upper Cheyenne
 Newspaper Rapid City Journal, Box 450

Application For Permit To Appropriate Water Within The State Of South Dakota

Check use of water: Industrial ☐ Commercial ☒ Municipal ☐ Other Common Distribution System ☐
 Rural Water System ☐ Suburban Housing ☐ Geothermal Heat ☐ Institutional ☐ Recreational ☐
 Domestic ☐ (above 18gpm) Other ☐


Type of Application: Check one or more of the following

New ☒ Vested Right ☐ Future Use ☐ Change Use ☐☐ Amend Permit No. _____ with old priority date retainedChange diversion point(s) ☐ Add diversion point(s) ☐ Other ☐☐ Application to: Change diversion point(s) ☐ Add diversion point(s) ☐ on Permit No. _____☐ Construction to use water reserved by Future Use Permit No. _____1. Name of Applicant Black Hills Natural Spring Water Inc. Phone No. 605-343-3707Post Office Address Box 612 Rapid City SD State 57709
(Street, RR or Box) Zip Code2. Amount of water claimed (c.f.s.) .103. Source of water supply springs4. Location of point of diversion springs: Lot 35, E 1/2 NE 1/4 section 32 -
T1N-R7ECounty Pennington5. Counties where water will be used Pennington6. Annual period during which water is to be used Jan 1 - Dec 31

7. Give a brief description of proposed project. When available include any preliminary engineering report or other reports or information that will help explain the project. (Attach sheet if more space is needed)

This project proposes to bottle spring water to sell on a commercial basis.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map (see instruction)

STATE OF SOUTH DAKOTA)
County of _____)I, Charles Tellinghuisen the applicant, certify that I have read the foregoing application, have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Charles Tellinghuisen
10th day of September 1986
Karen Schlaak
Notary Public (or other qualified officer)

WATER PERMIT

The Water Management Board hereby approves Water Permit Application No. 1984-2
Black Hills Natural Spring Water, Inc. Box 612, Rapid City
(Applicant) (Post Office Address)
SD 57709 With the following qualifications.
(State) (Zip Code)

Date of first receipt of application September 10, 1986.

Date of return to applicant for correction, amendments or changes required _____, 19____.

Date of receipt of corrected application _____, 19____. Approved October 9, 1986.

The Water Management Board hereby approves this Water Permit No. 1984-2 authorizing the construction of the water use system and the placing of water to beneficial use as stated in the Application and as qualified in the Water Permit approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is September 10, 1986.
2. The equivalent of at least one-fifth of the specified work is to be completed on or before March 9, 1989.
3. The whole of said work is to be completed on or before October 9, 1991.
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is October 9, 1995.
5. The water appropriated shall be used for the purpose of commercial use involving the bottling of spring water.
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be unlawfully impaired by this appropriation.
7. The amount of the appropriation herein granted shall not exceed .10 cubic feet per second; neither shall it exceed the capacity of the above described water supply system nor shall it exceed the amount of water needed for beneficial uses served and to which water is actually and beneficially applied for commercial use on or before October 9, 1995; said water to be used during the following described annual period: Jan 1 - Dec 31

WATER MANAGEMENT BOARD

By: John H. Hester

Chief Engineer

Division of Water Rights

Dept. of Water and Natural Resources

NOV 14 1986

, 19____

State of South Dakota
Water License No. 1984-2

(1) Black Hills Natural Spring Water, Inc.
of Box 612, Rapid City, South Dakota 57709
made Application No. 1984-2, September 10, 1986 for a water permit to appropriate
0.10 cubic feet per second of water from springs,
Pennington County, South Dakota for commercial purposes.
Permit No. 1984-2, with a priority date of September 10, 1986
was approved October 9, 1986 and issued to applicant(s) for diversion of water with construction of the described
water supply system to be completed on or before October 9, 1991 and for the application to beneficial use of said
water on or before October 9, 1995.

and


(2) It is certified that the application has complied with the provisions of South Dakota State Law relating to completion of
the construction of the water supply system and is entitled to divert 0.10 cubic feet per second of water
for beneficial use. The location of the diversion point(s) is 1560' S 24°W from the NE Corner of
Section 32, T1N-R7E

and

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to the following extent, water is bottled and sold for resale

(4) Pursuant to §46-5-30.1 Black Hills Natural Spring Water, Inc.
of PO Box 612, Rapid City, South Dakota 57709
the holder(s) and/or owner(s) of Water Permit No. 1984-2 is issued a license to appropriate water, the right to use
0.10 cubic feet per second of water from a spring with a priority date
of September 10, 1986 from the location specified in (2) of this license. The water to be
conducted to and upon lands specified in (3) of this license for the purpose of Commercial Use

This license is subject to any limitations or qualifications listed in Water Permit No. 1984-2 and subject
to South Dakota State Law.



Chief Engineer, Water Rights Division
Department of Water and Natural Resources
NOV 2 1987
JOHN HATCH

Upper Cheyenne Water District

10120110

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Black Hills
Natural Spring Water, Inc. of PO Box 612, Rapid City, SD holder of
Permit No. 1984-2, bearing the priority of September 10 19 86 authorizing
the diversion of 0.1 cu. ft. per second of the waters of a Spring
for commercial purposes, in Pennington County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Spring approximately 22' deep with a sand-gravel pack.
Hydroglass Shallow Well pump with a 45 gpm pumping capacity (1/2 HP)
model # C4832EC11 Serial # - 8F86 - motor

B. Works used to transport water to place of use:

water is pumped into a Bladder tank then passed through a
particle filter and a charcoal filter.

C. Works used to apply water to beneficial use:

6 taps used to fill gallon jugs.

The system is in the following condition goodThe point of diversion is located 1560' S 24°W from NE corner of
Section 32 - TIN - RTEThe works are capable of diverting and conveying to the place of use .1 cfscu. ft. per second of water which is to be used for commercial purposes

Water has been put to beneficial use to the maximum extent as follows:

water is bottled and then sold for resale.comprising a total of NA acres of land and the license should be issued for 0.1 cfsApplicable permit qualifications have been complied with ☒ Yes ☐ NoExceptions to compliance are: _____ Date 2/13/87

Tim Vallejos
(signature)
Natural Resources Engineer.

LICENSE FOR PERMIT NUMBER 1984-2

1. Legal location of wells: Spring: 1560' S 24°W from
NE corner of Section 32-T1N-R7E

dams & structures: _____

2. Well Information: Well Drilling Firm NA

No. of wells Spring: 1 Depth 22'

Casing a) diameter _____ Screen a) type _____
b) length _____ b) length _____
c) type _____ Static Water Level _____

Pump a) make Hydroglass Motor a) make Hydroglass
b) model _____ b) model no. C4852EC11
c) size _____ c) horsepower rating 1/2 HP
d) capacity 45 GPM d) motor efficiency rating _____
e) turbine pump _____
no. of stages _____

3. Distribution lines:
a) size of lines _____
b) type _____
c) length _____

4. Dam information:
a) height to crest _____ i) Outlet tubes:
b) height to spillway _____ 1) diameter _____
c) crest width _____ 2) type _____
d) crest length _____ 3) valued (Y/N) _____
e) spillway length _____ 4) valve type _____
f) spillway width _____ 5) location on structure _____
g) approx. storage _____
h) Distribution lines or canals:
1) size _____
2) type _____
3) length _____

5. System Type: a) sideroll: b) towline:
1) length _____ feet 1) length _____ feet
2) diameter of pipe _____ 2) make, model & number of sprinklers _____
3) make, model & number of sprinklers _____ 3) spacing of sprinklers _____
4) spacing of sprinklers _____ 4) nozzle size _____
5) nozzle size _____

5. System Type: c) center pivot

- 1) make _____
- 2) number of towers _____
- 3) distance between towers _____
- 4) overall length _____
- 5) End gun (Y/N) _____
- 6) high or low pressure _____
- 7) make & size of nozzles _____
- 8) PSI reading while system is running _____
- 9) GPM _____

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES NO Check Items

not needed

✓

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.



✓

2. Special Qualifications to permit being abided by.

3. All Structures, wells and lands on map.

REMARKS:

water is pumped from a spring - 22' deep with a sand-gravel pack. It is then stored in a bladder tank - passed through a particle filter and charcoal filter then through taps to fill gallon jugs.




Location of Spring

ROAD CLASSIFICATION

Primary highway, all weather, hard surface	Light-duty road, all weather, improved surface
Secondary highway, all weather, hard surface	Unimproved road, fair or dry weather

○ Interstate Route ◡ U. S. Route ○ State Route



QUADRANGLE LOCATION

RAPID CITY WEST, S. DAK.
N4400-W10315/7.5

RACY STANDARDS
1225, OR RESTON, VIRGINIA 22092
S AVAILABLE ON REQUEST

1953
PHOTOREVISED 1978
AMS 5372 III SE-SERIES V873

Charles Kelly

prepared by R. Duwall
Natural Resources Eng.

1704-2

RECEIPT

Division of Water Rights

410552

South Dakota Department of Water and Natural Resources

Pierre, September 10, 1986

RECEIVED OF Black Hills Natural Spring Water, Inc., Box 612, Rapid City SD 57709
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00


By John Hatch
Chief Engineer JOHN HATCH (ms)

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 1984-2

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 1984-2, Black Hills Natural Spring Water Inc., Box 612, Rapid City SD.

The Chief Engineer is recommending APPROVAL of Application No. 1984-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
September 10, 1986

REPORT ON APPLICATION NO. 1984-2
FOR BLACK HILLS NATURAL SPRING WATER INC.

September 11, 1986

This application proposes to appropriate .1 cfs from springs located in Lot 35, E $\frac{1}{2}$ NE $\frac{1}{4}$ of Section 32 T1N R7E in Pinewood Estates. The spring water is to be bottled for commercial purposes.

Aquifer - Unknown, Opeche, Minnekahta, Minnelusa or Terrace Deposits (?)

Geology and Aquifer Characteristics


A geologic map (Cattermole, 1969) indicates there are 3 sedimentary rocks present in the E $\frac{1}{2}$ of Section 32. These are the Minnekahta, Opeche and Minnelusa in descending order. The rocks dip generally eastward and although not mapped may be covered with a thin layer of terrace deposits. Apparently there is a shallow groundwater flow system in the Minnelusa or Terrace deposits which is providing water to this spring. This may be the result of the fairly recent home building and road construction in this area. Wells in this area are relatively deep, obtain water from the Minnelusa, Madison or Deadwood formations and the water levels are a few hundred feet below land surface. The source of water for this spring is apparently not connected with the deeper aquifers.

Review of Existing Water Permits

There are no existing Permits utilizing this source of water in this area. There are two existing water permits, Nos. 1726-2 and 1965-2 in this section. There are 5 wells authorized by these permits ranging in depth from 325 feet to 1170 feet and obtaining water from the Minnelusa, Madison and Deadwood Formations.

Conclusions

1. Water is available from the spring. The volume requested by this application is the maximum allowed and may be in excess of the amount of water available when the spring is developed.
2. The source of groundwater is not known. This may be the result of recent road and home building activities in this area. Apparently a perched water table has developed either in or on top of the Minnelusa or one of the other formations and is now discharging as a spring.
3. The water available from a spring such as this may not be reliable, both in terms of water quality and quantity. Weather conditions may affect the volume of flow and home building and septic tank systems may affect the water quality from the springs.
4. This source of water should be regularly tested to determine the bacteriological safety. Also, the general chemical water quality should be checked regularly.


James A. Goodman, Hydrologist

Bibliography - Cattermole, J. M., 1969, Geologic Map of the Rapid City West Quadrangle, South Dakota, USGS Map GQ-828, Washington, D.C.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Water Rights Division
605 773-3352

September 10, 1986

NOTE:

TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT THE
NEWSPAPER RIGHT AWAY.

Black Hills Natural Spring Water, Inc.
Box 612
Rapid City, South Dakota 57709

Dear Sir:

Your Application No. 1984-2 for a permit to appropriate water for

commercial use, has been examined and found to
comply with the South Dakota Water Laws and applicable rules. A notice of
your intent to appropriate water has been sent to the Publisher of the

Rapid City Journal printed at Rapid City

South Dakota. For your information, a copy of this notice, the recommendation
of the Chief Engineer and a report on the application are enclosed. Please
review this notice prior to publication and notify this office, if you have
any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your notice
of intent to appropriate water and to arrange for payment. Early contact with
the paper can eliminate delays. The publisher has been instructed to publish
your notice once each week for two consecutive weeks with the last publication
to occur at least thirty days before the board meeting. We must receive
Proof of Publication before the application can be considered by the Water
Management Board.

Sincerely,

RON DUVALL
Natural Resources Engineer

enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Water Rights Division
605 773-3352

1984-2

September 10, 1986

Rapid City Journal
Box 450
Rapid City, South Dakota 57709

Dear Sir:

Enclosed is a Notice of Intent to Appropriate Water by Black Hills Natural Spring Water Assoc.
Application No. 1984-2, in Pennington County, South Dakota. Please
publish this notice once each week for two consecutive weeks in your paper. The
first publication should be on, or before September 11, 1986.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you
make the first publication. The applicant is to pay the cost of publication and
should make the necessary arrangements with you to pay these costs.

A copy of BOTH publications must be sent to the Water Rights Division. IMMEDIATELY
after the FIRST publication, return a copy of the notice with the FIRST Publication
Transmittal form on the bottom of this page. The first copy is needed to check
the publication for errors so any corrections can be made before the second
notice is published.

Please be sure the SECOND publication is returned with the enclosed Proof of
Publication form. The permit application cannot be considered by the Water
Management Board until proof of publication has been received.

Thank you for your assistance.

Sincerely,

RON DUVALL
Natural Resources Engineer

cc: applicant

***** CUT HERE *****

FIRST
Publication
Transmittal

No. _____
TO: Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter dated _____ and Notice of Hearing to
Appropriate Water by Application No. _____. The notice was first published
in our issue dated _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

NAME _____ NEWSPAPER _____

Equal Opportunity Employer

Instruction to Newspaper - Publish first publication of the following Notice on or before September 11, 1986 with 2nd publication 1 week later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 1984-2
to Appropriate Water

Notice is hereby given that Black Hills Natural Spring Water Inc. whose mailing address is Box 612, Rapid City, South Dakota has made an application for a permit to appropriate 0.1 cubic feet of water per second from springs located in Lot 35, E 1/2 NE 1/4 Section 32, T1N, R7E in Pinewood Estates. The spring water is to be bottled for commercial purposes.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 1984-2 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board during a special Board meeting conducted via telephone conference call in Room 425, Joe Foss Building, Pierre SD, October 9, 1986 at 9:00 am.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny the application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and the Chief Engineer by September 29, 1986. The petition may be informal, but it must include a statement describing the petitioner's interest in the application, the reasons for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition. If there are any written petitions in opposition to this application the hearing will automatically be continued until the next regular Board meeting December 10 & 11, 1986.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12 thru 46-2A-14, 46-2A-15, 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31, 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14 and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, Joe Foss Bldg, Pierre SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by September 29, 1986.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) ss.
County Pennington)

I, Kathy White hereby

certify that the annexed printed copy of Notice of Intent to Appropriate


Water was taken from the The Rapid City Journal

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

Rapid City Journal of Rapid City, SD

County of Pennington and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

September 12, and 18, 1986


(Signature)

Credit Manager
(Title)

September 18, 1986
(Date Signed)



Cost of Printing: 9 3/16ths inches

at \$4.20 per inch = TOTAL \$77.18

Sept. 12, 18 L345

NOTICE OF HEARING
ON APPLICATION NO. 1984-2
TO APPROPRIATE WATER

Notice is hereby given that Black Hills Natural Spring Water Inc. whose mailing address is Box 612, Rapid City, South Dakota has made an application for a permit to appropriate 0.1 cubic feet of water per second from springs located in Lot 35, E 1/2 NE 1/4 Section 32, T1N, R7E in Pinewood Estates. The spring water is to be bottled for commercial purposes.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends Approval of Application No. 1984-2 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board during a special Board meeting conducted via telephone conference call in Room 425, Joe Foss Building, Pierre, South Dakota, October 9, 1986 at 9:00 a.m.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny the application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the Applicant and the Chief Engineer by September 29, 1986. The petition may be informal, but it must include a statement describing the petitioner's interest in the application, the reasons for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant

need not file a petition. If there are any written petitions in opposition to this application the hearing will automatically be continued until the next regular Board meeting December 10 & 11, 1986.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-1, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74-02-01:01 thru 74-02-01:15.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, Joe Foss Bldg., Pierre, S.D., (605-773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by September 29, 1986.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

NOV 14 1986

Black Hills Natural Spring Water, Inc.
Charles Tellinghuisen
Box 612
Rapid City SD 57709

Dear Mr. Tellinghuisen:

Enclosed herewith is your Water Permit No. 1984-2 as approved by the Water Management Board authorizing you to construct your water diversion system and the water to beneficial use, not exceeding the limits as specified in said Water Permit No. 1984-2.

Also enclosed is Form 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Chief Engineer when you have completed the system and/or have put the water to beneficial use. An inspection can then be scheduled so that your Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

enclosure

PLEASE NOTE: Certain changes can be made in your permit within the five year construction period, usually without affecting the priority date provided an application to amend your permit is made within the five year period-i.e. changes in location or number of diversion points (wells) or location of land to be irrigated. Well locations for wells into the same aquifer can be moved up to 660 feet without application.

Applications to amend a permit after the five year construction period will be assigned a new priority date. Applications to change water sources, to add lands or increase original diversion rates, if approved will usually receive the date of the new application as a priority date regardless of the five year construction period.

WNR-809-5/83

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE



Post Office Rapid City, S.D.

Date November 19, 1986

TO: Water Rights
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to maximum extent it is going to be used, not exceeding the amounts as specified in Water Right No. 1984-2.

Water Right Permit No. 1984-2 states that the diversion system is to be constructed by Black Hills Natural Spring Water, Inc., and that the water is put to beneficial use by Black Hills Natural Spring Water, Inc.

The diversion system was completed on November 7th, 1986. Applying the water to beneficial use was completed on November 7th, 1986.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Charles Pelling
(Signature)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Division of Water Rights
605 773-3352

No. 1984-2

February 17, 1987

Charles Tellinghuisen
Black Hills Natural Spring Water, Inc.
Box 612
Rapid City, South Dakota 57709

Dear Mr. Tellinghuisen:

The inspection of your water use system and inspection of the extent of the application of water to beneficial use, as developed under your Water Right No. 1984-2 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Maxine Stirling
Secretary

ms/

NOTE: On form of payment, please include the number of the water permit.
This insures proper handling of the fee.

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

47765

Pierre, February 19, 19 87

RECEIVED OF Black Hills Natural Spring Water, Charles Tellinghuisen, Box 612, Rapid City
the following amount in fees for services rendered as provided for by law: SD 57709

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>1984-2</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer **John Hatch** ms



No. 1984-2

Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

NOV 2 1987

Black Hills Natural Spring Water, Inc.
Box 612
Rapid City, South Dakota 57709

Dear Sir:

Enclosed herewith is, Water License No. 1984-2. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:MS

Enclosures