

Considered: _____

WATER PERMIT NO. 2012A-2

MAP No. same

Name of Applicant Baptist Camp Judson

Post Office Address St Rt 80, Hill City, SD 57745

Amount of Water Claimed 0.10 cfs (45 gpm) Total Acres —

Source of Water Supply groundwater (3 wells)

Water to be used for institutional County Pennington

About 1 miles West of Keystone

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved 7/8/87 Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received March 10, 1987 Fee \$50 Remarks _____

3/10/87


Corrected Application Received May 4, 1987 Period of Annual Use Jan 1 - Dec 31

WATER QUALITY APPROVAL RECEIVED NA APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES NO REMARKS _____

Diversion Point Well #2: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Well #3: NW $\frac{1}{4}$ NE $\frac{1}{4}$,
Well #4: W $\frac{1}{2}$ NE $\frac{1}{4}$; all in Section 1, T2S, R5E

Land to be Irrigated NA



Well #2
Well Log: Driller Alexander Drilling Co Licensed YES ✓ NO _____

Depth of Well 62 REMARKS Well logs are not available
for Well #3 & Well #4 (#3 $\approx$ 16', #4 is 4-5')

Type of Map topo PREPARED BY Warre L Fisk Reviewed and the Number
assigned on May 11, 1987 By Genny Marmath


No. 2012A-2 Hydrologic Unit 10120109
 Map No. same Basin Upper Cheyenne
 Newspaper Hill City - Pennington Co. Prevalier
Box 264, Hill City

Application For Permit To Appropriate Water Within The State Of South Dakota

Check use of water: Industrial ☐ Commercial ☐ Municipal ☐ Other Common Distribution System ☐
 Rural Water System ☐ Suburban Housing ☐ Geothermal Heat ☐ Institutional ☒ Recreational ☐
 Domestic ☐ (above 18gpm) Other ☐

Type of Application: Check one or more of the following

New ☒ Vested Right ☐ Future Use ☐ Change Use ☐
☐ Amend Permit No. _____ with old priority date retained
 Change diversion point(s) ☐ Add diversion point(s) ☐ Other ☐
☐ Application to: Change diversion point(s) ☐ Add diversion point(s) ☐ on Permit No. _____
☐ Construction to use water reserved by Future Use Permit No. _____



- Name of Applicant Baptist Camp Judson Phone No. 574-2314
 Post Office Address Star Route 80 Hill City South Dakota State 57745
(Street, RR or Box) Zip Code
- Amount of water claimed (c.f.s) 45 gpm (0.10 cfs)
- Source of water supply groundwater - Well Nos. 2, 3 and 4
- Location of point of diversion Well No. 2 - SE $\frac{1}{4}$ NE $\frac{1}{4}$; Well No. 3 - NW $\frac{1}{4}$ NE $\frac{1}{4}$; Well No. 4 - W $\frac{1}{2}$ NE $\frac{1}{4}$;
all in Section 1-T2S-R5E
 _____ County Pennington
- Counties where water will be used Pennington
- Annual period during which water is to be used January 1 - December 31
- Give a brief description of proposed project. When available include any preliminary engineering report or other reports or information that will help explain the project. (Attach sheet if more space is needed)

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map (see instruction)

STATE OF SOUTH DAKOTA)
 County of _____)

I, Richard Kullander - Baptist Camp Judson the applicant, certify that I have read the foregoing application, have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Richard KullanderSubscribed and sworn to before me this 30th day of April 1987

Sally J. Wilkinson
 Notary Public (or other qualified officer)

Exp Date: 8-18-93

WATER PERMIT

The Water Management Board hereby approves Water Permit Application No. _____

(Applicant)

(Post Office Address)

(State)

(Zip Code)

With the following qualifications.

Date of first receipt of application _____, 19____.

Date of return to applicant for correction, amendments or changes required _____, 19____.

Date of receipt of corrected application _____, 19____. Approved _____, 19____.

The Water Management Board hereby approves this Water Permit No. _____ authorizing the construction of the water use system and the placing of water to beneficial use as stated in the Application and as qualified in the Water Permit approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is _____, 19____.
2. The equivalent of at least one-fifth of the specified work is to be completed on or before _____, 19____.
3. The whole of said work is to be completed on or before _____, 19____.
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is _____, 19____.
5. The water appropriated shall be used for the purpose of _____

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be unlawfully impaired by this appropriation.
7. The amount of the appropriation herein granted shall not exceed _____ cubic feet per second; neither shall it exceed the capacity of the above described water supply system nor shall it exceed the amount of water needed for beneficial uses served and to which water is actually and beneficially applied for _____ on or before _____, 19____; said water to be used during the following described annual period: _____

WATER MANAGEMENT BOARD

By: _____

Chief Engineer

Division of Water Rights

Dept. of Water and Natural Resources

19____

WATER PERMIT

2012A-2

The Water Management Board hereby approves Water Permit Application No. _____

Baptist Camp Judson

Star Route 80

(Applicant)

(Street, RR or Box)

Hill City SD 57745

(City)

(State)

(Zip Code)

With the following qualifications.

The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

Date of first receipt of application _____ March 10, 1987

Date of return to applicant for correction, amendments or changes required _____ April 14, 1987

Date of receipt of corrected application _____ May 4, 1987 Approved _____ July 8, 1987

The Water Management Board approved this Water Permit No. 2012A-2 authorizing the construction of the water use system and the placing of water to beneficial use as stated in the Application and as qualified in the Water Permit approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is _____ March 10, 1987
2. The equivalent of at least one-fifth of the specified work is ~~to be~~ completed ~~on or before~~ _____, 19__.
3. The whole of said work is ~~to be~~ completed ~~on or before~~ _____, 19__.
4. The limit of time for proof of beneficial use of water appropriated in accordance herewith is _____, 19__.
5. The water appropriated shall be used for the purpose of supply Baptist Camp Judson for sanitary use
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be unlawfully impaired by this appropriation.
7. The amount of the appropriation granted shall not exceed 0.10 cubic feet per second; neither shall it exceed the amount of water needed for the beneficial uses served and to which water is actually and beneficially applied for institutional purposes ~~on or before~~ _____, 19__. The water is to be used during the following described annual period: January 1 - December 31

WATER MANAGEMENT BOARD

By: _____

Division of Water Rights
Dept. of Water and Natural Resources

AUG 19 1987

Supplemental Information

See attached Well Log for Well #2 & attached sheet for information on well #3 & 4

1. Well Information - Proposed construction

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack Thickness _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth of Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:

On applicants property _____ On property owned by others 100 yds from another well

2. Dugout Information Estimates

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Outlet Dimensions:
Pipe diameter _____

Spillway width _____


f) X & Y Slope
Upstream _____

Downstream _____

Surface Area of Impoundment _____

Storage _____ acre feet


Drainage area above dam _____



Baptist Camp Judson

x Richard Kullander

Signature of Applicant



Signature:
I, Warren L. Fisk, PEALS #17715D do hereby
certify that the well locations shown
hereon are scoled within 50 feet of the
true location to the best of my knowledge.

2012A-2

SOUTH DAKOTA WATER WELL COMPLETION REPORT


10-85

Location NW 1/4 NE 1/4 Sec 1 Twp 25 Rg 5 E

County

Pennington

Please mark well location with an "X"

Well Completion Date Oct 15, 1990

PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Test Holes
☐ Irrigation ☐ Industrial ☐ Stock

Method of Drilling:

Rotary Air

CASING DATA:

☒ Steel ☐ Plastic ☐ Other

If other describe _____

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>23</u> LB/FT	<u>7</u> IN	<u>0</u> FT	<u>23</u> FT	<u>6 1/4</u> IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

GROUT:

Was the well grouted? ☐ YES ☒ NO

To what depth? _____ FEET

What is grouting material? Casing wasIf cement, number of sacks? driven from surfaceDescribe grouting procedure to 23' bedrock &sealed with granular bentonite
open hole 23' to 90' TD

What was grout weight? _____ LB/GAL

SCREEN: ☐ Perforated pipe ☐ Manufactured

Diameter _____ IN Length _____ FEET

Material _____

Slot Size _____ Set From _____ Feet To _____ Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Slot Size _____ Set From _____ Feet To _____ Feet

Other information open hole 23-90'Was a packer or seal used? ☐ YES ☐ NOIf so, what material? bentonite / above

Describe packer(s) and location? _____

Was well disinfected upon completion? ☒ YES ☐ NOExplain chlorinatedBacteriological analysis ☒ YES ☐ NOLaboratory sent to Travis Labs (TCT)

Well Owner:

Name Baptist Camp JudsonAddress Star Rt Box 80, Hill City, SD

Well Log:

Depth

Formation

From

To

<u>Valley fill</u>	<u>0</u>	<u>23</u>
<u>& conglomerate</u>		
<u>Schist & granite</u>	<u>23</u>	<u>90</u>
<u>with fractures</u>		

STATIC WATER LEVEL 12' Feet

If flowing; closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

If other; specify _____

Can well be completely shut in? _____

WELL TEST DATA:

☐ Pumped☐ Bailed☒ OtherDescribe: Air pumped at
15-20 gpm from 80'
& pump set at 40'

Pumping Level Below Land Surface

<u>15</u> ft.	After <u>1</u> Hrs.	pumped <u>10</u> GPM
_____ ft.	After _____ Hrs.	pumped _____ GPM
_____ ft.	After _____ Hrs.	pumped _____ GPM

REMARKS:

The water is produced from fracture storage and probably is connected through fractures to the shallow water table in this isolated valley area. There are currently no pollution sources anywhere near the well location. This replaces well # 3, a shallow large diam well.

This well was drilled under license # 511

And this report is true and accurate.

Drilling firm Dennis V. Johnson

Signature of License Representative:

Dennis V. Johnson

Signature of Well Owner:

Richard KullanderDate Oct 18, 1990

Calkman Well #2

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: West 1/4 Sec 10, T1N, R1E Section 1/4 Township 1/4 Range 1/4
 Well owner Baptist Camp Judson Well #2 (Name) (Address)
 Date well drilling completed May 13, 1976 Purpose of well Domestic (domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer	Depth to top of water producing aquifer	
0-17	Top soil, Boulders	17'-58"	ft.
	Small amt. gravel	51'-17"	ft.
17-31	Schist, brown, H.V.	Name of producing aquifer (if known)	51'-17"
		Total depth of drill hole	62'
31-36	Schist, brown, H.V.	Depth to bottom of casing	22'
36-44	Schist, gray, H.V.	Casing information: In the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used.	
44-50	Schist, gray, H.V.		
50-52	Schist, gray, H.V.	Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.	
52-58	Schist, gray, H.V.		
58-62	Schist, gray, H.V.	If flowing well, flow of completed well	

Attach sheet if more space is needed

Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump Roda HP 1/2
 Type of pump Sub Capacity of installed pump 12 G.P.M.
 Depth of pump placement 56' ft., Date of pump installation May 13, 1976

Pump from 10/8 well.

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____, tube material _____.

Name of Pump Installation Contractor



SOUTH DAKOTA BAPTIST CAMP JUDSON

"CHRISTIAN CAMPING IN THE BEAUTIFUL BLACK HILLS"

STAR ROUTE, BOX 80
HILL CITY, SOUTH DAKOTA 57745
PAY PHONE — HILL CITY, (605) 574-9401

RICHARD L. KALLANDER
Director of Camping/
Resident Camp Manager
Phone (605) 574-2314

INFORMATION ON WELL NUMBER 3

Well # 3 is approximately 16 feet deep and was hand dug between 1945-1947 by Ira Babington who owned the property from 1945 until 1974. This is information I received from Virgil Johnson, who owned the property from 1974-1986 and Blanche Ferguson who is Ira Babington's daughter.

I can only estimate that the flow is around 8-15 gallons/minute.

Richard Kallander

Richard Kallander



SOUTH DAKOTA BAPTIST CAMP JUDSON

"CHRISTIAN CAMPING IN THE BEAUTIFUL BLACK HILLS"

STAR ROUTE, BOX 80
HILL CITY, SOUTH DAKOTA 57745
PAY PHONE — HILL CITY, (605) 574-9401

RICHARD L. KALLANDER
Director of Camping/
Resident Camp Manager
Phone (605) 574-2314

INFORMATION - WELL NUMBER 4

Well # 4 was hand dug and is about 4-5 feet deep. We do not know how much water it will produce. The previous owner of the property indicated that it did not produce much water on a consistent basis.

Richard Kallander

Rich Kallander



RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, _____ March 11 _____, 19 87

RECEIVED OF Baptist Camp Judson, 1524 South Summit, Sioux Falls, SD 57105
the following amount in fees for services rendered as provided for by law: (for wells 2,3 & 4 HillsCity SD)

Fee for Application for Permit No. <u>2012A-2</u> to Appropriate Water, to construct works and to put water to beneficial use _____	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer JOHN HATCH (ms)

July 3, 1986

Rich Kallander
Baptist Camp Judson
St Rt 80
Hill City SD 57745

Dear Mr. Kallander:

This letter is in response to our telephone conversation on July 2, 1986.

Enclosed is an Affidavit of Water Use which also needs to be completed to apply for a Vested Right. A Vested Right may be applied for only if water was being used prior to 1955. The filing fee for a Vested Right is \$15.00.

I have also enclosed a map of the area where the well is located. Mark the location of the well on the map and sign the map.

Please contact us if you have any questions.

Sincerely,

RON DUVALL
Natural Resources Engineer

RD:ks

enclosure



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

October 31, 1986

Rich Kallander
Camp Judson
St Rt 80
Hill City SD 57745

Dear Mr. Kallander:

This letter is in response to our telephone conversation on October 30, 1986.

Enclosed is a map of the area where I believe Camp Judson is located. Please mark with "X's" the location of the wells and specify which well (drilled in 1975) qualifies for a Vested Right. I have also enclosed an Affidavit of Water Use which needs to be completed when applying for a Vested Right. Indicate when the original well was constructed and when the replacement well was constructed. The amount of water originally used (gpm) and the amount now used should also be completed. The application fee for a vested right is \$15.00.

Enclosed is a second set of permit application to cover the remaining wells on the property you recently obtained. Complete the forms in the same manner as for the Vested Right application. No Affidavit of Water Use for is needed. The application fee for a new permit application is \$50.00 for 45 gpm or less and \$150.00 for anything between 45 gpm and 75 gpm.

Please contact us if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "Ron Duvall". The signature is written in a cursive style with a large, looped "R" and "D".

RON DUVALL
Natural Resources Engineer

RD:ks

enclosures

Equal Opportunity Employer



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

WATER RIGHTS DIVISION
(605) 773-3352

December 24, 1986

Rich Kallander
Baptist Camp Judson
Star Route 80
Hill City, South Dakota 57745

Dear Mr. Kallander:

This letter is in response to your permit applications for Camp Judson received on December 3, 1986. The following information is needed before the application can be processed:

1. The Vested Right application for well No. 3 does not appear to qualify for a Vested Right according to your attached sheet. The well was privately owned until 1986 when Camp Judson acquired the property. A Vested Right can be qualified for only if water has been used for institutional purposes since 1955. Therefore, I believe well No. 3 should be included on the new permit application with well Nos. 2 and 4. Enclosed is a permit application including well Nos. 2, 3 and 4. The amount of water claimed (Question No. 2) needs to be completed whether completing the new enclosed permit application or the original application. The maximum number of gallons per minute need to be specified for all 3 wells combined. The well log for well No. 2 stated that the capacity of the pump is 12 gpm, well No. 3 is 8-15 gpm according to your estimation and well No. 4 appears to be a standby well according to your description.
2. The distance to the nearest existing well on your property and other's property needs to be specified in Question 1-G on the enclosed Form 2A's. If the nearest well location is unknown, then indicate that the information cannot be determined.
3. The Vested Right application for well No. 1 is complete and is being processed.
4. If you decide to place well No. 3 on the same application with well Nos. 2 and 4, then the \$15.00 filing is not needed. The \$50.00 application fee will be adequate for well Nos. 2, 3 and 4 unless more than 45 gpm is claimed on the application.

Please complete and return the enclosed forms with the correct application fee. The permit application cannot be processed until the application is complete. Contact us if you have any questions.

Sincerely,

Ron Duvall
Natural Resources Engineer

RD:ms



Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

WATER RIGHTS DIVISION
(605) 773-3352

April 14, 1987



Rich Kallander
Baptist Camp Judson
Star Route 80
Hill City, South Dakota 57745

Dear Mr. Kallander:

This letter is in response to the water permit application received on March 10, 1987. The application is complete except for being signed and notarized. Please complete the application and return it to the Division of Water Rights to begin processing the application.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ron Duval". The signature is written in dark ink and is positioned below the word "Sincerely,".

Ron Duval
Natural Resources Engineer

RD:ms
Enc.

REPORT ON PERMIT APPLICATION NO. 2012A-2
BAPTIST CAMP JUDSON
MAY 20, 1987

Application No. 2012A-2 proposes to appropriate 0.10 cfs from three existing wells. Well #2 is 62 feet deep, and is located in the SE 1/4 NE 1/4 Section 1, T2S, R5E; Well #3 is 16 feet deep and is located in the NW 1/4 NE 1/4 Section 1, T2S, R5E; Well #4 is 4-5 feet deep and is located in the W 1/2 NE 1/4 Section 1, T2S, R5E. The water is for institutional use by the camp.

Aquifer: Pre-Cambrian rock and alluvium

Geology and Aquifer Characteristics

A review of the well information submitted with this application and geologic maps of the area (Darton, 1925) and (Redden, 1975) indicate Well #2 is completed into alluvium mantled, Pre-Cambrian metagraywacke and Quartz-mica schist or phyllite, and Wells #3 and #4 are probably completed in the alluvium of the tributary of Battle Creek.

The alluvium, the Pre-Cambrian rock, Battle Creek, and the tributary of Battle Creek in the proximity of the applicant's wells are all hydrologically connected. Groundwater is under water table conditions with the potentiometric surface of the aquifer approximately equal to the stage elevation of the creek.

The importance of the Pre-Cambrian rock as an aquifer is largely due to zones of secondary porosity and permeability, in the form of fractures and fissures. The distribution, orientation and interconnection of these fractures are unpredictable and the aquifer characteristics are site specific and highly variable. Well completion reports on file with the Division of Water Rights indicate well yields from domestic wells in the area range from 2 to 50 gpm.

Groundwater recharge is accomplished through infiltration of precipitation falling directly on the outcrop and possibly through streamflow. Natural groundwater discharge occurs through evapotranspiration and possibly stream flow.

The Division of Water Rights does not monitor any observation wells in the area and there are no estimates of average annual recharge available.

Review of Existing Permits

There are 4 existing water permits within two miles of the applicant's well. They include:

No.	Name	CFS	Use	Location	Well Depth
1135-2	Kinyon, John	0.03	Com	E 1/2, SW 1/4 Sec 6, T2S, R6E	54'
1795-2	Ingersoll Mining Co.	0.06	Com	NW 1/4 NW 1/4 Sec 6, T2S, R6E	320'
1811-2	Glenn V. Woldt	0.15	Com-Mpl	N 1/2, SE 1/4 Sec 6, T2S, R6E	50'
2012-2	Baptist Camp Judson	0.044	inst.	NW 1/4 SE 1/4 Sec 1, T2S, R5E	82'

The Division of Water Rights has record of several domestic wells within a one mile radius of the applicant's well.

Conclusions

1. Groundwater is available for appropriation from the area.
2. The proposed appropriation (0.10 cfs) should have no adverse effect on domestic users or existing appropriative rights.
3. Estimates are not available for average annual recharge in the area; however, any significant withdrawal of groundwater would induce increased "capture" of streamflow.
4. The wells have been is used for several year with no reported controversy.



KENT BUHLER
Natural Resources Engineer

References

Darton, N.H., Paige, S., 1925, Geologic Atlas of United States, Central Black Hills Folio, South Dakota, USGS, Folio No. 219.

Redden, J.A., 1975, Precambrian Geology of the Black Hills, SDSM&T and USGS, Mineral and Water Resources of South Dakota, Committee on Interior and Insular Affairs, U.S. Senate, U.S. Government Printing Office, Washington D.C.

Division of Water Rights, 1987, Domestic Well and Water Permit Files, DWNR-Division of Water Rights, Joe Foss Building, Pierre SD.

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2012A-2

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 2012A-2, Baptist Camp Judson, St Rt 80, Hill City SD.

The Chief Engineer is recommending APPROVAL of Application No. 2012A-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualification:

1. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
May 29, 1987



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Water Rights Division
(605) 773-3352

June 1, 1987

NOTE:

TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT THE
NEWSPAPER RIGHT AWAY.

Baptist Camp Judson
Star Route 80
Hill City, South Dakota 57745

Dear Sir:

Your Application No. 2012A-2 for a permit to appropriate water for

institutional use, has been examined and found to
comply with the South Dakota Water Laws and applicable rules. A notice of
your intent to appropriate water has been sent to the Publisher of the

Pennington County Prevailler

printed at Hill City

South Dakota. For your information, a copy of this notice, the recommendation
of the Chief Engineer and a report on the application are enclosed. Please
review this notice prior to publication and notify this office, if you have
any corrections or questions.

BE SURE TO CONTACT THE ABOVE NEWSPAPER IMMEDIATELY TO AUTHORIZE PUBLICATION
OF YOUR NOTICE OF INTENT TO APPROPRIATE WATER AND TO ARRANGE FOR PAYMENT.
Early contact with the paper can eliminate delays. The publisher has been
instructed to publish your notice once each week for two consecutive weeks
with the last publication to occur at least twenty days before the board
meeting. We must receive Proof of Publication before the application can be
considered by the Water Management Board.

Sincerely,

RON DUVALL
Natural Resources Engineer

enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Water Rights Division
605 773-3352

June 1, 1987

Pennington County Prevailler
Box 266
Hill City, South Dakota 57745

Dear Sir:

Enclosed is a Notice of Intent to Appropriate Water by Baptist Camp Judson
Application No. 2012A-2, in Pennington County, South Dakota. Please
publish this notice once each week for two consecutive weeks in your paper. The
first publication should be on, or before June 10, 1987.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you
make the first publication. The applicant is to pay the cost of publication and
should make the necessary arrangements with you to pay these costs.

A copy of BOTH publications must be sent to the Water Rights Division. IMMEDIATELY
after the FIRST publication, return a copy of the notice with the FIRST Publication
Transmittal form on the bottom of this page. The first copy is needed to check
the publication for errors so any corrections can be made before the second
notice is published.

Please be sure the SECOND publication is returned with the enclosed Proof of
Publication form. The permit application cannot be considered by the Water
Management Board until proof of publication has been received.

Thank you for your assistance.

Sincerely,

RON DUVALL
Natural Resources Engineer

cc: applicant

***** CUT HERE *****

FIRST
Publication
Transmittal

No. _____
TO: Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter dated _____ and Notice of Hearing to
Appropriate Water by Application No. _____. The notice was first published
in our issue dated _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

NAME _____ NEWSPAPER _____

Equal Opportunity Employer

No. 2012A-2

Instruction to Newspaper - Publish first publication of the following Notice on or before June 10, 1987 with 2nd publication 1 week later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 2012A-2 to Appropriate Water
~~and/or to Amend Water Permit or Water Right No. _____~~

Notice is hereby given that Baptist Camp Judson whose mailing address is
Star Route, Hill City, South Dakota has made an application for a permit

to appropriate 0.10 cubic feet of water per second from three wells (Well #2 is 62 feet deep, Well #3 is approximately 16 feet deep and Well #4 is 4-5 feet deep) located in the NE $\frac{1}{4}$ Section 1, T2S, R5E. The water is for institutional use by the camp.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends

APPROVAL of Application No. 2012A-2 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at room 216, Joe Foss Building, 523 E. Capitol, Pierre, South Dakota, July 8 1987 at 10:00 am.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and the Chief Engineer by June 26, 1987. The petition may be informal, but it must include a statement describing the petitioners interest in the application, the reasons for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2 46-5-30.4, 46-5-31; ~~(ground)~~ 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; ~~(future use)~~ 46-5-38 thru 46-5-40; ~~(transfer lands)~~ 46-5-30.4, 46-5-33 thru 46-5-35; ~~(10,000 AFA)~~ 46-5-20.1, 46-5-8.1, and Board Rules ARSD 74:02:01:01 thru 74:02:01:15; ~~(future use)~~ 74:02:01:24 thru 74:02:01:25; ~~(10,000 AFA)~~ 74:02:01:15:02 thru 74:02:01:15:05.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWNr, Joe Foss Bldg, Pierre SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by June 26, 1987.

NOTICE OF HEARING ON
Application No. 2012A-2
to Appropriate Water

Notice is hereby given that Baptist Camp Judson whose mailing address is Star Route, Hill City, South Dakota has made an application for a permit to appropriate 0.10 cubic feet of water per second from three wells (Well #2 is 62 feet deep, Well #3 is approximately 16 feet deep and Well #4 is 4-5 feet deep) located in the NE1/4 Section 1, T2S, R5E. The water is for institutional use by the camp.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 2012A-2 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at room 216, Joe Foss Building, 523 E. Capitol, Pierre, South Dakota, July 8, 1987 at 10:00 a.m.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and the Chief Engineer by June 26, 1987. The petition may be informal, but it must include a statement describing the petitioner's interest in the application, the reasons for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

AFFIDAVIT OF PUBLICATION

STATE OF SOUTH DAKOTA)

)ss.

COUNTY OF PENNINGTON)

Charlotte M. O'Neill of said County and State, being first duly sworn, on her oath says that THE HILL CITY PREVAILER-NEWS is a legal weekly newspaper of general circulation, printed and published in Hill City in said County and State and has been such legal weekly newspaper during the time hereinafter mentioned, and I, Charlotte M. O'Neill am the editor of said newspaper, and have personal knowledge of all facts stated in this affidavit, and that the advertisement headed

Department of Water & Natural Resources

Intent to Appropriate Water Baptist Camp

109 lines at 178 cents - 20% on 2nd run
a printed copy of which is hereto attached, was printed and published in the said newspaper for 2 successive weeks, not in a supplement, but in the regular and entire issue of every number of the paper during the time and period of the publication, to-wit: the first publication being

made on the 4 day of June, 1987

the second on the 11 day of June, 1987

the third on the _____ day of _____, 19_____

the fourth on the _____ day of _____, 19_____

That the full amount of the fees charged for publishing the same, to-wit: the sum of

thirty four dollars & ninety two Dollars, \$34.92

inures solely to the benefit of the Editor of THE HILL CITY PREVAILER-NEWS and THE GUIDE. That no agreement or understanding for any division thereof has been agreed to be paid to any person whomsoever.

Charlotte M. O'Neill

Subscribed and sworn to before me this 12 day

of July, 1987


Conrad M. O'Neill

Notary Public

My Commission Expires 4/2/88

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWR, Joe Foss Bldg, Pierre SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by June 26, 1987.

#487 6-4, 6-11-87





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Water Rights Division
605 773-3352

AUG 19 1987

Baptist Camp Judson
Richard Kallander
St Rt 80
Hill City SD 57745

Dear Mr. Kallander:

Enclosed is your Water Permit No. 2012A-3 as approved by the Water Management Board authorizing the water diversion system and apply the water to beneficial use, not exceeding the limits as specified in the Water Permit.

We will schedule an inspection so that the Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in black ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

enclosure

REPORT ON INSPECTION OF PERMIT NO. 2012A-2

Other permit(s) associated with the project: 2012-2 and 2093-2

NAME & ADDRESS OF INSPECTION CONTACT: Rich Kallander

Baptist Camp Judson

12965 Old Hill City Rd

Keystone, SD 57751

RELATIONSHIP TO PERMIT HOLDER, IF APPLICABLE: Director

NAME & ADDRESS OF PERMIT HOLDER: Baptist Camp Judson

12965 Old Hill City Rd

Keystone, SD 57751

DATE OF INSPECTION: September 10, 1998

DIVERSION POINT LEGAL LOCATION: Well No. 1: 1850 feet north and 1650 feet west of the
southeast corner of Sec. 1, T2S-R5E,

(NE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 1, T2S-R5E)

Well No. 2: 2350 feet south and 1100 feet west of the
northeast corner of Sec. 1, T2S-R5E,

(SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1, T2S-R5E)

Well No. 3: 550 feet south and 1800 feet west of the
northeast corner of Sec. 1, T2S-R5E,

(SW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1, T2S-R5E)

Dam: 2050 feet north and 1550 feet west of the
southeast corner of Sec. 1, T2S-R5E,

(SE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 1, T2S-R5E)

WELL INFORMATION:

Well No. 1 (VR#2012-2)	Well No. 2 (#2012A-2)	Well No. 3 (#2012A-2)
1) Well Drilling Firm: <u>Alexander</u>	1) Well Drilling Firm: <u>Alexander</u>	1) Well Drilling Firm: <u>Dennis V. Johnson</u>

- A. 1) Type Polyethylene 2) Size 2 inches 3) Length $\cong$ 400 feet (Main line from well No. 1, 1 ½ and 1¼ inch plastic line extended off main line)
- B. 1) Type Polyethylene 2) Size 1 ¼ inches 3) Length $\cong$ 200 feet (buried line from well No. 2)
- C. 1) Type Polyethylene 2) Size 1 ¼ inches 3) Length $\cong$ 375 feet (buried line from well No. 3)

SYSTEM:

Well No. 1, (Vested Water Right No. 2012-2), also known as the "Park Well" supplies the a) guesthouse, b) director's house, and c) three Lodges (1. Office/rec. room/camp store, 2. Mess hall/chapel/meeting area, 3. Dormitory)

Well No. 2, (Water Right No. 2012A-2), supplies "Cobb Manor" which is a guesthouse

Well No. 3, (Water Right No. 2012A-2), supplies a residence used for employee housing

DAM INFORMATION: (Water Right No. 2093-2)

- 1) Height to crest 12.5 feet
- 2) Height to primary spillway 8.5 feet
- 3) Height to secondary spillway na ft
- 4) Crest width 12 feet
- 5) Crest length 178 feet
- 6) Spillway length 20 feet
- 7) Spillway width 18 feet
- 8) Approx. storage 1.5 ac-ft

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Special qualifications to permit being abided by yes
- 2) All structures, wells and lands on map yes
- 3) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period yes

2) Depth(s) <u>82</u> feet	2) Depth(s) <u>62</u> feet	2) Depth(s) <u>90</u> feet
3) Well log is available <u>yes</u>	3) Well log is available <u>yes</u>	3) Well log is available <u>yes</u>

CASING:

Well No. 1	Well No. 2	Well No. 3
1) Diameter <u>5</u> inches	1) Diameter <u>6</u> inches	1) Diameter <u>7</u> inches
2) Length <u>63</u> feet	2) Length <u>22</u> feet	2) Length <u>23</u> feet
3) Type <u>steel</u>	3) Type <u>steel</u>	3) Type <u>steel</u>

SCREEN:

Well No. 1	Well No. 2	Well No. 3
1) Type <u>none (open hole)</u>	1) Type <u>none (open hole)</u>	1) Type <u>none (open hole)</u>
2) Length <u>19</u> feet	2) Length <u>40</u> feet	2) Length <u>67</u> feet
3) Static water level <u>4</u> feet	3) Static water level <u>7</u> feet	3) Static water level <u>12</u> feet

PUMP:

Well No. 1	Well No. 2	Well No. 3
1) Make <u>Grundfos</u>	1) Make <u>Reda</u>	1) Make <u>Gould</u>
2) Model <u>submersible</u>	2) Model <u>submersible</u>	2) Model <u>7GS</u>
3) Size <u>5-inch</u>	3) Size <u>5-inch</u>	3) Size <u>5-inch</u>
4) Capacity <u>10</u> GPM	4) Capacity <u>12</u> GPM	4) Capacity <u>7</u> GPM

MOTOR:

Well No. 1	Well No. 2	Well No. 3
1) Make <u>Franklin Electric</u>	1) Make <u>Reda</u>	1) Make <u>Century</u>
2) Horsepower rating <u>1</u> hp	2) Horsepower rating <u>1/2</u> hp	2) Horsepower rating <u>1/2</u> hp

DISTRIBUTION LINES OR CANALS:

Permit No. 2012A-2
Upper Cheyenne River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, **September 10, 1998**, made a thorough examination of the water use system constructed by **Baptist Camp Judson** of **12965 Old Hill City Road, Keystone, SD 57751** holder of Permit No. **2012A-2**, bearing the priority of **March 10, 1987** authorizing the diversion of **0.10** cu. ft. per second of the waters of **groundwater** for **institutional** purposes, in **Pennington** County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Water is diverted from "Well No. 2" and "Well No. 3". Well No. 2 is a 6-inch diameter well, 62 feet deep, located in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1, T2S-R5E, equipped with a submersible pump capable or producing 12 gallons per minute. Well No. 3 is a 7-inch diameter well, 90 feet deep, located in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1, T2S-R5E, equipped with a submersible pump capable of producing 7 gallons per minute.

B. Works used to transport water to place of use:

Water is transported through buried polyethylene pipe.


C. Works used to apply water to beneficial use:

Water is applied to beneficial use in a guesthouse and a residence used for employee housing.

The system is in the following condition **good**. The point of diversion is located **2350 feet south and 1100 feet west of the northeast corner of Sec. 1, T2S-R5E; and 550 feet south and 1800 feet west of the northeast corner of Sec. 1, T2S-R5E**. The works are capable of diverting and conveying to the place of use **0.04** cu. ft. per second of water which is to be used for **institutional purposes**. The license should be issued for **0.04** cfs.

Applicable permit qualifications have been complied with: **yes**

Exceptions to compliance are: **na**



Ken Buhler

Natural Resources Engineer
DENR, Water Rights Program

10/13/99

Date



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

November 2, 1999

2012A-2
2093-2

Rich Kallander
Baptist Camp Judson
12965 Old Hill City Road
Keystone, SD 57751

Dear Mr. Kallander:

The investigation of your water use systems was conducted on September 10, 1998, by Ken Buhler, staff engineer. The investigation included the extent of application of water to beneficial use, as developed under Water Permit Nos. 2012A-2 and 2093-2. Your final water right documents, the Water Licenses, can now be issued.

Statutes require that we charge a \$50.00 fee per license (\$100.00 total) for the investigation and issuance of the Water Licenses. Upon receipt of the \$50.00 fee per license (\$100.00 total) from you, we will begin processing your Water Licenses.

**Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181**

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit numbers. This will insure proper handling of the fee.

RECEIPT

Water Rights Program

South Dakota Department of Environment and Natural Resources

№ 416294

Pierre, December 13, 1999

RECEIVED OF Baptist Camp Judson, 1524 S. Summit Ave., Sioux Falls, SD 57505
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct
and to put water to beneficial use _____

Fee for Application for Permit No. _____ to Appropriate Water, for Future
Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water
License No. 2012A-2

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____

Fee for _____

(Any Other Work Provided by Law)

Total


50 00

50 00

By

John Hatcher
Chief Engineer

Water Rights Nos. 2012-2, 2012A-2, 2093-2



[Signature]

Ken Buhler
Natural Resources Engineer
Water Rights Program



0.8 Miles

0.4

0

0.4

STATE OF SOUTH DAKOTA


WATER LICENSE NO. 2012A-2

(1) Baptist Camp Judson, 12965 Old Hill City Road, Keystone SD 57751 made Application No. 2012A-2, March 10, 1987 for a water permit to divert 0.10 cubic feet of water per second from groundwater (three wells), Pennington County, South Dakota for institutional purposes. Permit No. 2012A-2, with a priority date of March 10, 1987 was approved July 8, 1987 and issued to the applicant for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

(2) It is certified that the permit holder has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.04 cubic feet of water per second for beneficial use. The location of the diversion points are: Well # 2 – 2,350 feet south and 1,100 feet west (SE ¼ NE ¼) and Well # 3 – 550 feet south and 1,800 feet west (NW ¼ NE ¼); both from the northeast corner of Section 1-T2S-R5E.

(3) The permit holder has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to supply water to a guesthouse and residence.

(4) Pursuant to South Dakota Water Law 46-5-30.1 Baptist Camp Judson, 12965 Old Hill City Road, Keystone SD 57751 the holder and/or owner of Water Right No. 2012A-2 is issued a license to appropriate water, the right to use 0.04 cubic feet of water per second from groundwater (two wells) with a priority date of March 10, 1987 from the locations specified in (2) of this license for institutional purposes. This license is subject to any limitations or qualifications listed in Water Right No. 2012A-2 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

DEC 30 1999

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

DEC 30 1999

2012A-2
2093-2

Baptist Camp Judson
% Rich Kallander
12965 Old Hill City Road
Keystone, SD 57751

Dear Mr. Kallander:

Enclosed are Water License Nos. 2012A-2 and 2093-2. These are the final water right documents completing your process of obtaining a Water Right. Enclosed are Receipt Nos. 416294 and 416295 in the amount of \$50.00 each which you paid for the investigation and issuance of the Water Licenses.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right Nos. 2012A-2, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water Licenses, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

A handwritten signature in black ink, appearing to read "John Hatch". The signature is fluid and cursive, with a large, stylized "H" and "A".

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

ks
enclosures