

Considered: _____

WATER PERMIT NO. 2064-2

HAP No. same 535-2631

Name of Applicant Oelrichs School District

Post Office Address PO Box 65 Oelrichs, SD 57163

Amount of Water Claimed 0.05 cfs Total Acres 1.5

Source of Water Supply groundwater

Water to be used for irrigating football field County Fall River

About _____ miles South side of Oelrichs, SD

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved 1/25/89 Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received Sept. 21, 1987 Fee 50⁰⁰ Remarks _____

9/15/88


Corrected Application Received Sept. 15, 1988 Period of Annual Use May 1 - Oct 31

WATER QUALITY APPROVAL RECEIVED _____ APPROVED CONDITIONAL (Circle one)

WI-1 Description same as Application YES X NO _____ REMARKS _____

Diversion Point NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 13-T10S-R7E

Land to be Irrigated NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 13-T10S-R7E



Well Log: Driller 1940 WPA project Licensed YES _____ NO _____

Depth of Well 30 REMARKS No well log available. (See back of Form 2A)

Type of Map soils PREPARED BY Delvin D. Brosz Reviewed and the Number


assigned on September 27, 1988 By Susan A. Bowan

(See instructions)

No. 2064-2 Hydrologic Unit 10126106
Basin Upper Cheyenne R.
Newspaper Hot Springs Star Box 1000 57747 (Wed)

Application For Soil/Water Compatibility Permit and Permit To Appropriate Water

Type of Application: ☒ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☐ Change diversion point(s) ☐ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____



- Name of Applicant Oelrichs School District 23-3 Phone No. 535-2631
Post Office Address Post Office Box 65 Oelrichs State South Dakota 57763
(Street, RR or Box) (City) Zip Code
- Amount of water claimed (c.f.s.) 0.05 Total acres irrigated 1.5
- Source of Water supply Oelrichs City W.P.A. Well
- Location of point of diversion South side of the City of Oelrichs, just east of Main Street..
Lot 12 of Block 52 in the City of Oelrichs.
NE 1/4 SE 1/4 Section 13-T10S-R7E County Fall River
- Counties where water will be used Fall River
- Annual period during which water is to be used 1 May through October 31
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
City of Oelrichs	
Lots 1 thru 12, Block 40	0.5
Lots 1 thru 12, Block 39	1.0
NW 1/4 SE 1/4 Sec 13-T10S-R7E	1.5

Land Description	No. Acres Irr.

Attach sheet if more space is needed

- Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: _____ Gun: X (Specify) _____ Other: _____
- Crops to be Irrigated: Football field turf (Blue Gramma & Fairway Crested Grass.)
- Give a description of proposed project. (Attach sheet if more space is needed)

We propose to use the old well (constructed as a W.P.A. Project in 1940) to irrigate the Oelrichs School District football field to provide a good turf of Blue Gramma and Fairway Crested grass on the field.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA)
County of Fall River)^{ss}

I, Jerry J. Hills, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Jerry J. Hills, Applicant

Subscribed and sworn to before me this 13th day of Sept. 19 87

Cynthia Trent
Notary Public

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter 20 ft. Depth 30 ft.
- b) Casing Type Rock and mortar Diameter 22 ft. Thickness 1 ft.
- c) Screen Type none Diameter Thickness
- d) Gravel Pack Thickness unknown Length of Gravel Pack unknown
- e) Depth to Top of Water Bearing Material unknown (see reverse side for explanation)
- f) Depth to Water (ground surface to water level) 21 ft. 6 in.
- g) Distance to nearest existing domestic well:
- On applicants property 400 yards On property owned by others 600 yards

2. Dugout Information Estimates

- a) Surface Dimensions Depth
- b) Depth to water (ground surface to water level)

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

b) Freeboard

c) Crest Width

Crest Length

d) Height

e) Primary Outlet Capacity
If Pipe, diameter

f) Secondary Spillway Capacity
Spillway width


g) X & Y Slope
Upstream

Downstream

Surface Area of Impoundment

Storage acre feet

Drainage area above dam



Signature of Applicant _____

The well to be used was hand dug as a W.P.A. project and bears a plaque indicating the completion of the project in 1940. Therefore, no well log or driller's test log is available for inclusion with this application. Information as to the gravel pack thickness and length and the depth of water bearing material are unavailable because of the age of the well.

**SOUTH DAKOTA
WATER PERMIT FOR IRRIGATION**

Date of first receipt of application September 21, 1987

Date Soil/Water Compatibility Permit received September 15, 1988

Date of return to applicant for correction, amendments or changes required _____

Date of receipt of corrected application _____

The Water Management Board approved Water Permit Application No. 2064-2

on January 25, 1989 for Oelrichs School District 23-3

P.O. Box 65 Oelrichs SD 57763
(Street, RR or Box) (City) (State) (Zip Code)


authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 2064-3 appropriates 0.05 cubic feet of water per second (cfs) from one well 30 feet deep to irrigate a 1.5 acre football field. The well is located in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ and the 1.5 acres is in the NW $\frac{1}{4}$ SE $\frac{1}{4}$; all in Section 13 - T10S-R7E.
2. The amount of the appropriation may not exceed 2 acre feet per acre per year or one-seventieth (1/70) cubic feet of water per second for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 - October 31.
3. The date from which applicant may claim the right is September 15, 1988.
4. One-fifth of the construction is ~~to be completed on or before~~ _____.
5. All construction is ~~to be completed on or before~~ _____.
6. Water is ~~to be put to beneficial use on or before~~ _____.
7. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. That the statutory limit of 1.0 cubic foot per second per 70 acres may not be exceeded when pumping pursuant to Permit No 2064-2, unless the time of each water application is reduced to a corresponding equivalent time period and the total amount of water applied does not exceed 24 inches per year.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year,

WATER MANAGEMENT BOARD

By: 
Chief Engineer

Division of Water Rights
Dept. of Water and Natural Resources

MAR 10 1989

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

410995

Pierre, September 21, 1987

RECEIVED OF Oelrichs School District 23-3, PO Box 65, Oelrichs, SD 57763


the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>2064-2</u> to Appropriate Water, to construct works and to put water to beneficial use _____	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer JOHN HATCH 

NoB = Norka Silt Loam; 2-6% slope
IIIe1; 0.5 intake family

SdA = Savo Silt Loam; 0-2% slope
IIIc1; 0.3 intake family



*This will be defered
at the request*
DISAPPROVAL FORM

#4236

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

DIVISION OF CONSERVATION

NAME: Oelrichs School District

ADDRESS: PO Box 65

COUNTY: Fall River

LEGAL DESCRIPTION: NW $\frac{1}{4}$ SE $\frac{1}{4}$ 13-T105-R73 = 1.5 acres

REASON FOR DISAPPROVAL:

The disapproval recommendation is based on the water quality indicated in water analyses #87-1495 #87-1078 which does not meet our current standards for permitting.



James F. [Signature]
SIGNATURE

Dec 16 1987
DATE

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57007

12-08-1987

Hughes

Name: Division of Conservation
Address: Anderson Bldg. Room 322
Pierre, SD 57501

Date Rec'd
Sample No.
Source
Legal ID

NOV 19, 1987
87-1495

WATER ANALYSIS

Calcium (Ca)	440	ppm*	21.96	me/l**
Magnesium (Mg)	82	ppm	6.74	me/l
Sodium (Na)	670	ppm	29.13	me/l
Potassium (K)	19	ppm	0.49	me/l
Sulfate (SO4)	2085	ppm	43.41	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	105	ppm	2.96	me/l
Bicarbonate (HCO3)	390	ppm	6.40	me/l
Carbonate (CO3)	0	ppm	0.00	me/l
Iron (Fe)		ppm		me/l
Flouride (F)		ppm		me/l
Manganese (Mn)		ppm		
Boron (B)	1.23	ppm		
Hardness (EDTA as CaCO3)		ppm		g.p.g.***
Total solids		ppm		
Total Cations			58.32	me/l
Total Anions			52.77	me/l
Alkalinity (Methyl Orange)	320	ppm(as CaCO3)		
Alkalinity (Phenolphthalein)	0	ppm(as CaCO3)		
Electrical Conductivity	4200	micromhos per cm at 25 C		
Sodium Adsorption Ratio	7.69	Adjusted SAR	21.30	
Sodium	49.95	% of Cations		
Residual Sodium Carbonate	0.00	me/l		
pH	7.50			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS:

Validated 11/17/87 Oelrich, SD 23-3

Out-of-lab: 12/8/87
Analysis By: Shirley Mittan

Service Performed:

Irrigation Analysis



Department of Agriculture
WI#1
5/87

SOIL/WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4236

WR#

OWNERS NAME: Oelrichs School District

OWNERS ADDRESS: ~~XXXXXXXXXX~~ P.O. Box 65
Oelrichs, SD 57763


COUNTY LAND LOCATED IN: Fall River PHONE: 535-2631

LEGAL DESCRIPTION:

1. LOCATION Lot 12 of Block 52 in Oelrichs-NW $\frac{1}{4}$ SE $\frac{1}{4}$ 13-T10S-R7E ☒ Well ☐ Surface

Depth _____

Legal Description	Acres	Legal Description
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 13-T10S-R7E	1.5	
FOOTBALL FIELD COMPLEX		



2. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: _____ GUN: ☒ (Specify) _____ OTHER: _____

3. CROPS TO BE IRRIGATED: Blue Gramma & Fairway Crested Grass-Football Field

WATER QUALITY: <u>VALIDATED</u>	
4. WATER SAMPLE NUMBER: <u>87-1495</u>	7. ADJUSTED (SAR): <u>21.30</u>
5. SALINITY (EC X 10 ⁶): <u>4200</u>	8. PERCENT SODIUM: <u>49.95</u>
6. SODIUM (SAR): <u>7.69</u>	

Requirements: That an artificial, internal drainage system be provided to enhance the internal drainage and leaching of salts, as deemed necessary.

The application of soil amendments be applied as necessary to offset the potential adverse effects of sodium.

The application of water be amounts which will enhance the leaching process, more than 2 inches per application.

That salt tolerant grass be used.

RECOMMENDATIONS:

We recommend that the field be monitored annually for salt accumulation, with the samples being analyzed at the Water Quality Laboratory.

We also recommend that the soil profile be saturated at the end of the football season, to enhance the benefits of leaching from late fall and spring precipitation.

We strongly urge that the school district work with Greg Carlson, as he indicated to the staff, he would be willing to assist the school.

**See attached letter, also.

Keith L. Hanner
Director, Division of Conservation

Date

☒ APPROVED ☒ REQUIREMENTS
☐ DISAPPROVED
☐ WAIVER

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.


Oelrichs School District No. 23-3

Post Office Box 65
OELRICHS, SOUTH DAKOTA 57763

Phone 605-535-2631 or 605-535-2251

August 24, 1988

Mr. Jim Stukel
Division of Conservation
Dept. of Agriculture
Anderson Building, 455 East Capital
Pierre, South Dakota 57501



Dear Jim:

In reply to your inquiry regarding information we plan to present to the Commission at their September 8, 1988 meeting, I believe we will present the following:

1. The members of the School Board of the Oelrichs School District and it's administration are well aware of the possible hazard presented by using the water from the "old" Oelrichs City well on the football field. Thanks to the Commission's staff and the information provided to us by that staff.
 - a. Our main concern is the lack of natural water (rain fall and snow melt) and the hazard the resulting hard ground surface presents to the physical health and well-being of our student athletes. We had seeded the field at least twice in the past several years with a combination of Rye and Crested Wheat Grass and left it to natural water sources to produce a covering turf. The seeding had been accomplished by drilling.
 - b. The result was that due to the lack of sufficient rain fall and snow melt, the grass seed did germinate and grow but did not stool out. We had, in the end, only growth from the original seeding in the drill rows. Over a period of years of use and weather, the area between the drill rows eroded in many places and left a very uneven playing surface. This surface caused a great many sprained ankles and knees in our athletes.
 - c. In the spring of 1986, we tilled the field with a chisel plow and disk to eradicate the old grass growth and level the field surface. We then seeded the field with a mixture of Fairway Crested and Blue Gramma Grass seed by sowing to obtain an even stand and cover, but again lacked sufficient natural moisture to maintain adequate growth. Therefore, we did not use the field during the 1986 fall football season.
 - d. During the winter and spring of 1986-87, the school district entered negotiations with the City of Oelrichs in an attempt to obtain water for the field from the city's system. But because of the alleged tenuous nature of the well used by the city to provide water for the residence of Oelrichs, it was deemed impossible for the City Council to commit the amount of water we would need for our football field watering purposes.

The City Council volunteered to the school district, the use of their old unused well (a well constructed by the WPA), which the city no longer pumped into their system because of the high bacteria content of the water.

The City Council would allow us to use this well to water the football field provided the school district installed the necessary pipe and paid the cost of pumping. The School Board decided that this was the best method which was available to provide the needed water for the field.

2. The school district's application of September 18, 1987 for a permit to appropriate water from the above said well for the purpose of maintaining a viable stand of grass on the football field was denied by the Commission's staff on the basis of non-compatibility between the water of the well and the soil of the field.
 - a. The rationale of the Commission's staff for the denial was the high salt and sodium salt content of the water produced by the well.
 - b. In the opinion of the Commission's staff, continued use of said water would possibly destroy the ability of the soil of the field to support grass.
3. Representatives of the school district have been unable to appear at an appeal hearing with the Commission prior to this date due to circumstances beyond our control. We had planned to appeal last spring but could not complete the arrangement to attend the meeting.
4. We did water the football field last fall (1987) using the "old city" well. We did use the football field for the final three games of the 1987 football season following and during the period in which we were applying water.
 - a. In watering our "newly" (a relative term) seeded field, we applied approximately 240,000 gallons of water over a four week period or about 3.76 gallons per square foot of field surface. The football field has an area of 65,340 square feet or 1.5 acres.
 - b. We decided to revert to the new field because the "old" field we had used in the 1986 and part of the 1987 football season has a turf consisting of Buffalo Grass. Since this type of grass lacks durability and is unable to withstand the heavy traffic of football practice and games, we had a worn out and very dusty field with many rough spots in it. Officials who refereed our games informed us that we were open to potential forfeiture to visiting teams if those teams were to protest because of playing field conditions.

- c. The use of the "newly" seeded and watered field was very satisfactory in all respects. The growth of the grass was excellent and the use of the field did not prove detrimental to the stand.
5. The school district would like to continue to use this source of water for the football field to accomplish our aim of providing an improved playing surface for our team which in turn creates less physical health hazard in regard to potential injury to our players and their opponents.
- a. The school district does have a concern for the land and the predicted result of years of continued use of this type of water on the field.
 - b. The school district plans to closely monitor the field for ill effects from the use of the water to include yearly soil testing utilizing the facilities of the Soil Laboratory at South Dakota State University in Brookings. This has already been done for the past two years.
 - i. Our first soil test conducted in May of 1986 indicated a soluble salt level of .7 mmho/cm and no sodium.
 - ii. A second soil test was conducted in April of 1988 after watering the field in the fall of 1987. This test result indicated that the soluble salt level had risen to 1.7 mmho/cm and there was still no sodium found.
 - c. In the future, provided we are permitted to continue the use of the well to water the field, we shall continue to monitor the status of the soil by testing each year and if ill effects become evident, the following will be done:
 - i. A gravel filled sub-soil ditch system will be installed on the football field. The field will then be top-dressed with gypsum and watered to provide flow-through action to alleviate the salt and sodium build-up in the soil. According to Dr. Greg Carlson, Agronomist with the Plant Science Department of South Dakota State University, the process would require approximately two tons of gypsum per acre.
 - ii. If the plan outlined in the above paragraph is not feasible, economically or otherwise, the application of water to the field will be halted to prevent further ill effects and/or deterioration of the soil. Gypsum will be applied and plowed down to assist in the correction of the accumulation of salt and sodium.

Mr. Jim Stukel - Page 4

We believe what we are proposing indicates that we plan to provide positive monitoring and supervision of the watering of the football field and any resulting effects on the soil. The surface provided by the improved turf cover has already shown an improvement in the physical health of our football players and their opponents by decreasing impressively the number of sprained ankles and knees we have experienced.

If you have questions about any of the above or feel you need additional information, do not hesitate to write or call me.

Sincerely,

A handwritten signature in cursive script that reads "Jerry J. Hills". The signature is fluid and stylized, with the first letters of each word being capitalized and prominent.

Jerry J. Hills
Superintendent

Conversation or File Documentation

NAME OF PERSON OR FILE: Oelrichs School DistrictADDRESS: PO Box 65, Oelrichs SD 57763 COUNTY Fall RiverDATE: October 14, 1988 TELEPHONE _____RE: Pumping rate for Application No. 2064-2

COMMENTS:

Called the Oelrichs School District to determine the pump rate from the well to the football field. Jerry Hills, Superintendent, returned the call and stated that between September and October 8, 240,000 gallons had been pumped over a 230 hour period. The pumping rate is 20 gpm.

This pumping rate exceeds 1 cfs / 70 acres

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: Don Small

RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2064-2, Oelrichs School District 23-2

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 2064-2, Oelrichs School District 23-3, PO Box 65, Oelrichs SD.

The Chief Engineer is recommending APPROVAL of Application No. 2064-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. That the statutory limit of 1.0 cubic foot per second per 70 acres may not be exceeded when pumping pursuant to Permit No. 2064-2, unless the time of each water application is reduced to a corresponding equivalent time period and the total amount of water applied does not exceed 24 inches per year.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

See the attached report for additional information.



JOHN HATCH, Chief Engineer
November 10, 1988

REPORT ON PERMIT APPLICATION No.2064-2
OELRICHS SCHOOL DISTRICT
November 10, 1988

Application No. 2064-2 proposes to appropriate 0.05 cubic feet of water per second from one well 30 feet deep located in the NE1/4 SE1/4 Sec.13,T10S-R7E, to irrigate a 1.5 acre football field located in the NW1/4 SE1/4 Sec.13,T10S-R7E.

Aquifer: Quaternary Alluvium (ALQ)

Geology and Aquifer Characteristics:

There is no well log available for the well to be used to supply this permit. A review of the domestic well log files (Division of Water Rights,1988), Water Permit files (Division of Water Rights,1988), and the areal geology, (Darton,1902), suggest the well is completed in the alluvium restricted to the narrow stream channel along Horsehead Creek, (see enclosed map). The alluvium is under water table conditions, and at this site the static water level is approximately 21 feet below ground surface. Well logs from the area indicate the alluvium is approximately 5 feet thick in this area and is overlain by 20 to 30 feet of colluvium consisting primarily of clay. There is no aquifer test data from this aquifer, and water producing potential of this aquifer is not well documented; however, the applicant indicates this well is capable of producing 20 gallons per minute. Recharge to this aquifer is accomplished through infiltration of precipitation falling directly on the surface of the alluvium, and possibly through streamflow when the stage elevation of the creek is higher than the static water level of the aquifer. Recharge rates have not been quantified for this aquifer. The Division of Water Rights does not monitor any observation wells in this aquifer.

Review of Existing Water Rights:

There is one existing Water Permit in the vicinity of this proposed well site. The permit is No. 1690-2, Town of Oelrichs. The permit authorizes diversion of 2.0 cfs from a well 50 feet deep located in the SE1/4 Sec.13,T10S-R7E. The Division of Water Rights has record of several domestic wells in the area which obtain water from the same source.

Discussion:

Pursuant to SDCL 46-5-6, the diversion rate of an irrigation permit can not exceed 1.0 cfs per 70 acres. Statute limits the diversion rate for this application to 0.0214 cfs based on the 1.5 acres. However, SDCL 46-5-6 allows that "the Water

Management Board may allow a greater diversion where the method of irrigation stipulated in the permit or the type of soil to which the water is to be applied so requires except that in no case may the diversion be greater than three acre-feet per acre delivered to the land.

A Soil/Water Compatibility Permit has been approved for this application of water with requirements. Included is the requirement: "The application of water be in amounts which will enhance the leaching process, more than 2 inches per application."

Conclusions:

1. The alluvium along Horsehead Creek is a viable aquifer and there is a reasonable probability that unappropriated water is available for this appropriation.
2. The proposed diversion rate is small (20 gpm), and should not adversely effect adequate wells in this water table aquifer.
3. The statutory limit of 1.0 cfs per 70 acres may not be exceeded when pumping pursuant to Permit No. 2064-2, unless the time of each water application is reduced to a corresponding equivalent time period and the total amount of water applied does not exceed 24 inches per year.



KEN BUHLER
Natural Resources Engineer

References:

Darton, N.H., 1902, Geological Atlas of the United States, "Oelrichs Folio, South Dakota - Nebraska, No. 85", United States Geological Survey, Washington DC.

Division of Water Rights, 1988, "Domestic Well Log and Water Permit Files", DWNR - Division of Water Rights, Joe Foss Building, Pierre SD



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Decmeber 15, 1988

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

Jerry J Hills, Supt.
Oelrichs School District
PO Box 65
Oelrichs SD 57763

Dear Mr. Hills:

Your Application No. 2064-2 for a permit to appropriate water for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of your intent to appropriate water has been sent to the Publisher of the Hot Springs Star printed at Hot Springs SD. For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

December 15, 1988

Hot Springs Star
Box 1000
Hot Springs SD 57747

Dear Sir:

Enclosed is a Notice of Hearing on Application No. 2064-2 to be published twice. Please publish the first notice on or before December 21, 1988 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is the Oelrichs School District, PO Box 65, Oelrichs SD 57763.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

FIRST TRANSMITTAL NOTICE
No. _____

TO: Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to
Appropriate Water by Application No. _____ which was first published in our issue
of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper



Instruction to Newspaper - Publish first Notice on or before December 21, 1988 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 2064-2 to Appropriate Water

Notice is given that the Oelrichs School District, PO Box 65, Oelrichs, SD 57763, has filed an application for a water permit to appropriate 0.05 cubic feet of water per second from one well 30 feet deep located in the NE 1/4 SE 1/4 to irrigate a 1.5 acre football field located in the NW 1/4 SE 1/4; all in Section 13, T10S, R7E.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 2064-2 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board at the Crossroads Hotel, Salon 1, 100 4th St SW, Huron SD on January 25, 1989 at 10:30 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by January 13, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped. If there are any petitions in opposition to Application No. 2064-2, the hearing will be delayed until the regular March 1, 1989 Board meeting. The meeting January 25, 1989 is a special Board meeting.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by January 13, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Fall River) ss.

I, Christopher N. Spencer hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Hot Springs Star

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City Hot Springs of _____

County of Fall River and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

December 20, 1988

December 27, 1988

Christopher N. Spencer
(Signature)

Publisher
(Title)

December 27, 1988
(Date Signed)

Cost of Printing: 34.13



369
NOTICE OF HEARING
on Application No. 2064-2
to Appropriate Water

Notice is given that the Oelrichs School District, PO Box 65, Oelrichs, SD 57763, has filed an application for a water permit to appropriate 0.05 cubic feet of water per second from one well 30 feet deep located in the NE 1/4 SE 1/4 to irrigate a 1.5 acre football field located in the NW 1/4 SE 1/4; all in Section 13, T10S, R7E.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends APPROVAL of Application No. 2064-2 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water and 4) it is in the public interest. This application will be considered by the Water Management Board at the Crossroads Hotel, Salon 1, 100 4th St SW, Huron SD on January 25, 1989 at 10:30 a.m. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by January 13, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped. If there are any petitions in opposition to Application No. 2064-2, the hearing will be delayed until the regular March 1, 1989 Board meeting. The meeting January 25, 1989 is a special Board meeting.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by January 13, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

Dec. 20, 27



Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

MAR 10 1989

Oelrichs School District 23-3
Jerry Hill, Superintendent
PO Box 65
Oelrichs SD 57763

Dear Mr. Hills:

Enclosed is your Water Permit No. 2064-2 as approved by the Water Management Board authorizing construction of the water system and the application of water to beneficial use, not exceeding the limits as specified in the Water Permit.

We will schedule an inspection so that the Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

JH:ks

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

November 17, 1995

2064-2

Michael Corson, Groundskeeper
Oelrichs School District
P.O. Box 65
Oelrichs, SD 57763

Dear Mr. Corson:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 2064-2, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

RECEIPT

414683

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ November 28, 19 95

RECEIVED OF Oelrichs High School, Oelrichs, SD 57763

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2064-2</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	50 00

By John Hatch 
Chief Engineer

Permit No. 2064-2
Upper Cheyenne - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Water Rights Program, DENR, Foss Bldg., Pierre, SD 57501

I have this day, 8/16/1995, made a thorough examination of the water use system owned by Oelrichs School District of PO Box 65, Oelrichs, SD 57763 holder of Permit No. 2064-2, bearing the priority of September 15, 1988, authorizing the diversion of 0.05 cu. ft. per second of the waters of groundwater for irrigation purposes, in Fall River County.

I have to report on the conditions of the same as follows:

- A. Works used to divert the water:
A submersible pump, 20 gallons per minute capacity.
A submersible motor, 1 1/2 horse power.
- B. Works used to transport water to place of use:
600 feet of 1 1/4 inch black plastic.
- C. Works used to apply water to beneficial use:
Sprinkler heads 5/16 inch diameter.

The system is in the following condition Good. The point of diversion is located about 700 feet west, 1600 feet north from the southeast corner of Section 13, T10S-R7E (NE1/4 SE1/4). The works are capable of diverting and conveying to the place of use 0.044 cu. ft. per second of water which is used for irrigation of the football field. Water has been put to beneficial use to the maximum extent as follows: All in Section 13, T10S-R7E

NW1/4 SE1/4 1.5 acres

comprising a total of 1.5 acres of land and the license should be issued for 0.044** cfs.

Applicable permit qualifications have been complied with: Yes ☒ No ☐

Exceptions to compliance are: **None** Date Report Completed: **10/12/1995**

****Permit qualification allows for a greater diversion rate than the statutory limitation of 1.0 cfs for irrigation of each 70 acres.**



M. Rassoool Ahadi
Natural Resources Engineer
DENR, Water Rights Program

REPORT ON INSPECTION OF PERMIT NO. 2064-2

DATE OF INSPECTION: 8/16/1995

NAME & ADDRESS OF INSPECTION CONTACT/ Michael Corson, PO Box 65, Oelrichs, SD 57763
RELATIONSHIP TO PERMIT HOLDER, IF APPLICABLE: Groundskeeper

NAME & ADDRESS OF PERMIT HOLDER: Oelrichs School District, Same Address

DIVERSION POINT LEGAL LOCATION: NE1/4 SE1/4 Section 13, T10S-R7E

WELL INFORMATION:

- 1) Well Drilling Firm: **Unknown**
- 2) No. of Wells **1**
- 3) Depth(s) **31** feet
- 4) Well log is available **Y**

Casing:

- 1) Diameter **20** feet
- 2) Length **31** feet
- 3) Type **Rock and Mortar**

Screen: None

- 1) Type
- 2) Length feet
- 3) Static water level 22 feet

Pump:

- 1) Make **Water Ace**
- 2) Model
- 3) Size **4** inch
- 4) Capacity **20** GPM

Motor:

- 1) Make **Water Ace**
- 2) Model No.
- 3) Horsepower rating **1 1/2** hp

DISTRIBUTION LINES OR CANALS:

- 1) Type **Black Plastic**
- 2) Size **1 1/4** inches
- 3) Length **600** feet

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Soil and water permit lands agree with lands being irrigated and lands listed on permit Y
- 2) Special qualifications to permit being abided by Y
- 3) All structures, wells and lands on map Y
- 4) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2064-2

(1) Oelrichs School District, PO Box 65, Oelrichs SD 57763 made Application No. 2064-2, September 21, 1987 for a water permit to divert 0.05 cubic feet of water per second from groundwater (one well), Fall River County, South Dakota for irrigation purposes. Permit No. 2064-2, with a priority date of September 15, 1988 was approved January 25, 1989 and issued to the applicant for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 0.044 cubic feet of water per second for beneficial use. The location of the diversion point is 700 feet west and 1600 feet north from the southeast corner of Section 13-T10S-R7E (NE 1/4 SE 1/4).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land: 1.5 acres located in the NW 1/4 SE 1/4 Section 13-T10S-R7E.

(4) Pursuant to South Dakota Water Law 46-5-30.1 Oelrichs School District, PO Box 65, Oelrichs SD 57763 the holder and/or owner of Water Permit No. 2064-2 is issued a license to appropriate water, the right to use 0.044 cubic feet of water per second from groundwater (one well) with a priority date of September 15, 1988 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation of the football field. This license is subject to any limitations or qualifications listed in Water Permit No. 2064-2 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

APR 4 1996

date





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

APR 4 1996

2064-2

Jerry J. Hills, Supt.
Oelrichs School District
P.O. Box 65
Oelrichs, SD 57763

Dear Mr. Hills:

Enclosed is Water License No. 2064-2. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 414683 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 2064-2, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

rd
enclosures



2064-2

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: OELRICHS SCHOOL DISTRICT 23-3, MARLA PETERS, BUSINESS MGR, PO BOX 65,
OELRICHS, SD 57763 0065

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2064-2. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2064-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2064-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2067-2

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7541 4005

Your item was delivered at 10:12 am on January 21, 2003 in OELRICHS, SD 57763. The item was signed for by S HAMILTON.

[Shipment History >](#)[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7541 4005

OELRICHS SCHOOL DISTRICT 23-3
MARLA PETERS, BUSINESS MGR
PO BOX 65
OELRICHS SD 57763 0065

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

(See Reverse)

PS Form 153, February 2001



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 27, 2003

2064-2

Darcy Popescu, Business Manager
Oelrichs School District 23-3
PO Box 65
Oelrichs SD 57763-0065

Dear Ms. Popescu:

I am writing to acknowledge receipt of your 2002 irrigation questionnaire. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right No. 2064-2.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352




330 000 FEET

1 225 000 FEET

R 7 E R 8 E

(Joins sheet 64)

T. 10 S.



Scale: 1:24000

William H. Booy
 Division of Water Rights
 2064-2



2064-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: OELRICHS SCHOOL DISTRICT 23-3, KAREN MEYER, BUSINESS MGR, PO BOX 65,
OELRICHS, SD 57763 0065

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2064-2. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2064-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2064-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 31, 2017

2064-2

Karen Meyer, Business Manager
Oelrichs School District 23-3
PO Box 65
Oelrichs SD 57763 0065

Dear Ms. Meyer:

I am writing to acknowledge receipt of the 2016 irrigation questionnaire for the school district.

You may disregard the January 20, 2017, "Notice" concerning reporting requirements for Water Right No. 2064-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2064-2
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: OELRICHS SCHOOL DISTRICT 23-3, KAREN MEYER, BUSINESS MGR, PO BOX 65,
OELRICHS, SD 57763 0065

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2064-2. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2064-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2064-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 16, 2018

2064-2

Beverly Kelly
Oelrichs School District 23-3
PO Box 65
Oelrichs SD 57763-0065

Dear Ms. Kelly:

I am writing to acknowledge receipt of the 2017 irrigation questionnaire for the school district.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right No. 2064-2. The information was received in our office prior to the Water Management Board meeting and the issue has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

2064-2



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: OELRICHS SCHOOL DISTRICT 23-3, BEVERLY KELLY, PO BOX 65, OELRICHS, SD 57763 0065

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2064-2. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2064-2 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2064-2 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: VNUJEV**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 21, 2023

2064-2

Mitchell Stone
Oelrichs School District 23-3
PO Box 65
Oelrichs SD 57763-0065

Dear Mr. Stone:

I am writing to acknowledge receipt of your 2022 irrigation questionnaire.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right No. 2064-2. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us