

Considered: _____

WATER PERMIT NO. 2101-2

HAP No. same 685-6911

Name of Applicant Cedar Creek Sportsmen c/o Chester Christensen

Post Office Address Box 363 Martin, SD 57551

Amount of Water Claimed 84 ac-ft Total Acres NA

Source of Water Supply Dam on Cedar Creek Springs

Water to be used for recreation County Bennett

About 11 miles SE of Martin

PROOF OF PUBLICATION: Received _____ Not Received _____

APPLICATION: Approved _____ Subject to _____

F.F. & C.L. Adopted _____ Not Approved _____ Deferred _____

PRIORITY _____ Date Received Sept 18, 1989 Fee \$150⁰⁰ Remarks Appl to replace washed out Dam


Corrected Application Received Sept 25, 1989 Period of Annual Use Jan 1 - Dec 31

WATER QUALITY APPROVAL RECEIVED NA APPROVED/CONDITIONAL (Circle one)

WI-1 Description same as Application YES _____ NO _____ REMARKS _____

Diversion Point NW¹/₄ NW¹/₄ Sec 36 - T36N - R37W

Land to be Irrigated NA



Well Log: Driller NA Licensed YES _____ NO _____

Depth of Well _____ REMARKS _____


Type of Map Soils PREPARED BY Earl L. Simmons Reviewed and the Number assigned on Sept 26, 1989 By Susan Bower

No. 2101-2 Hydrologic Unit 10140203
Map No. same Basin White River
Newspaper Bennett Co. Booster 11 Oct 310 Martin 51551
(Wed)

Application For Permit To Appropriate Water Within The State Of South Dakota

Check use of water: Industrial ☐ Commercial ☐ Municipal ☐ Other Common Distribution System ☐
Rural Water System ☐ Suburban Housing ☐ Geothermal Heat ☐ Institutional ☐ Recreational ☒
Domestic ☐ (above 18gpm) Other ☐

Type of Application: Check one or more of the following



New ☒ Vested Right ☐ Future Use ☐ Change Use ☐

☐ Amend Permit No. _____ with old priority date retained

Change diversion point(s) ☐ Add diversion point(s) ☐ Other ☐ _____

☐ Application to: Change diversion point(s) ☐ Add diversion point(s) ☐ on Permit No. _____

☐ Construction to use water reserved by Future Use Permit No. _____

1. Name of Applicant Cedar Creek Sportsmen Phone No. 605-685-6911

Post Office Address Box 363 Martin State SD DAK. 57551
(Street, RR or Box) (City) Zip Code

2. Amount of water claimed (c.f.s) 84 acre-feet

3. Source of water supply Cedar Creek Springs - dam

4. Location of point of diversion Dam Located in S 1/2, NW 1/4, NW 1/4 sec 36
T36N R37W

County Bennett

5. Counties where water will be used Bennett Co.

6. Annual period during which water is to be used year around January 1 - December 31

7. Give a brief description of proposed project. When available include any preliminary engineering report or other reports or information that will help explain the project. (Attach sheet if more space is needed)

The project was proposed to replace a washed out dam to restore a trout fishing pond on private land for public recreation.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map (see instruction)

STATE OF SOUTH DAKOTA)
County of Bennett) ss

I, Chester Christensen for Cedar Creek Sportsmen the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Signed Chester Christensen for Cedar Creek Sportsmen

Subscribed and sworn to before me this 14 day of Sept 19 89

Les E. Davis
Notary Public

Supplemental Information

(type or print in ink)

1. Well Information - Proposed construction

- a) Drill Hole Diameter _____ Depth _____
- b) Casing Type _____ Diameter _____ Thickness _____
- c) Screen Type _____ Diameter _____ Thickness _____
- d) Gravel Pack Thickness _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) _____
- g) Distance to nearest existing domestic well:
- On applicants property _____ On property owned by others _____

2. Dugout Information Estimates


- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below. The locations of each dam should be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam please give their name and address

none



- b) Freeboard 5 ft
- c) Crest Width 16 ft
Crest Length 200 ft.
- d) Height 21 ft
- e) Primary Outlet Capacity _____
If Pipe, diameter 30"
- f) Secondary Spillway Capacity _____
Spillway width 16 ft x 8 ft deep
- g) X & Y Slope
Upstream 4.6-1
Downstream 4-1
- Surface Area of Impoundment 9.14
- Storage 84 acre ft. Est. acre feet
- Drainage area above dam 350 acres Est.

Christie Christensen for Cedar Creek Sportmen
Signature of Applicant

SOUTH DAKOTA
WATER PERMIT No. 2101-2

Date of first receipt of application September 18, 1989.

Date of return to applicant for corrections, amendments or changes September 19, 1989.

Date of receipt of corrected application September 25, 1989.


The Water Management Board approved Water Permit Application No. 2101-2 on March 7, 1990 for Cedar Creek Sportsmen, Box 363, Martin, SD 57551 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 2101-2 to impound 84 acre-feet of water in one storage dam located in the NW1/4 NW1/4 of Section 36-T36N-R37W.
2. The water appropriated shall be used for the purpose of creating an impoundment and may not exceed the amount of water needed for beneficial use for recreational purposes.
3. The water is to be used during the following described annual period: January 1 - December 31.
4. The date from which applicant may claim right is September 18, 1989.
5. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

- 1) Low flows as needed for downstream domestic use, including livestock water and prior water rights must be by-passed.
- 2) Approval of this Permit authorizes storage of up to 84 acre-feet of water annually.

WATER MANAGEMENT BOARD

By: 
Chief Engineer, Water Rights Division
Department of Water and Natural Resources

MAY 8 1990

(date)

RECEIPT

411915

Division of Water Rights

South Dakota Department of Water and Natural Resources

Pierre, September 18, 19 89

RECEIVED OF Cedar Creek Sportsman, Box 333, Martin SD

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>2102-2</u> to Appropriate Water, to construct works and to put water to beneficial use	150	00
Fee for Application for Permit No. _____ to Appropriate Water for Future Use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	150 00

By

Chief Engineer

JOHN HATCH

ks

Located 50 Rods South
and 40 Rods East of the
NW corner of Section 36,
T 36 N, R 37 W in Bennett
County, South Dakota

Earl L Simmons
Soil Cons. Tech
Soil Conservation Service



Conversation or File Documentation

NAME OF PERSON OR FILE: Cedar Creek Dam

ADDRESS: _____ COUNTY _____

DATE: August 29, 1989 TELEPHONE _____

RE: _____

COMMENTS:



I talked to Chester Christensen from the Cedar Creek Sportsmans Club about the Cedar Creek Dam. He thought that everything was ok once they got approval (March 29, 1989 letter from Bob Hanten, \$5000 from Cons. Parts) from G.F.P. Burns Construction from Martin (did Allan Dam also) did the work. Sportsman Club has lease from land owner (John Slattery). R.H. Kraft (Refuge Manager) drew up plans, local SES man did some work also on his own capacity. Also talked to Tom Beck, G.F.P. Conservation officer. Looked at the dam, and talked to them about seepage around pipe. They said they were aware of it and planned to tighten the collar. They said they used 4-8 ft. cut off collars.

I also looked at the downstream area for Preliminary Risk Assessment purposes and Cedar Creek Dam will be classified a Cat. 3 (Low Hazard) dam.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

8/24/89

Cedar Creek Dam



Approx. 1.5' between
primary & secondary
spillway

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

September 5, 1989

Chester Christensen
Cedar Creek Sportsman Club
Box 363
Martin, SD 57551


Dear Mr. Christensen:

This letter is a follow up to the conversation you had with Tim Schaal of this office on August 24, 1989 concerning the Cedar Creek Dam.

Enclosed please find application forms and instruction sheet to apply for a Non-Irrigation Water Permit. Also enclosed is a copy of our Safety of Dams Rules, Chapter 74:02:08. Any dam which impounds more than 25 acre-feet of water needs a water permit, any dam which is 25 feet high or impounds more than 50 acre-feet of water must also meet the requirements in our Safety of Dams Rules.

If you have any questions, please let us know.

Sincerely,



Gale N. Selken, P.E.
Hydrologist
for John Hatch, Chief Engineer
Water Rights Division
605 773-3352

enclosure

cc: George Vandel, Department of Game, Fish and Parks





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

September 6, 1989

George Vandel
Department of Game, Fish and Parks
Anderson Building
Pierre, SD 57501

Dear Mr. Vandel:

Enclosed is a copy of the letter we sent to the Cedar Creek Sportsman Club concerning the Cedar Creek Dam located in Section 36-T36N-R37W in Bennett County.

We were informed by Club members that the Department of Game, Fish and Parks will be providing funding for the project through the Conservation Partners Program. It appears that we have another situation similar to the Picton Dam in Edmunds County. We would appreciate the Department of Game, Fish and Parks telling these groups that they need to have the appropriate permits before they construct their dams.

If you have any questions, please contact us.

Sincerely,

Gale N. Selken, P.E.
Hydrologist
for John Hatch, Chief Engineer
Water Rights Division

enclosure

cc: Floyd Matthew, Secretary, DWNR
Richard Beringson, Secretary, GF&P
Ron Koth, GF&P



SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

September 19, 1989

Cedar Creek Sportsmen
c/o Chester Christensen
Box 363
Martin, SD 57551

Dear Mr. Christensen:

This letter is in reference to the water permit application received from you yesterday.

The application is not complete for the following reason(s):

- (1) The enclosed map does not contain the proper signature. It needs to be signed by either a South Dakota Registered Professional Engineer, a South Dakota Licensed Land Surveyor, or by a government employee who normally prepares maps as part of their duties (see enclosed instruction sheet).

The Water Management Board cannot consider a water permit application until it is complete. Please submit a map with the proper signature to begin processing of your water permit application.

Feel free to contact us if you have any questions.

Sincerely,


Susan A. Bowar

Susan A. Bowar
Natural Resources Engineer
Water Rights Division
(605) 773-3352


enclosures



MARTIN SPORTSMANS CLUB DAM



SEC A-A




DRAWN BY L. ENGBRECHT 1-15-90

$$\begin{aligned}
 SI &= 10.20 & Q_{25} &= 59 \text{ cfs} \\
 DA &= 0.55 & Q_{50} &= 81 \text{ cfs} \\
 \text{Slope/mile} &= 45 & Q_{100} &= 109 \text{ cfs}
 \end{aligned}$$

30" CMP Primary Spillway w/ Buried Outlet
Assume full pipe flow will open outlet

$$\begin{aligned}
 Q &= a \sqrt{\frac{2.54}{1 + K_m + K_p L}} \\
 &= 4.91 \sqrt{\frac{2(32.2)(25)}{1 + 1 + 0.0714(850)}} = \underline{76 \text{ cfs}}
 \end{aligned}$$

16 ft Secondary Spillway - Assume $S = 0.002$
 $n = 0.030$



$$\begin{aligned}
 \text{Area} &= 80.5 \\
 w_p &= 31.60 \\
 R &= 2.55
 \end{aligned}$$

$$\begin{aligned}
 Q &= \frac{1.49}{n} A R^{2/3} S^{1/2} \\
 &= \frac{1.49}{0.03} (80.5) (2.55)^{2/3} (0.002)^{1/2} \\
 &= \underline{300 \text{ cfs}} \leftarrow \text{Conservatively Low}
 \end{aligned}$$

Broad Crested W/W

$$\begin{aligned}
 Q &= CLH^{3/2} \\
 &= (2.9)(23)(3.5)^{3/2} \\
 &= \underline{450 \text{ cfs}}
 \end{aligned}$$

$$\text{Total } Q = \underline{376 \text{ cfs}}$$

74:02:08:07.0' If Max Storage x Eff Height < 3000 then
25 year frequency is OK

$$84 \times 21.50 = 1806 < 3000 \therefore \underline{\underline{25 \text{ year flood}}}$$

RUN
Hello, this program estimates peak discharges and runoff volumes for 2, 5, 10, 25, 50, and 100 year floods based upon equations specified in USGS publication: Techniques for Estimating Flood Peaks Volumes, and Hydrographs on Small Streams, September 1980, Water Resources Investigations 80-80. Input data needed to run this program are: drainage basin size (sq. mi.), soil infiltration index (see Figure 13 in publication), and main channel slope in feet per mile.

WHAT IS THE DRAINAGE BASIN NAME?
? CEDAR CREEK DAM
ENTER THE DRAINAGE BASIN AREA (SQ. MI.)
? 0.55
ENTER THE SOIL INFILTRATION INDEX FROM FIGURE 13
? 10.2
DO YOU WISH TO DETERMINE THE PEAK DISCHARGE? (Y/N)
? Y
ENTER SLOPE ALONG MAIN CHANNEL (FT/MILE)
? 45

THE ESTIMATED PEAK DISCHARGE FOR 2, 5, 10, 25, 50, AND 100 YEAR FLOODS FOR CEDAR CREEK DAM DRAINAGE ARE:

Q2 = 5.743115 CFS
Q5 = 17.93959 CFS
Q10 = 33.09636 CFS
Q25 = 58.42586 CFS
Q50 = 81.23552 CFS
Q100 = 108.7741 CFS

THE ESTIMATED RUNOFF VOLUME FOR 2, 5, 10, 25, 50, AND 100 YEARS FLOODS FOR CEDAR CREEK DAM DRAINAGE ARE:

V2 = 1.474643 ACRE-FEET
V5 = 2.85023 ACRE-FEET
V10 = 4.145401 ACRE-FEET
V25 = 6.410663 ACRE-FEET
V50 = 8.719932 ACRE-FEET
V100 = 11.67833 ACRE-FEET

THE ACCURACY OF THE ESTIMATED PEAK DISCHARGES AND RUNOFF VOLUMES ARE SUBJECT TO THE LIMITATIONS AS SPECIFIED IN THE ABOVE USGS PUBLICATION

Peak-discharge relation	Standard error of estimate (%)	Runoff volume relation	Standard error of estimate (%)
	Average Range		Average Range
Q2	106 (+152, -60)	V2	96 (+136, -58)
Q10	90 (+124, -55)	V10	92 (+128, -56)
Q25	90 (+125, -56)	V25	90 (+125, -56)
Q50	93 (+130, -56)	V50	89 (+123, -55)
Q100	98 (+139, -58)	V100	89 (+123, -55)

DO YOU WISH TO GENERATE A SYNTHETIC HYDROGRAPH FOR CEDAR CREEK DAM DRAINAGE BASIN? (Y/N).

? N
IF YOU WISH TO RUN THIS PROGRAM AGAIN, TYPE RUN.
HAVE A NICE DAY!
OK
SYSTEM

Report on Water Permit Application No. 2101-2
Cedar Creek Sportsmen Club
October 30, 1989

The Cedar Creek Sportsmen Club has filed Water Permit Application No. 2101-2 to impound 84 acre-feet of water in the Cedar Creek Dam located in the NW 1/4 NW 1/4 of Section 36-T36N-R37W in Bennett County.

Discussion

Cedar Creek Dam was originally constructed in 1936 on the LaCreek National Wildlife Refuge. The dam washed out in March 1986 from runoff produced after a spring snowfall. The dam has now been reconstructed approximately 1/4 mile upstream from the old location. It is now located on private land with a lease to the Cedar Creek Sportsmen Club. Cedar Creek Dam is used for recreational purposes and is stocked with fish by the Department of Game, Fish and Parks. The Club received money from the Department of Game, Fish and Parks through their Conservation Partners Program to rebuild the dam.


Cedar Creek Dam is classified as a Small Size, Category 3 Low Hazard Dam. Failure of Cedar Creek Dam would result in the flood waters spreading out into the marshes of the LaCreek National Wildlife Refuge. According to the Safety of Dams Rules, Chapter 74:02:08 Cedar Creek Dam is required to have the spillway capacity to pass a 25 year frequency event without overtopping the embankment.

Cedar Creek Dam is located in an area where the Nebraska Sandhills extend into South Dakota. It is spring fed and has a drainage area of approximately 350 acres or 0.55 square miles. A 25 year frequency event in this area produces a peak runoff of only 60 cfs, a 100 year frequency event produces a peak runoff of 110 cfs. Cedar Creek Dam is constructed with a 30 inch drop inlet primary spillway structure and a 16 foot wide secondary spillway with a combined spillway capacity of 376 cfs.

Conclusion

Water Permit Application No. 2101-2 was submitted after the reconstruction of Cedar Creek Dam and plans and specifications are not available. Section 74:02:08:09 of the Safety of Dams Rules state that construction of a new dam may not begin until plans and specifications have been approved by the Chief Engineer and a water permit to construct the dam has been approved by the Water Management Board.


Since Cedar Creek Dam is constructed in the Sandhills area, there is some question on the structural integrity of Cedar Creek Dam; however, Cedar Creek Dam exceeds the minimum spillway design flood requirements and the primary spillway drop inlet structure is constructed with cutoff collars. The Cedar Creek Sportsmen Club is asking for approval of Water Permit Application No. 2101-2 without submittal of plans and specifications as required by the Safety of Dams rules, Chapter 74:02:08.

A handwritten signature in cursive script, reading "Timothy G. Schaal". The signature is written in dark ink and is positioned above the printed name and title.

Timothy G. Schaal, P.E.
Water Resources Engineer

LOCATION MAP

APPLICATION NO. 2101-2




RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2101-2, Cedar Creek Sportsmen

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 2101-2, Cedar Creek Sportsmen, c/o Chester Christensen, Box 363, Martin SD.

The Chief Engineer is recommending DEFERRAL of Application No. 2101-2 to the Water Management Board for a decision.

See the attached report for additional information.


JOHN HATCH, Chief Engineer
October 31, 1989


RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2101-2, Cedar Creek Sportsmen

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 2101-2, Cedar Creek Sportsmen, c/o Chester Christensen, Box 363, Martin SD.

The Chief Engineer is recommending APPROVAL of Application No. 2101-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualifications:

1. Low flows as needed for downstream domestic use, including livestock water and prior water rights must be by-passed.
2. Approval of this Permit authorizes storage of up to 84 acre feet of water annually.

See the attached report for additional information.



JOHN HATCH, Chief Engineer
February 7, 1990



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

November 1, 1989

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.**

Chester Christensen
Cedar Creek Sportsmen
Box 363
Martin, SD 57551

Dear Mr. Christensen:

Water Permit Application No. 2101-2 for recreational use has been received by the Water Rights Division and a notice of hearing has been sent to the Publisher of the Bennett Co. Booster II printed at Martin SD. For your information, a copy of the notice is enclosed. Copies of the report and the Chief Engineer's recommendation are also enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Intent to Appropriate Water and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. We must receive Proof of Publication before the application can be considered by the Water Management Board.

Sincerely,

A handwritten signature in dark ink, appearing to read "Ron Duvall". The signature is fluid and cursive, with a large initial "R" and "D".

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

November 1, 1989

Bennett Co. Booster II
Box 340
Martin, SD 57551

ATTN: Legal Department

Enclosed is a Notice of Hearing on Application No. 2101-2 to be published twice. Please publish the first notice on or before November 8, 1989 with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED, before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Cedar Creek Sportsmen, c/o Chester Christensen, Box 363, Martin, SD 57551.

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. The permit application cannot be considered by the Water Management Board until proof of publication has been received.

Sincerely,

Ron Duvall
Natural Resources Engineer
605 773-3352

enclosures

FIRST TRANSMITTAL NOTICE

-----CUT HERE-----

TO: Ron Duvall
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

No. _____

Date _____

We are in receipt of your letter of _____ enclosing Notice of Hearing to Appropriate Water by Application No. _____ which was first published in our issue of _____. ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.

Name

Newspaper



Instruction to Newspaper - Publish first Notice on or before November 8, 1989 with 2nd publication 7 days later. The applicant is responsible for payment.

NOTICE OF HEARING on Application No. 2101-2 to Appropriate Water

Notice is given that Cedar Creek Sportsmen, c/o Chester Christensen, Box 363, Martin, SD 57551 has filed an application for a water permit to impound 84 acre-feet of water in one storage dam located in the NW1/4 NW1/4 Section 36-T36N-R37W. Water is to be used for recreational purposes.

Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends DEFERRAL of Application No. 2101-2 to the Water Management Board for a decision because plans and specifications as described in the Safety of Dams Rules, Chapter 74:02:08 are not available. This application will be considered by the Water Management Board in Room 216, Joe Foss Building, 523 E. Capitol, Pierre, SD on December 6, 1989 at 10:00 am. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and Chief Engineer by November 24, 1989. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)". The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by November 24, 1989.

This application is made pursuant to SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
 County Bennett) ss.

I, Mary E. Long
 certify that the attached printed Notice was taken
 from the Bennett County Booster II

A newspaper which during the whole time of publication of
 said notice herein after stated, has been and is printed and
 published in the _____

City _____ of Martin
 County of Bennett and State of South Dakota;
 that the said notice was published in said newspaper on the
 following two dates:

November 8, 1989

November 15, 1989

Mary E. Long
 (Signature)
Publisher
 (Title)

11/15/89
 (Date Signed)

Cost of Printing: \$35.02

NOTICE OF HEARING on Application No. 2101-2 to Appropriate Water

Notice is given that Cedar Creek Sportsmen, c/o Chester Christensen, Box 363, Martin, SD 57551 has filed an application for a water permit to impound 84 acre-feet of water in one storage dam located in the NW1/4 NW1/4 Section 36-T36N-R37W. Water is to be used for recreational purposes.


Pursuant to SDCL 46-2A-2, the Chief Engineer of the Water Rights Division recommends DEFERRAL of Application No. 2101-2 to the Water Management Board for a decision because plans and specifications as described in the Safety of Dams Rules, Chapter 74:02:08 are not available. This application will be considered by the Water Management Board in Room 216, Joe Foss Building, 523 E. Capitol, Pierre, SD on December 6, 1989 at 10:00 a.m. The Chief Engineer's recommendation is not final or binding upon the Board. The Board is authorized to 1) approve, 2) approve with qualifications, 3) defer or 4) deny this application based on the facts presented at the public hearing.

Any interested person that intends to participate in the hearing before the Board by presenting evidence or cross-examining witnesses according to SDCL 1-26; must file a written petition with BOTH the applicant and Chief Engineer by November 24, 1989. The Chief Engineer's address is: Water Rights Division, Foss Building, 523 E. Capitol, Pierre, SD 57501 (605-773-3352). The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application and the signature and mailing address of the petitioner or legal counsel if legal counsel is obtained. The applicant need not file a petition. Contact the Water Rights Division to request information on this application or to assure access to the hearing by the handicapped.

This hearing is an adversary proceeding. Any person filing a petition and/or the applicant have the right to be represented by a lawyer. These and other due process rights will be forfeited if not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law. The time of the hearing will also be automatically delayed for at least twenty days upon written request to the Chief Engineer from the applicant or a petitioner. The request for a delay must be received by November 24, 1989.

This application is made pursuant to SDCL 46-1-1 through 46-1-12 through 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 through 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 through 46-5-11, 46-5-13 through 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; and Board Rules ARSD 74:02:01 through 74:02:01:15.

21-23





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

December 12, 1989

NOTICE

TO: Chester Christensen
Cedar Creek Sportsmen Club
P.O. Box 363
Martin, SD 57551

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

A handwritten signature in black ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

SUBJECT: Deferral of Water Permit Application No. 2101-2, Cedar
Creek Dam

The Water Management Board held a hearing on December 6, 1989 to consider Water Permit Application No. 2101-2. The Cedar Creek Sportsman Club asked for approval of Water Permit Application No. 2101-2 without submittal of plans and specifications for Cedar Creek Dam as required by the Safety of Dams Rules, Chapter 74:02:08. The Board's decision was to defer action on Water Permit Application No. 2101-2 until an "As Built" plan view of the dam and cross-section showing the pertinent elevations is received and approved by the Division of Water Rights. Please submit the "As Built" plan view no later than February 1, 1990. This work must be accomplished by a South Dakota Registered Professional Engineer or Registered Land Surveyor. Notice will be given when Application No. 2101-2 is rescheduled for hearing.

cc: John Haak, Assistant Attorney General


CERTIFICATION

I hereby certify that on December 12, 1989 I have personally deposited with the U.S. Mail a postage prepaid envelope containing a Notice on Deferral of Water Permit Application No. 2101-2, Cedar Creek Dam addressed as stated on the Notice.

Karen Schlaak
KAREN SCHLAACK
Senior Secretary

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 14th day of December, 1989.



John Bates
Notary Public

To: SD Dept of Water and Natural Resources
Division of Water Quality
Joe Foss Building
Pierre, SD 57501

From: Emmett Kotrba L.S.
Box 65
Gregory, SD 57580

Dear Sirs:

This letter is written to provide the proper documentation for the survey that was completed on 1-13-90 on the Cedar Creek Dam constructed by the Martin Sportsman Club. This dam was surveyed and the accompanying drawing is true and correct representation of the lines and grades that were found to be in place.

I hope that this letter and attached drawing meets with your approval.

Sincerely,




Emmett Kotrba
Registered Land Surveyor

IN WITNESS WHEREOF, I have hereunto set my hand and seal this th 30 day of Jan,
1990.



Emmett Kotrba, Registered Land Surveyor





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 6, 1990

Chester Christensen
Cedar Creek Sportsman Club
P.O. Box 363
Martin, SD 57551

Dear Mr. Christensen:

We have reviewed the "As Built" plan view and cross-section for the Cedar Creek Dam in Bennett County. The "As Built" plan view and cross-section are approved. This satisfies the Water Management Board's requirements to reschedule your deferred Water Permit Application No. 2101-2. Notice will be given when Application No. 2101-2 is rescheduled for hearing.

Our review was to determine compliance with the minimum spillway design flood requirements as specified by the Water Management Board Safety of Dams Rules, Chapter 74:02:08. Approval applies only to the portions of the plans that could result in the uncontrolled release of water from the Cedar Creek Dam. Approval of the plans does not release the Cedar Creek Sportsmen Club as owner of the Cedar Creek Dam from the responsibility from operating and maintaining the dam in good repair to assure the safety of the dam.

If you have any questions, please let us know.

Sincerely,

A handwritten signature in cursive script that reads "Gale N. Selken".

Gale N. Selken, P.E.
Natural Resources Engineer IV
for John Hatch, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 7, 1990

NOTICE

TO: Chester Christensen
Cedar Creek Sportsmen Club
PO Box 363
Martin SD 57551

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

SUBJECT: Hearing to Consider Water Permit Application No.
2101-2, Cedar Creek Dam

On December 6, 1989, the Water Management Board deferred consideration of Water Permit Application No. 2101-2 pending submission of an "As Built" plan view of the dam to the Division of Water Rights. The plan view has been received and approved by the Division of Water Rights. Enclosed is the Chief Engineer's revised recommendation.

The Board will now consider Application No. 2101-2 at a hearing scheduled for 10:00 am on March 7, 1990, Roosevelt/Jefferson Room, Howard Johnson, 2211 LaCrosse Street, Rapid City SD. The agenda time is an estimate. The actual time of hearing may be later than 10:00 am due to prior agenda items. Applicable provisions of the Notice of Hearing published on November 8 and 15, 1989 in the Bennett County Booster II will still apply at this hearing.

cc: John Haak, Assistant Attorney General

CERTIFICATION


I hereby certify that on February 8, 1990 I have personally deposited with the U.S. Mail a postage prepaid envelopes containing a Notice of Hearing to Consider Water Permit Application No. 2101-2 addressed as stated on the notice.

Karen Schlaak
KAREN SCHLAAK
Senior Secretary

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 12th day of February, 1990.

John Balala
Notary Public





Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

MAY 8 1990

Chester Christensen
Cedar Creek Sportsmen
Box 363
Martin SD 57551

Dear Mr. Christensen:

Enclosed is Water Permit No. 2101-2 as approved by the Water Management Board authorizing construction of the water system and the application of water beneficial use, not exceeding the limits as specified in the Water Permit.

We will schedule an inspection so that the Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

August 22, 1995

2101-2

Chester Christensen
Cedar Creek Sportsmen
Box 363
Martin, SD 57551

Dear Christensen:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 2101-2, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,


Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.

Dear Sirs

This is for permit
2101-2

Thank you
Chester Chusker
Cedar Creek
Sportmen



Wed. 30

RECEIPT

414602

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ August 29, 19 95

RECEIVED OF Cedar Creek Sportsman, Box 363, Martin SD 57551

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2101-2</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	50 00

By _____
Chief Engineer

John H. Haddad

Permit No. 2101-2
White River- Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day, June 14, 1995, made a thorough examination of the water use system constructed by Cedar Creek Sportsmen of Box 363, Martin SD 57551 holder of Permit No. 2101-2, bearing the priority of September 18, 1989 authorizing the storage of 84 acre-feet of the waters of Runoff (Cedar Creek Springs) for Recreational purposes, in Bennett County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

B. Works used to transport water to place of use:

C. Works used to apply water to beneficial use:

Cedar Creek Dam--27 ft. high, Normal Capacity 84 Ac.-Ft, Maximum Capacity 168 Ac.-FT.


The system is in the following condition GOOD. The point of diversion is located 660 ft. east & 825 ft. south of the NW corner of Sec. 36-T36N-R37W (NW 1/4 NW 1/4). The works are capable of storing 84 acre-feet of water which is to be used for Recreation. Water has been put to beneficial use to the maximum extent as follows:

Cedar Creek Dam--27 ft. high, Normal Capacity 84 Ac.-Ft., Maximum Capacity 168 Ac.-Ft.

and the license should be issued for 84 acre-feet of storage.

Applicable permit qualifications have been complied with: XX Yes No

Exceptions to compliance are: Date Report Completed: August 17, 1995



Timothy G. Schaal, P.E.
Natural Resources Engineer III
Water Rights Program

REPORT ON INSPECTION OF PERMIT NO. 2101-2

Other permit(s) associated with the project: _____

DATE OF INSPECTION: June 14, 1995

NAME & ADDRESS OF INSPECTION CONTACT/ Chester Christensen, President Cedar Creek Sportsmen Club, P.O. Box 363, Martin, SD 57551

RELATIONSHIP TO PERMIT HOLDER, IF APPLICABLE:

NAME & ADDRESS OF PERMIT HOLDER: same as above

DIVERSION POINT LEGAL LOCATION: 660 ft. east & 825 ft. south of the NW Corner of Sec. 36-T36N-R37W (NW 1/4 NW 1/4)

DAM INFORMATION:

- 1) Height to crest 27 feet
- 2) Height to primary spillway 22 feet
- 3) Height to secondary spillway 23.5 ft
- 4) Crest width 10 feet
- 5) Crest length 200 feet
- 6) Spillway length feet
- 7) Spillway width 25 feet
- 8) Approx. storage 84 ac-ft
- 9) Approx. storage to crest 168 ac-ft
- 10) Date constructed: 1989

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Soil and water permit lands agree with lands being irrigated and lands listed on permit N/A
- 2) Special qualifications to permit being abided by yes
- 3) All structures, wells and lands on map yes
- 4) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period N/A

4. System Type (continued):

c) Siphons:

1) size _____ inches

2) number _____

e) Center pivot:

1) make _____

2) overall length _____ feet

3) number of towers _____

4) distance between towers _____ feet

5) end gun _____ (Y/N)

6) high or low pressure _____

7) capacity _____ GPM

d) Gated pipe:

1) length _____ feet

2) diameter _____ inches

3) spacing of gates _____ inches

f) Gun:

1) make _____

2) nozzle size _____ inches

3) capacity _____ GPM

4) hose size _____ inches

5) hose length _____ feet

5. Dam Information:

a) height to crest 27 feet

b) height to primary spillway 22 feet

c) height to secondary spillway 23.5 feet

d) crest width 10 feet

e) crest length 200 feet

f) spillway length _____ feet

g) spillway width 25 feet

h) approx. storage 84 ac-ft

i) approx. storage to crest 168 ac-ft

j) date constructed 1989

k) outlet tubes:

1) diameter 30 inches

2) type CMP

3) valved N (Y/N)

4) valve type _____

5) location on structure

Center

l) category of dam III (I, II, III)

m) inspection sheet completed _____ (Y/N)

n) name of contractor _____

6. Chemigation Equipment:

b) main line check valve _____ (Y/N)

d) low pressure drain _____ (Y/N)

f) interlock type _____

g) injection pump type _____

h) injection check valve _____ (Y/N)

i) injection line check valve or positive displacement pump _____ (Y/N)

j) all chemigation equipment appears to be installed in proper position and comply with chemigation laws and rules _____ (Y/N)

k) comments:

a) does chemigate _____ (Y/N)

c) inspection port/air relief _____ (Y/N)

e) discharge is 20' from source _____ (Y/N)

CHECK LIST FOR FIELD INSPECTION

Permit Number 2101-2 Cedar Creek Sportsmen Date 6/14/95

Other permit(s) associated with the project _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

1. Diversion point legal location: 660 ft. East & 825 ft. South of
the NW corner of Sec. 36 - T36N-R37W (NW 1/4 NW 1/4)

2. Well Information: Well Drilling Firm _____

No. of wells _____ Depth(s) _____

a) Casing 1) diameter _____ inches

2) length _____ feet

3) type _____

d) Static Water Level _____ feet

e) Motor:

1) make _____

2) model No. _____

3) horsepower rating _____

b) Screen 1) type _____

2) length _____ feet

c) Pump 1) make _____

2) model _____

3) Size _____ inches

4) capacity _____ GPM

5) turbine pump - No. of stages _____

6) operating pressure _____ PSI

3. Distribution lines or canals:

a) type _____ b) size _____ c) length _____

4. System Type:

a) Sideroll:

1) length _____ feet

2) diameter of pipe _____ inches

3) sprinkler spacing _____ feet

b) Towline:

1) length _____ feet

2) sprinkler spacing _____ feet

N

26 35
36 37

448 Pa Creek

T1343

Cedar Creek Dam

660'

NW 1/4 NW 1/4

35
T36N R37W

Timothy L. Sheal
August 17, 1995
2101-2

STATE OF SOUTH DAKOTA


WATER LICENSE NO. 2101-2

(1) Cedar Creek Sportsmen of Box 363, Martin, SD 57551 made Application No. 2101-2, September 18, 1989 for a water permit to impound 84 acre feet of water annually in Cedar Creek Dam (on Cedar Creek Springs), Bennett County, South Dakota for recreational purposes. Permit No. 2101-2, with a priority date of September 18, 1989 was approved March 7, 1990 and issued to the applicants for impoundment of water with construction of the described water supply system completed and the application to beneficial use of said water completed

(2) It is certified that the applicants have complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to impound 84 acre feet of water annually for beneficial use. The location of the Cedar Creek Dam (spillway) is 660 feet east and 825 feet south of the NW corner of Section 36, T36N, R37W (NW 1/4 NW 1/4).

(3) The applicants have complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to.

(4) Pursuant to South Dakota Water Law 46-5-30.1 Cedar Creek Sportsmen of Box 363, Martin, SD 57551 the holders and/or owners of Water Permit No. 2101-2 are issued a license to appropriate water, the right to impound 84 acre feet of water annually in Cedar Creek Dam with a priority date of September 18, 1989 from the location specified in (2) of this license. The water is impounded for the purpose of recreational use. This license is subject to any limitations or qualifications listed in Water Permit No. 2101-2 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

SEP 6 1995

date



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

SEP 6 1995

2101-2

Chester Christensen
Cedar Creek Sportsmen
Box 363
Martin, SD 57551

Dear Mr. Christensen:

Enclosed is Water License No. 2101-2 and Receipt No. 4146-2 for \$50.00 which was assessed for an inspection and issuance of the license. Water License No. 2101-2 is the final document which completes the process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

PAID

APR 29 2019

Ck# 8625

Mail to: PMB 2020
DENR - Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

RECEIVED

APR 29 2019

Water Right/Permit No. 2101-2Date: 4-23-2019WATER RIGHTS
PROGRAMI/We request that Water Right/Permit No. 2101-2 formerly owned by:Cedar Creek Sportsmen, Box 363, Martin SD 57551

be transferred to:

New Owner Name: Slattery Brothers IncAddress: 22507 294TH STCity, State, Zip Martin, SD 57551 Telephone No. 605-685-6408

Title to the following described land(s)/property has been transferred as described above:

NW1/4 NW1/4 Section 36 T36N R37W

☒ I understand that the validity of Water Right/Permit No. 2101-2 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.


I, Slattery Brothers Inc, the new owner, certify that the above information is true and correct.

[Signature]
(signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third condition of a water permit/right.

2009-07



STATE OF SOUTH DAKOTA
COUNTY OF BENNETT

Subscribed and sworn before me this 23
day of April, 2019

[Signature]
Notary Public My Commission Expires

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date **April 29**

, 20 **19**

RECEIVED OF **Slattery Brothers, Inc. 29432 225th Ave Martin SD 57551**

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form 2101-2		
Fee for _____	50	00
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____	50	00
(Any Other Work Provided by Law)		
TOTAL	50	00

No. **09134**

By

Jeanne Goodman
Chief Engineer
LM



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

April 29, 2019

2101-2

Jeff Slattery
Slattery Brothers Inc
22507 294th St
Martin SD 57551

Dear Mr. Slattery:

I am writing to acknowledge receipt of the transfer form and filing fee submitted for changing ownership of Water Right No. 2102-2.

The ownership change has been completed. Water Right No. 2101-2 formerly held by Cedar Creek Sportsmen is now listed under Slattery Brothers Inc.

Enclosed for your records is Receipt No. 09134 in the amount of \$50. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure