

WATER PERMIT NO. 2665-2

Name of Applicant: Hal Werner

Address: 1027 Parkway Blvd, Brookings SD 57006

Phone: 605 697-5802

Amount of Water Claimed: 1.0 Total Acres: 60

Source of Water Supply: Missouri River

Water to be used for: irrigation County: Lyman

Type of Waste Disposal System:

Location: 6 miles south of Oacoma

PRIORITY Date Received: 3-4-2011

Application/License Fee: \$700


Corrected Application Received: 3-10-2011

Period of Annual Use: May 1 – September 30

Remarks: Requesting diversion rate greater than 1 cfs/70 acres

Diversion Point: SW ¼ NW ¼ Section 23-T103N-
R72W

Land to be Irrigated: N ½ NE ¼ Section 22 and W
½ SE ¼, SE ¼ SE ¼ Section 15; all in T103N-
R72W



Depth of Well: NA

Well Driller:

Remarks:

Type of Map: aerial

Prepared by: Hal Werner, PE

Reviewed and the Number Assigned on: 3-10-2011

By: Karen Schlaak

Notice of Hearing - date to intervene: _____

FORM 2: Application for irrigation in South Dakota
(type or print)

Mail to: PMB 2020 DENR - Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>2665-2</u> (office use only) Hydrologic Unit <u>10140101</u>
	Basin <u>Missouri River</u>
	Newspaper <u>Lyman Co. Herald PO Box 518</u> <u>605-8950-6397</u> <u>Priestho 57568</u>

RECEIVED
MAR - 4 2011
WATER RIGHTS
PROGRAM

Application For Permit To Appropriate Water For Irrigation

Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

- Name of Applicant Hal Werner Phone 605-697-5802
(check one) ☒ Owner ☐ Tenant/lessee
Mailing Address 1027 Parkway Blvd Brookings SD 57006
(Address) (City) (State) (Zip Code)
- Amount of water claimed 1.0 *CFS or 450 **GPM --- ***AF Total Acreage 60
(*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)
- Source of water supply Lake Francis Case, Missouri River
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W) County Lyman
SE corner, SW1/4, NW1/4, Sec23, T103N, R72W, Oacoma Twn
- County or counties where water will be used Lyman
- Annual period during which water is to be used Seasonal -- May 1 to September 30
- List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
NE1/4, NE1/4, S22	6	SE1/4, SE1/4, S15	4
NW1/4, NE1/4, S22	12		
NW1/4, SE1/4, S15	16		
SW1/4, SE1/4, S15	22	<u>all in T103 - R72W</u>	

- Give a description of the project. (Attach sheet if more space is needed)
Irrigation using Missouri River water will be used on 60 acres to produce agricultural and horticultural crops. Sprinkler irrigation will be used on approximately 56 acres and drip irrigation will be used on approximately 4 acres.

requesting diversion rate greater than 1 cfs / 170 acres


STATE OF SOUTH DAKOTA)
County of Brookings) SS

Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Also, attach map and any other technical information. (see instructions)

I, Hal Werner, the applicant, certify that I have read this application, have examined the attached map and that the matters stated are true and that I intend, and am able to complete the necessary construction.

Applicant's signature Hal Werner

Subscribed and sworn to before me this 1 day of March 20 11



my commission expires 11/24/15

Nicole A. Pederson
Notary Public signature

**SOUTH DAKOTA
WATER PERMIT NO. 2665-2**

Date of first receipt of application March 4, 2011.

Date of return to applicant for corrections, amendments or changes March 4, 2011.

Date of receipt of corrected application March 11, 2011.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 2665-2 to Hal Werner, 1027 Parkway Blvd, Brookings SD 57006 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 2665-2 appropriates 1.0 cubic feet of water per second (cfs) from the Missouri River located in SW 1/4 NW 1/4 Section 23 for irrigation of 60 acres located in the N 1/2 NE 1/4 Section 22, W 1/2 SE 1/4, SE 1/4 SE 1/4 Section 15; all in T103N-R72W.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 – September 30.
3. The date from which applicant may claim right is March 4, 2011.
4. The date of approval of Permit No. 2665-2 is May 9, 2011.
5. One-fifth of the construction is to be completed on or before November 9, 2013.
6. All construction is to be completed on or before May 9, 2016.
7. Water is to be put to beneficial use on or before May 9, 2020.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 2665-2 authorizes a maximum diversion rate of 1.0 cfs for the irrigation of 60 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Garland Erbele
Garland Erbele, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

JUN 21 2011

date




RECEIVED

MAR - 4 2011

WATER RIGHTS
PROGRAM

Irrigation Plan: Hal Werner



Circles show lands to be sprinkler irrigated, Drip irrigation will be located within the same fields but rotated annually.

Hal D. Werner
3-11-11

Hal D. Werner
Hal D. Werner, PE
MN License Number 12117

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/4, 20 11


RECEIVED OF Hal Werner 1027 Parkway Blvd Brookings SD 57006

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>2665-2</u> to Appropriate Water, to construct and to put water to beneficial use	500	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	500 00

No. **04943**

By


Chief Engineer

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 3/11, 20 11


RECEIVED OF Hal Werner 1027 Parkway Blvd Brookings SD 57006

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	200 00	
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2665-2</u>		
Fee for Filing Transfer Form _____		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____	200 00	
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	200 00

No. **04947**

By


Chief Engineer



DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS, OMAHA DISTRICT
SOUTH DAKOTA REGULATORY OFFICE
28563 POWERHOUSE ROAD, ROOM 118
PIERRE SD 57501-6174

REPLY TO
ATTENTION OF :

December 22, 2010

South Dakota Regulatory Office
28563 Powerhouse Road, Room 118
Pierre, South Dakota 57501

Hal D. Werner
1027 Parkway Blvd
Brookings, South Dakota 57006


Dear Mr. Werner:

Reference is made to Department of the Army permit (Letter of Permission) No. 160000838 (2SB OXT 1 0838), which authorized the placement of a portable irrigation intake structure in the Missouri River/Lake Francis Case at river mile 956.75, in Section 23, Township 103 North, Range 72 West, Lyman County, South Dakota.

We have received the permit transfer document affirming you as the successor in interest to Alvin Werner. The permit transfer is hereby considered executed.

If you have any questions or need any additional assistance, please feel free to contact this office at the above Regulatory Office address or telephone Mr. Thomas A. Lowin, of my staff, at (605) 224-8531.

Sincerely,



Steven E. Naylor
Regulatory Program Manager,
South Dakota

Enclosure

cf: Cody Wilson, Corps of Engineers, Fort Randall



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 4, 2011

Hal Werner
1027 Parkway Blvd
Brooking SD 57006

Dear Mr. Werner:

Thank you for submitting the *Application for a Permit to Appropriate Water* for irrigation in Lyman County. In order to complete the application the following is required.

- We have received the \$500 application filing fee. In addition to the application filing fee, the Water Rights Program collects the \$200 licensing fee at the time of filing. Please submit \$200 for the licensing of the water permit.

If you have any questions, please contact me.

Sincerely,

Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2665-2, Hal Werner**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Environment and Natural Resources concerning Water Permit Application No. 2665-2, Hal Werner, 1027 Parkway Blvd, Brookings SD 57006.

The Chief Engineer is recommending APPROVAL of Application No. 2665-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use, and 4) it is in the public interest with the following qualifications:

1. Pursuant to SDCL 46-5-6 which allows a greater diversion rate if the method of irrigation, time constraints, or type of soils so requires, Permit No. 2665-2 authorizes a maximum diversion rate of 1.0 cfs for the irrigation of 60 acres with an annual volume not to exceed 2 acre feet of water per acre per year.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Eric Thunlund

for

Garland Erbele, Chief Engineer
April 12, 2011

REPORT ON WATER PERMIT APPLICATION NO. 2665-2

Hal Werner

March 18, 2011

Application No. 2665-2, Hal Werner, proposes to appropriate 1.00 cubic feet of water per second from a Missouri River diversion point located in SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec 23 T103N-R72W for irrigation of 60 acres located in the N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 22 and the W $\frac{1}{2}$ SE $\frac{1}{4}$ and the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec 15 T103N-R72W. The proposed project is located approximately 5 miles southwest of the town of Oacoma in Lyman County.

Review of the Water Source

The water source for these two applications is from the natural flows of the Missouri River in the area upstream of Ft Randall Dam. The U.S. Army Corps of Engineers (USACE) constructed Ft Randall Dam in the 1950's as part of a six reservoir Pick-Sloan project for the Missouri River. The six project dams; Ft Peck, Garrison, Oahe, Big Bend, Ft Randall and Gavins Point; are operated as a system providing storage and water releases for the Congressionally authorized purposes of which irrigation is included. Specifically Ft Randall Reservoir can impound up to 5.4 million acre-feet of water (MAF) when full. Water availability is not a concern when using the natural flows of the Missouri River as a source.

Review of the Proposed Project and Existing Water Rights

There are 260 existing water rights/permits appropriating water from the natural flows of the Missouri River in South Dakota with a total authorized appropriation of 1269.46 cfs. Since water availability is not an issue, approval of this permit would not adversely affect these existing water rights.

Conclusions

1. This application proposes to appropriate 1.00 cubic feet of water per second from the Missouri River for irrigation purposes.
2. Water availability is not a concern when using the natural flows of the Missouri River as a source.
3. Approval of this permit would not adversely affect existing water rights.



Mark D. Rath

Natural Resources Engineering Specialist

Publisher's Affidavit of Publication

RECEIVED

MAY - 2 2011

WATER RIGHTS
PROGRAM

STATE OF SOUTH DAKOTA)
)SS
COUNTY OF LYMAN)

Connie Penny, of said county and state being duly sworn on her oath says: The Lyman County Herald is a weekly newspaper of general circulation and published in Presho, Lyman County, and State of South Dakota; and has been such newspaper during the times hereinafter mentioned; That said newspaper is a legal weekly, that it has a bonafide circulation of more than 200 copies weekly, that it has been published within said County of Lyman more than fifty-two successive weeks next prior to publication of the notice hereinafter mentioned and maintained at the place of publication; That I, the undersigned am editor of said newspaper, in charge of the advertising department thereof, and have personal knowledge of all the facts stated in this affidavit; that the advertisement headed:

Notice of Application 2665-2
84 lines

a printed copy of which is hereto attached and published in the said newspaper for 2 consecutive week(s).

The first publication of said notice in said newspaper aforesaid was on Wednesday, the 20 day of April, A.D., 2011 and that the succeeding publications were severally
Wednesday, the 27 day of April, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011
Wednesday, the _____ day of _____, A.D., 2011

and the last publication on Wednesday, the 27 day of April, 2011, that the full sum of fees charged for publishing the same, to-wit; the sum of \$ 50.04 insures solely to the editor of The Lyman County Herald. That no agreement or understanding for any division thereof had been made with any other person, and that no part thereof has been agreed to be paid to any person whatsoever.

Connie Penny
Meghan Kay Severn
Notary Public

Subscribed and sworn to before me this 26 day of April, 2011
My Commission expires _____, 20____

Meghan Kay Severn
My Commission Expires
March 12, 2015



NOTICE OF APPLICATION NO. 2665-2 to Appropriate Water

Notice is given that Hal Werner, 1027 Parkway Blvd, Brookings SD 57006 has filed an application for a water permit to appropriate 1.0 cubic feet of water per second (cfs) from the Missouri River located in SW 1/4 NW 1/4 Section 23 for irrigation of 60 acres located in the N 1/2 NE 1/4 Section 22, W 1/2 SE 1/4, SE 1/4 SE 1/4 Section 15; all in T103N-R72W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2655-2 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired,

3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 9, 2011.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

04/20 & 04/27

Published twice at the total approximate cost of \$45.86.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

April 13, 2011

Lyman County Herald
PO Box 518
Presho SD 57568

ATTENTION: Legal Public Notice

Enclosed is a Notice on Application No. 2665-2 to Appropriate Water to be published twice. Please publish the first notice on April 20, 2011 with the second publication 7 days later. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352.

The applicant must verify to you that the notice is to be published, before you make the first publication. **Please BILL the APPLICANT for the cost of publication.** The APPLICANT is Hal Werner, 1027 Parkway Blvd., Brookings SD 57006 (Ph # 605-697-5802).

Please send the Water Rights Program the first publication immediately. The publication is checked for accuracy so any corrections can be made in the second publication. You may use the form below or fax a copy of the first publication. Any fax should be sent to the attention of Karen Schlaak at (605) 773-4068. Publication errors can invalidate the public notice.

After the second publication, **please send us an affidavit or use the enclosed Proof of Publication form.** The applicant pays the cost of publication, but the Water Rights Program records require an affidavit or Proof of Publication. Delays in receiving the affidavit can be costly to the applicant.

Sincerely,

Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

-----CUT HERE-----

No. 2665-2

TO: Eric Gronlund
Water Rights Program
Joe Foss Building
Pierre SD 57501-3181

Date _____

We are in receipt of your letter of April 13, 2011 enclosing Notice to Appropriate Water by Application No. 2665-2 which was first published in our issue of _____. **ENCLOSED IS A COPY OF THIS FIRST PUBLICATION.**

Name

Newspaper



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

April 13, 2011

Hal Werner
1027 Parkway Blvd
Brookings SD 57006

Dear Mr. Werner:

Water Permit Application No. 2665-2 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Publisher of the Lyman County Herald printed at Presho SD (Ph # 605-895-6397). You will need to contact the newspaper and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice and to arrange for payment. Early contact with the paper can eliminate delays. Upon receiving authorization, the publisher has been instructed to publish your notice once each week for two consecutive weeks. The newspaper has also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
(605) 773-3352
eric.gronlund@state.sd.us

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

Instruction to Newspaper - Publish first Notice on April 20, 2011 with the second publication 7 days later. The applicant is responsible for payment. The text of the notice can be e-mailed to your paper by contacting Karen Schlaak at (605) 773-3352 or email: Karen.schlaak@state.sd.us.

NOTICE OF APPLICATION NO. 2665-2 to Appropriate Water

Notice is given that Hal Werner, 1027 Parkway Blvd, Brookings SD 57006 has filed an application for a water permit to appropriate 1.0 cubic feet of water per second (cfs) from the Missouri River located in SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 23 for irrigation of 60 acres located in the N $\frac{1}{2}$ NE $\frac{1}{4}$ Section 22, W $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 15; all in T103N-R72W. The applicant is requesting a diversion rate greater than the statutory limit of 1 cfs per 70 acres.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2655-2 because 1) unappropriated water is available, 2) existing rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest. In accordance with SDCL 46-2A-23, the Chief Engineer will act on this application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the Chief Engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and Chief Engineer. The applicant must file a petition if contesting the Chief Engineer's recommendation. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by May 9, 2011.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Program address to request copies of information pertaining to this application. Steven M. Pirner, Secretary, Department of Environment and Natural Resources.

Published twice at the total approximate cost of _____.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

JUN 21 2011

Hal Werner
1027 Parkway Blvd
Brookings SD 57006

Dear Mr. Werner:

Enclosed is Water Permit No. 2665-2 authorizing construction of your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions?* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 15, 2024

2665-2

Hal Werner
1027 Parkway Blvd
Brookings SD 57006

Dear Mr. Werner:

The Water Rights Program is in receipt of the 2024 Irrigation Questionnaire you submitted online for Water Permit No. 2665-2.

Water Permit No. 2665-2 authorizes the diversion of 1.0 cfs (450 gpm) from the Missouri River for the irrigation of 60 acres located in portions of Sections 15 & 22; all in T103N-R72W.

On this year's questionnaires you reported that use of the irrigation system had been abandoned.

Please contact me via email or by calling my direct line (605) 910-5187 to discuss cancellation of Permit No. 2665-2.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us