

WATER PERMIT NO. 2868-2

Name of Applicant: **Davin Hubbs**

Address: **1919 Walnut St., Yankton SD 57078**

Phone: **605-661-2085**

Amount of Water Claimed: **4.0 cfs (2.0 per well)**

Total Acres: **295.07**

Source of Water Supply: **Groundwater**

Water to be used for: **Irrigation** County: **Bennett**

Type of Waste Disposal System:

Location: **Approx. 34 miles from Spring Creek**

PRIORITY Date Received: **3-30-2023**

Application/License Fee: **\$1,250.00**

Corrected Application Received:

Period of Annual Use: **April 1 – October 31**

Remarks: **Permit is for 2 wells**

Diversion Point: **E1/2 Sec 29 - T37N-R33W**


Land to be Irrigated: **NE1/4, SE1/4; all in Sec 29 - T37N-R33W**

Depth of Well: **260**

Well Driller:

Remarks:

Type of Map: **aerial**



Reviewed and the Number Assigned on: **3-31-2023**

By: **Rachel Rodriguez**

Notice of Hearing - date to intervene: _____

**SOUTH DAKOTA
WATER PERMIT NO. 2868-2**

Date of first receipt of application March 30, 2023.

The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 2868-2 to Davin Hubbs, 1919 Walnut Street, Yankton SD 57078 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 2868-2 appropriates 4.0 cubic feet of water per second (cfs) from two wells to be completed into the Ogallala Aquifer (approximately 260 feet deep) located near the centers of the NE 1/4 and SE 1/4 Section 29 for irrigation of 295.1 acres located in the E 1/2 Section 29; all in T37N-R33W. This site is located approximately 25 miles east of Martin SD.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: April 1 – October 31.
3. The date from which applicant may claim right is March 30, 2023.
4. The date of approval of Permit No. 2868-2 is June 12, 2023.
5. One-fifth of the construction is to be completed on or before December 12, 2025.
6. All construction is to be completed on or before June 12, 2028.
7. Water is to be put to beneficial use on or before June 12, 2032.
8. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS


1. The wells approved under Water Permit No. 2868-2 are located near domestic wells and other wells which may obtain water from the same aquifer. Water withdrawals shall be controlled so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The wells authorized by Permit No. 2868-2 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: Eric Gronlund
Eric Gronlund, Chief Engineer
Water Rights Program
Department of Agriculture and Natural Resources

JUL 11 2023

date



MAR 30 2023

FORM 2: Application for irrigation in South Dakota
 (type or print)
OFFICE OF
WATER

PAID

MAR 30 2023

Ck# 1074

Rec't#

Mail to: SD DANR, Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>2868-2</u> Hydrologic Unit <u>10140203</u> Basin <u>White River</u> Newspaper <u>Martin/Bennett Co Booster 685-6864</u> <u>Rapid City Journal</u> (office use only) <u>394-8336</u>
---	---

Application for Permit to Appropriate Water for Irrigation

 Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
 (Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

 1. Name to Appear on Irrigation Permit Davin Hubbs

Note: The "Name to Appear on Irrigation Permit" must be the name in which the property to be irrigated is held in.

 Mailing Address 1919 Walnut St. Yankton SD 57078
 (Address) (City) (State) (Zip Code)

 Phone 605-661-2085 Mobile 605-661-2085 Email davehubbs@hubbsagency.net

 2. Amount of water claimed 4.0 *CFS or 1800 **GPM 2.0 (900 Each) ***AF Total Acreage 295.07
 (*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable)

 3. Source of water supply Ogallala Aquifer

 4. Location of point of diversion 2 wells in E $\frac{1}{2}$ section 29-37-33
 (example - 3 wells in SW1/4 NE1/4 section 12-T104N-R53W)

 County Bennett

 5. County or counties where water will be used Bennett

 6. Annual period during which water is to be used April 1st - October 31st

 7. List below each forty-acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
 (Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>NE$\frac{1}{4}$ 29-37-33</u>	<u>146.17</u>		
<u>SE$\frac{1}{4}$ 29-37-33</u>	<u>146.9</u>		

8. Give a description of the project. (Attach sheet if more space is needed)

Permit is for 2 irrigation wells (see attached map)

 I, Davin Hubbs Owner, the applicant, certify under
 Name of Person Title (if applicable)

penalty of perjury that I have read this application, examined the attached map, and that the matters stated are true. I further certify, if acting on behalf of an entity or individual other than myself, that I am authorized to submit this application.

Supplemental Information

(type or print)

1. Well Information (check one or both as applicable)



Drilling new well(s)



Using existing well(s)

a) If new wells, how many 2 Have test holes been drilled? ☐ Yes ☒ No Drilled by _____
(if yes, please provide copies of logs)

b) If existing wells, how many N/A Provide copy of log(s), if available. Drilled by N/A

For either existing or proposed wells:

c) Well Depth (required) 240 Depth to Top of Water Bearing Material _____ Depth to Water from Surface _____

d) Distance to nearest domestic well on applicant's property 3300 ft well #1 Property owned by others 660 ft from well #2 $\frac{1}{2} - \frac{3}{4}$ mile

2. Wastewater Disposal System Information

a) Type of System (i.e. septic tank, drain field) N/A

b) System Capacity (gallons) N/A Year Constructed N/A

c) Connected to the City of N/A Sanitary System

3. Dugout Information

a) Surface Dimensions N/A Depth N/A

b) Depth to water (ground surface to water level) N/A

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:

b) Freeboard N/A

c) Crest Width N/A

Crest Length N/A

d) Height N/A

e) Primary Outlet Capacity N/A

If pipe, diameter N/A

f) Secondary Spillway Capacity N/A

Spillway Width N/A

g) X & Y Slope (e.g. 3 to 1 is a typical slope)


Upstream N/A

Downstream N/A

h) Area of Impoundment N/A

i) Storage N/A Acre Feet

j) Drainage Area Above Dam N/A Acres



19 37N 33W

20 37N 33W

20

21 37N 33W 21

21 37N 33W 21

1795
689
1
2.03

1795
689
1
1.52

1795
689
1
148.17
Well #1

1795
689
1
6.45

1795
689
1
5.29

1795
689
1
146.9
Well #2

1795
689
1
1.09

1795
689
1
.74

30 37N 33W

30
Bennett

29 37N 33W

29
South Dakota

29

37N 33W

28 37N 33W 28

28 37N 33W 28

Todd

31 37N 33W

32 37N 33W

32

33 37N 33W 33

33 37N 33W 33

Bennett County
South Dakota

□ ASSOCIATED 312.19
■ TOTAL 312.19



RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Agriculture and Natural Resources

Date March 30, 2023

RECEIVED OF Davin/Bonnie Hubbs 2806 Mary St., Yankton SD 57078

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. <u>2868-2</u> to Appropriate Water, to construct and to put water to beneficial use	\$ <u>1050.00</u>
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$ _____
Fee to retain Future Use Permit No. _____ after period of seven years.	\$ _____
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2868-2</u>	\$ <u>200.00</u>
Fee for Filing Transfer Form _____	\$ _____
Fee for _____	\$ _____
Fee for Issuing New Well Driller's License No. _____	\$ _____
Fee for Renewal of Well Driller's License No. _____	\$ _____
Fee for Issuing Well Pump Installer's License No. _____	\$ _____
Fee for Renewal of Well Pump Installer's License No. _____	\$ _____
(Any Other Work Provided by Law)	
TOTAL	\$ <u>1250.00</u>

By Eric Gronlund
Chief Engineer
zm



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2868-2, Davin Hubbs**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Program, Department of Agriculture and Natural Resources concerning Water Permit Application No. 2868-2, Davin Hubbs, 1919 Walnut Street, Yankton SD 57078.

The Chief Engineer is recommending APPROVAL of Application No. 2868-2 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing domestic water uses and water rights, 3) the proposed use is a beneficial use and 4) it is in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board with the following qualifications:

1. The wells approved under Water Permit No. 2868-2 are located near domestic wells and other wells which may obtain water from the same aquifer. Water withdrawals shall be controlled so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. The wells authorized by Permit No. 2868-2 shall be constructed by a licensed well driller and construction of the well and installation of the pump shall comply with Water Management Board Well Construction Rules, Chapter 74:02:04 with the well casing pressure grouted (bottom to top) pursuant to Section 74:02:04:28.
3. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.

Eric Gronlund, Chief Engineer
May 15, 2023

Report to the Chief Engineer
On Water Permit Application No. 2868-2

Davin Hubbs

May 15, 2023

Water Permit Application No. 2868-2 proposes to divert water at a maximum instantaneous diversion rate of 4.0 cubic feet of water per second (cfs) from two wells to be completed into the Ogallala aquifer (approximately 260 feet deep) located near the centers of the NE $\frac{1}{4}$ and SE $\frac{1}{4}$ of Section 29 for the irrigation of 295.1 acres located in the E $\frac{1}{2}$ of Section 29; all in T37N-R33W. The site of interest is located in Bennett County approximately 25 miles east of Martin, SD.

AQUIFER: Ogallala (OGLL)

HYDROGEOLOGY:

The Ogallala aquifer is encompassed within the High Plains aquifer (Filipovic, 2004 and 2011). The High Plains aquifer contains geologic units of late Tertiary and Quaternary age that are comprised of the Brule Formation, Arikaree Group, Ogallala Group, as well as other hydrologically connected alluvial, dune-sand, and valley-fill deposits (Gutentag et al., 1984). The Ogallala Group is composed of the Fort Randall, Ash Hollow, and Valentine Formations (Hammond, 1994; Filipovic, 2011; Martin et al., 2004). Within the High Plains aquifer system in South Dakota, the Ogallala aquifer is the uppermost, most readily available aquifer (Filipovic, 2011). The SD DANR-Water Rights Program and Water Management Board have historically considered the High Plains aquifer to be comprised of the Ogallala aquifer and the Arikaree aquifer to manage this regional water resource, and the two aquifers are treated as separate water sources (Water Rights, 2023c).

The Ogallala Group is comprised of gravel, fine to medium sand and sandstone, and poorly consolidated sand, silt, and clay that were deposited from eastward flowing braided streams (Gutentag et al., 1984; Martin et al., 2004). The Ogallala Group has a documented maximum cumulative thickness of approximately 700 feet (Gutentag et al., 1984). The Ogallala aquifer is generally under unconfined conditions but can be overlain by unconsolidated alluvium and eolian deposits (Filipovic, 2004 and 2011; Water Rights, 2023b and 2023d).

No water well or test hole completion reports were submitted with Water Permit Application No. 2868-2. Water well completion reports on file with the DANR-Water Rights Program for wells completed into the Ogallala aquifer within approximately one mile of the proposed diversion points have saturated aquifer thicknesses ranging from approximately 20 to 60 feet, with the depth to the top of aquifer materials ranging from approximately 55 to 125 feet below the ground surface, and static water levels at well completion varying from approximately 55 to 125 feet below the ground surface (Water Rights, 2023d). The Ogallala aquifer is expected to be unconfined at the proposed diversion points based on the well completion reports on file for nearby wells completed into the aquifer and the lithologic logs on file for nearby observation wells (SDGS, 2023; Water Rights, 2023b, 2023c and 2023d).

The Ogallala aquifer in South Dakota is split into two portions: the main body west of Ponca Creek, and the remnant body east of Ponca Creek (Filipovic, 2004; Martin et al., 2004). Ponca Creek has completely incised through the Ogallala aquifer along its channel. The proposed diversion points for this application are within the main body of the Ogallala aquifer (Martin et al., 2004). For the remainder of this report, references to the Ogallala aquifer specifically reference the main body of the Ogallala aquifer west of Ponca Creek in South Dakota.

South Dakota Codified Law (SDCL) 46-2A-9

Pursuant to SDCL 46-2A-9, “A permit to appropriate water may be issued only if there is a reasonable probability that there is unappropriated water available for the applicant’s proposed use, that the diversion point can be developed without unlawful impairment of existing domestic water uses and water rights, and that the proposed use is a beneficial use and in the public interest as it pertains to matters of public interest within the regulatory authority of the Water Management Board as defined by SDCL 46-2-9 and 46-2-11.” This report will address the availability of unappropriated water and the potential for unlawful impairment of existing domestic water uses and water rights within the Ogallala aquifer.

WATER AVAILABILITY:

Water Permit Application No. 2868-2 proposes to appropriate water from the Ogallala aquifer. The probability of unappropriated water being available from the aquifer can be evaluated by considering SDCL 46-6-3.1, which requires “No application to appropriate groundwater may be approved if, according to the best information reasonably available, it is probable that the quantity of water withdrawn annually from a groundwater source will exceed the quantity of the average estimated annual recharge of water to the groundwater source. An application may be approved, however, for withdrawals of groundwater from any groundwater formation older than or stratigraphically lower than the greenhorn formation in excess of the average estimated annual recharge for use by water distribution systems.” The Ogallala aquifer is not older than or stratigraphically lower than the Greenhorn Formation (Fahrenbach et al., 2010), and the applicant’s proposed use is not for use in a water distribution system as defined by SDCL 46-1-6(17). Therefore, the average annual recharge and average annual withdrawal rates to and from the Ogallala aquifer must be considered.

HYDROLOGIC BUDGET:

The hydrologic budget completed in this analysis will exclude the water rights/permits not completed into the main body of the Ogallala aquifer. The wells authorized by Water Permit Nos. 2833-2 and 2834-2 are expected to be completed into relatively small sand and gravel deposits of Quaternary Eolian and Quaternary Terrace aquifers that have a significant hydrologic connection to the Ogallala aquifer. However, these deposits are geologically distinct from the Ogallala Group, do not directly overly the Ogallala aquifer, and have subsequently been identified as independent formations from the Ogallala aquifer. Due to the nature of natural discharge from the Ogallala aquifer flowing into and subsequently through these two particular deposits before discharging to the Keya Paha River, the estimated annual use by Water Permit Nos. 2833-2 and 2834-2 will be accounted for as Ogallala aquifer withdrawals. A more detailed

discussion is available in Mathiowetz (2022). Additionally, Water Right No. 1260-2, which is labeled as withdrawing from the Arikaree aquifer, will be considered as completed into the Quaternary Eolian aquifer based on current lithologic information that was not available at the time the permit was issued and will also be added to the hydrologic budget of the Ogallala aquifer for the previously discussed reasons (Mathiowetz, 2022).

Recharge

Recharge to the Ogallala aquifer is primarily through the infiltration of precipitation (Filipovic, 2004 and 2011). Kolm and Case (1983) estimated a range of recharge rates for the High Plains aquifer using a two-dimensional, finite-difference model. Hedges and Burch (1985) used both base-flow recession and observation well data analysis to develop their recharge rate estimates to the Ogallala aquifer specifically. Cederberg (2021) cited a combination of sources to estimate the areal extent of the main body of the Ogallala aquifer to be approximately 1,005,360 acres in South Dakota. Table 1 lists the average annual recharge rate in acre-feet per year based on the source of the recharge rate and Cederberg's (2021) estimated areal extent of the main body of the Ogallala aquifer. Therefore, the average annual recharge rate to the Ogallala aquifer within the main body of the Ogallala Group in South Dakota ranges between approximately 108,914 to 284,852 acre-feet per year.

Table 1. Estimated average annual recharge rate to the main body of the Ogallala aquifer (Kolm and Case, 1983; Hedges and Burch 1985; Cederberg, 2021)

Estimated Avg. Annual Recharge Rate (inches/year)	Method	Source	Estimated Avg. Annual Recharge Rate (acre-feet/year)
1.3	Computer Model	Kolm and Case (1983)	108,914
1.8	Computer Model	Kolm and Case (1983)	150,804
1.88	Base-Flow Recession	Hedges and Burch (1985)	157,506
3.4	Observation Well Data	Hedges and Burch (1985)	284,852

Discharge

Discharge from the Ogallala aquifer is primarily through direct evapotranspiration, outflow to streams and rivers, outflow to adjacent and hydrologically connected aquifers, and well withdrawals (Filipovic, 2004 and 2011; Water Rights, 2023c and 2023d).

Currently, there are 176 water rights/permits authorized to withdraw water (including Water Right No. 1260-2), plus one pending application - Water Permit Application No. 2866-2 requesting to irrigate 63.88 acres in Bennett County, and five future use permits reserving 6,651 acre-feet per year from the entirety of the Ogallala aquifer (Water Rights, 2023c).

Water Right Nos. 475-2 and 1114-2 and Water Permit Nos. 2678-2 and 2679-2 no longer report annual water use because the land authorized for irrigation has been sold to a nearby tribe (Water Rights, 2023c). The status of irrigation water withdrawals by the tribe from the Ogallala aquifer is unknown. Thus, this discharge analysis addresses only 172 state-issued water rights/permits

(including Water Right No. 1260-2) (142 irrigation and 30 non-irrigation), plus one pending application, and the five future use permits that are reserving water from the entirety of the Ogallala aquifer (Water Rights, 2023c). Within the main body of the Ogallala aquifer, of which the aquifers for Water Permit Nos. 2833-2 and 2834-2 are hydrologic extensions of, there are 151 water rights/permits (137 irrigation (including Water Right No. 1260-2) and 14 non-irrigation) along with three future use permits (reserving 5,986 acre-feet per year) authorized to withdraw or reserve water from the main body of the Ogallala aquifer, plus one pending application (Water Rights, 2023c).

Table 2 summarizes the 14 non-irrigation water rights/permits authorized to appropriate water from the main body of the Ogallala aquifer, plus the three future use permits reserving water from the main body of the Ogallala aquifer, with the estimated annual use for each water right/permit as determined by their limiting diversion rate or annual volume. Historically, average water use by non-irrigation appropriations limited by an instantaneous diversion rate have been assumed to be pumping 60% of full time at the respective permitted diversion rate. Water rights/permits limited by an annual volume are assumed to withdraw their entire respective annual volume limitation. This is a standard method used by the DANR-Water Rights Program for estimating annual withdrawals by non-irrigation appropriations from an aquifer and is likely an overestimation of average annual withdrawals (Water Rights, 2023c). Overall, the estimated average annual withdrawal rate for the non-irrigation water rights/permits (including future use reservations) within the main body of the Ogallala aquifer is approximately 12,257 acre-feet per year (Table 2) (Water Rights, 2023c).

Table 2. Estimated annual use for the non-irrigation water rights/permits authorized to divert water from the main body of the Ogallala aquifer, and the future use permits reserving water (Water Rights, 2023c)

Permit No.	Name	County	Status	Use	Authorized Diversion Rate (cfs)	Authorized Annual Volume (acre-feet/year)	Estimated Use (acre-feet/year)
521-2	City of Winner	Tripp	LC	MUN	4.11		1785.4
551-2	City of Winner	Tripp	FU	MUN	2.44	1,568	1,568
632-2	City of Colome	Tripp	LC	MUN	0.22		95.6
882-2	City of Winner	Tripp	FU	MUN	n/a		0
976-2	City of Colome	Tripp	LC	MUN	0.33		143.4
1038-2	City of Winner	Tripp	LC	MUN	0.87		377.9
1285-2	City of Winner	Tripp	LC	MUN	0.67		291.0
1286-2	City of Winner	Tripp	LC	MUN	0.72		312.8
1416-2	City of Winner	Tripp	LC	MUN	0.69		299.7
1942-2	Littau & Massa Et Al	Tripp	LC	DOM	0.09		39.1
2293-2	Tripp County Water User District	Tripp	LC	RWS	3.88		1685.5
2455-2	Martin J Vanderploeg	Bennett	LC	FWP	0.045		19.5
2505-2	Lakeview Christian Reform	Todd	LC	INS	0.033		14.3
2515-2	Tripp County Water User District	Tripp	LC	RWS	2.68	1,200	1,200
2621-2	Tuthill Community Presbyterian Church	Bennett	LC	INS	0.02		8.7
2804-2	Dougherty Cattle Company Inc	Tripp	PE	COM	0.13	16.12	16.12
2849-2	Tripp County Water User District	Tripp	FU	RWS	n/a	4,400	4,400
LC: Licensed Water Right; PE: Water Permit; FU: Future Use Reservation; COM: Commercial						TOTAL:	12,257
DOM: Domestic; FWP: Fish and Wildlife Propagation; INS: Institutional; MUN: Municipal; RWS: Rural Water System							

Currently, there are 142 irrigation water rights/permits authorized to appropriate water from the Ogallala aquifer, with 137 (including Water Right No. 1260-2) irrigation water rights/permits authorized to appropriate water from the main body of the Ogallala aquifer, plus one pending application - Water Permit Application No. 2866-2 requesting to irrigate 63.88 acres in Bennett County (Water Rights, 2023c). Irrigation water rights/permits have been typically required to report their annual usage on an irrigation questionnaire since 1979. The estimated average annual withdrawal rate for the irrigation water rights/permits within the main body of the Ogallala aquifer that have reported over the period of record (1982 to 2021) is approximately 19,212 acre-feet per year (Table 3) (Water Rights, 2023a). To reflect the current development of irrigation water rights/permits more accurately, the average annual withdrawal rate for irrigation appropriations from 2012 to 2021 is approximately 23,726 acre-feet per year (Table 3) (Water Rights, 2023a).

Table 3 only lists 131 water rights/permits as reporting as Water Permit Nos. 2718A-2, 2822-2, 2833-2, 2834-2, 2836-2 and 2847-2 (approved in 2021 or 2022) collectively authorize the irrigation of 735 acres and have not submitted an irrigation questionnaire at this time (still within their construction periods, except for Permit No. 2718A-2, which authorizes change of acres)) (Water Rights, 2023a and 2023c). Generally, irrigators in South Dakota apply less than one foot of water per acre per year. However, to account for the fluctuation in wet and dry cycles from year to year, the one foot of water per acre per year application rate will be used to somewhat overestimate the annual withdrawal rate for these irrigation water permits. Therefore, the estimated average annual withdrawal rate for the irrigation water permits approved in 2021 or 2022 (and not included as listed as reporting on Table 3) is approximately 735 acre-feet per year (Water Rights, 2023c). The collective estimated average annual withdrawal rate for the irrigation appropriations from 2012 to 2021 (23,726 acre-feet/year), plus the estimated average annual withdrawal rate for the irrigation water rights/permits approved in 2021 or 2022 (735 acre-feet/year), plus the estimated use for the pending application (63.88 acres) is approximately 24,525 acre-feet/year (Water Rights, 2023a and 2023c).

Table 3. Reported historic irrigation use from the main body of the Ogallala aquifer (Water Rights, 2023a)

Year	No. of Permits Reporting	Reported Pumpage (acre-feet)
1982	91	9,217.4
1983	98	10,172
1984	106	13,298.4
1985	104	18,583.5
1986	100	12,997.6
1987	99	12,397
1988	98	16,199.3
1989	99	27,326.4
1990	103	16,501.6
1991	104	16,074.5
1992	104	11,921
1993	102	11,151.9
1994	105	16,705.3
1995	103	14,252.8
1996	106	21,168
1997	107	18,661
1998	105	13,857.9
1999	106	13,709.5
2000	107	16,119
2001	106	17,989.9
2002	101	24,179.8
2003	103	22,039.1
2004	105	23,868
2005	106	20,054.7
2006	109	25,657.1
2007	111	24,010.9
2008	112	24,483.6
2009	112	22,173.6
2010	111	21,209.1
2011	112	15,235.4
2012	114	33,144.5
2013	124	26,492.3
2014	131	22,126.7
2015	131	23,993.9
2016	134	23,297.6
2017	135	27,319.3
2018	132	19,384.3
2019	131	11,464.1
2020	131	22,058.8
2021	131	27,976.4
Min	91	9,217.4
Max	135	33,144.5
Avg	111	19,212
Avg 2012-2021	129	23,726

There are domestic wells completed into the Ogallala aquifer that do not require a water right/permit, so the withdrawal amount from those wells is unknown (Water Rights, 2023d). Since the introduction of rural water systems, many domestic wells are likely no longer in use or are not being used as primary water sources. Due to their relatively low diversion rates, withdrawals from domestic wells are not considered to be a significant portion of the hydrologic budget. Therefore, the quantity of water withdrawn by domestic wells is estimated to be negligible to the hydrologic budget for the Ogallala aquifer.

Data was compiled for selected irrigation and municipal wells operated by the Rosebud Sioux Tribe (Valseth and Driscoll, 2020). However, it is likely not all municipal and irrigation wells that are operated by the tribe or on tribal lands were included. Furthermore, many of the selected wells that were reviewed do not include well depth or aquifer assignment to determine if the wells are completed into the Ogallala aquifer. The data does not include an estimated annual volume pumped by each well. The data available is only estimated mean production (pumping rate). Therefore, there is not sufficient information available to make a reasonably accurate estimate of average annual water use from these wells. Overall, the withdrawal rate from the Ogallala aquifer by tribe members on tribal trust land is not known; however, that use on tribal trust lands, even though unknown, is still expected to be represented in the observation well data (Water Rights, 2023b).

Hydrologic Budget Summary

The estimated average annual recharge rate to the main body of the Ogallala aquifer in South Dakota ranges between approximately 108,914 to 284,852 acre-feet per year. The estimated average annual withdrawal rate from the main body of the Ogallala aquifer from state-issued water rights/permits totals approximately 37,077 acre-feet per year (non-irrigation (including future use): 12,257 acre-feet/year; irrigation (average from 2012 to 2021, plus Nos. 2718A-2, 2822-2, 2833-2, 2834-2, 2836-2, and 2847-2, and the pending application): 24,525 acre-feet/year; Water Permit Application No. 2868-2 (if approved, assuming one-foot per authorized acre): 295.1 acre-feet/year).

Additionally, an unknown amount of water may be withdrawn from the Ogallala aquifer by tribe members on tribal trust land. The estimated average annual withdrawal rate based on the state-issued water rights/permits currently authorized to appropriate water from the Ogallala aquifer is less than 30% of the lowest estimated average annual recharge rate to the aquifer.

Based on the hydrologic budget, there is a reasonable probability unappropriated water is available from the main body of the Ogallala aquifer for the proposed appropriation.

OBSERVATION WELL DATA:

Administrative Rule of South Dakota (ARSD) 74:02:05:07 requires that the Water Management Board shall rely upon the record of observation well measurements in addition to other data to determine that the quantity of water withdrawn annually from the aquifer does not exceed the estimated average annual recharge of the aquifer.

Observation wells provide data on how the aquifer reacts to regional climatic conditions and local pumping. The DANR-Water Rights Program monitors 76 observation wells completed into the Ogallala aquifer, with 69 observation wells being completed into the main body of the Ogallala aquifer (Water Rights, 2023b). The three closest observation wells to the proposed diversion points are BT-80E (approximately 0.75 to 1 mile southwest), BT-76C (approximately 1.5 to two miles northwest), and BT-78KR (approximately 4.5 to 5 miles northwest) (as shown in Figure 4) (Water Rights, 2023b). The hydrographs for these observation wells are displayed in Figures 1 to 3 (Water Rights, 2023b). The data points utilized to construct the hydrographs are measurements of the static water level in the observation wells from the top of the well casing. It is worth noting the hydrograph titles display DENR Water Rights Observation Well on the hydrographs when the titles should display DANR Water Rights Observation Well on the hydrographs.




Figure 1. Hydrograph for observation well BT-80E (Water Rights, 2023b)




Figure 2. Hydrograph for observation well BT-76C (Water Rights, 2023b)




Figure 3. Hydrograph for observation well BT-78KR (Water Rights, 2023b)

The hydrographs for these observation wells were compared to the hydrographs for the other observations wells completed into the Ogallala aquifer and each displayed a generally similar trend as shown on the hydrographs displayed in Figures 1 to 3 (Water Rights, 2023b). The hydrographs for the observation wells completed into the main body of the Ogallala aquifer display stable to slightly increasing water levels over their respective periods of record, except in

areas of significant recent development such as Bennett County (Water Rights, 2023b). In the areas of significant recent development, some hydrographs show a slight recent decline in water levels (Water Rights, 2023b). This is likely representative of the potentiometric surface of the aquifer equilibrating to new and increased pumping and not indicative of over appropriation.

The hydrographs for observation wells completed into the main body of the Ogallala aquifer indicate that the aquifer responds well to climatic conditions because water levels are rising during wetter periods and declining to a stable water level during drier periods. Additionally, the water levels in the observation wells display that the amount of recharge to and natural discharge from the aquifer greatly exceeds pumping with the aquifer returning to pre-pumping conditions between irrigation seasons. Aquifer recovery indicates that climatic conditions and therefore, the effects of recharge to and natural discharges from the aquifer govern the long-term fluctuations of water levels in the aquifer rather than the impacts of pumping from the main body of the Ogallala aquifer. By recognizing that both recharge to and natural discharge from an aquifer can be captured for pumping, the observation well hydrographs demonstrate unappropriated water is available for the proposed appropriation.

POTENTIAL FOR UNLAWFUL IMPAIRMENT OF EXISTING WATER RIGHTS:

Currently, there are 172 water rights/permits (not including Right and Permit Nos. 475-2, 1114-2, 2678-2 and 2679-2) that are authorized to withdraw water from the entirety of the Ogallala aquifer and five future use permits reserving water – plus one pending application (Water Rights, 2023c). Within the main body of the Ogallala aquifer, there are currently 151 water rights/permits authorized to withdraw water, and three future use permits reserving water – plus one pending application (Water Rights, 2023c). The closest water right/permit to the proposed diversion point is Water Right No. 2710-2, which is held by O'Neill Cattle Company. The diversion point for Water Right No. 2710-2 is located approximately 0.5 miles northwest of the nearest proposed diversion point for this application (Table 4) (Figure 4) (Water Rights, 2023c).

There are domestic wells on file with the DANR-Water Rights Program that are completed into the Ogallala aquifer, with the closest domestic well on file (not held by the applicant) approximately 0.6 miles northwest of the nearest proposed diversion point for this application (Water Rights, 2023d). There could potentially be other domestic wells completed into the Ogallala aquifer near the proposed diversion points that are not on file with the DANR-Water Rights Program. The location of the domestic wells is based on the location provided at the time of completion by the well driller.

Table 4. Water rights/permits authorized to withdraw water from the main body of the Ogallala aquifer within approximately five miles of the proposed diversion points, as shown in Figure 4 (Water Rights, 2023c)

Permit No.	Name	Status	Use	Authorized Acres if IRR	Authorized Diversion Rate (cfs)
1001-2	James O'Neill	LC	IRR	135	1.66
1002A-2	Dan O'Neill	LC	IRR	176	2.3
1207-2	Donovan Farms LLC	LC	IRR	132	1.78
1208-2	Dan O'Neill	LC	IRR	135	1.66
1211-2	Farm Credit Services of America PCA	LC	IRR	264	2
1555-2	Dean O'Neill	LC	IRR	264	2
1637-2	O'Neill Cattle Co Inc	LC	IRR	384	5.35
1674-2	Wayne Johnson	LC	IRR	180	2.45
2509-2	Brad & Marlene Pisha	LC	IRR	270	2
2599-2	Jeff Johnson	LC	IRR	291	4.34
2609-2	Jeff Johnson	LC	IRR	188	2
2627-2	Daniel D O'Neill	LC	IRR	236	2
2693-2	Brad & Marlene Pisha	LC	IRR	140	1.93
2696-2	Jeffery Johnson	LC	IRR	151	2
2710-2	O'Neill Cattle Co Inc	LC	IRR	591	5.12
2725-2	James W & Abby Ann O'Neill	LC	IRR	130	1.78
2822-2	Johnson Land & Cattle LLC	PE	IRR	180	2.56
2866-2	Daniel D O'Neill	<i>pending</i>	IRR	63.88	1.78
LC: Licensed Water Right; PE: Water Permit; IRR: Irrigation					




Figure 4. Ogallala Group outcrop in South Dakota (Martin et al., 2004), with the location of the proposed diversion points for Water Permit Application No. 2868-2, and the water rights/permits and observation wells within the main body of the Ogallala aquifer located within approximately five miles of the proposed diversion points (Water Rights, 2023b and 2023c)

The Ogallala aquifer is generally unconfined but can be locally confined (Filipovic, 2004 and 2011; Water Rights, 2023d). The Ogallala aquifer is expected to be unconfined in the area of the proposed diversion points the water well completion reports on file, and the lithologic logs on file for nearby observation wells (SDGS, 2023; Water Rights, 2023b, 2023c and 2023d). Drawdown created by pumping a well generally does not extend far from the pumped well in an unconfined aquifer; however, in a confined aquifer, drawdown from pumping could extend a distance from the diversion point. The exact drawdown behavior of a well cannot be known without an aquifer performance test.

Near the proposed diversion points, the Ogallala aquifer has a saturated thickness ranging from approximately 20 to 60 feet (Water Rights, 2023d). This would generally allow for enough thickness for a pump inlet to be placed 20 feet below the top of the aquifer, which is required for the well to be considered adequate. An adequate well is defined by ARSD 74:02:04:20(6) as “a well constructed or rehabilitated to allow various withdrawal methods to be used, to allow the inlet to the pump to be placed not less than 20 feet into the saturated aquifer or formation material when the well is constructed, or to allow the pump to be placed as near to the bottom of the aquifer as is practical if the aquifer thickness is less than 20 feet.” Any drawdown as a result

of the proposed diversion is not expected to unlawfully impair nearby adequate wells. In Bennett County, there have been no substantiated complaints submitted to the DANR-Water Rights Program regarding well interference for adequate wells completed into the Ogallala aquifer (Water Rights, 2023d).

When considering the generally unconfined nature of the aquifer, the saturated thickness of the Ogallala aquifer near the proposed diversion points, and the lack of well interference complaints from the Ogallala aquifer in the area, any drawdown created from the proposed diversion is not expected to cause an unlawful impairment on existing water right/permit holders or domestic users with adequate wells. Therefore, there is a reasonable probability that any interference from the proposed diversion by Water Permit Application No. 2868-2 will not impose unlawful impairments on existing users with adequate wells.

CONCLUSIONS:

1. Water Permit Application No. 2868-2 proposes to divert water at a maximum instantaneous diversion rate of 4.0 cfs from two wells to be completed into the Ogallala aquifer (approximately 260 feet deep) for the irrigation of 295.1 acres. The site of interest is located in Bennett County approximately 25 miles east of Martin, SD.
2. Based on observation well data and the hydrologic budget, there is a reasonable probability that unappropriated water is available from the main body of the Ogallala aquifer to supply the proposed appropriation.
3. There is a reasonable probability that the proposed diversion by Water Permit Application No. 2868-2 will not unlawfully impair adequate wells for existing water rights/permits and domestic users.



Nakaila Steen
Natural Resources Engineer II
SD DANR - Water Rights Program

Reviewed by:



Adam Mathiowetz, PE
Natural Resources Engineer IV
SD DANR - Water Rights Program

References

Cederberg, L. 2021. Report to the Chief Engineer on Water Permit Application No. 2822-2 Johnson Land & Cattle LLC c/o Adam Johnson. DANR-Water Rights Program. Pierre, SD.

- Fahrenbach, M.D., Steece, F.V., Sawyer, J.F., McCormick, K.A., McGillivray, G.L., Schulz, L.D., and Redden, J.A. 2010. South Dakota Stratigraphic Correlation Chart. Oil and Gas Investigations 3. SD DANR-Geological Survey, Vermillion, SD.
- Filipovic, D. 2004. Hydrogeologic Assessment of the High Plains Aquifer in Tripp and Gregory Counties, South Dakota. Open File Report 90-UR. SD DANR-Geological Survey, Vermillion, SD.
- Filipovic, D. 2011. Hydrogeologic Assessment of the High Plains Aquifer in Bennett County, South Dakota. Open File Report 92-UR. Plates 1 through 5. SD DANR-Geological Survey, Vermillion, SD.
- Gutentag, E.D., Heimes, F. J., Krothe, N. C., Luckey, R. R., & Weeks, J. B. (1984). Geohydrology of the High Plains Aquifer in Parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming, Professional Paper 1400-B. U.S. Geological Survey.
- Hammond P. D., 1994. Ground Water Quality Investigation in Selected Areas of Todd and Mellette Counties, South Dakota. Open File Report 68-UR. SD DANR-Geological Survey, Vermillion, SD.
- Hedges, L.S. and Burch, S.L. 1985. Analysis of Ground-Water and Streamflow Data Western Dakotas Region of South Dakota. Task 3.D and 4.C: Ground-Water Recharge. Final Report. U.S. Army Corps of Engineers Contract DACW45-82-C-0151. DANR-Geological Survey, Vermillion, SD.
- Kolm, K.E. and Case, H.L. III. 1983. A Two-Dimensional, Finite-Difference Model of the High Plains Aquifer in Southern South Dakota. Water-Resources Investigations Report 83-4175. U.S. Geological Survey, Lakewood, CO.
- Martin, J.E., Sawyer, J.F., Fahrenbach, M.D., Tomhave, D.W., and Schulz, L.D., 2004. "Geologic Map of South Dakota," SD-DANR Geological Survey Program, Vermillion, SD.
- Mathiowetz, A.W. 2022, Report to the Chief Engineer on Water Permit Application No. 2833-2 Brian Burnham and Water Permit Application No. 2834-2 Blake Burnham – Natural Resource Engineer IV, SD DANR – Water Rights Program, Joe Foss Bldg, Pierre, SD.
- SDGS, 2023. South Dakota Geological Survey Lithologic Logs Database. Accessed May 3, 2023. <http://cf.sddanr.net/lithdb/>.
- Valseth K.J., and Driscoll, D.G., 2020. Trends in Groundwater Levels in and near the Rosebud Indian Reservation, South Dakota, Water Years 1956-2017. Scientific Investigations Report 2020-5119. U.S. Geological Survey, Rapid City, SD.
- Water Rights, 2023a. "1979-2021 Irrigation Summaries by Aquifer", SD DANR-Water Rights Program, Joe Foss Building, Pierre, SD.
- Water Rights, 2023b. Observation Well Data, SD DANR-Water Rights Program, Joe Foss Bldg, Pierre, SD.
- Water Rights, 2023c. Water Right/Permit Files, SD DANR-Water Rights Program, Joe Foss Bldg, Pierre, SD.
- Water Rights, 2023d. Well Completion Reports, SD DANR-Water Rights Program, Joe Foss Bldg, Pierre, SD.
- Water Rights, 2023e. County Files, SD DANR-Water Rights Program, Joe Foss Bldg, Pierre, SD.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPERS RIGHT AWAY.**

May 16, 2023

Davin Hubbs
1919 Walnut St.
Yankton SD 57078

Dear Mr. Hubbs:

Water Permit Application No. 2868-2 for irrigation use have been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice has been sent to the Bennett County Booster printed at Martin SD (Ph # 605 685-6866) and the Rapid City Journal printed at Rapid City SD (Ph # 605 394-8336). You will need to contact the newspapers and authorize publication of this notice. For your information, a copy of the notice, the recommendation of the Chief Engineer and report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspapers to authorize publication of your Notice and to arrange for payment. Early contact with the papers can eliminate delays. Upon receiving authorization from you, the publishers have been instructed to publish your notice. The newspapers have also been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Rachel Rodriguez

Rachel Rodriguez
Water Rights Program
(605) 773-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

NOTICE OF APPLICATION NO. 2868-2 to Appropriate Water

Notice is given that Davin Hubbs, 1919 Walnut St., Yankton SD 57078 has filed an application for a water permit to appropriate 4.0 cubic feet of water per second (cfs) from two wells to be completed into the Ogallala Aquifer (approximately 260 feet deep) located near the centers of the NE 1/4 and SE 1/4 Section 29 for irrigation of 295.1 acres located in the E 1/2 Section 29; all in T37N-R33W. This site is located approximately 25 miles east of Martin SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2868-2 with qualifications because 1) unappropriated water is available, 2) existing domestic water uses and water rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest as it pertains to matters within the regulatory authority of the Water Management Board. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <https://danr.sd.gov/public> or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Chief Engineer. A petition opposing the application shall be filed on a form provided by the Chief Engineer. The petition form is available online at <https://danr.sd.gov/public> or by contacting the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by June 12, 2023.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Chief Engineer. The comment shall be filed on a form provided by the Chief Engineer and is available online at <https://danr.sd.gov/public> or by calling (605) 773-3352 or writing the Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by June 12, 2023.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of _

Rodriguez, Rachel

From: Rodriguez, Rachel
Sent: Tuesday, May 16, 2023 8:31 AM
To: booster@gwtc.net
Subject: 2868-2 Davin Hubbs - Public Notice
Attachments: FORM8.FRM.doc; 2868-2 public.short_final.docx

Attached is a notice to be published on May 31, 2023.

Davin Hubbs, 1919 Walnut St., Yankton SD 57078, (605-661-2085) has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Thank you,

Rachel Rodriguez
DANR | Program Assistant
Rachel.Rodriguez@state.sd.us



Rodriguez, Rachel

From: Rodriguez, Rachel
Sent: Tuesday, May 16, 2023 8:32 AM
To: RCY Legals
Subject: 2868-2 Davin Hubbs - Public Notice
Attachments: FORM8.FRM.doc; 2868-2 public.short_final.docx

Attached is a notice to be published on May 31, 2023.

Davin Hubbs, 1919 Walnut St., Yankton SD 57078, (605-661-2085) has been notified to contact you to authorize publication and arrange for payment.

Please send the affidavit or return the attached Proof of Publication form ASAP to the Water Rights Program, 523 E Capitol, Pierre SD 57501.

Let me know if you have questions. Please acknowledge receipt of this email.

Thank you,

Rachel Rodriguez
DANR | Program Assistant
Rachel.Rodriguez@state.sd.us



*** Proof of Publication ***

STATE OF SOUTH DAKOTA)

County of Pennington)

SS:

S.D. DANR - GROUND WATER

523 E CAPITOL AVE

PIERRE SD 57501

ORDER NUMBER 57125

The undersigned, being duly sworn, upon his/her oath says: That he/she is now and was at all time hereinafter mentioned, a clerk of the RAPID CITY JOURNAL, a corporation of Rapid City, South Dakota, a legal and daily newspaper printed and published in Rapid City, in said County of Pennington, and has full and personal knowledge of all the facts herein stated as follows: that said newspaper is and at all of the times herein mentioned has been a legal and daily newspaper with a bonafide paid circulation of at least Two Hundred copies daily, and has been printed and published for at least one year prior to the first date of the published notice.

This affidavit is a true and corrected copy of notice which appeared

in said newspaper once each week for one

successive week, the first publication there of being on the

31 day of May, 2023.

Section: Legal

Category: 0072 Public Notices

PUBLISHED ON: 05/31/2023

TOTAL AD COST: 89.12

FILED ON: 6/6/2023

Subscribed and sworn to before me this

6th day of June, 2023.

Kelly L. Kanaan Notary Public


My commission expires

Jan 17, 2025

RECEIVED

JUN 09 2023

OFFICE OF
WATER



**NOTICE OF APPLICATION NO.
2868-2 to Appropriate Water**

Notice is given that Davin Hubbs, 1919 Walnut St., Yankton SD 57078 has filed an application for a water permit to appropriate 4.0 cubic feet of water per second (cfs) from two wells to be completed into the Ogallala Aquifer (approximately 260 feet deep) located near the centers of the NE 1/4 and SE 1/4 Section 29 for irrigation of 295.1 acres located in the E 1/2 Section 29; all in T37N-R33W. This site is located approximately 25 miles east of Martin SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2868-2 with qualifications because 1) unappropriated water is available, 2) existing domestic water uses and water rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest as it pertains to matters within the regulatory authority of the Water Management Board. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <https://danr.sd.gov/public> or contact Ron Duvall for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Chief Engineer. A petition opposing the application shall be filed on a form provided by the Chief Engineer.

The petition form is available online at <https://danr.sd.gov/public> or by contacting the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Chief Engineer's recommendation, the applicant shall also file a petition. A petition

filed by either an interested person or the applicant must be filed by June 12, 2023.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Chief Engineer. The comment shall be filed on a form provided by the Chief Engineer and is available online at <https://danr.sd.gov/public> or by calling (605) 773-3352 or writing the Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by June 12, 2023.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider this application. Notice of the hearing will be given to the applicant and any person filing a petition.

(Published May 31, 2023 for a total approximate cost of \$89.12 and may be viewed for free at www.sdpublicnotices.com)
Legal No: 57125

Affidavit of Publication

State of South Dakota

County of Bennett

RECEIVED

JUN 02 2023

OFFICE OF
WATER

Taylor Risse, being, first duly sworn, on oath, says: That he/she is an employee of Scherer Publishing, LLC, and that the **Bennett County Booster** is, and during all the times hereinafter mentioned was, a weekly legal newspaper as defined in the SDCL 17-2-2.1 through the 17-2-2.4 inclusive; that said newspaper has been published within the said county of Bennett and State of South Dakota, for at least one year prior to the first publication of the attached public notice, and that the printed copy of which, taken from the paper in which the same was published, and which is hereto attached and made a part of this affidavit, was published in said newspaper for **1** successive week(s) to wit:

May 31, 2023


That the full amount of the fee charged for the publication of the attached public notice, **\$49.64** insures to the sole benefit of the publisher or publishers; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Signed: _____

Subscribed and sworn to before me this 31 day of May, 2023.

Notary Public

My Commission Expires
December 9, 2027



Legal Notices

Summons

STATE OF SOUTH DAKOTA) IN CIRCUIT COURT
COUNTY OF Bennett) SIXTH JUDICIAL CIRCUIT
Romaine Rose Gomez,)
Plaintiff,) 03 DIV. 23 000004
vs.)
Porfirio M. Gomez, Jr.,)
Defendant.)

THE STATE OF SOUTH DAKOTA SENDS GREETINGS TO THE ABOVE-NAMED DEFENDANT, Porfirio M. Gomez, Jr.
YOU ARE HEREBY SUMMONED and required to answer the Complaint for Divorce of the Plaintiff, a copy of which is herewith served upon you, and to serve a copy of your Answer on the attorney for Plaintiff, Nicholas J. Peterson, at the address below within thirty (30) days from the date of the service of this Summons upon you, exclusive of the date of this service.
IF YOU FAIL TO ANSWER THE COMPLAINT, a judgment by default may be rendered against you as requested in Plaintiff's Complaint sixty (60) days after the completed service of Plaintiff's Summons and Complaint.

NOTICE
South Dakota law requires that upon the filing of a Complaint for divorce or separate maintenance and upon personal service of the Complaint and Summons on the Defendant, a Temporary Restraining Order shall be in effect against both parties until the final Decree is entered, the Complaint is dismissed, or until further order of the Court. Either party may apply to the Court for further temporary orders or modification or revocation of the Order.

TEMPORARY RESTRAINING ORDER
BY ORDER OF COURT, YOU AND YOUR SPOUSE ARE:
A. Restrainted from transferring, encumbering, concealing, or in any way dissipating or disposing of any marital assets, without the written consent of the other party or an order of the Court, except as may be necessary in the usual course of business or for the necessities of life. You are to notify the other party of any proposed extraordinary expenditures and to account to the Court for all extraordinary expenditures made after the Temporary Restraining Order is in effect;
B. Restrainted from making any changes to any insurance coverage for the parties or any child of the parties without the written consent of the other party or an order of the court unless the change under the applicable insurance coverage increases the benefits, adds additional property, persons, or perils to be covered, or is required by the insurer;
C. Restrainted from molesting or disturbing the peace of the other party.

IF EITHER PARTY VIOLATES ANY OF THESE PROVISIONS, THAT PARTY MAY BE IN CONTEMPT OF COURT.
Dated this 22nd day of March 2023.
PASQUALUCCI & PETERSON LAW OFFICE, P.C.
By: /s/ Nicholas J. Peterson
Nicholas J. Peterson
nickj@rushmorelaw.com
550 N 5th Street, Suite 118
Rapid City, SD 57701
Telephone: (605) 721-8821
Facsimile: (605) 593-8896
ATTORNEY FOR PLAINTIFF

Published four times at the total approximate cost of \$177.84 and can be viewed free of charge at www.sdpublishnotices.com.
Published: May 24, 31, June 7, 14, 2023

Notice Of Application NO. 2868-2 to Appropriate Water

Notice is given that Davin Hubbs, 1919 Walnut St., Yankton SD 57078 has filed an application for water permit to appropriate 4.0 cubic feet of water per second (cfs) from two wells to be completed into the Ogallala Aquifer (approximately 260 feet deep) for irrigation of the NE 1/4 and SE 1/4 Section 29 for irrigation of 295.1 acres located in the E 1/2 Section 29, all in T37N-R33W. This site is located approximately 25 miles east of Martin SD.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2868-2 with qualifications because 1) unappropriated water is available, 2) existing domestic water uses and water rights will not be unlawfully impaired, 3) it is a beneficial use of water, and 4) it is in the public interest as it pertains to matters within the regulatory authority of the Water Management Board. The Chief Engineer's recommendation with qualifications, the application, and staff report are available at <https://danr.sd.gov/public> or contact Ron Dunnell for this information, or other information, at the Water Rights Program address provided below.

Any person interested in opposing this application or recommendation shall allege that the application, upon approval, will cause injury to the person that is unique from any injury suffered by the public in general. The injury must concern a matter either within the regulatory authority found in SDCL 46-2A-9 for approval or denial of the application, or other matter concerning the application within the regulatory authority of the board to act upon as defined by SDCL 46-2-9 and 46-2-11, or both. Any person meeting the petitioner requirements and wishing to be a party of record in a contested case hearing shall file a written petition to oppose the application with BOTH the applicant and Chief Engineer. A petition opposing the application shall be filed on a form provided by the Chief Engineer. The petition form is available online at <https://danr.sd.gov/public> or by contacting the Chief Engineer. The Chief Engineer's address is "Water Rights Program, Foss Building, 523 E Capitol, Pierre SD 57501" or call (605) 773-3352. The applicant's mailing address is given above. If contesting the Chief Engineer's recommendation, the applicant shall also file a petition. A petition filed by either an interested person or the applicant must be filed by June 12, 2023.

The petition shall include a statement describing the unique injury upon approval of the application on the petitioner, the petitioner's reasons for opposing the application, and the name and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained.

Any interested person may file a comment on the application with the Chief Engineer. The comment shall be filed on a form provided by the Chief Engineer and is available online at <https://danr.sd.gov/public> or by calling (605) 773-3352 or writing the Chief Engineer at the address provided above. Filing a comment does not make the commenter a party of record or a participant in any hearing that may be held. Any comment must be filed by June 12, 2023.

If the applicant does not contest the recommendation of the Chief Engineer and no petition to oppose the application is received, the Chief Engineer shall act on the application pursuant to the recommendation with no hearing held before the Water Management Board. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled, and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Published once at the total approximate cost of \$49.64 and can be viewed free of charge at www.sdpublishnotices.com.
Published: May 31, 2023

Annual Report For City Of Martin As Of And For The Year Ended December 31, 2022

	Governmental Funds - Modified Cash Basis			Total Governmental Funds
	General Fund	Liquor Operating Agreement Fund	Other Gov. Fund	
Beginning Fund Balance	1,099,880.87	645,785.01	94,330.47	1,839,996.35
Revenues and Other Sources:				
Taxes:				
Property Taxes	191,761.51			191,761.51
General Sales and Use Taxes	593,133.61		53,673.18	646,806.79
Licenses and Permits	28,999.00			28,999.00
Intergovernmental Revenues:				
Federal Grants	4,012.78			4,012.78
Federal Payments in Lieu of Taxes	8,474.77			8,474.77
State Grants	86,377.68			86,377.68
State Shared Revenue	29,995.21			29,995.21
State Payments in Lieu of Taxes	6,843.07			6,843.07
County Shared Revenue	29,445.30			29,445.30
Charges for Goods and Services				
Highways and Streets	20,839.72			20,839.72
Culture and Recreation	400.00			400.00
Other	7,834.50			7,834.50
Miscellaneous Revenue and Other Sources:				
Investment Earnings	15,981.99		132.10	16,114.09
Liquor Operating Agreement Income		182,815.40		182,815.40
Other Revenues	28,807.49	1,628.29	7,802.97	38,238.75
Total Revenue and Other Sources	1,052,906.63	184,443.69	61,608.25	1,298,958.57
Expenditures and Other Uses:				
Legislative	14,802.73			14,802.73
Elections	43.57			43.57
Financial Administration	97,899.33			97,899.33
Other General Government	42,990.70			42,990.70
Police	342,460.61			342,460.61
Fire	61,985.91			61,985.91
Protective Inspection	6,934.36			6,934.36
Highways and Streets	150,787.20			150,787.20
Electricity	40,726.64			40,726.64
Airport	35,334.31			35,334.31
Recreation			52,047.49	52,047.49
Parks	81,907.62			81,907.62
Museums	3,816.53			3,816.53
Economic Development			41,259.89	41,259.89
Debt Service	19,427.01			19,427.01
Capital Outlay	94,378.33			94,378.33
Liquor Operating Agreements		7,141.38		7,141.38
Total Expenditures and Other Uses	993,494.85	7,141.38	101,940.51	1,102,576.74
Transfers In (Out)	48,000.00	(78,000.00)	30,000.00	0.00
Increase/Decrease in Fund Balance	107,411.78	99,302.31	(10,332.26)	196,381.83
Ending Balance:				
Restricted	288,884.79	1,000.00	75,562.84	365,447.63
Assigned	607,718.67		2,365.49	610,084.16
Unassigned	310,689.19	744,087.32	6,069.88	1,060,846.39
Total Ending Fund Balance	1,207,292.65	745,087.32	83,998.21	2,036,378.18
Governmental Long-term Debt				38,752.89

	Proprietary Funds - Modified Cash Basis		
	Water Fund	Sewer Fund	Sanitation Fund
Beginning Balance	957,763.23	496,970.49	40,056.14
Revenues	540,335.71	140,380.05	116,112.70
Expenses	483,400.98	151,827.50	111,560.05
Ending Balance:			
Restricted For:			
Revenue Bond Debt Service	24,013.45	41,268.69	
Unrestricted	990,684.51	444,254.35	44,618.29
Enterprise Long Term Debt			997,468.78

The preceding financial data does not include fiduciary funds or component units. Information pertaining to those activities may be obtained by contacting the municipal finance officer at 605-685-6525.
Municipal funds are deposited as follows:
Depository: Security First Bank
Amount: 3,581,217.47
Published once at the total approximate cost of \$187.50 and can be viewed free of charge at www.sdpublishnotices.com.
Published: May 31, 2023

Notice of Public Hearing on Applications for a Special Event License 2023

NOTICE IS HEREBY GIVEN THAT the City Council in and for the City of Martin, S.D., on the 14th day of June, 2023, at the hour of 6 o'clock p.m. at 101 Main Street, during the Regular Meeting, will consider the following **Special Event License application** for an Alcoholic Beverage License to operate within the Municipality for the day of June 24 licensing period, which have been presented to the City Council and filed in the Finance Officer's Office.

APPLICANT: Special Event Malt Beverage License - Martin Volunteer Fire Department; Address or legal description: Original Town Block 9, East 40 feet of Lots 14, 15, 16, City of Martin, S.D. Type of License: Special (on sale) Malt Beverage.

NOTICE IS FURTHER GIVEN THAT any person, persons or their attorneys may appear and be heard at said scheduled public hearing who are interested in the approval or rejection of any such application.

Dated at Martin, South Dakota, this 31st day of May, 2023.
Jean Kirk
Finance Officer
Published once at the total approximate cost of \$20.44 and can be viewed free of charge at www.sdpublishnotices.com.
Published: May 31, 2023

Notice to Creditors

STATE OF SOUTH DAKOTA) IN THE CIRCUIT COURT
COUNTY OF Bennett) SIXTH JUDICIAL CIRCUIT
In the Matter of the Estate)
of Earl Loren Simmons,) 03PRO23 000010
Deceased.) Notice to Creditors

Notice is hereby given that on May 25, 2023, Delinda L. Simmons of 28698 209th Avenue, Allen, SD, 57714, was appointed as Personal Representative of the Estate of Earl Loren Simmons, Deceased. Creditors of the Deceased must file their claims within Four (4) months after the date of first publication of this notice or their claims may be barred. Claims may be filed with the Personal Representative or may be filed with the Clerk of Courts, with a copy of the claim mailed to the Personal Representative.

Dated this 26th day of May, 2023.
/s/ Delinda L. Simmons
as Personal Representative
28698 209th Avenue
Allen, SD 57714
Bennett County Clerk of Courts
PO Box 281
Martin, SD 57551

Lee H. Dayton, Attorney for the Estate of Earl Loren Simmons
PO Box 878
Martin, SD 57551
(740) 705 1970
Published three times at the total approximate cost of \$73.71 and can be viewed free of charge at www.sdpublishnotices.com.
Published: May 31, June 7, 14, 2023

Notice of Bids

NOTICE IS HEREBY GIVEN THAT Sicangu Oyawaywa Ohi (Roasbuh Dormitory) is seeking sealed bids for painting the exterior fascia of the main office, dining hall, and garage buildings located in Mission, South Dakota.

Specifications:
• Scope of Work
• Preparation prior to painting to include but not limited to: cleaning of surfaces and/or sanding of surfaces.
• Painting the exterior fascia on the main office, dining hall, and garage buildings.

Technical questions can be referred to Mr. Larry LaPointe, Facilities Manager at (605) 828-7781.

Bids will be closed Friday, June 2, 2023, at 4:00 p.m. CST. Sealed bids can be mailed to Samantha Plank, Business Manager, P.O. Box 69, Mission, SD 57555, a.plank@sicanguott.org, (605) 828-3146. Sicangu Oyawaywa Ohi reserves the right to reject any and all bids. All projects are subject to TECRO regulations. Published twice at the total approximate cost of \$30.13 and can be viewed free of charge at www.sdpublishnotices.com.
Published: May 24, 31, 2023

Partner with Native American children and families to educate for life - Mind, Body, Heart and Spirit.
Join our family at St. Joseph's Indian School

Following positions available:
Houseparents: Create a family-oriented environment and care for children in our campus homes. This is a full-time contract position with summers off.

School Administrative Assistant: coordinates all office business conducted by the school. This is a nonexempt position.

High School Academic Advisor: is a 10-month position that provides educational support and assistance for students regarding their schoolwork. The Academic Advisor also guides students concerning their academic plans and progress, schedule, and other academic activities leading to high school graduation. This is an exempt position.


The Art Teacher: is responsible for the instruction of students, organization of instructional lessons and implementation of the education curriculum, while being a contributing member of the community. This is an exempt position.

The Bindery Operator is responsible for assisting in all post-press operations. This is a nonexempt position.

Middle School Science Teacher: The Teacher is responsible for the instruction of students, organization of instructional lessons and implementation of the education curriculum, while being a contributing member of the community. This is an exempt position.

High School Transition Specialist: This position is designed to support ongoing educational assistance for all High School students, as well as serving as the primary staff liaison with colleges and programs that support higher education for Native Americans. In addition, this role assists current and former students with secondary education, military, or career/employment while transitioning after high school. This is an exempt position.

Full-time regular positions include
Benefits Beyond your
Expectations & Competitive Pay!
To make a difference,
call 605-234-3275
or email apply@stjo.org EOE



Rodriguez, Rachel

From: Rodriguez, Rachel
Sent: Tuesday, May 16, 2023 8:54 AM
To: 'davehubbs@hubbsagency.net'
Subject: 2868-2 Davin Hubbs - Public Notice
Attachments: 2868-2 Rec-Report.pdf; Ltr.pdf; 2868-2 public.short_final.docx

Attached is a copy of the report, chief engineer recommendation and information regarding the public notice for your water permit application. As stated in the letter, **please contact the paper(s) as soon as possible to authorize publication and arrange for payment.** This information is being mailed to you today.

Thank you,

Rachel Rodriguez
DANR | Program Assistant
Rachel.Rodriguez@state.sd.us





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

JUL 11 2023

Davin Hubbs
1919 Walnut Street
Yankton SD 57078

Dear Mr. Hubbs:

Enclosed is Water Permit No. 2868-2 authorizing construction of the water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

Form 10, *Notice of Completion of Works and Application of Water to Beneficial Use*, is enclosed. Please return this completed form after you have finished the system and have put the water to beneficial use. An investigation can then be scheduled so the water license may be issued, thus completing the acquisition of a water right.

An informational sheet *Common Water Right Questions* is also enclosed. This sheet is intended to answer some of the questions associated with obtaining and keeping a water right.

Sincerely,

Eric Gronlund, Chief Engineer
Water Rights Program
(605) 773-3352

enclosures



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

**Affidavit of Public Notice
on DANR Website**

Pursuant to SDCL § 46-2A-4, public notice of the following application was posted on the DANR web site at <https://danr.sd.gov/public>. The posted public notice is the same notice as published in the pertinent newspaper(s) and a copy of the public notice is maintained in the application file. If the application is contested, the posting is moved to the DANR contested case website at <https://danr.sd.gov/public/ContestedCase.aspx> until final action is taken on the application pursuant to SDCL § 46-2A-4.

Application No.: 2868-2

Name of Applicant: Davin Hubbs

Date of Posting: 5/30/2023

Date of Removal: 7/11/2023




Ron Duvall, Water Rights Permitting Administrator

7/14/23

Date

Subscribed and sworn to before me, a notary public, this 14 day of July, 20 23.



Notary Public - South Dakota
My commission expires:
Rachel Rodriguez
My Commission Expires
May 16, 2029

(SEAL)





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

May 24, 2024

2868-2

Davin & Jacob Hubbs
1919 Walnut St
Yankton SD 57078

Dear Mr. Hubbs:

Thank you for calling our office to report that your irrigation system is complete, and you are ready to begin diverting water, as authorized by Permit No. 2868-2, for the 2024 irrigation season. Please complete the "Notice of Completion of Works" and return it in the prepaid envelope that's been provided.

You had also inquired about chemigation and the application of fertilizers. I've enclosed, in addition to a "Notice of Completion of Works", a packet outlining South Dakota Laws and Rules surrounding chemigation. You may contact Ron Duvall (605) 773.3352 with any further questions regarding chemigation.

I did reach out to staff with DANR's Administration of Pesticides, and neither their office, nor ours, is aware of any rules or regulations regarding the application of fertilizer for irrigation.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

enclosures

2868-2



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

RECEIVED

JUL 15 2024

OFFICE OF
WATER

**NOTICE OF COMPLETION OF WORKS AND
APPLICATION OF WATER TO BENEFICIAL USE**

TO: Water Rights Program, DANR
523 E. Capitol Ave.
Pierre, SD 57501-3182
or via email to DANRmail@state.sd.us

Date July 11th, 2024

FROM: Darin Hubbs (name) 605-653-9716 (phone)
1919 Walnut St (address) jacobhubbs6@gmail.com (email)
Yankton, SD 57078 (city, state, zip)

I have completed the construction of the water use system and I have put the water to beneficial use to the maximum extent it is going to be used.

Water Permit No. 2868-2 states that the water use system is to be constructed by

June 12, 2028 (date), and water is to be put to beneficial use by June 12, 2032 (date).

The water use system was completed on July 10th, 2024 (date)

Applying the water to beneficial use was completed on July 10th, 2024 (date)

You may schedule an inspection so that the water license may be issued.

Dewell, Amanda

From: Dewell, Amanda
Sent: Monday, July 15, 2024 1:05 PM
To: Jacob Hubbs
Subject: RE: [EXT] Irrigation Notice of Completion

Received, thank you.

I will reach out and see if our Rapid City stationed engineer is able to make an inspection of this system yet this season. Inspections are usually done on a county-by-county basis as staff time permits. You have done everything you need to do and the intervening time between the completion of your project and the staff inspection has no bearing on your water permit.

Amanda Dewell
DANR - Water Rights Program
Permitting Administrator
Main Phone: 605 773-3352
Website: danr.sd.gov



From: Jacob Hubbs <jacobhubbs6@gmail.com>
Sent: Monday, July 15, 2024 11:42 AM
To: Dewell, Amanda <Amanda.Dewell@state.sd.us>
Subject: Fwd: [EXT] Irrigation Notice of Completion


From: davehubbs hubbsagency.net <davehubbs@hubbsagency.net>
Sent: Monday, July 15, 2024 11:37:29 AM
To: Jacob Hubbs <jacobhubbs@hubbsagency.net>
Subject: Irrigation Notice of Completion

Irrigation Notice of Completion

Dave Hubbs
Hubbs Agency, Inc.
Yankton, SD
605-661-2085

SOUTH DAKOTA WATER WELL COMPLETION REPORT



2024

Location <u>NW</u> $\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ Sec <u>29</u> Twp <u>37</u> Rg <u>33</u> County <u>Bennett</u> GPS Coordinates Lat: <u>43.15642701968904</u> Lon: <u>-101.24238252639772</u> Please mark well location with an "X" on section grid  Well Completion Date <u>10/8/2023</u> Distance from nearest potential pollution source (Septic tank, abandoned well, feed lot, etc.) ? _____ ft. from _____ (identify source)	Well Owner: <u>Davin Hubbs</u> Business Name: _____ Address: <u>1919 Walnut St.</u> City, State, Zip: <u>Yankton, SD 57078</u> WELL LOG: <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">FORMATION</th> <th colspan="2">DEPTH</th> </tr> <tr> <th>FROM</th> <th>TO</th> </tr> </thead> <tbody> <tr><td>Top Soil, sandstone</td><td>0.0</td><td>25.0</td></tr> <tr><td>Sandstone/ White Rock</td><td>25.0</td><td>40.0</td></tr> <tr><td>Silty Clay With some limestone ledges</td><td>40.0</td><td>63.0</td></tr> <tr><td>Sand</td><td>63.0</td><td>100.0</td></tr> <tr><td>Sand with some gravel</td><td>100.0</td><td>220.0</td></tr> <tr><td>Sand with some clay</td><td>220.0</td><td>235.0</td></tr> <tr><td>Sand with some sandstone</td><td>235.0</td><td>295.0</td></tr> <tr><td>Silty Caly</td><td>295.0</td><td>300.0</td></tr> </tbody> </table> STATIC WATER LEVEL <u>38.0</u> FEET If flowing: closed in pressure _____ PSI GPM flow <u>750.0</u> through <u>8.63</u> Inch pipe Controlled by ☐ Valve ☐ Reducers ☐ Other <u>Sprinkler System</u> Reduced flow rate <u>750.0</u> GPM Can well be completely shut in? <u>Yes</u>	FORMATION	DEPTH		FROM	TO	Top Soil, sandstone	0.0	25.0	Sandstone/ White Rock	25.0	40.0	Silty Clay With some limestone ledges	40.0	63.0	Sand	63.0	100.0	Sand with some gravel	100.0	220.0	Sand with some clay	220.0	235.0	Sand with some sandstone	235.0	295.0	Silty Caly	295.0	300.0
FORMATION	DEPTH																													
	FROM	TO																												
Top Soil, sandstone	0.0	25.0																												
Sandstone/ White Rock	25.0	40.0																												
Silty Clay With some limestone ledges	40.0	63.0																												
Sand	63.0	100.0																												
Sand with some gravel	100.0	220.0																												
Sand with some clay	220.0	235.0																												
Sand with some sandstone	235.0	295.0																												
Silty Caly	295.0	300.0																												
PROPOSED USE: ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Monitoring Well ☒ Irrigation ☐ Industrial ☐ Institutional ☐ Test Hole ☐ Dewatering Well ☐ Geothermal ☐ Other _____ METHOD OF DRILLING: <u>Reverse Rotary</u> CASING DATA: ☒ Steel ☐ Plastic ☐ Other If other describe _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>PIPEWEIGHT</th> <th>DIAMETER</th> <th>FROM</th> <th>TO</th> <th>HOLE DIAMETER</th> </tr> </thead> <tbody> <tr> <td>LB/FT</td> <td><u>16</u> IN</td> <td><u>0</u> FT</td> <td><u>140</u> FT</td> <td><u>30</u> IN</td> </tr> <tr> <td>LB/FT</td> <td>IN</td> <td>FT</td> <td>FT</td> <td>IN</td> </tr> <tr> <td>LB/FT</td> <td>IN</td> <td>FT</td> <td>FT</td> <td>IN</td> </tr> </tbody> </table> GROUTING DATA: Grout Type <u>Bentonite</u> No. of Sacks <u>5.25</u> yds Grout Weight <u>16.0</u> Lb/gal From <u>20.0</u> Ft To <u>60.0</u> Ft per driller AWM 9/4/24 Lb/gal Ft Ft Describe grouting procedure <u>Tremmie</u>	PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER	LB/FT	<u>16</u> IN	<u>0</u> FT	<u>140</u> FT	<u>30</u> IN	LB/FT	IN	FT	FT	IN	LB/FT	IN	FT	FT	IN	WELL TEST DATA: ☒ Pumped Describe: _____ ☐ Bailed ☐ Air ☐ Other _____ Pumping Level Below Land Surface <u>92.0</u> Ft. After <u>3.0</u> Hrs. pumped <u>750.0</u> GPM <u>118.0</u> Ft. After <u>3.0</u> Hrs. pumped <u>1,250.0</u> GPM If pump installed, pump rate: <u>750.0</u> GPM REMARKS This well was drilled under license # <u>848</u> And this report is true and accurate. Drilling firm: <u>Nelson Wells and Irrigation</u> Signature of License Representative: _____ Signature of Well Owner or Equitable Property Holder: _____ Date: <u>9-3-24</u>									
PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER																										
LB/FT	<u>16</u> IN	<u>0</u> FT	<u>140</u> FT	<u>30</u> IN																										
LB/FT	IN	FT	FT	IN																										
LB/FT	IN	FT	FT	IN																										
SCREEN: ☐ Perforated pipe ☒ Manufactured Diameter <u>16</u> Inches Length <u>160.0</u> Feet Material <u>Steel Bridge Slot</u> Slot Size <u>.060</u> Set From <u>140.0</u> Feet to <u>300.0</u> Feet Other information _____ WAS A PACKER OR SEAL USED? ☒ Yes ☐ No If so, what material? <u>Concrete</u> Describe packer(s) and location _____ DISINFECTION: Was well disinfected upon completion? ☒ Yes, How? <u>HTH</u> ☐ No, Why Not? _____ Lab sample sent to for water quality analysis _____	RECEIVED SEP 04 2024 OFFICE OF WATER 750.0 GPM 1,250.0 GPM 750.0 GPM																													

Please return White Copy to DANR Water Rights 523 E. Capitol Ave., Pierre SD 57501

SOUTH DAKOTA WATER WELL COMPLETION REPORT

2024

Location <u>NW</u> <u>1/4</u> <u>NE</u> <u>1/4</u> Sec <u>29</u> Twp <u>37</u> Rg <u>33</u> County <u>Bennett</u> GPS Coordinates Lat: <u>43.15626703522236</u> Lon: <u>-101.24487698078157</u> Please mark well location with an "X" on section grid  North W E 1 Mile Well Completion Date <u>10/23/2023</u> Distance from nearest potential pollution source (Septic tank, abandoned well, feed lot, etc.) ? _____ ft. from _____ (identify source)		Well Owner: <u>Davin Hubbs</u> Business Name: _____ Address: <u>1919 Walnut St.</u> City, State, Zip: <u>Yankton, SD 57078</u>																															
PROPOSED USE: ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Monitoring Well ☒ Irrigation ☐ Industrial ☐ Institutional ☐ Test Hole ☐ Dewatering Well ☐ Geothermal ☐ Other _____		WELL LOG: <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">FORMATION</th> <th style="text-align: center;">FROM</th> <th style="text-align: center;">TO</th> </tr> </thead> <tbody> <tr><td>Top Soil, Clay and sand mixture</td><td style="text-align: center;">0.0</td><td style="text-align: center;">24.0</td></tr> <tr><td>Sandstone / Clay</td><td style="text-align: center;">24.0</td><td style="text-align: center;">43.0</td></tr> <tr><td>Silty Clay</td><td style="text-align: center;">43.0</td><td style="text-align: center;">85.0</td></tr> <tr><td>Sand with some clay</td><td style="text-align: center;">85.0</td><td style="text-align: center;">120.0</td></tr> <tr><td>Sand and very fine gravel</td><td style="text-align: center;">120.0</td><td style="text-align: center;">140.0</td></tr> <tr><td>Sand</td><td style="text-align: center;">140.0</td><td style="text-align: center;">220.0</td></tr> <tr><td>Sand with some clay</td><td style="text-align: center;">220.0</td><td style="text-align: center;">238.0</td></tr> <tr><td>Sand</td><td style="text-align: center;">238.0</td><td style="text-align: center;">255.0</td></tr> <tr><td>Clay</td><td style="text-align: center;">255.0</td><td style="text-align: center;">260.0</td></tr> </tbody> </table>		FORMATION	FROM	TO	Top Soil, Clay and sand mixture	0.0	24.0	Sandstone / Clay	24.0	43.0	Silty Clay	43.0	85.0	Sand with some clay	85.0	120.0	Sand and very fine gravel	120.0	140.0	Sand	140.0	220.0	Sand with some clay	220.0	238.0	Sand	238.0	255.0	Clay	255.0	260.0
FORMATION	FROM	TO																															
Top Soil, Clay and sand mixture	0.0	24.0																															
Sandstone / Clay	24.0	43.0																															
Silty Clay	43.0	85.0																															
Sand with some clay	85.0	120.0																															
Sand and very fine gravel	120.0	140.0																															
Sand	140.0	220.0																															
Sand with some clay	220.0	238.0																															
Sand	238.0	255.0																															
Clay	255.0	260.0																															
METHOD OF DRILLING: <u>Reverse Rotary</u>		STATIC WATER LEVEL <u>46.0</u> FEET If flowing: closed in pressure _____ PSI GPM flow <u>750.0</u> through <u>8.63</u> Inch pipe Controlled by ☐ Valve ☐ Reducers ☒ Other <u>Sprinkler System</u> Reduced flow rate _____ GPM Can well be completely shut in? <u>Yes</u>																															
CASING DATA: ☒ Steel ☐ Plastic ☐ Other If other describe _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>PIPEWEIGHT</th> <th>DIAMETER</th> <th>FROM</th> <th>TO</th> <th>HOLE DIAMETER</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">41 LB/FT</td> <td style="text-align: center;">16 IN</td> <td style="text-align: center;">0 FT</td> <td style="text-align: center;">120 FT</td> <td style="text-align: center;">30 IN</td> </tr> <tr> <td style="text-align: center;">LB/FT</td> <td style="text-align: center;">IN</td> <td style="text-align: center;">FT</td> <td style="text-align: center;">FT</td> <td style="text-align: center;">IN</td> </tr> <tr> <td style="text-align: center;">LB/FT</td> <td style="text-align: center;">IN</td> <td style="text-align: center;">FT</td> <td style="text-align: center;">FT</td> <td style="text-align: center;">IN</td> </tr> </tbody> </table>		PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER	41 LB/FT	16 IN	0 FT	120 FT	30 IN	LB/FT	IN	FT	FT	IN	LB/FT	IN	FT	FT	IN	WELL TEST DATA: ☒ Pumped Describe: ☐ Bailed ☐ Air ☐ Other _____ Pumping Level Below Land Surface <u>106.0</u> Ft. After <u>3.0</u> Hrs. pumped <u>750.0</u> GPM <u>128.0</u> Ft. After <u>3.0</u> Hrs. pumped <u>1,200.0</u> GPM If pump installed, pump rate: <u>750.0</u> GPM											
PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER																													
41 LB/FT	16 IN	0 FT	120 FT	30 IN																													
LB/FT	IN	FT	FT	IN																													
LB/FT	IN	FT	FT	IN																													
GROUTING DATA: Grout Type No. of Sacks Grout Weight From To <u>Bentonite</u> <u>5.25 yds</u> <u>16.0 Lb/gal</u> <u>20.0 Ft</u> <u>60.0 Ft</u> <u>per driller AWM 9/4/24</u> <u>Lb/gal</u> <u>Ft</u> <u>Ft</u> Describe grouting procedure <u>Tremmie</u>		RECEIVED <u>SEP 04 2024</u> OFFICE OF WATER																															
SCREEN: ☐ Perforated pipe ☒ Manufactured Diameter <u>16</u> Inches Length <u>140.0</u> Feet Material <u>Steel Bridge Slot</u> Slot Size <u>.060</u> Set From <u>120.0</u> Feet to <u>260.0</u> Feet Other information _____		REMARKS This well was drilled under license # <u>848</u> And this report is true and accurate. Drilling firm: <u>Nelson Wells and Irrigation, LLC.</u> Signature of License Representative:  Signature of Well Owner or Equitable Property Holder: Date: <u>9-3-24</u>																															
WAS A PACKER OR SEAL USED? ☒ Yes ☐ No If so, what material? <u>Concrete</u> Describe packer(s) and location _____																																	
DISINFECTION: Was well disinfected upon completion? ☒ Yes, How? <u>HTH</u> ☐ No, Why Not? _____ Lab sample sent to for water quality analysis _____																																	

Please return White Copy to DANR Water Rights 523 E. Capitol Ave., Pierre SD 57501

Mathiowetz, Adam (DENR)

From: Kelby Nelson <knelson@nelsonwell.com>
Sent: Wednesday, September 4, 2024 10:27 AM
To: Mathiowetz, Adam (DENR)
Subject: Re: [EXT] Hubbs Well Completion Reports.

5.25 yards
5.25 yards
21 bags on the stock well and I would trust gps

Kelby Nelson,
Nelson Wells and Irrigation, LLC.

On Wed, Sep 4, 2024 at 9:13 AM Mathiowetz, Adam (DENR) <Adam.Mathiowetz@state.sd.us> wrote:

Kelby,

Good morning. I have received copies of your well completion reports for 3 wells for Davin Hubbs. There is a bit of missing information that needs to be on the completion reports. You can just email me the information and I will add them to the well logs on your behalf. I also have some comments on the well construction.

Stock Well – Bags or yards of grout, whichever is more convenient for you to provide; the gps coordinates show the well in the SW ¼ NE ¼, do you believe the GPS or your quarter-quarter description is more accurate

NW Irrigation Well – Bags or yards of grout;

NE Irrigation Well – Bags or yards of grout

The grouting information for the two irrigation wells show the wells were only grouted to 20 feet below land surface. Administrative Rule of South Dakota 74:02:04:28(2) requires (<https://sdlegislature.gov/Rules/Administrative/74:02:04:28>):

“All wells completed into unconfined aquifers shall be pressure-grouted with bentonite grout or cement grout from a depth no more than 4 feet above the top of the aquifer or to a depth of 20 feet below grade, whichever is nearest to ground surface, up to the ground surface or to the base of the pitless unit. Monitoring wells in which the well screen extends above the top of the unconfined aquifer shall be grouted from a depth beginning no more than 4 feet above

the top of the well screen or to a depth of 20 feet below grade, whichever is nearest to the ground surface, up to the ground surface or to the base of the pitless unit;"

The wells as constructed do not meet SD Well Construction Standards. The wells as constructed are not significantly in opposition to the intent of the well construction standards, which in part includes "To protect groundwater resources of the state from bacteriological and chemical contamination and from leakage between aquifers;". Because there is more than 10 feet of grout above and below the static water level in this unconfined aquifer, the construction of the well should adequately protect the resource. Therefore, we are not requesting either rehabilitation to correct the grouting or replacement of the wells.

However, please note that failure to construct wells to SD Well Construction Standards (<https://sdlegislature.gov/Rules/Administrative/74:02:04>) may affect your ability to become relicensed as a well driller in the future.

Please get this information to me as soon as possible. If you have questions, feel free to contact me.



Adam Mathiowetz, PE

Engineer, Water Rights Program

Department of Agriculture and Natural Resources

523 E. Capitol Ave. Pierre SD, 57501

605.773.3352

danr.sd.gov

Irrigation Agreement by Nelson Wells and Irrigation

May 29, 2024

Kelby Nelson, owner of Nelson Wells and Irrigation, LLC of 1611 County Road 66, Alliance, NE 69301 agrees to the following concerning an irrigation project he is working on for Davin Hubbs of 1919 Walnut Street, Yankton, SD 57078. The irrigation project is located on 320 acres owned by Davin Hubbs in Bennett County, SD and includes wells, dirt work, cement, pumps, motors, irrigation systems etc and all items listed on the attached bid sheet.

1. He acknowledges has been working on this project for a year and has not completed the project. He agrees he has stated that the whole project including two functional pivots would be completed in the fall of 2023 no later than November 1st, 2023. He also states that he agreed again to have the two fully functional pivots completed by May 1st, 2024.

2. He agrees he has received total compensation so far on this project of \$508,000.

3. He is now stating that he will need an additional \$150,000 to come close to completing the work on this project.

4. As of May 29, 2024 he agrees that in exchange for receiving \$150,000 he will provide proof within 2 days (48 Hours) that he has ordered the pumps, motors and all other supplies to finish the completed project of two completely functional irrigation pivots. He also agrees to provide the phone numbers for the companies he is ordering the supplies from.

RECEIVED

AUG 23 2024

OFFICE OF
WATER

6. He also agrees that if he does not supply the information showing that the supplies have been ordered to complete the project, he will pay the \$150,000 back immediately to Davin Hubbs (within 7 days).

7. Pumps and motors have been ordered, Casey will be emailing me the other purchase in the morning for the duplicate pump, Ian is supposed to be emailing me the propane generator purchase order in the morning.

8. He acknowledges that \$42,664.13 more of funds will be provided to him within 4 days of Davin Hubbs being completely satisfied that the system is operational and watering. Estimated date of completion is June 15th if pumps and motors get delivered to him in that time frame. Price in this agreement is final.

9. System will be operational within 4 days of Engines and pumps being completed by supplier and ready for pickup. If systems are not operational by June 15 Kelby will get his personal engines and pumps installed at no charge to get the fields watered as needed until job is completed.

10. Kelby also agrees per his text message that the solar well in the center of the property will be installed for \$0 with price being included in this agreement

11. Kelby agrees to cap one of the working supply wells on the north end of the property and cut off the other that is a collapsed well.

_____ Date _____
Kelby Nelson-Owner of Nelson Wells and Irrigation

RECEIVED

AUG 23 2024

OFFICE OF
WATER

RECEIVED

AUG 23 2024

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation

OFFICE OF
WATER

INVOICE

BILL TO

Jacob Hubbs

INVOICE # 2410

DATE 06/19/2023

DUE DATE 06/19/2023

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Well Drilling:Well Drilling Accessories:Test Hole Drill a test hole, examine formation and possible flow #1 no good	TESTHOLE	320	10.00	3,200.00
Well Drilling:Well Drilling Accessories:Test Hole Drill a test hole, examine formation and possible flow good 850gpm	TESTHOLE	320	10.00	3,200.00
Mobilization		1	1,250.00	1,250.00
Well Drilling:Well Drilling Accessories:Test Hole Drill a test hole, examine formation and possible flow	TESTHOLE	220	10.00	2,200.00
Well Drilling:Well Drilling Accessories:Test Hole Drill a test hole, examine formation and possible flow Second best Sand down to 200' 650gpm	TESTHOLE	260	10.00	2,600.00
Well Drilling:Well Drilling Accessories:Test Hole Drill a test hole, examine formation and possible flow clay at 180' 500GPM	TESTHOLE	300	10.00	3,000.00
Well Drilling:Well Drilling Accessories:Test Hole Drill a test hole, examine formation and possible flow clay at 170' 450 GPM	TESTHOLE	260	10.00	2,600.00
Well Drilling:Well Drilling Accessories:Quik Gel Drilling Additive Quik-Gel Drilling Fluid	DPBQUIKGEL-50	21	15.11	317.31T
Well Drilling:Well Drilling Accessories:DPWENVIRO-50 Enviro-Bentonite Hole Plug	DPWENVIRO-50	40	12.35	494.00T
				Subtotal: 18,861.31
Drilling Rig Drilling Rig	DRILLRIG	140	25.00	3,500.00
Well Drilling:Domestic/Stock Well Drilling:Casing:4-	SCH40412	100	9.75	975.00T

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
1/2" PVC SCH40 Casing				
4-1/2" PVC SCH40 Casing				
Electrical:Conduit:PVC Conduit Fittings:4-1/2"	RS4124016	40	10.50	420.00T
SCH40 .016 Slotted Casing				
4-1/2" SCH40 .016 Slotted Casing				
Well Drilling:Domestic/Stock Well Drilling:Casing:4-	PVC447-045-C	1	23.42	23.42T
1/2" PVC Cap				
4-1/2" PVC SCH40 Casing Cap				
Well Drilling:Well Drilling Accessories:Pea Gravel		4	65.00	260.00T
Pea Gravel				

Subtotal:
5,178.42

*

Thank you for your business, have a great day!

SUBTOTAL	24,039.73
TAX	136.94
TOTAL	24,176.67
PAYMENT	24,176.67
BALANCE DUE	\$0.00

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.


1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2411

DATE 07/18/2023

DUE DATE 07/18/2023

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Drilling Rig	DRILLRIG	320	10.00	3,200.00
Drilling Rig 12" bit				
Well Drilling:Domestic/Stock Well Drilling:Casing:8"	2175517	140	15.50	2,170.00
SHURGRIP SDR17 Casing				
Shurgrip 8" casing SDR 21				
Well Drilling:Domestic/Stock Well Drilling:Casing:8"	2175517	100	18.50	1,850.00
SHURGRIP SDR17 Casing				
Shurgrip 8" casing SDR 21 .050 Slotted Casing				
Well Drilling:Well Drilling Accessories:Pea Gravel		10	65.00	650.00
Pea Gravel				
Well Drilling:Well Drilling Accessories:DPWENVIRO-50	DPWENVIRO-50	8	12.50	100.00
Enviro-Bentonite Hole Plug				
Well Drilling:Well Drilling Accessories:Quik Gel Drilling Additive	DPBQUIKGEL-50	8	15.00	120.00
Quik-Gel Drilling Fluid				
Well Drilling:Well Drilling Accessories:TESTPUMP	TESTPUMP	1	650.00	650.00
Test pump new well				

*
Thank you for your business, have a great day!

SUBTOTAL	8,740.00
TAX	0.00
TOTAL	8,740.00
PAYMENT	8,740.00
BALANCE DUE	\$0.00

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Nelson Wells and Irrigation, LLC.


1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2521

DATE 09/01/2023

DUE DATE 09/01/2023

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Drilling Rig	DRILLRIG	300	70.00	21,000.00
Drilling Rig				
Well Drilling:Well Drilling	SurfaceCasing	40	95.00	3,800.00T
Accessories:Surface Casing				
30" Galvanized corrugated Surface casing				
Well Drilling:Domestic/Stock Well	PVC44-160-C	140	82.00	11,480.00T
Drilling:Casing:16" PVC Cap				
16" PVC SCH40 Casing Cap				
Steel Casing add 27\$ a foot				
Well Drilling:Domestic/Stock Well	PV4-160S85-C	160	91.00	14,560.00T
Drilling:Casing:16" SCH40 .085 Slotted				
Well Casing				
16" SCH40 .085 Slotted Well Casing				
Supply Well casing collapsed so we had to drill a second well and had to run steel casing on irrigation well				
Steel Casing add \$31				
Well Drilling:Well Drilling Accessories:Pea Gravel		50	65.00	3,250.00T
Pea Gravel				
Well Drilling:Well Drilling	DPWENVIRO-50	120	12.35	1,482.00T
Accessories:DPWENVIRO-50				
Enviro-Bentonite Hole Plug				
Well Drilling:Well Drilling	CASINGGUIDES	18	25.00	450.00T
Accessories:CASINGGUIDES				
Casing Guides				
Mobilization		1	2,500.00	2,500.00
Services:Bobcat S850	BOBCATS850	1	1,500.00	1,500.00

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Dirt Work Equipment to dig pit				
				Subtotal: 60,022.00
Pumps:Turbine Pumps:Turbine Pump Setting Per foot	TURBINEPUMPSETTING	280	7.00	1,960.00
Flat Rate for setting Turbine pumps				
Well Drilling:Well Drilling Accessories:TESTPUMP	TESTPUMP	32	125.00	4,000.00
Test pump new well				
Pumps:Turbine Pumps:Turbine Pump Setting Per foot	TURBINEPUMPSETTING	280	7.00	1,960.00
Flat Rate for setting Turbine pumps				
				Subtotal: 7,920.00
Center Pivot:Pivot Accessories:Concrete Pad - per yard	Concrete Pad	1	350.00	350.00T
Concrete Pad - Per Yard				
Concrete Pad for Irrigation Well				

* Thank you for your business, have a great day!	SUBTOTAL	68,292.00
	TAX	1,945.46
	TOTAL	70,237.46
	PAYMENT	70,237.46
	BALANCE DUE	\$0.00

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Nelson Wells and Irrigation, LLC.
1611 County Road 66
Alliance, NE 69301 US
(308) 763-8505
nelsonwellsandirrigation@gmail.com
www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO
Jacob Hubbs

SHIP TO
Jacob Hubbs

INVOICE # 2522
DATE 09/01/2023
DUE DATE 09/01/2023
TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Drilling Rig Drilling Rig	DRILLRIG	260	70.00	18,200.00
Well Drilling:Well Drilling Accessories:Surface Casing 30" Galvanized corrugated Surface casing	SurfaceCasing	40	95.00	3,800.00
Well Drilling:Domestic/Stock Well Drilling:Casing:16" PVC Cap 16" PVC SCH40 Casing Cap	PVC417160-C	120	82.00	9,840.00
Steel Casing add 27\$ a foot				
Well Drilling:Domestic/Stock Well Drilling:Casing:16" SCH40 .085 Slotted Well Casing 16" SCH40 .085 Slotted Well Casing Steel Casing add \$31	PV4-160S85-C	140	91.00	12,740.00
Well Drilling:Well Drilling Accessories:Pea Gravel Pea Gravel		50	65.00	3,250.00
Well Drilling:Well Drilling Accessories:DPWENVIRO-50 Enviro-Bentonite Hole Plug	DPWENVIRO-50	120	12.35	1,482.00
Well Drilling:Well Drilling Accessories:CASINGGUIDES Casing Guides	CASINGGUIDES	18	25.00	450.00
Mobilization		1	2,500.00	2,500.00
Services:Bobcat S850 Dirt Work Equipment to dig pit	BOBCATS850	1	1,500.00	1,500.00
				Subtotal: 53,762.00
Pumps:Turbine Pumps:Turbine Pump	TURBINEPUMPSETTING	240	7.00	1,680.00

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Setting Per foot Flat Rate for setting Turbine pumps				
Well Drilling:Well Drilling Accessories:TESTPUMP Test pump new well	TESTPUMP	24	100.00	2,400.00
Pumps:Turbine Pumps:Turbine Pump Setting Per foot Flat Rate for setting Turbine pumps	TURBINEPUMPSETTING	240	7.00	1,680.00
				Subtotal: 5,760.00
Center Pivot:Pivot Accessories:Concrete Pad - per yard Concrete Pad - Per Yard	Concrete Pad	1	350.00	350.00

* Thank you for your business, have a great day!	SUBTOTAL	59,872.00
	TAX	0.00
	TOTAL	59,872.00
	PAYMENT	59,872.00
	BALANCE DUE	\$0.00

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

Trenching to South Pivot pipe
and wire

INVOICE # 2523

DATE 09/01/2023

DUE DATE 09/01/2023

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Center Pivot:8" PIP Pipe 8" PIP 80PSI Pipe	PIP8X80	4,000	5.15	20,600.00T
Electrical:Wire:1/0 Cable Con 1/0 Cable Con in conduit	P240706-T	4,000	5.25	21,000.00T
Services:Labor:Bobcat E50 Bobcat E50 Mini excavator	BOBCAT E50	25	150.00	3,750.00
Services:Labor:Rex Service Tech Labor Rate Rex Service Tech Labor Rate	REBTLR	25	130.00	3,250.00T
Discharge Accessories:8" Galvanized Riser 8" x 48" Galvanized Riser Pipe	PIPJ8X48	2	606.00	1,212.00T
Discharge Accessories:8" Galv 90° Low Profile Elbow 8" Galvanized 90 Degree Riser Elbow Low Profile MRLx FRL	EL9008SG	2	198.18	396.36T
Underground:Pipeline:Thrust Block home made Home Made Thrust Block	THRUSTBLOCKHM	2	66.43	132.86T
Services:Labor:Trenching Cave ins	TCavein	5	450.00	2,250.00

*

Thank you for your business, have a great day!

SUBTOTAL	52,591.22
TAX	2,562.52
TOTAL	55,153.74
PAYMENT	55,153.74
BALANCE DUE	\$0.00

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation

OFFICE OF
WATER



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2524

DATE 09/01/2023

DUE DATE 09/01/2023

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Center Pivot:8" PIP Pipe 8" PIP 80PSI Pipe	PIP8X80	1,300	5.15	6,695.00
Well Accessories:#4 Cable Con #4 Aluminum Wire in Conduit	CableCon4	1,300	4.10	5,330.00
Services:Labor:Bobcat E50 Bobcat E50 Mini excavator	BOBCATE50	13	150.00	1,950.00
Services:Labor:Rex Service Tech Labor Rate Rex Service Tech Labor Rate	RBSTLR	16	130.00	2,080.00
Discharge Accessories:8" Galvanized Riser 8" x 48" Galvanized Riser Pipe	PIPJ8X48	2	606.00	1,212.00
Discharge Accessories:8" Galv 90° Low Profile Elbow 8" Galvanized 90 Degree Riser Elbow Low Profile MRLx FRL	EL9008SG	2	198.18	396.36
Underground:Pipeline:Thrust Block home made Home Made Thrust Block	THRUSTBLOCKHM	2	66.43	132.86

*	SUBTOTAL	17,796.22
Thank you for your business, have a great day!	TAX	0.00
	TOTAL	17,796.22
	PAYMENT	17,796.22
	BALANCE DUE	\$0.00

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Nelson Wells and Irrigation, LLC.


1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2525

DATE 09/01/2023

DUE DATE 09/01/2023

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Pumps:Turbine Pumps:Custom 2MCO Turbine Pump Custom Designed Turbine pump, Complete with motor and discharge head, column and pump	2MCOTURBINEPUMPCOMPLETE	1	70,290.00	70,290.00
180' set 8" 6 stage pump 8" threaded column 1.5x2.5 tube and shaft oil lubricated 5 gallon oil pot				
Pumps:Turbine Pumps:Turbine Pump Setting Per foot Flat Rate for setting Turbine pumps	TURBINEPUMPSETTING	240	8.00	1,920.00
Well Accessories:DRIPOIL Drip Oil		5	30.00	150.00
Mobilization		1	1,250.00	1,250.00

*

Thank you for your business, have a great day!

SUBTOTAL	73,610.00
TAX	0.00
TOTAL	73,610.00
BALANCE DUE	\$73,610.00

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US


(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation

RECEIVED

AUG 23 2024

OFFICE OF
WATER**INVOICE****BILL TO**

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2526**DATE** 09/01/2023**DUE DATE** 09/01/2023**TERMS** Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Pumps:Turbine Pumps:Custom 2MCO Turbine Pump Custom Designed Turbine pump, Complete with motor and discharge head, column and pump	2MCOTURBINEPUMPCOMPLETE	1	70,290.00	70,290.00
180' set 8" 6 stage pump 8" threaded column 1.5x2.5 tube and shaft oil lubricated 5 gallon oil pot				
Pumps:Turbine Pumps:Turbine Pump Setting Per foot Flat Rate for setting Turbine pumps	TURBINEPUMPSETTING	260	8.00	2,080.00
Well Accessories:DRIPOIL Drip Oil		5	30.00	150.00
Mobilization		1	1,250.00	1,250.00

*

Thank you for your business, have a great day!

SUBTOTAL	73,770.00
TAX	0.00
TOTAL	73,770.00
BALANCE DUE	\$73,770.00


Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.
1611 County Road 66
Alliance, NE 69301 US
(308) 763-8505
nelsonwellsandirrigation@gmail.com
www.facebook.com/nelsonwellsandirrigation

RECEIVED

AUG 23 2024

OFFICE OF
WATER



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2527

DATE 02/27/2024

DUE DATE 02/27/2024

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Propane Power Unit 100Hp Propane Power Unit 100Hp	PROPANEPOWERUNIT100HP	1	26,586.00	26,586.00T

*

Thank you for your business, have a great day!

SUBTOTAL	26,586.00
TAX	1,462.23
TOTAL	28,048.23
BALANCE DUE	\$28,048.23


Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.
1611 County Road 66
Alliance, NE 69301 US
(308) 763-8505
nelsonwellsandirrigation@gmail.com
www.facebook.com/nelsonwellsandirrigation

RECEIVED

AUG 23 2024

OFFICE OF
WATER



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2528

DATE 02/27/2024

DUE DATE 02/27/2024

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Propane Power Unit 100Hp Propane Power Unit 100Hp With Remote Start	PROPANEPOWERUNIT100HP	1	26,586.00	26,586.00T

*

Thank you for your business, have a great day!

SUBTOTAL	26,586.00
TAX	1,462.23
TOTAL	28,048.23
PAYMENT	10,812.33
BALANCE DUE	\$17,235.90

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2529

DATE 02/27/2024

DUE DATE 02/27/2024

TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Center Pivot:Pivot Accessories:Concrete Pad - per yard	Concrete Pad	6	350.00	2,100.00T
Concrete Pad - Per Yard				
Pivot Pad				
Well Accessories:PANELFRAME	PANEL FRAME	1	300.00	300.00T
Frame to mount control boxes and disconnects				
ALB -1232X-ENB-A2M-274 SIZE 4 PUMP P	108291	1	3,285.00	3,285.00T
ALB -1232X-ENB-A2M-274 SIZE 4 PUMP P				
Electrical:Electrical Boxes:200A 600V Terminal (Junction) Box	148604	1	425.00	425.00T
200 Amp 600 Volt Terminal (Junction) Box (T3620)				
Electrical:Electrical Boxes:Eaton 30A 600V Fused Disconnect	1780076	1	522.50	522.50T
Eaton 30 Amp 600 Volt Fused Disconnect				
Electrical:Wire:Bare Solid #6 Copper Wire	2244022	4	0.70	2.80T
Bare Solid #6 AWG Soft Drawn Copper Wire				
Electrical:Electrical Parts:1/2" x 8' Ground Rod	167950	1	20.50	20.50T
1/2" x 8' CU Ground Rod				
Electrical:Electrical Parts:1/2" Ground Rod Clamp	122801	1	6.25	6.25T
1/2" Ground Rod Clamp				
Electrical:Fuses:FLSR-ID 30A 600V Fuse	124608	3	4.76	14.28T
Littelfuse FLSR-ID 30 Amp 600 Volt Class RK5 Time-Delay Fuse				
Electrical:Conduit:2" PVC SCH80 Conduit	2243886	1	2.26	2.26T
2" PVC Schedule 80 Conduit				
Electrical:Conduit:PVC Conduit Fittings:2" PVC Male Adapter	104787	2	1.99	3.98T
2" PVC SCH40 Male Adapter				

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF WATER PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Electrical:Conduit:PVC Conduit Fittings:2" Conduit Locknut 2" Conduit Steel Zinc Plated Locknut	775806	2	1.25	2.50T
Electrical:Conduit:2" PVC Bushing 2" PVC Insulated Bushing	900857	2	1.675	3.35T
Electrical:Conduit:1-1/2" LT Conduit 1-1/2" Ligitite Flexible Metal Conduit	152450	10	6.00	60.00T
Electrical:Conduit:1-1/2" LT ST Connector 1-1/2" Ligitite Straight Insulated Connector	164913	2	35.50	71.00T
Electrical:Conduit:1-1/2" PVC Bushing 1-1/2" PVC Insulated Bushing	775696	2	0.90	1.80T
Electrical:Wire:#1/0 Black Copper Wire #1/0 AWG Stranded Black Copper Wire	2251505	48	6.1045	293.02T
Electrical:Electrical Parts:Clear Tap 2/0 - #10 Clear Tap 2/0 - #10	3304629	3	31.50	94.50T
Center Pivot:Pivot Electrical Parts:1/0 Lug-0T 1/0 Lug-0T	90716	1	1.31	1.31T
Center Pivot:Pivot Electrical Parts:120V SPDT Relay 120V SPDT Relay	0991422	1	44.43	44.43T
Center Pivot:Pivot Electrical Parts:30A 600V 2P Fuse Holder 30 Amp 600 Volt 2 Pole Fuse Holder	0988709	1	6.31	6.31T
Electrical:Fuses:FNQ 2A 500V Fuse Eaton, Bussmann FNQ 2 Amp 500 Volt Class CC Time-Delay Midget Fuse	0988691	2	2.57	5.14T
Electrical:Wire:#14 Black Copper Wire #14 AWG Stranded Black Copper Wire	155808	36	1.22	43.92T
Electrical:Wire:#14 White Copper Wire #14 AWG Stranded White Copper Wire	155824	30	1.22	36.60T
Electrical:Electrical Parts:Blue Fork Terminal Blue Fork Terminal	115592	4	0.90	3.60T
Electrical:Conduit:3/4" LT Conduit 3/4" Ligitite Flexible Metal Conduit	152538	5	3.55	17.75T
Electrical:Conduit:3/4" LT ST Connector 3/4" Ligitite Straight Insulated Connector	164866	3	12.50	37.50T
Electrical:Conduit:3/4" PVC Bushing 3/4" PVC Insulated Bushing	775706	4	0.50	2.00T
Electrical:Wire:#10 Black Copper Wire #10 AWG Stranded Black Copper Wire	156228	35	1.50	52.50T
Electrical:Wire:#10 Red Copper Wire #10 AWG Stranded Red Copper Wire	156230	35	1.50	52.50T
Electrical:Wire:#10 Blue Copper Wire #10 AWG Stranded Blue Copper Wire	156238	35	1.50	52.50T
Electrical:Wire:#10 Green Copper Wire #10 AWG Stranded Green Copper Wire	156231	28	1.50	42.00T
Electrical:Wire:#6 Green Copper Wire #6 AWG Stranded Green Copper Wire	2247666	22	1.752	38.54T
Center Pivot:Pivot Electrical Parts:250 AL CU	123447	1	8.75	8.75T

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

AUG 23 2024

OFFICE OF
WATER

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Lug 250 Aluminum CU Lug				
Center Pivot:Pivot Accessories:Yellow Wire Nut Yellow Wire Nut	127960	2	0.50	1.00T
Well Accessories:REDWA Reducer Washers	REDWA	10	1.00	10.00T
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC Male Adapter 3/4" PVC SCH40 Male Adapter	104730	1	0.50	0.50T
Electrical:Condiut:3/4" PVC SCH80 Conduit 3/4" PVC Schedule 80 Conduit	2243883	20	1.75	35.00T
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC Coupling 3/4" PVC Conduit Coupling		2	0.00	0.00T
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC 45 Elbow 3/4" PVC 45 Degree SCH40 Elbow, Plain End	104390	1	1.90	1.90T
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC 90 Elbow 3/4" PVC 90 Degree SCH40 Elbow, Bell End	106379	1	1.92	1.92T
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC Female Adapter 3/4" PVC SCH40 Female Adapter	104730	1	0.99	0.99T
Electrical:Condiut:3/4" LT 45 Connector 3/4" Liquitite 45 Degree Insulated Connector	164949	1	22.50	22.50T
Electrical:Condiut:1-1/4" PVC SCH80 Conduit 1-1/4" PVC Schedule 80 Conduit	2244066	5	1.75	8.75T
Discharge Accessories:8" Chemigation Valve 8" Galvanized Chemigation Flanged Valve	P1778-62	1	1,030.32	1,030.32T
Discharge Accessories:8" Red Flange Gasket 8" Red Rubber 1/8" Flange Gasket	612NGSK1/8	2	5.83	11.66T
Discharge Accessories:8" Steel Flange 8" Carbon Steel Pump Flange	CPFH0800-16	1	30.56	30.56T
Well Accessories:BOLTS Bolts	BOLTS	2	5.00	10.00T
Center Pivot:8" Galvanized Pipe 8" Galvanized Steel Pipe	PIPE8	15	23.05	345.75T
Discharge Accessories:8" Galv Pump Starter 8" Galvanized Female Ring Lock Starter Coupler, Standard Punch	P1669-16	1	38.00	38.00T
Discharge Accessories:8" Pierce Ringlock 8" Pierce Ringlock Clamp	P2123-03	1	18.50	18.50T
Discharge Accessories:2" Half Nipple 2" Steel Half Nipple	P2127-18	1	12.15	12.15T
Discharge Accessories:2" Aluminum Air Vent 2" Aluminum Air Vent	F030-20003	1	33.00	33.00T
Discharge Accessories:3" Half Nipple 3" Steel Half Nipple	P2127-24	1	11.75	11.75T
Discharge Accessories:3" Pressure Relief 3" Steel Pressure Relief Valve	F031-32052-80	1	167.69	167.69T

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER
PARTS/SERVICE

	SKU	QTY	RATE	AMOUNT
Valve				
3" Pressure Relief Valve 80PSI				
Discharge Accessories:Cold Galvanize Coating Spray	CCGC Spray	1	50.00	50.00T
Aeroe Industries/Crown Cold Galvanize Coating Spray (93% Zinc)				
				Subtotal:
				9,496.03
Services:Two Service Technicians	TwoServiceTechnicians	10	165.00	1,650.00
2 Service Technicians Labor				
Services:Pivot Service Truck Mileage	PIVTRCKMILEAGE	302	3.25	981.50T
Pivot Service Truck Mileage				
Services:Bobcat S850	BOBCATS850	3	125.00	375.00
Dirt Work Equipment				

*

Thank you for your business, have a great day!

SUBTOTAL	12,502.53
TAX	576.26
TOTAL	13,078.79
PAYMENT	13,078.79
BALANCE DUE	\$0.00

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation

RECEIVED

AUG 23 2024

OFFICE OF
WATER**INVOICE****BILL TO**

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2530**DATE** 02/27/2024**DUE DATE** 02/27/2024**TERMS** Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Center Pivot:Pivot Accessories:Concrete Pad - per yard	Concrete Pad	6	350.00	2,100.00T
Concrete Pad - Per Yard				
Pivot Pad				
Well Accessories:PANELFRAME	PANELFRAME	1	300.00	300.00T
Frame to mount control boxes and disconnects				
ALB -1232X-ENB-A2M-274 SIZE 4 PUMP P	18291	1	3,285.00	3,285.00T
ALB -1232X-ENB-A2M-274 SIZE 4 PUMP P				
Electrical:Electrical Boxes:200A 600V Terminal (Junction) Box	148604	1	425.00	425.00T
200 Amp 600 Volt Terminal (Junction) Box (T3620)				
Electrical:Electrical Boxes:Eaton 30A 600V Fused Disconnect	1780076	1	522.50	522.50T
Eaton 30 Amp 600 Volt Fused Disconnect				
Electrical:Wire:Bare Solid #6 Copper Wire	2244022	4	0.70	2.80T
Bare Solid #6 AWG Soft Drawn Copper Wire				
Electrical:Electrical Parts:1/2" x 8' Ground Rod	167950	1	20.50	20.50T
1/2" x 8' CU Ground Rod				
Electrical:Electrical Parts:1/2" Ground Rod Clamp	122801	1	6.25	6.25T
1/2" Ground Rod Clamp				
Electrical:Fuses:FLSR-ID 30A 600V Fuse	124608	3	4.76	14.28T
Littelfuse FLSR-ID 30 Amp 600 Volt Class RK5 Time-Delay Fuse				
Electrical:Conduit:2" PVC SCH80 Conduit	2243886	1	2.26	2.26T
2" PVC Schedule 80 Conduit				
Electrical:Conduit:PVC Conduit Fittings:2" PVC Male Adapter	104787	2	1.99	3.98T
2" PVC SCH40 Male Adapter				

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER
PARTS/SERVICE

	SKU	QTY	RATE	AMOUNT
Electrical:Conduit:PVC Conduit Fittings:2" Conduit Locknut 2" Conduit Steel Zinc Plated Locknut	775806	2	1.25	2.50T
Electrical:Conduit:2" PVC Bushing 2" PVC Insulated Bushing	900857	2	1.675	3.35T
Electrical:Conduit:1-1/2" LT Conduit 1-1/2" Ligitite Flexible Metal Conduit	152450	10	6.00	60.00T
Electrical:Conduit:1-1/2" LT ST Connector 1-1/2" Ligitite Straight Insulated Connector	164913	2	35.50	71.00T
Electrical:Conduit:1-1/2" PVC Bushing 1-1/2" PVC Insulated Bushing	775696	2	0.90	1.80T
Electrical:Wire:#1/0 Black Copper Wire #1/0 AWG Stranded Black Copper Wire	2251505	48	6.1045	293.02T
Electrical:Electrical Parts:Clear Tap 2/0 - #10 Clear Tap 2/0 - #10	3304629	3	31.50	94.50T
Center Pivot:Pivot Electrical Parts:1/0 Lug-0T 1/0 Lug-0T	90716	1	1.31	1.31T
Center Pivot:Pivot Electrical Parts:120V SPDT Relay 120V SPDT Relay	0991422	1	44.43	44.43T
Center Pivot:Pivot Electrical Parts:30A 600V 2P Fuse Holder 30 Amp 600 Volt 2 Pole Fuse Holder	0988709	1	6.31	6.31T
Electrical:Fuses:FNQ 2A 500V Fuse Eaton, Bussmann FNQ 2 Amp 500 Volt Class CC Time-Delay Midget Fuse	0988691	2	2.57	5.14T
Electrical:Wire:#14 Black Copper Wire #14 AWG Stranded Black Copper Wire	155808	36	1.22	43.92T
Electrical:Wire:#14 White Copper Wire #14 AWG Stranded White Copper Wire	155824	30	1.22	36.60T
Electrical:Electrical Parts:Blue Fork Terminal Blue Fork Terminal	115592	4	0.90	3.60T
Electrical:Conduit:3/4" LT Conduit 3/4" Ligitite Flexible Metal Conduit	152538	5	3.55	17.75T
Electrical:Conduit:3/4" LT ST Connector 3/4" Ligitite Straight Insulated Connector	164866	3	12.50	37.50T
Electrical:Conduit:3/4" PVC Bushing 3/4" PVC Insulated Bushing	775706	4	0.50	2.00T
Electrical:Wire:#10 Black Copper Wire #10 AWG Stranded Black Copper Wire	156228	35	1.50	52.50T
Electrical:Wire:#10 Red Copper Wire #10 AWG Stranded Red Copper Wire	156230	35	1.50	52.50T
Electrical:Wire:#10 Blue Copper Wire #10 AWG Stranded Blue Copper Wire	156238	35	1.50	52.50T
Electrical:Wire:#10 Green Copper Wire #10 AWG Stranded Green Copper Wire	156231	28	1.50	42.00T
Electrical:Wire:#6 Green Copper Wire #6 AWG Stranded Green Copper Wire	2247666	22	1.752	38.54T
Center Pivot:Pivot Electrical Parts:250 AL CU	123447	1	8.75	8.75T

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

RECEIVED

AUG 23 2024

OFFICE OF
WATER
PARTS/SERVICE

	SKU	QTY	RATE	AMOUNT
Lug				
250 Aluminum CU Lug				
Center Pivot:Pivot Accessories:Yellow Wire Nut	127960	2	0.50	1.00T
Yellow Wire Nut				
Well Accessories:REDWA	REDWA	10	1.00	10.00T
Reducer Washers				
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC Male Adapter	104730	1	0.50	0.50T
3/4" PVC SCH40 Male Adapter				
Electrical:Condiut:3/4" PVC SCH80 Conduit	2243883	20	1.75	35.00T
3/4" PVC Schedule 80 Conduit				
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC Coupling		2	0.00	0.00T
3/4" PVC Conduit Coupling				
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC 45 Elbow	104390	1	1.90	1.90T
3/4" PVC 45 Degree SCH40 Elbow, Plain End				
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC 90 Elbow	106379	1	1.92	1.92T
3/4" PVC 90 Degree SCH40 Elbow, Bell End				
Electrical:Condiut:PVC Conduit Fittings:3/4" PVC Female Adapter	104730	1	0.99	0.99T
3/4" PVC SCH40 Female Adapter				
Electrical:Condiut:3/4" LT 45 Connector	164949	1	22.50	22.50T
3/4" Liquitite 45 Degree Insulated Connector				
Electrical:Condiut:1-1/4" PVC SCH80 Conduit	2244066	5	1.75	8.75T
1-1/4" PVC Schedule 80 Conduit				
Discharge Accessories:8" Chemigation Valve	P1778-62	1	1,030.32	1,030.32T
8" Galvanized Chemigation Flanged Valve				
Discharge Accessories:8" Red Flange Gasket	612NGSK1/8	2	5.83	11.66T
8" Red Rubber 1/8" Flange Gasket				
Discharge Accessories:8" Steel Flange	CPFH0800-16	1	30.56	30.56T
8" Carbon Steel Pump Flange				
Well Accessories:BOLTS	BOLTS	2	5.00	10.00T
Bolts				
Center Pivot:8" Galvanized Pipe	PIPE8	15	23.05	345.75T
8" Galvanized Steel Pipe				
Discharge Accessories:8" Galv Pump Starter	P1669-16	1	38.00	38.00T
8" Galvanized Female Ring Lock Starter Coupler, Standard Punch				
Discharge Accessories:8" Pierce Ringlock	P2123-03	1	18.50	18.50T
8" Pierce Ringlock Clamp				
Discharge Accessories:2" Half Nipple	P2127-18	1	12.15	12.15T
2" Steel Half Nipple				
Discharge Accessories:2" Aluminum Air Vent	F030-20003	1	33.00	33.00T
2" Aluminum Air Vent				
Discharge Accessories:3" Half Nipple	P2127-24	1	11.75	11.75T
3" Steel Half Nipple				
Discharge Accessories:3" Pressure Relief	F031-32052-80	1	167.69	167.69T

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Valve				
3" Pressure Relief Valve 80PSI				
Discharge Accessories:Cold Galvanize Coating Spray	CCGC Spray	1	50.00	50.00T
Aeroe Industries/Crown Cold Galvanize Coating Spray (93% Zinc)				
				Subtotal: 9,496.03
Services:Two Service Technicians	TwoServiceTechnicians	10	165.00	1,650.00
2 Service Technicians Labor				
Services:Pivot Service Truck Mileage	PIVTRCKMILEAGE	302	3.25	981.50T
Pivot Service Truck Mileage				
Services:Bobcat S850	BOBCATS850	3	125.00	375.00
Dirt Work Equipment				

*

Thank you for your business, have a great day!

SUBTOTAL	12,502.53
TAX	576.26
TOTAL	13,078.79
PAYMENT	13,078.79
BALANCE DUE	\$0.00

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.

1611 County Road 66

Alliance, NE 69301 US

(308) 763-8505

nelsonwellsandirrigation@gmail.com

www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO

Jacob Hubbs

SHIP TO

Jacob Hubbs

INVOICE # 2531**DATE** 02/27/2024**DUE DATE** 02/27/2024**TERMS** Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Center Pivot:ZimmaticPivot Zimmatic Pivot System Delivered and Installed	ZimmaticPivot	1	111,400.00	111,400.00T

TIRE OPTIONS

11.2x38 taller tires with tubes ADD \$6,00

NFTRAX airless tall tires ADD \$17500

ZIMMATIC 9500 HEAVY DUTY SYSTEM--- THICKEST PIPE SOLD ON ANY ELECTRIC
PIVOT

---STRONGEST TOWER LEGS ON ANY

ELECTRIC PIVOT

---HIGHEST TENSILE STRENGHT RODS OF ANY
PIVOT

*****ADD \$7,000

PAID

*

Thank you for your business, have a great day!

SUBTOTAL	111,400.00
TAX	6,127.00
TOTAL	117,527.00
PAYMENT	117,527.00
BALANCE DUE	\$0.00

RECEIVED**AUG 23 2024**OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.

Nelson Wells and Irrigation, LLC.
1611 County Road 66
Alliance, NE 69301 US
(308) 763-8505
nelsonwellsandirrigation@gmail.com
www.facebook.com/nelsonwellsandirrigation



INVOICE

BILL TO
Jacob Hubbs

SHIP TO
Jacob Hubbs

INVOICE # 2532
DATE 02/27/2024
DUE DATE 02/27/2024
TERMS Due on receipt

PARTS/SERVICE	SKU	QTY	RATE	AMOUNT
Center Pivot:ZimmaticPivot Zimmatic Pivot System Delivered and Installed	ZimmaticPivot	1	111,400.00	111,400.00

TIRE OPTIONS

11.2x38 taller tires with tubes ADD \$6,00

NFTRAX airless tall tires ADD \$17500

ZIMMATIC 9500 HEAVY DUTY SYSTEM

--- THICKEST PIPE SOLD ON ANY ELECTRIC
PIVOT

---STRONGEST TOWER LEGS ON ANY
ELECTRIC PIVOT

---HIGHEST TENSILE STRENGTH RODS OF ANY
PIVOT

*****ADD \$7,000

PAID

*

Thank you for your business, have a great day!

SUBTOTAL	111,400.00
TAX	6,127.00
TOTAL	117,527.00
PAYMENT	117,527.00
BALANCE DUE	\$0.00

RECEIVED

AUG 23 2024

OFFICE OF
WATER

Terms: Payment due upon receipt, an additional 1.5% per month will be applied after 10 days from invoice date. Any Unpaid invoice will be turned over to collections after 30 days from invoice date.