

No.

U.S. 95-2

Office of State Engineer
DOCUMENT FILE

LD - Ld - 2

Plan No 943-11

County: Jones

Applicant: Agnes E. Conner

Section: S.W. 1/4 Sec 33, T. 1 N., R. 31 E.

Date of filing: 8-11-38

Purpose: Fertilizer

Stream: Robinson

Ref Draw

Form C

CERTIFICATE OF WITHDRAWAL OF
WATER FOR APPROPRIATION

U. S. No. 95

TO

UNITED STATES DEPARTMENT OF AGRICULTURE
~~BUREAU OF~~ LAND UTILIZATION DIVISION
BUREAU OF AGRICULTURAL ECONOMICS

JONES
County

NOBLES
Stream

The United States Department of Agriculture, Land Utilization Division, having made application for the withdrawal of ~~public waters of the State of South Dakota~~ unappropriated public waters of the State of South Dakota, and having complied with the requirements of the statute of the State of South Dakota providing for such withdrawal, such statute and authority being contained in and described as Vol. 2, Chapter 2, Article 1, Paragraph 8243 of the Revised Code of 1919, now therefore,

This is to certify that there is hereby reserved, of the heretofore unappropriated waters of a Dry Draw the annual amount of 143,740 cubic feet of water plus losses due to evaporation or such amount as will maintain the lake level at the present overflow elevation. Said water is to be used for stockwater purpose. The West end of the impounding dam is located 821 feet 80 degrees 00 minutes West of SW 1/4 of Sec. 33, T. 1 N., R. 31 E. in Jones County. The above quantity of water is hereby withdrawn from future appropriation during the continuance of the right herein granted and contained.

This certificate and withdrawal shall in no manner prejudice, alter, amend or effect the rights of any prior appropriator or prior appropriation of water, nor of any application for appropriation pending upon the date of this certificate, but the rights and privileges of any and all such prior appropriators or applicants for appropriation of water shall remain inviolate and intact, the same as if the within withdrawal had not been made.

This certificate shall be and is subject to cancellation in accordance with the provisions of the statute heroinbefore referred to and under the authority of which this certificate is issued.

In accordance with the provisions of the statute heroinbefore referred to, this certificate is executed at the State Capitol at Pierre, South Dakota, this 11th day of August 1938.

Charles L. Luch
State Engineer.

LOCATION NOTICE

JOB NO. 243-11

APPROX. DATE OF COMPLETION _____

KNOW ALL MEN BY THESE PRESENTS:

That Leonard Noble, Project Manager, South Central South Dakota Land Adjustment Project, Farm Security Administration, U. S. Department of Agriculture, whose post office is Pierre, South Dakota, a citizen of the United States, above the age of 21 years, being in possession of the following described land, in the name of the United States, to wit: Tract No. 480. The SW $\frac{1}{4}$ of Section 33, Township 1 N, Range 31 E, B.H.M., in Jones County, South Dakota, availing himself of the right granted him under the provisions of Chapter 2, Article 1, Paragraph 239 of the Revised Code of 1919, has located and claims the right to construct a certain dam across a dry draw situated in the SW $\frac{1}{4}$ of Section 33, Township 1 North, Range 31 East, B. H. M. for livestock purposes.

Said locator claims for the above purpose 143,748 cubic feet of water plus losses due to evaporation during the following described annual periods January 1st to December 31st inclusive, each year.

Said location was made on the 15th day of December, 1937.
Witness my hand and seal this 7th day of May, 1938.

FOR HENRY A. WALLACE
SECRETARY OF AGRICULTURE

Leonard Noble
Locator, Project Manager, Farm
Security Administration, U. S.
Department of Agriculture

STATE OF SOUTH DAKOTA }
COUNTY OF Parkinson } ss

On the 7 day of May, 1938, before me
C. P. Walsh, a Notary Public in and for the County
and State aforesaid, personally appeared Leonard Noble, to me personally known
to be the person who executed the foregoing instrument and acknowledged that he
executed the same for the use and purposes therein set forth.

Witness my hand and official seal the day and year above written.

C. P. Walsh
Notary Public

My commission expires _____

RA-7LU-28

DESCRIPTION OF EARTH IMPOUNDING DAM
RESERVOIR AND SPILLWAY DAM NO. 226

JOB NUMBER ~~226~~ - 243-11

Resettlement Administration
Lincoln, Nebraska

Region VII

Project South Dakota
State

LD-SD 2
Number

A. Location of Dam and Reservoir

S74 of the Sec. 33; Township 1 N; Range 31 E;
of the Black Hills Meridian; County Jones.

B. General Data

1. Area of drainage basin above dam: 85 acres sq. miles.

(Note: For areas greater than 5 sq. miles give size to nearest sq. mi.;
for areas smaller than 5 sq. miles give area to nearest tenth.)

2. Average annual precipitation on water shed in inches: 20

3. Give amount of rainfall in inches and duration of the heaviest downpour
that can be expected based upon reliable records or information of the
vicinity.

a. 2.2 inches.

b. 0 minutes.

c. U. S. Weather Bureau Records
Source of information.

4. Give description of water shed.

a. The slopes are sod-covered, cultivated, bare.

30% cultivated, 70% sod-covered

(Note: Answer (a) by striking out words not needed. Only a general
description is wanted. If desired, a word or two may be given
in the space that is provided.)

b. Average length of drainage basin .4 miles.

c. Average width of drainage basin .24 miles.

5. Maximum run-off of drainage area at the dam site: 35
cu. ft. per second.

(over)

C. Description of Dam

1. Height above low point of valley at centerline of dam: 15.5 ft.
2. Length along centerline at top of dam: 213 ft.
3. Width of top: 9 ft.
4. Upstream slope: 3 ft. horizontally to 1 ft. vertically.
5. Downstream slope: 2 ft. horizontally to 1 ft. vertically.
6. Volume in embankment: 1520 cu. yds.
7. Distance above high-water line to top of dam: 3 ft.
8. Distance above water surface to top of dam when spillway is discharging maximum run-off: 1.5 ft.

D. Description of Spillway

1. Bottom width: 12 ft.
2. Slope of sides: 2:1 (Give ratio horizontal to vertical.)
3. Gradient of spillway ditch: 0.1 ft. per hundred ft.
4. Maximum discharge: 36 cu. ft. per second.
5. Depth of water in spillway at time of maximum discharge: 1.5 ft.

(Note: The surface of water in the spillway must be at least 30" below the top of the dam when the spillway is discharging the maximum run-off of the drainage basin.)

E. Description of Reservoir

1. Area when filled to level of spillway: 0.8 acres.
2. Area when ~~half full~~ water level is 4' below spillway: 0.2 acres.
3. Area at depth of two feet: 0.17 acres.
4. Volume when filled to level of spillway: 3.3 acre-ft.
5. Volume when ~~half full~~ water level is 4' below spillway: 1.3 acre-feet.
6. Volume at depth of two feet: 0.9 acre-feet.
7. Average depth when full: 4.24 feet.

(over)

NOT TO SCALE



LN 595-2

