

Water Right Number 1805-3


1. Considered () March 10, 19 71
2. Name of Applicant James T. Goetz
3. Post Office Address Box 708, Yankton, S.D.
4. Amount of water claimed XXXXX 4.56
5. Source of water supply ground water wells
6. Water to be used for irrigation
- Acres to be irrigated 320
7. Water to be diverted and used in Douglas County
about 7 Miles W of Siemans
8. Proof of Publication Received 3-9-71
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

*Combined pumping capacity
less from 2 wells
should not exceed
the statutory limit of
222 cfs as per records*

Map No. 1311-3 Water Division No. 3 MISSOURI RIVER District 8
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT



STATE WATER RESOURCES COMMISSION

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

- Name of Applicant James T. Goetz
Postoffice address Box 208 - Yankton State S. Dak
If a corporation show date and place of incorporation _____
- Method of accomplishing work (contract, employment of others, or by direct labor) Contract
- Name of diversion work Goetz No 1 & Goetz No 2
- Amount of water claimed (cubic feet per second) 2.28 2.28
- Source of water supply Ground
- Location of point of diversion Goetz No 1 - Center of SE 1/4, Sec 26, 98-63
Goetz No 2 - Center of SW 1/4, Sec 26, 98-63
County DOUGLAS
- Annual period or periods during which water is to be used Irregular Season
- Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
- For irrigation use, Total number of acres to be irrigated 520

List below each forty acre subdivision, or lot, or fraction thereof, and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SE 1/4 of SE 1/4, 26, 98-63	40	SE 1/4 of SE 1/4, Sec 26, 98-63	40
NE 1/4 of SE 1/4, 26, 98-63	40	NE 1/4 of " " " "	40
NW 1/4 of SE 1/4, 26, 98-63	40	NW 1/4 of " " " "	40
SW 1/4 of SE 1/4, 26, 98-63	40	SW 1/4 of " " " "	40

Attach sheet if more space is needed

- Time required to complete construction of water supply system _____ years. Additional time required to complete application of water to the proposed beneficial use _____ years.
- Choice of newspaper for Notice of Intent to Appropriate Water publication Dakota Record
Dakota, S D
- Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well

B. Works proposed to transport water to place of use.

Pipe

C. Works proposed to apply water to beneficial use.

Valley Center Pivot Irrigation System

Estimated Total Cost \$ 21,000.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Yankton

I, James T. Goetz

the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed

James T. Goetz

Subscribed and sworn to before me this 29 day of January, 19 71

John Blackman
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 1805-3

JAMES T. GOETZ

(Applicant)

Box 708, YANKTON

(Post Office Address)

SOUTH DAKOTA

(State)

With the following modifications:

THIS PERMIT NO 1805-3 IS APPROVED, AUTHORIZING CONSTRUCTION OF TWO WELLS IN THE SE¹ SECTION 26, T98N, R63W, FOR IRRIGATING THE SE¹ SECTION 26, T98N, R63W. THE COMBINED DIVERSION RATE FROM THE TWO WELLS SHALL NOT EXCEED THE STATUTORY LIMIT OF 2.28 C.F.S.

The irrigation wells approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

DURING PERIODS OF WATER SHORTAGE, AS DETERMINED BY THE WATER RESOURCES COMMISSION, DIVERSION OF WATER FROM THESE WELLS WILL BE CONTROLLED AS SPECIFIED IN SECTION 46.506, WATER SHORTAGES OF CHAPTER 46.5 REGULATION OF GROUND WATER USE.

Date of first receipt of application FEBRUARY 1, 19 71

Date of return to applicant for correction, amendments or changes required —, 19 —

Date of receipt of corrected application —, 19 —

Approved JANUARY 24, 19 73, Recorded in Book 12 Page 184

WATER RIGHT PERMIT NO. 1805-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 1805-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 1, 19 71
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 24, 19 73
3. The whole of said work is to be completed on or before JANUARY 24, 19 75
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 24, 19 77
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 24, 19 77; said water to be used during the following described annual period: DURING IRRIGATION SEASON

Witness my hand this 5TH day of FEBRUARY, 19 73

WATER RESOURCES COMMISSION

By:

[Signature]

Chief Engineer, Executive Officer

Certificate of Construction Issued SEPTEMBER 13, 19 77

Water License Issued SEPTEMBER 13, 19 77

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 36, Depth 52'
(2) Casing, Type Concrete Diameter 24 Thickness 2 1/2"
(wood, concrete, steel, etc)
(3) Perforated Screen.
Type Concrete, Diameter 24, Length 30'
(4) Gravel Pack, Thickness 12, Length of gravel pack 60'

E. Dugout Information or Estimates.

- (1) Surface dimensions —, Depth 100 ft

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials

2 ft. Topsoil - 50' gravel & sand of
coarse bearing material.

Depth to top of water bearing material

15'

Depth to bottom of water bearing material

52'

Thickness of water bearing material

37'

Depth to water (ground surface to water level)

15'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 480 rds. On property owned by others 320 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map. None

Signature of Applicant

WATER LICENSE NO. 1805-3

(1) WHEREAS, On the 1st day of February A. D. 1971

James T. Goetz

made Water Right Application No. 1805-3 for a permit to use 2.28 cubic feet per second of the waters of ground water

County of Douglas, State of South Dakota, for irrigation

purposes; and

(2) WHEREAS, On the 24th day of January A. D. 1973

Permit No. 1805-3, with a date of priority of February 1, 1971

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 24th day of January A. D. 1975 and for the application to beneficial use of said water on or before the 24th day of January A. D. 1977

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.9 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

for irrigating a 132 acre circle in the SE $\frac{1}{4}$, Section 26, T98N, R63W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the Laws of the State of South Dakota, We hereby grant and confirm to James T. Goetz

_____ of Yankton

the holder _____ and owner _____ of said permit No. 1805-3 a water right, dating from February 1, 1971

_____ to use of 1.9 cubic feet per second of the waters

of ground water

in the County of Douglas and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at _____

a point 300' N & 375' W of the SE corner, Section 26, T98N, R63W

and conduct to and upon 132 acre circle in the SE $\frac{1}{4}$, Section 26, T98N, R63W

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 1805-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 13th day of September A. D.


Nineteen Hundred and seventy-seven

WATER RIGHTS COMMISSION

By:




Chief Engineer, Executive Officer JOHN HYTCH



LEGEND

Barnes loam	Fargo silty clay loam
U	
B	Fc
Rough stony phase	Swamp phase
Barnes silt loam	
Us	Fc
	Meadow phase
Bs	F
Stone free phase	
Bearden fine sandy loam	Swamp phase
Uf	
Bearden loam	Lamoure loam
Bo	L
Bearden silt loam	Lamoure silt loam
Be	Ls
Beadle silt loam	Lamoure silty clay loam
Bm	Lc
Fargo loam	Pierce fine sandy loam
Fl	Pr
Fargo silt loam	Sioux fine sandy loam
Fs	Sf
	Sioux loam
	S
Meadow phase	

Map # 1311-3
NR 1805-3



AREA BY LEGAL SUBDIVISION

160 ACRES: SE 1/4 SECTION 26, T98N, R63W, S14PM.
160 ACRES SW 1/4
320 ACRES TOTAL

SURVEYOR'S CERTIFICATE

STATE OF SOUTH DAKOTA)
COUNTY OF BEADLE)

I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
IN AND FOR THE STATE OF SOUTH DAKOTA, DO HEREBY
CERTIFY THAT AT THE REQUEST OF JAMES T. GOETZ,
SOLE OWNER, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
WITHIN HIS OWNERSHIP BOUNDARIES ON JAN 25, 1971 FOR WHICH
APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
THIS MAP IS A TRUE REPRESENTATION OF THE SAME.
WITNESS MY HAND AND SEAL THIS 25TH DAY OF JAN, 1971.

Harlan W. Meyer
REGISTERED LAND SURVEYOR #495

SCALE 1" = 400'

JAMES T. GOETZ IRRIGATION PROJECTS NO. 1 & NO. 2
SHOWS AREA TO BE IRRIGATED & WELL LOCATIONS WHERE
WATER WILL BE DIVERTED - FOR PERMIT TO APPROPRIATE WATER

OWNER
SURVEYOR

JAMES T. GOETZ
HARLAN W. MEYER

JAN 25, 1971

6-T99N, R63W

1-T99N, R62W

6-T98N, R63W

1-T98N, R62W


6-T97N, R63W

1-T97N, R62W



DELMONT AREA
SHALLOW AQUIFER


1 MILE



DELMONT

DOUGLAS COUNTY
CHARLES MIX COUNTY

Map 1575
Appl. # 1805-3




SYMBOL	NAME	M.P.	June 3		Aug 2		Sept 3		Sept 30		Nov 2	
			Depth of Well	Depth to water	Depth to water	Depth to water	Depth to water	Depth to water	Depth to water	Depth to water	Depth to water	Depth to water
A	Larry Adel S Home well	2.5'	15.5	6.5 9'	12.8	9.8	11.8	10.8	13.8	10.8	13.7	10.2
B	" " " " "	1.0	15.7	6.7 9	10.1	9.7	11.8	10.4	11.8	10.5	11.8	10.1
C	Harry Pope	0	12	5 7	6.5	7.7	3.1	8.9	8	8	8	8
D	Cliff Buhler	0	13.3	6.3 7	5.4	7.7	5.2	8.1	8.4	8.5	4.5	8.8
E	R & Chas Butler	0	12.5	5.5 7	4.7	7.8	4.7	7.4	8.1	8.4	4.0	9.5
F	Curt Butler East lunch well	1'	12.5	4.5 8	4.2	8.2	4.2	8.2	8.5	8.5	4.3	8.3
G	" " Home well	2'	14.8	5.6 9.2	10.9	10.1	11.0	10.2	11.4	10.6	4.5	10.7
H	Statler Dugout		5'	5.8			7.1		7.5		7.5	
I	Adel Dugout N		-1 1/2	Full			1/2		1		Full	
J	" " S		-1 1/2									
K	Joe Sander	27'	12.0	6.7 6	10.5	9	5.0	9.4	10.9	9.2	10.4	9.4
L	Test well	1.3	20.0	11 9	10.5	9	11 9					
C-1	Observation well	1.3	10.0	4 7			10.0	9.4				

Test well Pumped - depth to water 26.7
Pumped 550 gph 12 ft

Bring pump to

5.0 C-1




AREA BY LEGAL SUBDIVISION
 160 ACRES: SE 1/4 } SECTION 26, T98N, R63W, STH PM.
 160 ACRES SW 1/4 }
 320 ACRES TOTAL

SURVEYOR'S CERTIFICATE
 STATE OF SOUTH DAKOTA) ss
 COUNTY OF BEADLE)
 I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
 IN AND FOR THE STATE OF SOUTH DAKOTA, DO HEREBY
 CERTIFY THAT AT THE REQUEST OF JAMES T. GOETZ,
 SOLE OWNER, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
 WITHIN HIS OWNERSHIP BOUNDARIES ON JAN 25, 1971 FOR WHICH
 APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
 THIS MAP IS A TRUE REPRESENTATION OF THE SAME.
 WITNESS MY HAND AND SEAL THIS 25TH DAY OF JAN, 1971.
Harlan W. Meyer
 REGISTERED LAND SURVEYOR #495

JAMES T. GOETZ IRRIGATION PROJECTS NO. 1 & NO. 2
 SHOWS AREA TO BE IRRIGATED & WELL LOCATIONS WHERE
 WATER WILL BE DIVERTED - FOR PERMIT TO APPROPRIATE WATER

OWNER
 SURVEYOR

JAMES T. GOETZ
 HARLAN W. MEYER
 JAN 25, 1971



AREA BY LEGAL SUBDIVISION

160 ACRES: SE 1/4
160 ACRES SW 1/4
320 ACRES TOTAL

SURVEYOR'S CERTIFICATE

STATE OF SOUTH DAKOTA)
COUNTY OF BEADLE)

I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
IN AND FOR THE STATE OF SOUTH DAKOTA, DO HEREBY
CERTIFY THAT AT THE REQUEST OF JAMES T. GOETZ,
SOLE OWNER, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
WITHIN HIS OWNERSHIP BOUNDARIES ON JAN 25, 1971 FOR WHICH
APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
THIS MAP IS A TRUE REPRESENTATION OF THE SAME.
WITNESS MY HAND AND SEAL THIS 25TH DAY OF JAN, 1971.

Harlan W. Meyer
REGISTERED LAND SURVEYOR #495

SCALE 1" = 400'

JAMES T. GOETZ IRRIGATION PROJECTS NO. 1 & NO. 2
SHOWS AREA TO BE IRRIGATED & WELL LOCATIONS WHERE
WATER WILL BE DIVERTED - FOR PERMIT TO APPROPRIATE WATER

OWNER
SURVEYOR

JAMES T. GOETZ
HARLAN W. MEYER

JAN 25, 1971

Permit No. - 1805-3 -

Water Diversion No. 3 Missouri River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify That James T. Coetz

_____ the holder _____ of
Permit No. 1805-3, issued upon Application No. 1805-3, bearing date of priority of February 1,
1971 authorizing the diversion of 2.28 cu. ft. per second of the waters of _____
ground water County of Douglas, State of South Dakota at _____
_____ point 369' N & 375' W of the NE corner, Section 26, T15N, R13W
_____, for irrigation

_____ purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.28 cu. ft. per second of water.

Date September 12, 1977

WATER RESOURCES COMMISSION

By:

John Hatch
JOHN HATCH, Chief Engineer

1805-3

Publish first publication, on or before February 11, 19 71

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 1, 19 71

Notice is hereby given that James T. Goetz

whose post office address is XXXX Yankton, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

4.56 cubic feet of water per second of time from the ground water through the

Goetz Wells #1 and #2, the point of diversion of which is to be located in the _____

Center of the SW $\frac{1}{4}$ and the Center of SE $\frac{1}{4}$

of Section 26, Twp. 96N, Range 63W. Said water to be used for the purpose of providing irrigation on the following described land:

S $\frac{1}{4}$, Section 26, T96N, R63W

This application No. 1805-3 will be considered by the Water Resources Commission at their office at Pierre upon the 10th day of March, 19 71, at 2:00 P. M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

cc: James T. Goetz, Box 708, Yankton, S.D. 57078

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Douglas) ss.
)

I, Maynard H. Goehring hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Delmont Record

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

Delmont Record of Delmont, S. Dak.

County of Douglas and State of South Dakota;
that the said notice was published in said newspaper on the following
four dates:

February 11, 1971

February 18, 1971

February 25, 1971

March 4, 1971

Maynard H. Goehring
(Signature)

Publisher
(Title)

March 6, 1971
(Date Signed)

Notice

INTENT TO APPROPRIATE
WATER


Pierre, South Dakota 57501
February 1, 1971

Notice is hereby given that
James T. Goetz whose post of-
fice address is Yankton, South
Dakota, has made an applica-
tion in accordance with the pro-
visions of the water laws of
South Dakota for a permit to ap-
propriate for beneficial use 4.56
cubic feet of water per second of
time from ground water through
the Goetz Wells No. 1 and No. 2
the point of diversion of which
is to be located in the Center of
the SW $\frac{1}{4}$ and the Center of SE $\frac{1}{4}$
of Section 26, Twp. 98N, Range
63W. Said water to be used for
the purpose of providing irriga-
tion on the following described
land: SW $\frac{1}{4}$, Section 26, T98N,
R63W.

This application No. 1805-3
will be considered by the Water
Resources Commission at their
office at Pierre upon the 10th
day of March, 1971, at 2:00
P.M. All interested persons may
appear and be heard.

Water Resources Commission

By:
Burton F. Jones, Water Rights
Specialist



STATE WATER RESOURCES COMMISSION
PIERRE, SOUTH DAKOTA

MEMORANDUM

SUBJECT: January 29-30 Board Meeting Reports


TO: Division Directors, Department of Natural Resource
Development

FROM: Vern W. Butler, Secretary, DNRD

DATE: January 10, 1975

Since the upcoming Board meeting will be the first opportunity in several months to hold a full-scale Board meeting in Pierre, I hope to take this opportunity to provide reports on general activities of the various divisions. Therefore, I am asking each of you to prepare a twenty- to thirty-minute report on activities in your division, especially activities and issues that have not been recently discussed by the Board. I hope to provide these reports on the second morning.

A tentative agenda for the meeting is attached.



Vern W. Butler, Secretary
Department of Natural Resource
Development

VWB:yjl


Attachment

ATTACHMENT A

Observation Well C1. Graph Of Annual Water Level Measurements




Observation Well JS. Graph of 1971 & 72 Water Level Measurements During Irrigation Season




ATTACHMENT A

Observation Well C1. Graph Of Annual Water Level Measurements




Observation Well JS. Graph of 1971 & 72 Water Level Measurements During Irrigation Season




ATTACHMENT A

Observation Well C1. Graph Of Annual Water Level Measurements




Observation Well JS. Graph of 1971 & 72 Water Level Measurements During Irrigation Season




ATTACHMENT A

Observation Well C1. Graph Of Annual Water Level Measurements




Observation Well JS. Graph of 1971 & 72 Water Level Measurements During Irrigation Season



ATTACHMENT A


Observation Well C1. Graph Of Annual Water Level Measurements




Observation Well JS. Graph of 1971 & 72 Water Level Measurements During Irrigation Season

ATTACHMENT A

Observation Well C1. Graph Of Annual Water Level Measurements



Observation Well JS. Graph of 1971 & 72 Water Level Measurements During Irrigation Season



Location: cccc Section: 27 T. 98 N. R. 63 W. E
 Test Hole: ATH Land Owner: _____
 County: Douglas Date: 8-25-66 Elevation: 1419 (A, I, T)
 No Samples: No Drilling Company: USGS
 Source of Data: _____

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Topsoil	0- 2
		Sand, brown, medium to coarse	2- 20
		Sand, gray, coarse, with gravel	20-27
		No return; drilled like till	27-57
		We pulled out at 47 feet, cleaned augers and went back down to 57 feet. Still no return. Augers showed clay, gray, with stones and some sand, coarse, but we couldn't get it up.	

Location: cccc Section: 26 T. 98 N. R. 63 W. E
 Test Hole: ATH Land Owner: _____
 County: Douglas Date: 8-24-66 Elevation: _____ (A, I, T)
 No Samples: No Drilling Company: USGS
 Source of Data: _____

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Topsoil, black	0- 2
		Sand, brown, medium	2- 6
		Clay, brown, with pebbles, (till)	6-12
		Clay, brown, mix with some pebbles	12-15
		Clay, brown and sand, brown, fine to medium	15-22
		Clay, gray, with pebbles; traces of sand may be mixing from top	22-37
		Clay, brown, with traces of sand, fine to medium	37-72
		Clay, gray, with pebbles	72-82

SOUTH DAKOTA GEOLOGICAL SURVEY

Location Free : Sec. 10 T. 97 S. 8 R. 63 W. EX
 Well ATH : Test Hole 51-69 Land Owner
 County Charles Mix : Date 8-5-69 : Elevation 1412 (A, I, T)
 E-Log No : Samples No : Drilling Co. 1160
 Source of Data Kaliferavuki

Geologic Unit	Thick-ness	Lithologic Description	From-to-Feet
		Silt, yellow-brown, compact	0- 7
	5	Clay, yellow-brown, very sandy and fine sand	
			7-16
	7	Clay, sandy and medium gravel	16-21
	2	Clay, gray-brown, slightly sandy	22-29
		Depth to water 3 feet	

Location dddd : Section 14 T. 98 S. 8 R. 61 W. EX
 Well : Test Hole ATH Land Owner
 County Douglas : Date 7-5-67 : Elevation (A, I, T)
 E-Log No : Samples No : Drilling Company USGS auger
 Source of Data Kume

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Topsoil, brownish-black	0- 2
		Sand and gravel, brown, medium to coarse, clean	2- 40
		Clay, (till)	40- 45
		Sand and gravel	45- 58
		Clay, soft	58- 74
		Clay, dark-gray, (till); gravel and sand layers	74- 92
		Sand and gravel	92-112
		Clay, dark-gray, very sandy and stony, (till)	112-120
		Sand, clayey, very compact, some peaty material	120-123

Location SE SE 31 37 : Sec. 22 T. 98 S. R. 63 W.

Well X : Test Hole : Land Owner

County Douglas : Date 6-4-68 : Elevation 605 (A, L, T)

E-Log : Samples : Drilling Co. SDGS

Source of Data Jack Kiser

Geologic Unit	Thick-ness	Lithologic Description	From-to-Feet
		Silt, light tan	
		Clay, gray (fill)	0- 31
		Silt, dark	31- 35
		Clay, gray (fill)	35- 40
		Gravel and coarse sand, rounded, shale fragments	40- 64
		Till, gray; gravel fragments and gravelly till	64- 76
		Gravelly till	76-150
		Clay, gray, silty, shale fragments	150-180
		Gravel, sand, coarse, rounded, quartz, igneous	

SOUTH DAKOTA GEOLOGICAL SURVEY

Location cccc : Sec. 3 T. 97 S. R. 63 W.

Well : Test Hole 49-69 Land Owner

County Charles Mix : Date 8-4-69 : Elevation 1412 (A, L, T)

E-Log No : Samples No : Drilling Co. SDGS

Source of Data Kalinowski

Geologic Unit	Thick-ness	Lithologic Description	From-to-Feet
		Clay, yellow, silty (till)	0-5
		Till, brown, silty	5-20
		Till, gray	20-24

SOUTH DAKOTA GEOLOGICAL SURVEY

Location aaaa : Sec. 10 T. 97 N. 53 R. 63 W. XXWell ATH : Test Hole 52-69 Land Owner County Charles Mix : Date 8-5-69 : Elevation 1415 (XX) (T)E-Log No : Samples No : Drilling Co. SDGSSource of Data Schaefer

Geologic Unit	Thick-ness	Lithologic Description	From-to-Feet
	<u>26</u>	Sand, medium and medium gravel	0-26
	<u>27</u>	Gravel, medium	26-53
		Clay, gray, pebbly	53-74
		Depth to water 5 feet	

SOUTH DAKOTA GEOLOGICAL SURVEY

Location bban : Sec. 27 T. 98 N. 53 R. 63 W. XXWell ATH : Test Hole 55-69 Land Owner County Douglas : Date 8-9-69 : Elevation (A, I, T)E-Log No : Samples No : Drilling Co. SDGSSource of Data Schaefer

Geologic Unit	Thick-ness	Lithologic Description	From-to-Feet
		Topsoil	0- 2
		Clay, gray-brown, silty, few sand grains	2- 7
	<u>5</u>	Sand and gravel, dirty	7- 9
		Clay, brown, pebbly, compact	9-29
		Depth to water 3 feet	

Location _____ CC _____ Section 10 T 7 37 ^N _S R. 63 W Y
 Well _____ Test Hole ATH Land Owner _____
 County Charles Mix Date 1960 Elevation 1381 (A. L. L.)
 Top of _____ No Samples No Drilling Company SDMS
 Source of Data R. I. 90

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Clay, tan, sandy	0- 4
		Clay, tan, pebbly	4- 9
		Clay, tan, pebbly, sandy	9-14
		Clay, gray, sandy	14-18
		Clay, blue	18-24

DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY
 WATER RESOURCES DIVISION

No. 97-63 11 ddd

OTHER NO. 13:19

WELL LOG

State South Dakota County Charles Mix Subarea _____

Owner SDMS

Location 10-7-37 N 63 W

Drilled by James (Auger) Address 121st St.

Date 10-1-60 Casing diam. _____ Land-surf. alt. 430

Source of data _____

(Enter type of well, perforations, yield, and drawdown at end of log)

CORRELATION	MATERIAL	THICKNESS (feet)	DEPTH (feet)
	Clay, tan, sandy (G11)	3	3
	Clay, tan, pebbly (G12)	32	35
	Clay, tan, pebbly, sandy (G13)	7	42
	Clay, gray, sandy (G14)	2	47

SOUTH DAKOTA GEOLOGICAL SURVEY

Location: 0000 Section: 25 T. 98 N. R. 63 W.

Well: _____ Test Hole: ATH Land Owner: _____

County: Douglas Date: 8-24-66 Elevation: _____ (A, I, T)

Log: No Samples: No Drilling Company: USGS

Source of Data: _____

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Clay, brown and sand, medium to coarse, with gravel	0-16
		Clay, gray, with pebbles	16-17
		No return drilled like till	17-52

SOUTH DAKOTA GEOLOGICAL SURVEY

Section: 0000 Section: 2 T. 97 N. R. 63 W.

Well: _____ Test Hole: ATH Land Owner: _____

County: Douglas Date: 7-15-68 Elevation: _____ (A, I, T)

Log: No Samples: No Drilling Company: USGS

Source of Data: Kume

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Sand and gravel, reddish-brown, medium to coarse	0- 1
		Sand, fine to coarse, 5 per cent of fine to medium gravel	1-10
		Sand and gravel, reddish-brown, fine to medium	10-17
		Sand, gray, dirty, fine to medium	17-22
		Sand, fine to medium, clayey, pebbly, (till)	22-27
		Taped W/L 8 feet	

SOUTH DAKOTA GEOLOGICAL SURVEY

Location abbb : Sec. 15 T. 98 ^{N.}~~S.~~ ^{XR.}~~W.~~ R. 63

Well ATJ : Test Hole 57-62 Land Owner _____:

County Douglas : Date 8-6-69 : Elevation _____ (A, I, T)

E-Log No : Samples No : Drilling Co. SLGS

Source of Data Kaleiszewski

Geologic Unit	Thickness	Lithologic Description	From-to-Feet
		Clay, light-brown, sandy	0- 4
		Clay, yellow-brown, silty, few pebbles	4- 8
	<u>12</u>	Gravel, coarse and coarse sand	8-20
	<u>5</u>	Sand, medium	20-25
		Clay, gray, pebbly	25-29
		Depth to water 9 feet	

Location G 21 21 bb Section 14 T 98 N. 8 R. 53 W.
 Well _____ Test Hole: ATE Land Owner _____
 County: Douglas Date: 7-7-52 Elevation: _____ (A. I. T)
 Log _____ No Samples No Drilling Company: U. G. Auger
 Source of Data: L. Yune

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Topsoil	0 - 1
		Sandy clay, brown, dirty	1 - 6
		Sand and gravel, dirty	8 - 28
		Clay, dark-gray, stony, (fill) lots o' shale and chalk	
		rock pebbles	28 - 33
		Cased: 3 feet sand pipat (1 1/2")	
		glv. pipe 2X10 1/2 feet 21 feet (1 1/2")	
		Stick up 4.2 feet	
		Total casing 24 feet	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

Report Page No. _____

GROUND WATER BRANCH

COUNTY DouglasSTATE South Dakota

WATER LEVELS AND ARTESIAN PRESSURES IN OBSERVATION WELLS

98-63-14bbbb. U.S. Geological Survey-31. Located just east of Choteau Creek bridge, road ditch. Drilled 7/7/67 observation water-table well in buried outwash deposits of Pleistocene age, diam. 15 in., depth 20 ft., well sand point. Lsd 143 ft. above mal. HP top of casing, 4.23 ft. above lsd. Measurements by USGS.

Highest water level _____ 19____; lowest _____ 19____
Records available _____ Water level below lsd

Date	Water level *	Date	Water level	Date	Water level	Date	Water level
7-7-67	3.42	8-14-69	4.23				
7-12-67	3.86	9-23-69	5.00				
8-3-67	4.46	10-24-69	5.09				
9-11-67	5.41	11-25-69	5.01				
10-4-67	5.46	12-30-69	5.02				
11-30-67	5.50	2-2-70	5.07				
12-18-67	5.55	3-17-70	3.59				
2-1-68	5.54	4-27-70	0.89				
4-2-68	5.53	5-27-70	2.72				
5-21-68	5.47	6-24-70	3.75				
7-8-68	4.82						
8-29-68	6.06						
10-24-68	4.76						
11-29-68	5.12						
1-15-69	5.06						
3-19-69	4.74						
5-28-69	3.31						
7-11-69	3.35						
8-5-69	3.97						

*
below
lsd

Location: CCCQ Section: 1 T. 97 ^{N.}_{S.}, R. 63 ^{E.}_{W.}
 All obs. Test Hole: _____ Land Owner: _____
 County: Douglas Date: 7-1-68 Elevation: 1414.21 (A.L.T.)
 F-Log: _____ No. Samples: No Drilling Company: USGS
 Source of Data: East hole-pumped well

Geologic Unit	Thickness	Lithologic Description	From - to Feet
		Sand, brown, and gravel, fine	0-23
		Clay, gray, bedded	23-26
		Cased:	
		15' pipe GI 2"	
		6 feet screen extension 2"	
		3 feet sd. pt. 2"	
		Elevation top of pipe 1417.41	

Location: 221 dcgc Section: 3 T 97 ^{N.}X. R. 63 ^{E.}W.
 Well: obs. Test Hole: _____ Land Owner: _____
 County: Charles Mix Date: 6-13-67 Elevation: _____ (A, I, T)
 Top: _____ No Samples: No Drilling Company: USGS auger, Denver
 Source of Data: B. Pemberton

Geologic Unit	Thickness	Lithologic Description	from - to Feet
		Topsoil and fill used for entrance road	0- 3
		Sand and gravel, fine to medium, some coarse grained	3- 8
		Clay, gray, (till)	8-10
		Sand and gravel, fine to coarse	10-44
		Clay, gray, (till)	44-58
		Water level 8 feet	
		1½" pipe 21.0 feet	
		1½" sandpoint 3 feet long	
		Total casing 24 feet	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

Report Page No. _____
GROUND WATER BRANCH

COUNTY Charles MixSTATE South Dakota

WATER LEVELS AND ARTESIAN PRESSURES IN OBSERVATION WELLS

97-63-3dccc. U.S. Geological Survey-2.. Located road approach shoulder, adjacent to fence and gate. Drilled 6/13-67 observation water-table well in surficial outwash deposits of Pleistocene age, diam. 1 1/2 in., depth 23 ft., well sand point. Lsd 12.2 ft. above msl. MP top of casing, 0.66 ft. above lsd. Measurements by USGS.

Highest water level _____ 19____; lowest _____ 19____
Records available _____ Water level below lsd

Date	Water level*	Date	Water level	Date	Water level	Date	Water level
6-14-67	6.97	1-15-69	7.09				
6-27-67	6.94	3-12-69	6.56				
7-15-67	7.65	5-28-69	6.52				
8-2-67	7.33	7-11-69	7.28				
9-11-67	8.00	8-5-69	6.56				
10-4-67	7.55	8-19-69	6.07				
11-30-67	7.44	9-23-69	7.84				
12-18-67	7.39	10-24-69	7.34				
2-1-68	7.31	11-23-69	6.97				
4-2-68	6.99	12-30-69	6.89				
5-13-68	6.87	2-2-70	6.87				
5-21-68	6.98	3-17-70	5.61				
6-4-68	7.20	4-27-70	3.84				
7-8-68	6.88	5-27-70	6.10				
8-29-68	8.49	6-24-70	6.96				
10-7-68	7.69						
10-24-68	7.14						
11-29-68	7.17						

SOUTH DAKOTA GEOLOGICAL SURVEY

Location G-15: Sec. 11aaaC T. 97 N. S. R. 63 E. W.

Well _____: Test Hole _____: Land Owner _____: 12/15/71

County _____: Date _____: Elevation 1714 (A, I, T)

E-Log _____: Samples _____: Drilling Co. 66 (A.G.R.)

Source of Data _____

Geologic Unit	Thick-ness	Lithologic Description	From-to-Feet
Gravelly drift	2	Topsoil	0- 2
	34	Sand and gravel. Very coarse	2- 36
	4	Clay (till)	36- 40
		Water level (taped) = 19.5	
		Cased	
		26' 13" GI pipe	
		3' 15" Hardpoint	
		29'	
		2.07 MFC	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Report Page No. _____
GROUND WATER BRANCH

WATER RESOURCES DIVISION

STATE South Dakota

COUNTY Charles Mix

WATER LEVELS AND ARTESIAN PRESSURES IN OBSERVATION WELLS

97-63-111a ^{C4} U.S. Geological Survey-25. Located corner of section, adjacent to fence. Drilled 6/13/67 observation water-table well in surficial outwash deposits of Pleistocene age, diam. 1 1/2 in., depth 27 ft., well sand point. Lsd 14 ft. above ms. NP top of casing, 2.07 ft. above lsd. Measurements by USGS.


Highest water level _____ 10 _____; Lowest _____ 10 _____
Records available _____ Water level Below lsd

*
Below
lsd

Date	Water level*	Date	Water level	Date	Water level	Date	Water level
6-14-67	5.00	11-29-68	5.55				
6-29-67	2.63	1-15-69	5.68				
7-17-67	4.11	3-19-69	4.92				
8-3-67	4.69	5-28-69	4.02				
9-11-67	5.34	7-11-69	4.32				
10-4-67	5.26	8-5-69	3.99				
10-13-67	5.24	8-14-69	4.48				
11-30-67	5.20	9-23-69	5.05				
12-18-67	5.20	10-24-69	4.97				
2-1-68	5.46	11-25-69	4.65				
4-2-68	5.03	12-30-69	4.62				
5-13-68	4.88	2-2-70	4.62				
5-21-68	4.97	3-17-70	4.15				
6-3-68	5.16	4-27-70	2.56				
6-18-68	5.33	5-27-70	5.63				
7-1-68	5.32	6-24-70	4.32				
7-8-68	5.43						
7-29-68	5.98						
7-24-68	5.57						

CONTOUR OVERLAY
LAKE ANDES-WAGNER AREA

MAXIMUM ARTESIAN HEAD REDUCTION
PRODUCED BY 1970 IRRIGATION WITHDRAWALS




INDEPENDENCE

TOWNSHIPS 97 & 98 N

RANGE 63 W

CODE T 98 - H
T 97 - HS



v A. SE $\frac{1}{4}$ 3-98-63
Abandon house. Neighbor's well about
280' deep.

v B. N.E. $\frac{1}{4}$ 27-99-63 - Howard Hoffman
Hydr. shallow well about 100' and 55' deep
Reported 16' deep, 6' water

v C. SE $\frac{1}{4}$ 22-99-63 Francis Hoffman
Over 300'. Well in use

D. S.E. $\frac{1}{4}$ 9-99-63
Drilled well 120' deep

v E. N.W. $\frac{1}{4}$ 22-99-63 - Duane Kroshus
Neighbor's well 500' deep. Well was
gone ago

v F. NW $\frac{1}{4}$ 22-98-63 - Harold Starnes
well 120' deep

G. N.E. $\frac{1}{4}$ 28-98-63
Pond well. Neighbor's pond
is about well down. 30' deep

S.E. 1/4 22-98-63

H. Completely Abandoned. No water in sight.

F. S.E. 1/4 22-98-63

Abandoned. No water in sight. No water in sight.

J. N.E. 1/4 26-98-63. Phillip Larson

Has a 189' "Cobell" well which was deepened

Winters & Edwards' irrigation water was pumped

He drilled 317' deep well into Sandstone.

Water comes within 20' of surface and his pump sitting in 90'.

K. S.W. 1/4 31-98-63. Paul Pink

Uses water from 290' well. Uses

thru 4 sand veins. Has old abandoned shallow well

very shallow would not produce water needed for

there probably is a water log surface aquifer

at this location. He says place over 1

mile east (south side of road) has about a

290' Well.

Gehring's well about 3 miles east of Pink's.

Has 2 deep wells 1-20' sandstone & 290' chalk

Reports that he is worried about Van E.

Van E. M. each have wells about 20' deep.

Water will probably never reach. Last well

is about 10' deep.

R
M. 4 30-78-62-1 Romfield
well 18-78-62 well 18-78-62
water 200 ft. N.E. corner 30.3 ft.
well right through in shallow water
Shallow well search, then set the water in abandon place
see M. 18-78-62

NE 1/4 24-98-63 " Roger Kaufman
Good water from 300' sandstone 50' above oil
level. Has 3" shallow wells on 2 farms located
on both sides of road south of him.

P. SF 1/4 19-98-62 Lloyd Knutson
Has 3 shallow wells on place ^{all} a portion
10'-30' deep. Doesn't use shallow wells any more.
Gets all water from 30' 5-year old well.

O SW 1/4 17-38-02 Willard Reinfeld
Kings Co Well #18 Sec - 3 Lot 6
Block 1A in 2nd 1st

P NE 1/4 12-25-62 Teto Brothers
Bismarck, N.D. 58101

Q 164 18-98-62 Edward Branner
149' lat. 100' depth. 100' less than
150' deep. 100' less than 300' V. 100'
300' well

R. NE 1/4 31-77-62. AREA AHEAD
18' well - plenty of water

S. NE 1/4 30-77-62. Werner Drefs
340' well

T. SE 1/4 30-77-62. - Alton
Probably shallow well

U. SW 1/4 32-79-62. Emil Fink
Well over 300' deep

V. NW 1/4 27-79-63. Wm. Plume
Well over 300'. Well in use

W. SE 1/4 22-79-63. V. Van DeWeyer
18' auger hole produces water but
used. Water level same as in Logans
Reserve Well

X. NW 1/4 5-78-62. Vern Carver
Shallow well over 800' deep

Y. NE 1/4 22-78-63
Shallow well less than 30' deep. Hasn't
been used for over 5 years. Use Logans
in this area

Z NW 1/4 1-97-63 Cliff Box 1/4
Shallow well about 20' deep. Horse un-
occupied. Box well is heavily used for
stock watering. Owned by Joe Sanders
leased by C. Box 1/4

A-1 NW 1/4 12-97-63
Barren place owned by Vern Bremiller
20' well and 100' well both used

B-1 W 1/2 11-97-63 Vern Bremiller
3 shallow wells all used for stock
20' deep

C-1 SW 1/4 10-97-63 Esther Williams
Esther Williams Report deeper wells

D-1 Center W 1/2 - 2-97-63 Arnold Bremiller
3 Shallow wells less than 20' deep all in use

E-1 SE 1/4 2-97-63 Donald Schmidt
SW 1/4 1-97-63
Known as farmsteads each having wells
about 20' deep used for stock watering
NE 1/4 36-98-63 Wm. Froz. well
22' deep

2. Aug 11. 5' 100' well Ground Aug 30 13

6.3-72

A 11.5 to water 12.3 13.3
 17.5 to bottom of well 17.5 17.9

N well. House well / Photo 779-2265

B 1.0 to top
 10' to water 10.7 12.8
 11' to bottom 14.7 14.8

Harry Pope
 House well

C MP O
 7' to water 7.7 8.9
 12' to bottom 12 12.3

D 7' to water 7.65 8.1
 10' to bottom 10.2
 12' to bottom of Dwell

Robert O. Charles
Bohrer

E

7' to water

7.8

7.1

12 1/2 to water

12 1/2

12.4

Carl Bohr

E well

9.9

13.3

F

1' MIS

9' to water

9.2

13 1/2 to bottom

13.0

W. W.P. 11

3/4

G

101

10.0

11.0

152

15.2

15.3

Stationary

17.1

5.8

Add Dept

1 1/2 Full 1/2
same

To

The same will

C 1-155

}}

Test

1.3

1.3

10.3

10.3

21.3

21.2

1.3
10.2
21.2

777-2280

1/20/42

2231

Bud

W T Hole

11

11

11

11

11

11/2/71 - Pierre
Delmont

1280
1550

North Adel Logout. Full

South Adel Well - 13.7
17.7

North Adel well - 11.8
16.8

West Curt Bohler Well 11.5
15.3

Chas Bohler Well 9.5
(Being pumped) 12.6

Harry Pope Well
Too Windy To Measure

Clifford Bohler 8.8
10.2

Sander well 7.8
10.7

C-1

16.6

Test Well

10.9
27.0

EAST

9.3

CURT Buller

13.2

Way North Dugout

7.5

WATER RIGHT APPLICATIONS - SHALLOW AQUIFER WEST OF DELMONT

At its March 1971 meeting the Commission considered Water Right Application No. 1805-3 of James T. Geetz to divert up to 4.56 cubic feet per second of ground water from two 50 foot deep wells to irrigate up to 320 acres of land. The proposed irrigation would be about 5 miles west of Delmont, South Dakota.

Six residents of the area and their attorney appeared before the Commission to express their concern that the proposed irrigation, plus existing irrigation from one irrigation well, could have an adverse effect on their shallow domestic and livestock watering wells and dugouts. The Commission deferred action pending investigation by the Commission Staff.

A sketch map (attached) has been prepared to aid in explaining the over-all situation. This sketch map outlines tentative boundaries of the shallow aquifer as determined by U.S. Geological personnel in a county survey by U.S. and S.D. Geological Survey people. All information, or data, obtained from U.S. Geological personnel is "PROVISIONAL DATA, SUBJECT TO REVISION."

The red circles indicate the location of wells owned by those people who had expressed their concern that additional irrigation from this shallow aquifer could deplete the water supply of their shallow wells to less than the amount needed. These wells were measured several times during the summer and fall of 1971. The top figure by the red circle indicates the minimum depth of water in the well during the 1971 period of measurement, the middle figure is the average depth of water during the period and the lower figure is the depth of the well below ground surface. These wells are all large diameter wells - 15 inches or larger in diameter. The Commission Staff believes most of these wells do not extend to the bottom of the aquifer.

Shown below are measurements from ground surface recorded for these wells:

Well	Depth of well	Depth to Water					
		6-3-71	8-2-71	9-3-71	9-30-71	11-2-71	12-14-72
A	13.0'	9.0'	9.8'	10.8'	10.8'	10.2'	-
B	14.7'	9.0'	9.7'	10.8'	10.5'	10.1'	9.4'
C	12.0'	7.0'	7.7'	8.9'	8.0'	-	-
D	11.3'	7.0'	7.7'	8.1'	8.5'	8.6'	7.5'
E	12.5'	7.0'	7.8'	7.8'	8.4'	-	7.4'
F	12.5'	8.0'	8.2'	8.2'	8.5'	8.3'	7.8'
G	14.0'	9.2'	10.1'	10.1'	10.6'	10.1'	10.3'
Pump* Test Well	(20.0' to 25.7')	9.0'	9.0'	9.0'	9.2'	9.6'	8.4'

* Located at center of SE1/4, Section 26, T90N, R63W.

The shallow domestic well indicated by the letter JS is now measured on a weekly basis by the Commission Staff when the weekly measurements are made on Commission observation wells in the area. This domestic well is located about 1 mile from the irrigation well authorized in Water Permit No. 1746-3 of Mrs. Alice Coetz. Attachment A contains a graph showing the 1971 and 1972 measurements of well JS. This indicates a gradual decline of about 2 feet during the summer and fall months. Such a lowering of shallow well water levels generally occurs even if there is no irrigation in the area. The Commission Staff concludes that irrigation under Water Permit No. 1746-3 has had no significant effects on the water level in Well JS to date.

The Commission Staff visited each of other domestic well owners in and near the mapped aquifer area. The black circles indicate the location of these other domestic wells and the reported depth of the well.

The blue circles indicate test hole information furnished by U.S. Geological personnel. The top figure indicates depth to the top of the sands and gravels and the bottom figure indicates the depth to the bottom of the aquifer. It should be kept in mind that the top figure does not indicate the depth to the top of the ground water.

The orange triangles represent observation wells, or test holes, of the Commission placed to obtain information about this shallow aquifer. C1 and C2 were drilled in 1957. C69I was drilled in 1969. D72F, D72G and D72I were drilled in 1972. Following are shown the depths to the upper and lower limits aquifer sands and gravels.

<u>Well</u>	<u>Top</u>	<u>Bottom</u>	<u>Well</u>	<u>Top</u>	<u>Bottom</u>
C1.	4'	57'	C72F	4'	20'
C2	8'	55'	C72G	0'	48'
C69I	9'	30'	C72E	1'	24'

C72H is an observation well tapping a deeper aquifer, but its log indicates the limits of the shallow sands and gravels being between 4 and 25 foot depths.

The symbol + indicates the location of the existing irrigation well, or the proposed location of irrigation wells in two deferred water right applications. This symbol + also indicates the proposed location of shallow irrigation wells in approved Water Permits Nos. 1631-3 and 1665-3; the permit holders indicating that these shallow well irrigation systems probably will not be constructed.

Observation well C1 is a key observation well. It was drilled in 1957 and tests since then have indicated the well was always functioning as an excellent observation well. Attachment A contains a graph showing the well level measurements of observation well C1 since 1958. Note the periods of different water levels; 1958 to 1961 the depth was in the 14 to 16 foot range; 1962 to 1965 in the 6 to 8 foot range and in 1966 to 1972 period in the 14 to 17 foot range.

The underground flow of water through this shallow aquifer is mainly southward, a little westward, as indicated by the shape of that portion of the aquifer shown. The top of the ground water also slopes towards the south and west. This slope is about 11½ feet per mile in the northeast leg and about 5½ feet per mile in the north leg and main body of the aquifer.

The main body of the aquifer, as mapped, covers approximately 14 square miles. A sample of the sands taken from observation well C1 was tested as having 44% of voids. From this it can be estimated that at least one acre-foot of water can be pumped from four acre-feet of saturated aquifer materials. Based on this estimate, 2240 acre-feet of water removed by pump irrigation would cause the equivalent of an over-all lowering of one foot in the ground water level in the 14 square miles of aquifer.

The irrigation well operated under Water Permit No. 1746-3 is reportedly, just over 50 feet deep, is pumped at a rate of 1.7 c.f.s. of water and produced 112 acre-feet of water in 1971 and 96 acre-feet in 1972.

U. S. Geological personnel have prepared a contour map showing the thickness of the sands and gravel in this aquifer. The brown contour lines on the attached sketch map shows some of these contour lines. Again it should be remembered the saturated thickness is 6 to 15 feet less than the sand and gravel thickness. These contours are a generalization of the conditions and field conditions at specific locations may vary greatly from what is shown by the contours.

Prior to the January 1972 Commission meeting, Mr. Paul Fink submitted Water Right Application No. 1895-3 to divert up to 3.43 c.f.s. of water from a 63 foot deep well (effective depth may be about 46 feet) to irrigate up to 240 acres of land. (see attached map) The Commission informed Mr. Fink that his application would be placed on a temporary deferred status, prior to the advertising process, to allow the Commission Staff to collect additional information about the water supply conditions.

From data collected to date, it seems that some additional irrigation from this shallow aquifer can be authorized by the Commission. When such irrigation occurs, more information will be available. Until such added information is available the Commission Staff believes the following can be used as temporary guidelines:

1. The water level of observation well C1 can be lowered to at least 19 feet below ground surface without significant effect on domestic wells in the area - with correlated lowering in other shallow observation wells;
2. The diversion rate per irrigation system should not exceed 2.5 c.f.s. of water;
3. Irrigation wells should be placed at least $\frac{1}{2}$ mile from domestic wells, unless the domestic well owner agrees to closer location;
4. That water right applications received, which propose diversion of ground water in Sections 34 and 35, T98N, R63W be placed in a deferred status, unless the applicant owns the only domestic well or wells liable to be affected;
5. That expansion of irrigation from this shallow aquifer be carefully controlled.

Using such guidelines, Water Right Application No. 1895-3 of Mr. Paul Fink can be approved for a diversion rate of 2.5 c.f.s. with a well interference qualification and a qualification to the effect that if the Commission deems that a water shortage exists in the area, diversions of water from his irrigation well may be curtailed.

The area proposed to be irrigated from two 50 foot deep wells is the green cross-hatched area indicated by No. 1805-3. The owner has had some test holes drilled in this half section, SE $\frac{1}{2}$, Section 26, T98N, R63W. Reportedly the tests indicated saturated sand and gravel in the SE $\frac{1}{4}$ of less than ten feet in depth, not adequate for the desired irrigation well. Based on this information, the Commission Staff concludes there is not unappropriated water available for the irrigation of the SE $\frac{1}{2}$, Section 26, T98N, R63W.


A test hole at the center of the SE $\frac{1}{4}$ indicated saturated sands and gravels from 10 to 23 feet. A pump test well was placed here and pumped at a rate reported to be about 1.23 c.f.s. for several hours. The Commission Staff has some question that this well would produce at such rate for a sustained period of time. This test well was permanently cased with concrete casing and could be an irrigation well to the extent that Water Application No. 1805-3 would be approved.

Based on the information available and in accordance with the listed guidelines, the Commission could approve Water Right Application No. 1805-3 for the well in the SE $\frac{1}{4}$ with the tested diversion rate of 1.23 c.f.s. and with the qualification as proposed for Water Right Application No. 1895-3.


Such a well would provide considerable less water than the amount needed to irrigate this SE $\frac{1}{2}$. The Commission Staff suggests the Commission take no action on Water Right Application No. 1805-3, awaiting the response of the applicant, after reading this report.

###

Observation Well 01. Graph of 1958 Water Level Measurements



Observation Well 05. Graph of 1971 & 72 Water level Measurements During Irrigation Season



Code	Value	Code	Value
C-16	26.4	D72F	12.6
D-676	48.6	C-1	13.7
D-677	59.4	D72G	11.1
C-13	10.0	C72E	7.7
D72H	40.8	C67I	8.5
C14	25.1	C2	6.8
C15	21.9	C3	7.4
C5	38.0		
C17	19.4		
C72J	59.2		
C72K	81.7		
C68Q	59.7		
C9	67.4		
C8	94.8		
C68P	95.3	C-11	14.7
C68O	54.0	C69J	76.8
C4	19.0	C68M	90.1
C67U	103.2	C10	14.6
C67T	99.3	C68N	102.2
C12	14.2	C61L	67.5
C68L	94.7		
C69H	105.6		
C69K	68.6		

122.000 100/100

Permit No 1805-3Water Division 1311-3 Missouri River Water District

**REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE**

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by James T. Goetz of Box 708, Yankton, S.Dak holder of Permit No. 1311-3, bearing date of priority of February 1, 1971 authorizing the diversion of 2.28 cu. ft. per second of the waters of Ground Water for Irrigation purposes, in Douglas County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Pump - Western Hand Roller, Serial # L 7318,
Head # 8 M 412 c.f.t

Pump Motor - Hollow shaft ID # R-2841-01-H-074
R 2061851, RPM 1770 Electric Motor

B. Works used to transport water to place of use,

8 inch dia. underground pipe to center-pivot

C. Works used to apply water to beneficial use.

Valmont (valley) 7 tower center pivot. Model 1758,
Serial # 10037

The system is in the following condition: Good

The point of diversion is located 300 ft N and 375 ft W of SE corner of
Section 26, T98N, R63W.

The works are capable of diverting and conveying to the place of use 2.22
cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: All in Section 26, T98N, R63W

NW 1/4 SE 1/4 - 33.0 Ac

NE 1/4 SE 1/4 - 33.0 Ac

SW 1/4 SE 1/4 - 33.0 Ac

SE 1/4 SE 1/4 - 33.0 Ac

comprising a total of 132.0 acres of land.

Well capacity 2000 GPMDate March 22, 1976

LeRoy J. Minnigh
(Signature)



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

September 19, 1977

James I. Goetz
Box 708
Bankton, SD 57078

Dear Mr. Goetz:

Enclosed herewith are, Water License No. 1805-3 and Certificate of Construction.

Water License No. 1805-3 is the final water right document completing your process of obtaining water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

A handwritten signature in cursive script that reads "John Hatch". The signature is written in dark ink and is positioned above the typed name and title.

JOHN HATCH, Chief Engineer
WATER RIGHTS COMMISSION

JH: g/

Enclosures

NOTE: Your pump capacity is 2.22 cfs (997 gpm). Based upon the acreage actually irrigated you are entitled to only divert 1.9 cfs (844 gpm). Any diversion in excess of 1.9 cfs would be a violation of your water right.



Department of Water & Natural Resources

Joe Foss Building
623 East Capitol
Pierre, South Dakota 57501-3181

1805-3

NOTICE

September 13, 1983

TO: James T. Goetz
1715 Walnut
Yankton, South Dakota 57078

FROM: John Hatch, Chief Engineer
Water Rights Division
(605) 773-3352

Re: Violation of Permit No(s). 4670-3 and 4761-3
by Failure to Submit Required 1982 Irrigation Questionnaire

The Water Management Board has directed that hearing(s) be held to determine what action the Board should take for violation of the Water Permit No(s). 4670-3 and 4761-3 qualification that requires the Irrigation Water Use Questionnaire to be submitted each year.

The hearing(s) will also be to determine if Permit No(s). 1805-3 and 2142-3 should be amended to require the Questionnaire to be submitted each year.

The hearing(s) will be at 2:30 p.m., October 5, 1983, Civil Defense Room, Basement, State Capitol Building, Pierre, South Dakota. Water Rights Division records do not show that the 1982 Irrigation Questionnaire for Permit No(s). 4670-3 and 4761-3 has been received. The questionnaire was requested on the following dates:

1. September 1982 Initial request
2. December 1982 follow-up request
3. March 22, 1983 Notice that submittal of questionnaire is a qualification to water permit.
4. August 1983 Notice that Board had directed owners of permits not in compliance with the Irrigation Questionnaire qualification be given until August 30, 1983 to submit the 1982 questionnaire with any permit owner in violation after August 30 to be given notice for hearing before the Board.

Equal Opportunity Employer

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:

1. Suspend Permit No(s). 4670-3 and 4751-3 until either the 1982 Questionnaire is submitted or for a period of up to one year;
2. Amend Permits No(s). 1805-3 and 2142-3 also held by James T. Goetz to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

These hearing(s) are an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

180
Water Rights Division
605 773-3352

September 20, 1983

4670-3
4761-3

James T Goetz
1715 Walnut
Yankton SD 57078

Dear Mr. Goetz:

This letter will acknowledge receipt of and thank you for the return of your 1982 Irrigation Questionnaires: A notice was sent to you September 13, 1983 regarding the Irrigation Questionnaire submittal violation of Permit Nos. 4670-3 and 4761-3 and the data hearings are to be held before the Water Management Board to determine any action to be taken concerning the violation. Our records show that you have returned the 1982 Irrigation Questionnaires and are no longer in violation of your permits.

Please disregard the notice sent to you dated September 13, 1983. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:ks



Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

JAMES T GOETZ
BOX 708
BANKTON, SD 57078

NOTICE

Re: Violation of Water Permit(s). 4761-3, 4670-3 and 1936
Irrigation
Questionnaire Requirements.

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 4761-3, 4670-3. The request for the questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4761-3, 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s). 2142-3, 1805-3, and 1746-3 should be amended with the qualification to require the Questionnaire to be submitted each year.


The hearing(s) will be at 2:00 pm, May 6, 1987, in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearings(s), the Water Management Board can:

1. Suspend Permit No(s). 4761-3, 4670-3 until either the 1986 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s). 2142-3, 1805-3, and 1746-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) are received in this office before the hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 13, 1987

NOTICE OF AMENDMENT TO WATER PERMIT(s)

TO: JAMES T GOETZ
P.O. BOX 708
YANKTON, SD 57078

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

A handwritten signature in black ink, appearing to read "John Hatch", written over the typed name in the "FROM:" field.

SUBJECT: Amendment to Water Permit No(s). 1746-3, 2142-3, 1805-3

Pursuant to the provisions of the notice dated March 23, 1987, and following the Hearing May 6, 1987, the Water Management Board has amended Water Permit No(s). 1746-3, 2142-3, 1805-3 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

The addition of this qualification to your Permit means that failure to submit the required irrigation questionnaire in the future could result in **SUSPENSION** of the water permit and no use of water for up to one year for the first violation. Please include the enclosed attachment with your permit.

Attachment to Water Permit No. 1805-3

Pursuant to the provisions of the notice dated March 23, 1987 and following the Hearing May 6, 1987, the Water Management Board has amended Water Permit No. 1805-3 to add the following qualification:

"This Permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
 523 East Capitol
 Pierre, South Dakota 57501-3181

January 29, 1988

JAMES T GOETZ
 BOX 708
 YANKTON, SD 57078

NOTICE

Re: Violation of Water Permit No(s). 4761-3, 2142-3, 4670-3, 1805-3

Our records indicate that the 1987 Irrigation Questionnaire has not been received for Permit No(s). 4761-3, 2142-3, 4670-3, 1805-3. The request for the Questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearings(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4761-3, 2142-3, 4670-3, 1805-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing(s) will be at 9:00 am, March 2, 1988, Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 4761-3, 2142-3, 4670-3, 1805-3 until either the 1987 Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


 JOHN HATCH, Chief Engineer
 Water Rights Division
 605 773 3352

NOTE: If the questionnaire(s) is received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-5181

March 1, 1988

1805-3
2142-3
4670-3
4761-3

James T Goetz
Box 708
Yankton SD 57078

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 1805-3, 2142-3, 4670-3, 4761-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1990

JAMES T GOETZ
BOX 708
YANKTON, SD 57078

NOTICE

RE: Violation of Water Permit No(s). 4670-3, 4761-3, 1805-3, 2142-3, 1746-3

Our records indicate that the 1989 Irrigation Questionnaire has not been submitted for Permit No(s). 4670-3, 4761-3, 1805-3, 2142-3, 1746-3. The request for the Questionnaire was dated October 13, 1989. The Water Management Board had directed that owners of water permits who have not submitted the 1988 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4670-3, 4761-3, 1805-3, 2142-3, 1746-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 7, 1990 at the Howard Johnson's, Roosevelt-Jefferson Room, I-90 at LaCrosse, Rapid City SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 4670-3, 4761-3, 1805-3, 2142-3, 1746-3 until the 1989 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 7th hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 14, 1990

1746-3

1805-3

2142-3

4670-3

4761-3

James T. Goetz
1715 Walnut
Yankton, SD 57078

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 1989 irrigation questionnaires for Water Permit Nos. 1746-3, 1805-3, 2142-3, 4670-3 and 4761-3. You may disregard the February 9, 1990 Notice of failure to submit the 1989 irrigation questionnaires. Your questionnaires were received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,



RON DUVAL
Natural Resources Engineer
Water Rights Division



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

May 5, 1992

James T Goetz
Box 708
Yankton, SD 57078

RE: Water Permit Nos. 1746-3, (1805-3), 2142-3, 4670-3 & 4761-3

Dear Mr. Goetz:

I am contacting you in regard to your irrigation permits in Charles Mix and Douglas Counties. In reviewing your 1991 irrigation questionnaires and the legal descriptions you wrote on the forms, I noted a discrepancy in what we show permits for and what you are actually irrigating.

The following is a brief summary of your permits:

- No. 1746-3 - S 1/2 SE 1/4, SE 1/4 SW 1/4 Section 36, T98N, R63W;
- No. 1805-3 - SE 1/4 Section 26, T98N, R63W;
- No. 2142-3 - SW 1/4 Section 26, T98N, R63W;
- No. 4670-3 - NE 1/4 SW 1/4 Section 36, T98N, R63W, and
- No. 4761-3 - NW 1/4 Sec. 34, SW 1/4 SE 1/4 Sec. 27, T98N, R64W

Your 1991 questionnaires reflected irrigation for Permit Nos. 1746-3, 1805-3, and 2142-3. You did not specify whether or not you irrigated on lands described under Permit Nos. 4670-3 and 4761-3. You did, however, list a legal description in the NE 1/4 SE 1/4, Section 21, T98N, R63W and indicated you did not irrigate the land in 1991.

I am unable to find a permit for you for the land described above in Section 21, T98N, R63W. If this land will be irrigated in the future, you will need to make an application and obtain a water permit prior to irrigating.

Please contact us as to the status of irrigation under Water Permit Nos. 4670-3 and 4761-3. It may be, that our records are not as up-to-date as they should be. If this is the case, either myself or another member of our staff would be willing to go over them with you to determine where the discrepancy lies. If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
(605) 7773-3352



1805-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCESJOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: JAMES T GOETZ
PO BOX 708
YANKTON SD 57078

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Water Permit No(s) 1746-3, 1805-3, 2142-3, 4670-3 & 4761-3

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 1746-3, 1805-3, 2142-3, 4670-3 & 4761-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 1746-3, 1805-3, 2142-3, 4670-3 & 4761-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1746-3, 1805-3, 2142-3, 4670-3 & 4761-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

GOETZ, HIRSCH & KLIMISCH

ATTORNEYS AT LAW

311 WEST THIRD STREET, P.O. BOX 708

YANKTON, SOUTH DAKOTA 57078

605/665-9495

FAX 605/665-0126

JAMES T. GOETZ
ROBERT W. HIRSCH
WILLIAM J. KLIMISCH

February 16, 1993




Mr. John Hatch, Chief Engineer
S.D. Dept. of Water and Natural Resources
Water Rights Division
Joe Foss Building
523 East Capitol
Pierre, SD 57501-3181

Dear Mr. Hatch:

Enclosed herewith find Irrigation Water Use forms which have been completed as per your request.

Very sincerely,



James T. Goetz
FOR THE FIRM

JTG/jl

Enclosures



1805-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 26, 1993

James T Goetz
PO Box 708
Yankton, SD 57078-0708

RE: Water Permit Nos. 1746-3, 1805-3, 2142-3, 4670-3 and 4761-3

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 1992 irrigation questionnaires for the above listed permits. You may disregard the January 29, 1993, **Notice of Violation of Water Permits.**

The questionnaires were received in our office prior to the Water Management Board meeting, your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: JAMES T GOETZ
PO BOX 708
YANKTON SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 1805-3; 4670-3 & 4528-3

The first notice to file chemigation report(s) for Permit No(s) 1805-3; 4670-3 & 4528-3 was dated 10/24/96. Our records indicate that we have not received the 1996 chemigation report for Permits No(s) 1805-3; 4670-3 & 4528-3. The Water Management Board has directed that owners of water permits who have not submitted the 1996 chemigation report(s) be given notice of violation and hearing before the board. The hearing held by the board is to determine what action is to be taken concerning violation of Administrative Rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical applied.

The hearing will be held at 2:30 PM on March 5, 1997, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 1805-3; 4670-3 & 4528-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before February 28, 1997 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1805-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 12, 1997

JAMES T GOETZ
PO BOX 708
YANKTON SD 57078

Dear Mr. GOETZ:

I am writing to acknowledge receipt of your 1996 chemigation questionnaires for permit nos. 4670-3 & 1805-3. You may disregard the February 4, 1997 notice of "Failure To Submit Chemigation Questionnaire." The questionnaire has been received and your name is deleted from the Water Management Board agenda.

If you have any questions, please contact me at 605-773-3352.

Sincerely,


Barry A. McLaury
Water Rights Program



1805-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 22, 1999

NOTICE**TO:** JAMES T GOETZ, PO BOX 708, YANKTON SD 57078**FROM:** Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program**RE:** Requirement to Report 1998 Chemical Use

The first notice to file chemigation report(s) for Permit No(s) 1805-3 & 4670-3 was dated October 16, 1998. Our records indicate that we have not received your 1998 chemigation report(s). The Water Management Board has directed that owners of water permits who have not submitted the 1998 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 am, March 3, 1999, Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:


1. Suspend or cancel Permit No(s). 1805-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to March 3, 1999, contact the Water Rights Program, 523 E. Capitol, Pierre, SD 57501-3181 (505 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to March 1, 1999 you will no longer be in violation and your name will be deleted from the Board agenda.

1815-3

Fold at line

SENDER: - Complete items 1 and 2 for additional services - Complete items 3, 4a, and 4b. - Print your name and address on the reverse of this form so that we can return this card to you. - Attach this form to the front of the mailpiece, or on the back if space does not permit. - Write "Return Receipt Requested" on the mailpiece below the article number. - The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. ☐ Addressee's Address 2. ☐ Restricted Delivery Consult postmaster for fee.	
3. Article Addressed to: James Goetz PO Box 708 Hankston SD 57078		4a. Article Number P378 080 732	
5. Received By: (Print Name)		4b. Service Type ☐ Registered ☒ Certified ☐ Express Mail ☐ Insured ☐ Return Receipt for Merchandise ☐ COD	
6. Signature (Addressee or Agent) X 		7. Date of Delivery 1-23-99	
8. Addressee's Address (Only if requested and fee is paid)		Thank you for using Return Receipt Service.	

PS Form 3811, December 1994

102595-98 B-0229

Domestic Return Receipt



1805-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3
www.state.sd.us/denr

January 27, 1999

Dwight Brenner
28053 397th Ave
Armour, SD 57313

1805-3
4670-3
4528-3

Dear Mr. Brenner:

I am writing to acknowledge receipt of the 1998 irrigation questionnaire (for Jerry Peacock) and chemigation forms (for James Goetz). You may disregard the January 22, 1999, "Notices" concerning reporting requirements for Water Permit No. 1805-3, 4670-3 and 4528-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

c: James T Goetz, PO Box 708, Yankton, SD 57078-0708
Jerry Peacock, 1208 Mountain Springs Rd, Rapid City, SD 57702-0273



1805-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: JAMES T GOETZ, PO BOX 708, YANKTON, SD 57078 0708

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1805-3, 2142-3 & 4670-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1805-3, 2142-3 & 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1805-3, 2142-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1805-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 9135

Your item was delivered at 9:12 am on January 16, 2004 in YANKTON, SD 57078. The item was signed for by J GOETZ.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 9135

JAMES T GOETZ
PO BOX 708
YANKTON SD 57078 0708

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services

1805-3

James T. Goetz
P.O. Box 708
Yankton, SD 57078

February 4, 2004

State of South Dakota
Water Rights Program
Joe Foss Building
523 E. Capitol Avenue
Pierre, SD 57501-9980


RECEIVED
FEB - 6 2004
WATER RIGHTS
PROGRAM

Gentlemen:

Enclosed herewith are the completed Irrigation
Questionnaires for the 2003 crop year.

I would appreciate a receipt acknowledging receipt of the
above questionnaires.

Very Sincerely,

A large, stylized handwritten signature in black ink, appearing to be 'J. T. Goetz', written over the printed name.

James T. Goetz

JTG/lis

Enclosures



1805-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 9, 2004

1805-3
2142-3
4670-3

James T Goetz
PO Box 708
Yankton SD 57078-0708

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right Nos. 1805-3, 2142-3 and 4670-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



1805-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: JAMES T GOETZ, PO BOX 708, YANKTON, SD 57078 0708

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1805-3, 2142-3 & 4670-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1805-3, 2142-3 & 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1805-3, 2142-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 1, 2007**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1805-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr



February 22, 2007

1805-3
2142-3
4670-3

James T Goetz
PO Box 708
Yankton SD 57078-0708

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 2006 irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right Nos. 1805-3, 2142-3 and 4670-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: JAMES T GOETZ, PO BOX 708, YANKTON, SD 57078 0708

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1805-3, 2142-3 & 4670-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1805-3, 2142-3 & 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1805-3, 2142-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 3, 2009

1805-3
2142-3
4670-3

James T Goetz
PO Box 708
Yankton SD 57078

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right Nos. 1805-3, 2142-3 and 4670-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

1805-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 28, 2013

1805-3
2142-3
4670-3

James Goetz
1715 Walnut St
Yankton SD 57078 2130

Dear Mr. Goetz:

Enclosed is a "Notice" dated October 18, 2013 concerning the 2013 irrigation questionnaires.

The notice was originally mailed to PO Box 708, Yankton SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

File No. 1805-3
2142-3
& 4670-3

WATER RIGHTS PROGRAM -- FILE DOCUMENTATION

NAME & ADDRESS: John Corcoran, Hosmer Law Office, 329 Broadway Ave Ste 2, Yankton SD 57078

DATE: November 4, 2013


RE: 2013 irrigation questionnaires for Water Right Nos. 1805-3, 2142-3 & 4670-3

COMMENTS:

Mr. Corcoran called to let us know that he has the Power of Attorney for the James Goetz Estate. Mr. Goetz passed away February 22, 2013.

The irrigation questionnaires we mailed out in October were forwarded to his office. The land was irrigated in 2013 and Mr. Corcoran indicated he would make sure they were completed and returned to us by the deadline.

I mentioned to Mr. Corcoran that when the estate is settled, a transfer of ownership for each water right should be filed with us.



Genny McMath
Water Rights Program



1805-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2015

NOTICE

TO: JAMES T GOETZ ESTATE, JOHN CORCORAN, POA, 329 BROADWAY AVE STE 2,
YANKTON, SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2014 Irrigation Questionnaire(s)

Our records indicate your 2014 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1805-3, 2142-3 & 4670-3. The request for the Questionnaire was dated October 17, 2014. The Water Management Board has directed that owners of water permits who have not submitted the 2014 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1805-3, 2142-3 & 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 4, 2015** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1805-3, 2142-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2015** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1805-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 9, 2015

1805-3
2142-3
4670-3

John Corcoran, POA
James T Goetz Estate
329 Broadway Ave Ste 2
Yankton SD 57078

Dear Mr. Corcoran:

I am writing to acknowledge receipt of the 2014 irrigation questionnaires for the James T Goetz Estate.

You may disregard the January 16, 2015, "Notice" concerning reporting requirements for Water Right Nos. 1805-3, 2142-3 & 4670-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

SD EForm - 0499LD V5

FORM 2: Application for irrigation in South Dakota

(type or print)

Mail to: DENR - Water Rights 523 E Capitol Ave Pierre, SD 57501-3182 ph. (605) 773-3352	No. <u>1805-3</u>	(office use only) Hydrologic Unit
	Basin <u>Missouri River Basin</u>	
	Newspaper _____	

Application For Permit To Appropriate Water For Irrigation

 Type of Application: ☒ New ☐ Vested Right ☐ Amendment/Correction to Permit No. _____
 (Use previous Mar 2, 1955)

Description of amendment/correction: (i.e. change diversion point(s), add diversion point(s), change use, etc.)

1. Name to Appear on Irrigation Permit JAMES T GORTZ ESTATE

Note: The "Name to Appear on Irrigation Permit" must be the name in which the property to be irrigated is held in.

 Mailing Address 40 DENTHER LAW 379 BROADWAY AVE YANKTON S.D. 57078
 (Address) (City) (State) (Zip Code)

 Phone JOHN CORCORAN 605-760-7696 Email jocor50@q.com
 (City) (State) (Zip Code)

 2. Amount of water claimed 4.56 *CFS or 855 **GPM ***AF Total Acreage 132
 (*Cubic Feet per Second) (**Gallons per Minute) (***)Acre Feet - storage capacity of dam/dugout or annual use if applicable
3. Source of water supply Groundwater
 4. Location of point of diversion SE SE Sec 26 T98 R63 W
 (example - 3 wells in SW 1/4 NE 1/4 section 12-T104N-R53W)
County Douglas5. County or counties where water will be used Douglas6. Annual period during which water is to be used During Irrigation Season
 7. List below each forty acre division, or lot, or fraction thereof and show number of acres to be irrigated in each.
 (Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>NE SE 26-98-63</u>	<u>40.33</u>		
<u>NW SE 26-98-63</u>	<u>40.33</u>		
<u>SW SE 26-98-63</u>	<u>40.33</u>		
<u>SE SE 26-98-63</u>	<u>40.33</u>		

8. Give a description of the project. (Attach sheet if more space is needed)

 I, John Corcoran POA
for the James T Gortz Estate _____ the applicant, certify under
 Name of Person Title (if applicable)

penalty of perjury that I have read this application, examined the attached map, and that the matters stated are true. I further certify, if acting on behalf of an entity or individual other than myself, that I am authorized to submit this application.

Supplemental Information

(type or print)

1. Well Information

(check one or both as applicable) ☒ Drilling new well(s) ☒ Using existing well(s)a) If new wells, how many 132 Have test holes been drilled ☐ Yes ☐ No Drilled by Grosch Irr. Co. O'Neill
(if yes, please provide copies of logs)b) If existing wells, how many 132 Provide copy of log(s), if available. Drilled by _____

For either Existing or Proposed Wells:

c) Well Depth (required) 60' Depth to Top of Water Bearing Material 6' Depth to Water from Surface 14'd) Distance to nearest domestic well on applicant's property 3960' + Property owned by others yes

2. Wastewater Disposal System Information

a) Type of System (i.e. septic tank, drain field) _____

b) System Capacity (gallons) _____ Year Constructed _____

c) Connected to the City of _____ Sanitary System

3. Dugout Information

a) Surface Dimensions _____ Depth _____

b) Depth to water (ground surface to water level) _____

4. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:

b) Freeboard _____

c) Crest Width _____

Crest Length _____

d) Height _____

e) Primary Outlet Capacity _____

If pipe, diameter _____

f) Secondary Spillway Capacity _____

Spillway Width _____

g) X & Y Slope (e.g. 3 to 1 is a typical slope)


Upstream _____

Downstream _____

h) Surface Area of Impoundment _____

i) Storage _____ Acre Feet

j) Drainage Area Above Dam _____ Acres




JAMES T Goetz

11/5/2015

Permit 1805-3

SE 26-98-63W Douglas Co. S.D.

↑
North



Not to Scale

File No. 1805-3

Approval of Change of Diversion Point

NAME: James T Goetz Estate, C/O Den Herder Law

ADDRESS: 329 Broadway Ave., Yankton, SD 57078

DATE: November 9, 2015

COUNTY: Douglas

TELEPHONE: (605) 760-9696

BACKGROUND:

Water Right No. 1805-3 appropriates 1.90 cubic feet per second (cfs) from one well completed into the Delmont aquifer at a depth of approximately 60 feet below ground surface. Water from this well, located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, T98N-R63W is for the irrigation of 132 acres in the SE $\frac{1}{4}$ of the same section. The legal locations of the acres irrigated are as follows: 33 acres in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, 33 acres in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, 33 acres in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, and 33 acres in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, all in T98N-R63W. The original permit was conditioned with the standard well interference, well completion, and irrigation questionnaire qualifications.

On behalf of the James T Goetz Estate, John Corcoran submitted a request to replace the existing well in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, T98N-R63W with a new well in approximately the same location. The new well is expected to be completed to a depth of approximately 60 feet below ground surface. During a conversation between Bracken Capen (of the Water Rights Program) and John Corcoran on November 9, 2015, Mr. Corcoran explained that the reason for the new well is that the existing well has slowly become plugged and is no longer fully functional. No increase in the maximum diversion rate of 1.90 cfs was requested.

AUTHORITY:

Pursuant to SDCL 46-5-13.1, the location of a diversion point may be changed or additional points may be licensed provided the following conditions are met and the potential for interference with other existing diversion points is not increased.

- **Developed water source is the same as licensed source and no additional water is appropriated.**

The water source authorized by Water Right No. 1805-3 is the Delmont aquifer. The proposed depth of the new well is consistent with known depths of the Delmont aquifer. Therefore, the new well is expected to draw water from the Delmont aquifer.

No additional appropriation of water is authorized. Water Right No. 1805-3 appropriates 1.90 cfs and no additional diversion rate authority is being requested.

Review of Existing Diversions

The water rights databases were reviewed for the nearest water rights/permits on file. The nearest water right/permit drawing water from the Delmont aquifer is Water Permit No. 6299A-3, located approximately 0.65 miles to the southwest. Since this new well site is not appreciably closer to Water Permit No. 6299A-3 and does not propose to divert additional water, increased interference of existing water rights/permits is not expected to occur with the construction of the new well.

Observation Well Data

The Water Rights Program monitors 10 observation wells completed into the Delmont aquifer. The closest observation well completed into the Delmont aquifer is DG-57A, located approximately one mile to the east of the new well site. This observation well has been in place since 1957 and shows static water level fluctuations of eight to 25 feet below the top of the casing. Historic water levels in this observation well indicate a climatically controlled system with water levels rising in wet years and declining in dry years.

Abandoned Wells


The Water Rights Program requires that if the existing well is no longer in use, that it be plugged in accordance with South Dakota well construction standards. In addition, the map submitted with the change of diversion point request indicated a second well located near the center of the SE $\frac{1}{4}$ of Section 26, T98N-R63W. John Corcoran explained during the phone conversation on November 9, 2015 that this well has not been operational since at least 2012. Similarly, the Water Rights Program requires that this well shall also be plugged if no longer in use.

CONCLUSION:

- The change in diversion point does not propose to appropriate additional water.
- The new diversion point will be pumping water out of the same source, the Delmont aquifer.
- Unlawful impairment of existing water rights/permits and domestic wells is not expected to occur.
- The existing wells shall be plugged in accordance with South Dakota well drilling standards if no longer in use.

RECOMMENDED ACTION:

Based on the above criteria, it is recommended that the request for a change in diversion point from the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, T98N-R63W to a new well in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of the same section be approved.



Bracken Capen
Natural Resources Engineer

The Chief Engineer makes a finding pursuant to SDCL 46-5-13.1 and ARSD 74:02:01:14:01 that: The change in diversion point does not increase the potential for adverse effects to existing diversions.



Jeanne Goodman, Chief Engineer
Water Rights Program



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

November 12, 2015

1805-3

James T Goetz Estate
C/O Den Herder Law
329 Broadway Ave.
Yankton, SD 57078

Dear Interested Party:

Water Right No. 1805-3 appropriates 1.90 cubic feet per second (cfs) from one well completed into the Delmont aquifer in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec 26, T98N-R63W. The acres irrigated by this well are as follows: 33 acres in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, 33 acres in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, 33 acres in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, and 33 acres in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, all in T98N-R63W. The original permit was conditioned with the standard well interference, well completion, and irrigation questionnaire qualifications.

On behalf of the James T Goetz Estate, John Corcoran submitted a request to replace the existing well in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, T98N-R63W with a new well in approximately the same location. The new well is expected to be completed to a depth of approximately 60 feet below ground surface. During a conversation between Bracken Capen (of the Water Rights Program) and John Corcoran on November 9, 2015, Mr. Corcoran explained that the reason for the new well is that the existing well has slowly become plugged and is no longer operational. No increase in the maximum diversion rate of 1.90 cfs was requested.

Upon review of the request and pursuant to SDCL 46-5-13.1, the change in diversion point location is authorized without application or publication of a notice of hearing pursuant to SDCL 46-2A-4. No increase in the authorized diversion rate of 1.90 cfs under Water Right No. 1805-3 has been requested or approved. If the total diversion rate increases, a new water permit will need to be obtained from the SD DENR Water Rights Program.

The original request for a change in diversion point location indicated that a second well exists in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, T98N-R63W. According to Mr. Corcoran, this well has not been operational since at least 2012. The Water Rights Program requires that if an existing well is no longer in use, that it be plugged in accordance with South Dakota well drilling standards. This applies to both existing wells in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26. If you have any questions, please contact Bracken Capen at (605) 773-3352.

Sincerely,

Jeanne Goodman
Chief Engineer
Water Rights Program



1805-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: JAMES T GOETZ ESTATE, JOHN CORCORAN, POA, 329 BROADWAY AVE STE 2,
YANKTON, SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1805-3, 2142-3 & 4670-3. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1805-3, 2142-3 & 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1805-3, 2142-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



1805-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 8, 2018

James Goetz Estate
% John Corcoran
Hosmer Law Office
329 Broadway Ave Ste 2
Yankton SD 57078

RE: Water Right Nos. 1805-3, 2142-3 & 4670-3

Dear Mr. Corcoran:

I am writing to acknowledge receipt of the 2017 irrigation questionnaires for the James Goetz Estate.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right Nos. 1805-3, 2142-3 & 4670-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

1805-3



DENR
SOUTH DAKOTA

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

November 17, 2020

1805-3
2142-3
4670-3

Jim Goetz Jr
Goetz Family Properties
18255 E Powers Place
Centennial CO 80015

Thank you for contacting us regarding the ownership changes needed for Water Right Nos. 1805-3, 2142-3 and 4670-3.

Enclosed are partially completed "Notice of Transfer of Ownership" forms for use in filing the ownership changes. Please review and complete as needed. Upon completion, please sign and return the forms to our office with a required filing fee of \$50 each (total \$150.00). The check or money order for the fee can be made payable to the Water Rights Program.

If I can answer any questions for you, please let me know.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures

PAID

JAN 6 2021

NOTICE OF TRANSFER OF OWNERSHIP

Ck# 1101

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

RECEIVED

JAN 06 2021

WATER RIGHTS
PROGRAM

No. 1805-3

Date: 12-10-2020

I/We request that Water Right No. 1805-3

formerly owned by: James T Goetz

be transferred to: (name & address) Goetz Family Properties LLC

40 Jim Goetz Jr

18255 E Powers Pl, Centennial, CO 80015

Telephone No. 303-915-3010

Title to the following described land(s)/property has been transferred as described above:

132 acres - SE 1/4 Section 26, T98N, R63W

I/We understand that the validity of Water Right No. 1805-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We James T Goetz Jr., the new owner, certify that the above information is true and correct.


(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT**WATER RIGHTS PROGRAM**

South Dakota Department of Environment and Natural Resources

Date January 6, 2021RECEIVED OF Goetz Family Poperites LLC/Jim Goetz Jr. 18255 E Powers Pl. Centennial, CO 80015

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$
Fee to retain Future Use Permit No. _____ after period of seven years.	\$
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$
Fee for Filing Transfer Form <u>1805-3</u>	\$50.00
Fee for _____	\$
Fee for Issuing New Well Driller's License No. _____	\$
Fee for Renewal of Well Driller's License No. _____	\$
Fee for Issuing Well Pump Installer's License No. _____	\$
Fee for Renewal of Well Pump Installer's License No. _____	\$
(Any Other Work Provided by Law) TOTAL	\$50.00

By Eric Gronlund
Chief Engineer
EG

1805-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 7, 2021

1805-3
2142-3
4670-3

Jim Goetz Jr
Goetz Family Properties
18255 E Powers Place
Centennial CO 80015

I am writing to acknowledge receipt of the transfer forms and filing fees you submitted for transferring Water Right Nos. 1805-3, 2142-3 and 4670-3.

The ownership changes have been completed. The water rights formerly held by James T Goetz are now listed under Goetz Family Properties LLC.

I contacted Dwight Brenner about the irrigation questionnaires that were due. He had me send him the forms and he indicated he would get them completed and sent back to us right away.

Enclosed for your records are receipts for the filing fees you paid. If I can answer any questions for you, please let me know.

Sincerely,

A handwritten signature in blue ink that reads "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us

enclosures



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: GOETZ FAMILY PROPERTIES LLC, JIM GOETZ JR, 18255 E POWERS PL, CENTENNIAL, CO 80015

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 1805-3, 2142-3 & 4670-3. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 1805-3, 2142-3 & 4670-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 1805-3, 2142-3 & 4670-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: GVUCJY**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 31, 2023

1805-3
2142-3
4670-3

Jim Goetz Jr
Goetz Family Properties LLC
18255 E Powers Place
Centennial CO 80015

Dear Mr. Goetz:

I am writing to acknowledge receipt of your 2022 irrigation questionnaires.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right Nos. 1805-3, 2142-3 & 4670-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us