


Water Right Number 1925-3

1. Considered March 13, 1972
2. Name of Applicant Wernerstruck, Inc.
3. Post Office Address Wolsey, S.D.
4. Amount of water claimed 9.14
5. Source of water supply Ground water well
6. Water to be used for irrigation
Acres to be irrigated 640.00
7. Water to be diverted and used in Beadle County
about 10 miles West and 6 Miles South of Wolsey, S.D.
8. Proof of Publication Received 3-15-72
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 1925-3Map No. 1361-3 Water Division No. 3 JAMES RIVER District

(Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

STATE WATER RESOURCES COM. L.
PIERRE, SOUTH DAKOTA

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Wernerstruck Inc.
Postoffice address Wolsay, S. Dak. State South Dakota
If a corporation show date and place of incorporation March 28, 1969 - South Dakota
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract and Direct Labor
3. Name of diversion work Wernerstruck Inc., Irrigation Project No. 2
4. Amount of water claimed (cubic feet per second) Maximum allowable 9.14
5. Source of water supply Well
6. Location of point of diversion 1320 ft West and 1320 ft South of the N.E. Corner Sect 28, T. 110 N., R 65 W.
County Beadle
7. Annual period or periods during which water is to be used April thru October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 640

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each:

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
N. E. 1/4 Sect. 28, 110, 65	160		
N. W. 1/4 Sect. 28, 110, 65	160		
S. W. 1/4 Sect. 28, 110, 65	160		
S. E. 1/4 Sect. 28, 110, 65	160		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication The Daily Plainsman
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)


STATE OF SOUTH DAKOTA

County of BeadleWe Wernerstruck Inc. the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Wernerstruck
its PresidentSubscribed and sworn to before me this 14th day of February 1972

Notary Public (or other qualified officer)

Delores R. Biske, Notary Public

My commission expires Sept. 18, 1979



AREA BY LEGAL SUBDIVISION

160 ACRES - SE 1/4
 160 ACRES - NE 1/4
 160 ACRES - NW 1/4
 160 ACRES - SW 1/4
 640 ACRES TOTAL

SECTION 28, T.110 N., R.65 W., S.14 PM.

SURVEYOR'S CERTIFICATE

STATE OF SOUTH DAKOTA) SS
 COUNTY OF BEADLE)
 I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
 IN AND FOR THE STATE OF SOUTH DAKOTA, DO HEREBY
 CERTIFY THAT AT THE REQUEST OF WERNERSTRUCK INC.)
 SOLE OWNER, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
 WITHIN ITS OWNERSHIP BOUNDARIES ON FEB 7, 1972 FOR WHICH
 APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
 THIS MAP IS A TRUE REPRESENTATION OF THE SAME.
 WITNESS MY HAND AND SEAL THIS 7TH DAY OF FEB 1972

Harlan W. Meyer
 REG. L.S. #495

SCALE 1" = 400'

WERNERSTRUCK INC., IRRIGATION PROJECT #2
 SHOWS AREA TO BE IRRIGATED & WELL DIVERSION POINT
 FOR PERMIT TO APPROPRIATE WATER

OWNER
 SURVEYOR

WERNERSTRUCK INC.,
 HARLAN W. MEYER

FEB 1972

MAP NO 1361-3 (APPL NO 1925-3)

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 1925-3
WERNERSTRUCK, INC. WOLSEY
 (Applicant) (Post Office Address)
SOUTH DAKOTA With the following modifications:
 (State)

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application FEBRUARY 15, 1972
 Date of return to applicant for correction, amendments or changes required , 19
 Date of receipt of corrected application , 19
 Approved MARCH 15, 1972, Recorded in Book 12 Page 8

WATER RIGHT PERMIT NO. 1925-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 1925-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 15, 1972
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 15, 1972
3. The whole of said work is to be completed on or before MARCH 15, 1973
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 15, 1977
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 9.14 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 15, 1977; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 20TH day of MARCH, 1972

WATER RESOURCES COMMISSION

By:

[Signature]
 Chief Engineer, Executive Officer

Certificate of Construction Issued , 19

Water License Issued , 19

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Top Soil 0-2, Yellow Clay 2-28,
Gray till w/ Sand Layers 28-56, Blue and gray till 56-62,
Sand and Gravel 62-85 Clay layers 85-87, sand and gravel 87-95,
chalk rock 95-100

Depth to top of water bearing material 62'

Depth to bottom of water bearing material 95'

Thickness of water bearing material 31'

Depth to water (ground surface to water level) 23'

- (2) Distance to nearest existing household or livestock watering wells.

* On same owner's property 3/4 mile rds. On property owned by others 1 mile rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

* Dwaine S. Smith
Signature of Applicant

Form 8 - Proof of Publication, Notice of
Intent to Appropriate Water

No. 1925-3

Recd
3-15-72

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Dorothy Murphy hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Daily Plaindealer

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
four dates:

February 18, 1972

February 25, 1972

March 3, 1972

March 10, 1972

Dorothy Murphy
(Signature)

Bookkeeper
(Title)

March 10, 1972
(Date Signed)

F.P. 2-18-72 / P.W. 3-10-72
NOTICE INTENT TO
APPROPRIATE WATER
No. 1925-3
February 10, 1972
Notice is hereby given that Werner
struck, Inc., whose post office address
is at Watery, South Dakota, has made
an application in accordance with the
provisions of the water laws of South
Dakota for a permit to appropriate
for beneficial use, 0.11 cubic feet of
water per second of time from ground
water through the Wernerstruck No. 2,
the point of diversion of which is to
be located in the Center of the NE 1/4
of Section 22, Twp. 11 N., Range 65 W.,
Said water to be used for the purpose
of providing irrigation of the following
described land: Section 22, Twp. 11 N.,
Range 65 W.
This application No. 1925-3, will be
considered by the Water Resources Com-
mission at their office at Pierre, South
Dakota, on the 10th day of March, 1972, at 10
a.m. All interested persons may appear
and be heard.
Water Resources Commission
By: Horton F. Jones,
Water Rights Specialist
No. 91 (add.)

Form 6 - Notice of Intent to Appropriate Water

1925-3

Publish first publication, on or before February 18, 1972

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 15, 1972

Notice is hereby given that Wernerstruck, Inc.

whose post office address is Wolsey, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota, for a permit to appropriate for beneficial use

9.14 cubic feet of water per second of time from the ground water through the Wernerstruck #2, the point of diversion of which is to be located in the

Center of the NE 1/4

of Section 28, Twp. 110N, Range 65W. Said water to be used for the purpose of providing irrigation on the following described land:

Section 28, T110N, R65W

This application No. 1925-3 will be considered by the Water Resources Commission at their office at Pierre upon the 15th day of March, 1972, at 2:00 P. M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

cc: Duane Struck, President, Wernerstruck, Inc., Wolsey, S.D. 57384

APPLICATION FOR EXTENSION OF TIME

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Date AUGUST 30, 1976

Dear Sirs:

In Water Right Permit No. 1925-3 it is specified that the water diversion system is to be completed by MARCH 15, 1973 and that the water is to be put to the limit of beneficial use by MARCH 1, 1977.

I hereby request that the date for completing the diversion system be extended to MARCH 15, 1977 and that the date for putting the water to the limit of beneficial use be extended to MARCH 15, 1981.

The extension of time for the completion of these works is requested for the following reasons: _____

Enclosed herewith is a fee of \$1.00 to pay the cost of filing this request for extension of time.

Duane Stuehl
(Signed)
Holder of Permit No. _____

APPROVED:

WATER RESOURCES COMMISSION

By:

5-9-18
READY FOR INSPECTION Beall Co

1924-3 TO BE CANCELLED

1925-3

3445-3

3447-3

3449-3

Francis Stuck, Halsey

4149-3 not completed as of now.

Beall

1925-3

3448-3

3448-3

4149-3

June 5, 1979

Mr. Duane Struck
Wernerstruck, Inc.
RR #2, Box 92
Wolsey, SD 57334

Dear Mr. Struck:

Before the Water Rights meeting in Rapid City on May 24th, it was discovered that your application to irrigate 500 acres in the NE Section 6, T111N, R63W, from a well in SW1/4 SW4, Section 4, T111N, R63W had never been approved by the State Conservation Commission. It was not brought before the Commission.

If you plan on completing this project, the water quality approval from the State Conservation Commission is needed.

Please inform this office of your decision. The time limit has lapsed on the priority and will be scheduled for cancellation if we do not hear from you within 60 days.

Also enclosed is an application and check #1299 in the amount of \$24.00. This application is covered by Permit No. 1925-3.

We are cancelling application No. 3448-3. This application has never been acted upon and is covered by Permit No. 4149-3.

If you have any further questions, feel free to contact this office.

Sincerely,

BETTY VESTLUND
Water Rights Specialist I

BW/ny

enc1

1925-3

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
January 29, 1988

WERNERSTRUCK INC ZDuane Struck
RR #2 BOX 92B
WOLSEY, SD 57384

NOTICE

Re: Violation of Water Permit No(s). 4141-3, 4662-3A, 4663-3 and
1987 Irrigation Questionnaire Requirements

Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 4141-3, 4662-3A, 4663-3. The request for the questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4141-3, 4662-3A, 4663-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 1925-3, 4396-3, 4149-3, 4046-3 should be amended with the qualification to require the Questionnaire to be submitted each year.

The hearing(s) will be at 9:00 am, March 2, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, South Dakota.


The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:

1. Suspend Permit No(s). 4141-3, 4662-3A, 4663-3 until either the 1987 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s) 1925-3, 4396-3, 4149-3, 4046-3 also held by WERNERSTRUCK INC to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,



John Hatch, Chief Engineer
Water Rights Division

Note: If the questionnaire(s) are received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 10, 1988

3447-3	1925-3
3449-3	4046-3
4141-3	4149-3
4396-3	4662-3A
4663-3	

Duane Struck
RR 2, Box 92B
Wolsey SD 57384

Dear Mr. Struck:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 1925-3, 3447-3, 3449-3, 4046-3, 4141-3, 4149-3, 4396-3, 4662-3A, 4663-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION:

WELL CONSTRUCTION

Location of well: 1/4 1/4 N.E. Section 28 Township 110 Range 65

Well owner: Duane Strick (Owner) Holsey, S. L. (Agent)

Date well drilled completed: 8-24 Purpose of well: Test Hole For Irr. (domestic, irrigation, municipal, industrial, other)

WELL LOG

[illegible]

Although there is more space is needed

Depth to top of water producing aquifer	61	ft.
Depth to static water level	24	ft.
Name of producing aquifer (if known)	L	
Total depth of drill hole	102	ft.
Depth to bottom of casing	X	ft.

Casing Information in the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used.

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

if flowing well, flow of completed well _____ O.P.M.

Russell Drilling Co.
Name of Drilling Contractor

(2) PUMP INSTALLATION

PUMP INSTALLATION

Company name and size of pump _____ HP _____

Type of pump _____ Capacity of installed pump _____ G.P.M.

Depth of pump placement _____ ft., Date of pump installation _____

(3) WATER SURFACE MEASURING TUBE

WATER SURFACE MEASURING TUBE
On some wells an air-tight water surface measuring tube is required. See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Shall exact vertical length of water surface measuring tube, when installed _____ of tube diameter

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: 1/4 Sec 14, T. 42 N., R. 125 W. Section: 28 Township: 42 Range: 125

Well corner Dean's Street 112/54, S.O.

Bole well drilling completed 11/18/76 Purpose of well Irrigation
(Artesian, irrigation, domestic, industrial, other)

WELL LOG

Layer No.	Top to top	Description of layer	Depth to top of water producing aquifer	Fe
1	0.0	Gravelly sand	10.5	
2	10.5	Sand	15.0	
3	15.0	Clay	20.0	
4	20.0	Sand	25.0	
5	25.0	Clay	30.0	
6	30.0	Sand	35.0	
7	35.0	Clay	40.0	
8	40.0	Sand	45.0	
9	45.0	Clay	50.0	
10	50.0	Sand	55.0	
11	55.0	Clay	60.0	
12	60.0	Sand	65.0	
13	65.0	Clay	70.0	
14	70.0	Sand	75.0	
15	75.0	Clay	80.0	
16	80.0	Sand	85.0	
17	85.0	Clay	90.0	
18	90.0	Sand	95.0	
19	95.0	Clay	100.0	
20	100.0	Sand	105.0	
21	105.0	Clay	110.0	
22	110.0	Sand	115.0	
23	115.0	Clay	120.0	
24	120.0	Sand	125.0	
25	125.0	Clay	130.0	
26	130.0	Sand	135.0	
27	135.0	Clay	140.0	
28	140.0	Sand	145.0	
29	145.0	Clay	150.0	
30	150.0	Sand	155.0	
31	155.0	Clay	160.0	
32	160.0	Sand	165.0	
33	165.0	Clay	170.0	
34	170.0	Sand	175.0	
35	175.0	Clay	180.0	
36	180.0	Sand	185.0	
37	185.0	Clay	190.0	
38	190.0	Sand	195.0	
39	195.0	Clay	200.0	
40	200.0	Sand	205.0	
41	205.0	Clay	210.0	
42	210.0	Sand	215.0	
43	215.0	Clay	220.0	
44	220.0	Sand	225.0	
45	225.0	Clay	230.0	
46	230.0	Sand	235.0	
47	235.0	Clay	240.0	
48	240.0	Sand	245.0	
49	245.0	Clay	250.0	
50	250.0	Sand	255.0	
51	255.0	Clay	260.0	
52	260.0	Sand	265.0	
53	265.0	Clay	270.0	
54	270.0	Sand	275.0	
55	275.0	Clay	280.0	
56	280.0	Sand	285.0	
57	285.0	Clay	290.0	
58	290.0	Sand	295.0	
59	295.0	Clay	300.0	
60	300.0	Sand	305.0	
61	305.0	Clay	310.0	
62	310.0	Sand	315.0	
63	315.0	Clay	320.0	
64	320.0	Sand	325.0	
65	325.0	Clay	330.0	
66	330.0	Sand	335.0	
67	335.0	Clay	340.0	
68	340.0	Sand	345.0	
69	345.0	Clay	350.0	
70	350.0	Sand	355.0	
71	355.0	Clay	360.0	
72	360.0	Sand	365.0	
73	365.0	Clay	370.0	
74	370.0	Sand	375.0	
75	375.0	Clay	380.0	
76	380.0	Sand	385.0	
77	385.0	Clay	390.0	
78	390.0	Sand	395.0	
79	395.0	Clay	400.0	
80	400.0	Sand	405.0	
81	405.0	Clay	410.0	
82	410.0	Sand	415.0	
83				

Depth to static water level 113'

_____ Name of producing author (if known) _____

1-22 Yellow Clang Total depth of Grill Hole 50

10-535	✓ Blue clay	Depth to bottom of casing	70
--------	-------------	---------------------------	----

100-443887-100

Coating Information: In the space below show kind, size, weight, length per diameter, etc., for production coating and surface coating, if used.

70' 12" l.d. Csy.
33rd Per. Foot

Screen information in the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

12 S. S. Green
#60 Slot

If a flexing roll, flow of completed work _____ O.P.M.

Russell Williams
Name of Writing Contractor

2) PUMP INSTALLATION

Company name and size of pump _____ HR _____

Type of pump _____ Capacity of installed pump _____ G.P.I.

Depth of pump placement _____ ft., Date of pump installation _____

(5) WATER SURFACE MEASURING TUBE

On some beds an air-light water surface measuring tube is required. See Section 46.402 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft, tube diameter _____
tube material _____

Horizontal Bump Testpoint on Extractor

PLEASE FILL OUT AND RETURN
BEFORE DECEMBER 15, 1983

1925-3
WERNERSTUCK INC
RR #2 BOX 92A
MOLSEY
SD 57384

BU/JR

Telephone No. 883-4161

1989 WATER MANAGEMENT BOARD IRRIGATION QUESTIONNAIRE

October, 1989

SURFACE WATER

GROUNDWATER

X

Did you irrigate during 1989? Yes

X

No

Number of acres irrigated in 1989

354

Has your system been constructed? Yes

X

No

Do you apply fertilizer, insecticide or herbicide through your irrigation system? Yes

No

Season Static Water Level: beginning

ft.

end

ft. (groundwater)

Type of Power

1. Electric

2. Gravity

3. Gasoline

4. Nat. Gas

5. Diesel

6. Propane

7. Other

Type of System

1. Hand moved sprinklers

2. Portable booms

3. Center pivots (# of)

4. Gated pipes

5. Sidewheels

6. Tcwlins

7. Big gun

8. Siphons

9. Flood

10. Other

Owner or address change, if any:

Month \$ days hours per pump rate
pumped day (gpm)

Average # Average #
Acres of Crop Irrigated & Estimate Water Use

Month	\$	days	hours	per	pump	rate	Acres	Water	Crop	Acres	Water
April	0							Used	Crop	Acres	Water
May	0							Used	Crop	Acres	Water
June	4							Used	Crop	Acres	Water
July	20							Used	Crop	Acres	Water
August	17							Used	Crop	Acres	Water
Sept.	4							Used	Crop	Acres	Water
Oct.								Used	Crop	Acres	Water
Other								Used	Crop	Acres	Water
Months								Used	Crop	Acres	Water

COMMENTS:



Complete & return to:
Water Rights Division
Joe Foss Building
523 E Capitol
Pierre SD 57501-3181

PLEASE FILL OUT AND RETURN
BEFORE DECEMBER 14, 1990

1925-3
HERNERS TRUCK INC
RR #2 BOX 92B
HOLSEY
SD 57384

Telephone No. 843-9161

OCTOBER 1990 WATER MANAGEMENT BOARD IRRIGATION QUESTIONNAIRE

BD/JR SURFACE WATER 5 GROUNDWATER X

Did you irrigate during 1990? Yes X No

Number of acres irrigated in 1990

Has your system been constructed? Yes X No

Do you apply fertilizer, insecticide or herbicide through your irrigation system? Yes No X

6. If no, do you apply above chemicals by other methods? Yes X No

7. If yes, please describe under comments.

Type of Power	No. of acres irrigated
1. Electric	<u>354</u>
2. Gravity	<u> </u>
3. Gasoline	<u> </u>
4. Nat. Gas pipeline	<u> </u>
5. Diesel	<u> </u>
6. Propane	<u> </u>
7. Other	<u> </u>
Type of System	<u> </u>
1. Hand moved sprinklers	<u> </u>
2. Portable booms	<u> </u>
3. Center pivots (# of)	<u>1</u>
4. Gated pipes	<u> </u>
5. Sidewheels	<u> </u>
6. Towlines	<u> </u>
7. Big gun	<u> </u>
8. Siphons	<u> </u>
9. Flood	<u> </u>
10. Other	<u> </u>

Month	# days pumped	Average # hours per day	Average pump rate (gpm)	Acres of Crop Irrigated & Estimated Water Use				
				Crop	Acres	Water Used	Crop	Acres
April								
May								
June	<u>2</u>	<u>18</u>	<u>600</u>		<u>354</u>	<u>4.0</u>		<u>13</u>
July	<u>12</u>	<u>18</u>	<u>1100</u>		<u>354</u>	<u>2.4</u>		<u>25</u>
August	<u>16</u>	<u>18</u>	<u>1100</u>		<u>354</u>	<u>3.2</u>		<u>101</u>
Sept.								
Oct.								
Other Months								

Owner or address change, if any:

COMMENTS: Annual + ground sprayed



Complete & return to:
Water Rights Division
Joe Foss Building
523 E Capitol
Pierre SD 57501-3181

South Dakota



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

November 20, 1991

Duane Struck
Wernerstruck, Inc.
RR 1, Box 92B
Wolsey, SD 57384

Dear Mr. Struck:

I am writing in regards to the lands you irrigate under Permit No. 1925-3. The diversion point is not in the location described on the permit. Also, an additional diversion point was found that was not on the permit. Pursuant to General Rules No. 74:02:01:14.01, you must apply for a correction on the permit and pay a \$50.00 fee. A Soil/Water Permit will be required for the well in NW1/4 NW1/4 Sec. 28, because it is over 2,000' from the location on the permit.

Please provide as-built information on the wells on the Supplemental Information sheet. If you have the well completion logs, I need a copy to put in the file.

Enclosed are a copy of the rules, a map, and an application that I have filled out in advance. Please notarize and send with the \$50.00 fee as soon as possible, and we will amend the permit.

After completion of the correction of the permit, the permit will be licensed.

If you have any questions, please feel free to contact me.

Sincerely,

Lynn Beck

Lynn Beck
Natural Resource Engineer
Water Rights Division
(605) 773-3352

encl


*Lynn
I forgot to put a check with the
other papers I sent you*

Duane Struck

Mail to: Water Rights Div. **213**
523 E. Capitol
Pierre, SD 57501
(605) 775-3352

(See Instructions)

No. _____	Hydrologic Unit _____
Basin _____	
Newspaper _____	



Application For Soil/Water Compatibility Permit and Permit To Appropriated Water

- Type of Application: ☐ New ☐ Vested Right ☐ Amend Permit No. _____
☐ Change Acreage ☒ Change diversion point(s) ☒ Add diversion point(s)
☐ Add Acreage ☐ Increase diversion rate ☐ Other _____

- Name of Applicant Wernerstruck, Inc. Phone No. 883-4161
- Post Office Address RR 2, Box 92B, Wolsey, SD State 57384 Zip Code _____
(Street, R.R. or Box) (City)
- Amount of water claimed (c.f.s.) 4.22 (no add'l) Total acres irrigated 358 (no add'l)
- Source of Water supply groundwater - two wells
- Location of point of diversion Well #1 is an additional well located in NW1/4 NW1/4 and well #2 with corrected location, SE1/4 NE1/4 all in Section 28-T110N-R65W.
- County Beadle
- Counties where water will be used Beadle
- Annual period during which water is to be used April 1 thru October 31
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW1/4 NE1/4 Sec. 28- T110N-R65W	40
NE1/4 "	26
SE1/4 "	39
SW1/4 "	40

Land Description	No. Acres Irr.
NW1/4 SE1/4 Sec. 28-T110N-R65W	40
NE1/4 "	23
SW1/4 "	6

Attach sheet if more space is needed

- Type of Irrigation: Gravity: _____ Towline: _____ Center Pivot: ☒ Gun: _____ Other: _____ (Specify)
- Crops to be Irrigated: _____
- Give a description of proposed project. (Attach sheet if more space is needed)
This application corrects permit no. 1925-3. It provides for an additional well located in the NW1/4 NW1/4 Sec. 28 T110N-R65W and corrects the location of well advertised in the center of NE1/4 to SE1/4 NE1/4 Sec. 28 T110N-R65W.

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach maps, soils information and any other technical information.

STATE OF SOUTH DAKOTA
County of Beadle

I, Wernerstruck, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is truly representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Wernerstruck, Inc.
Wernerstruck, Inc.

Subscribed and sworn to before me this 20th day of December 19 91

James T. Babcock
Notary Public

Wernerstruck, Inc.
RR 2, Box 92B
Wolsey SD

Continuation of Acreage

NW 1/4 SW 1/4 Section 28-T110N-R65W	5 acres
NE 1/4 SW 1/4	36 acres
SE 1/4 SW 1/4	2 acres
NW 1/4 NW 1/4	6 acres
NE 1/4 NW 1/4	38 acres
SE 1/4 NW 1/4	40 acres
SW 1/4 NW 1/4	17 acres



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

December 23, 1991

Wernerstruck, Inc.
Duane Struck, Pres.
RR/2, Box 92B
Wolsay SD 57384

Dear Mr. Struck:

In regard to your water permit application received on December 23, 1991, the following information needs to be submitted in order to process your application.

1. A well log signed by a South Dakota licensed well driller must accompany the application.
2. The application fee of \$50.00.

The water permit application can not be considered until the application is complete and a soil/water permit is obtained from the Department of Agriculture. Upon receipt of the above, further processing of your application will continue.

If you have any questions, please contact this office.

Sincerely,

Karen Schlaak
Natural Resources Analyst
605 773-3352

enclosure

RECEIPT

Division of Water Rights

412983

South Dakota Department of Water and Natural Resources

Pierre,

December 26, 1991

RECEIVED OF Duane Struck (Wernerstruck Inc), RR 1 Box 92B, Wolsey SD 57384

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____	50.00-
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____	
Fee to retain Future Use Permit No. _____ after period of seven years.	
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>1925-3</u>	50.00
Fee for Filing Transfer Form _____	
Fee for Filing Extension Request _____	
Fee for Certified Copy of _____	
Fee for Print Copy of Map _____	
Fee for Certifying _____	
Fee for _____	
(Any Other Work Provided by Law)	
Total	50.00

By

John Hatch
Chief Engineer

**Water Rights Division
File Documentation**

NAME OF PERSON OR FILE: Wernerstruck, Inc.

ADDRESS: RR 1, Box 92B, Wolsøy SD COUNTY: Beadle

DATE: 8-2-94 TELEPHONE:

RE: Water License

COMMENTS:

We are proceeding with this license based on the repeal of the Soil/Water Compatibility Permit statutes by the 1994 Legislature.

Based on a staff inspection in 1991, an application and fee was submitted to change the location of the diversion point and for an additional diversion point. The 1994 Legislature passed legislation allowing diversion points to be changed or additional diversion points under certain circumstances. The \$50 application fee will be applied toward the license fee requirement.

Karen Schlaak
Karen Schlaak
Environmental Scientist

Permit No. 1925-3
James River - Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg. Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Wernerstruck, Inc. of RR 2 Box 92B, Wolsey, SD 57384 holder of Permit No. 1925-3, bearing the priority of February 15, 1995 authorizing the diversion of 9.14 cu. ft. per second of the waters of James River Aquifer for irrigation purposes, in Beadle County. 1972 KS

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Well #1 - Construction information unknown. Johnson pump, model no. JTA-ABH with a capacity of 1300 gpm. US Electric motor, model no. 404 TP with a horsepower rating of 100.

Well #2 - 90' deep with 70' of 12" casing and 20' of 12" stainless steel screen. Johnson pump, model no. JTA-ABH with a 600 gpm capacity. US Electric motor, model no. 324 TP with a horsepower rating of 40.

B. Works used to transport water to place of use:

4488' of 10' pvc pipe.

C. Works used to apply water to beneficial use:

1) Valley center pivot, 2244' long with 15 towers. High pressure system with a capacity of 1900 gpm and an end gun.

The system is in the following condition, good. The point of diversion is located well #1 - 792' S and 1056' E of the NW corner of Sec. 28-T110N-R65W and well #2 - 1584' S and 120' W of the NE corner of Sec. 28-T110N-R65W. The works are capable of diverting and conveying to the place of use 1900 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

All in Sec. 28-T110N-R65W:

NW 1/4 NE 1/4	26 acres	SE 1/4 NW 1/4	40 acres
NW 1/4 NE 1/4	40 acres	NE 1/4 SW 1/4	36 acres
SW 1/4 NE 1/4	40 acres	NW 1/4 SW 1/4	5 acres
SE 1/4 NE 1/4	39 acres	SE 1/4 SW 1/4	2 acres
NE 1/4 NW 1/4	38 acres	NE 1/4 SE 1/4	23 acres
NW 1/4 NW 1/4	6 acres	NW 1/4 SE 1/4	40 acres
SW 1/4 NW 1/4	17 acres	SW 1/4 SE 1/4	6 acres

comprising a total of 358 acres of land and the license should be issued for 4.22 cfs.

Applicable permit qualifications have been complied with: Yes ☒ No

Exceptions to compliance are: none

Date: 4-4-95

Lynn Beck
Lynn Beck

Natural Resources Engineer
DENR, Water Rights Division

L

LICENSE FOR PERMIT NUMBER 1925-3

1. Legal location of wells: Well #1 - NW1/4 NW1/4, Well #2 - SE1/4 NE1/4 all in Sec.
T110N-R65W.

Dams and Structures N/A

2. Well Information: Well Drilling Firm Russell Drilling Co.

Completion Report? Yes No X No. of Wells 2 Depth(s) feet

Casing	a) diameter	inches	Screen	a) type	
	b) length	feet		b) length	feet
	c) type		Static Water Level		feet

Pump	a) make <u>Johnston</u>	Motor	a) make <u>US Electric</u>
	b) model <u>JTA-ABH</u>		b) model no. <u>404 TP</u>
	c) size		c) horsepower rating <u>100</u>
	d) capacity <u>1300</u> GPM		d) serial no. <u>R-9981-00-074</u>
	e) turbine pump - no. of stages		
	f) operating PSI		

- ### 13. Distribution lines or canals

a) size 10 inches
b) type PVC
c) length 2310 feet

2. Well Information: Well Drilling Firm Russell Drilling Co.

Completion Report? Yes X No No. of Wells 2 Depth(s) 90 feet

Casing a) diameter 12 inches Screen a) type stainless steel
b) length 70 feet b) length 70 feet
c) type Static Water Level 42 feet

Pump	a) make <u>Johnston</u>	Motor	a) make <u>US Electric</u>
	b) model <u>JTA-ABH</u>		b) model no. <u>324 TP</u>
	c) size		c) horsepower rating <u>40</u>

d) capacity 600 GPM

d) serial no. R-6229-02-073

e) turbine pump - no. of stages

f) operating PSI

3. Distribution lines or canals

a) size 10 inches

b) type PVC

c) length 2178 feet

4. System Type a) sideroll:

1) length feet

2) diameter of pipe inches

3) make, model & number of
sprinklers

4) spacing of sprinklers feet

5) nozzle size

c)gun:

1) make

2) nozzle size

3) capacity (GPM)

4) hose size inches

5) hose length feet

e) gated pipe:

1) length feet

2) diameter inches

3) spacing of gates inches

b) towline:

1) length feet

2) make, model & number of
sprinklers

3) spacing of sprinklers

4) nozzle size

d) center pivot:

1) make Valley

2) number of towers 15 and a corner

3) distance between towers

4) overall length 2244 feet

5) end gun (Y/N) Y

6) high or low pressure high

7) make and size of nozzles:

8) capacity (GPM) 1900

NOTE: For Permits with additional wells or changes in well locations,
record the following for each well: pumping capacity, date

constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project

Yes No

Check Items

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
2. Special qualifications to permit being abided by?
3. All structures, wells and lands on map?
4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
5. Is chemigation used?
6. If yes, does equipment comply with chemigation rules?

REMARKS: Awaiting corrections to the permit. One additional well and change in location description on another well.

DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
WATER RIGHTS PROGRAM

July 20, 1995


RE: ADDITIONAL DIVERSION POINT AND CHANGE IN LOCATION OF A
DIVERSION POINT FOR WATER PERMIT No. 1925-3, Wernerstruck, Inc.

An inspection of Permit No. 1925-3 found an additional diversion point and a diversion point in a location not authorized by Permit No. 1925-3. SDCL 46-5-13.1 provides that a point of diversion may be changed or additional points of diversion may be approved without application or publication of a notice of hearing if the additional point of diversion is from the same source of water, no additional water is appropriated and the chief engineer makes a finding that the change does not increase the potential for interference with existing diversion

Water Permit No. 1925-3 appropriates 9.14 cubic feet of water per second from one well located in the center of the NE 1/4 Section 28, T110N, R65W for irrigation purposes. The inspection found that two wells were developed, one additional well located in the NW 1/4 NW 1/4 and the permitted well located in the SE 1/4 NE 1/4, all in Section 28, T110N, R65W. No additional appropriation of water is required for this diversion.

There is one other irrigation well within a one mile radius of this diversion point. Permit No. 5452-3, held by Wernerstruck, Inc., authorizes the well. No adverse effects to domestic wells are expected. The wells connected with Permit No. 1925-3 were developed in 1965 and have had no complaints.

The additional diversion point and the change in location of a diversion point can be approved with the same qualifications listed on Water Permit No. 1925-3.



Lynn Beck
Natural Resources Engineer


The Chief Engineer makes a finding that the additional diversion point and the change in location of the other diversion point does not increase the potential for interference with existing diversions. In making this finding "does not increase potential for interference" is interpreted to mean potential for adverse interference.



John Hatch, Chief Engineer
Water Rights Program

WATER RIGHTS OBSERVATION WELL

BD-76G



Beadle Co.
T110N, R65W

20

Ken
Diebold
75'

Ken
Diebold
75'

21

Tracy
75'

22

29

2100'

28

419.3
75'

27

32

Russel
Pulmar
70'

33

34

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 1925-3

(1) Weimerstruck, Inc., RR 2, Box 92B, Wolsey SD made Application No. 1925-3, February 15, 1972 for a water permit to appropriate 9.14 cubic feet of water per second from groundwater (one well), Beadle County, South Dakota for irrigation purposes. Permit No. 1925-3, with a priority date of February 15, 1972 was approved March 15, 1972 and issued to the applicant for diversion of water with construction of the described water supply system to be completed on or before March 15, 1973 and for the application to beneficial use of said water on or before March 15, 1977.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 4.22 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 792 feet south and 1056 feet east of the northwest corner of Section 28 (NW 1/4 NW 1/4) and Well #2 - 1584 feet south and 120 feet west of the northeast corner of Section 28 (SE 1/4 NE 1/4); all in T110N-R65W.


(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

Section 28-T110N-R65W

NE 1/4 NE 1/4	26 acres	NE 1/4 SW 1/4	36 acres
NW 1/4 NE 1/4	40 acres	NW 1/4 SW 1/4	5 acres
SW 1/4 NE 1/4	40 acres	SE 1/4 SW 1/4	2 acres
SE 1/4 NE 1/4	39 acres		
		NE 1/4 SE 1/4	23 acres
NE 1/4 NW 1/4	38 acres	NW 1/4 SE 1/4	40 acres
NW 1/4 NW 1/4	6 acres	SW 1/4 SE 1/4	6 acres
SW 1/4 NW 1/4	17 acres		
SE 1/4 NW 1/4	40 acres		

Total 358 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Wernerstruck, Inc., RR 2, Box 92B, Wolsey SD 57384 the holder and/or owner of Water Permit No. 1925-3 is issued a license to appropriate water, the right to use 4.22 cubic feet of water per second from groundwater (two wells) with a priority date of February 15, 1972 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 1925-3 and subject to South Dakota State Law.


JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

SEP 6 1995

date



1925-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

SEP 6 1995

1925-3

Wernerstruck, Inc.
%Duane Struck
RR 2, Box 92B
Wolsey, SD 57384

Dear Mr. Struck:

Enclosed is Water License No. 1925-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412983 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 1925-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.


As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

gm
enclosures

NOT TO SCALE



Prepared by:

Lynn Beck


Lynn Beck
Natural Resource Engineer
Water Rights Division
DENR

T-2316 11/19/91

Total Acres = 358

1925-3

NOT TO SCALE



	FARM NO.	NAME AND ADDRESS	FARMLAND	CROPLAND
OPERATOR	36	LEONARD RANSOM	640	377
	29	LARRY RANSOM		355
	OP	WESSINGTON S DAK	4T 107	357
	47	003 2936		


	FARM NO.	NAME AND ADDRESS	FARMLAND	CROPLAND
OWNER	36	DOROTHY LONGSTAFF		
	29	JOSEPHINE LONGSTAFF		
	OW	C/O FRED WIRKS ACT		
		Box 548 - WESSINGTON, S DAK		

Tract No. _____

Farm No. _____

Operator _____

Owner _____



Legal Description _____

All Sec. 28-140-65

map # 1361-3

W.R. 1925-3



1925-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: WERNERSTRUCK INC, DAVID STRUCK, 20601 385TH AVE, WOLSEY, SD 57348 8619
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaires

Our records indicate that the 2006 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 1925-3 & 4396-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4662-3A, 5232-3 & 5452-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4662-3A, 5232-3 & 5452-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1925-3 & 4396-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

1925-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: **2303 2160 0000 0799 7283**
Status: **Delivered**

Your item was delivered at 3:38 PM on January 30, 2007 in WOLSEY, SD 57384. The item was signed for by D STRUCK.

Track & Confirm

Enter Label/Receipt Number.

[Additional Details >](#)[Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

U.S. Postal Service™ Signature Confirmation™ Receipt

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0799 7283

P
WERNERSTRUCK INC
DAVID STRUCK
20601 385TH AVE
WOLSEY SD 57348 8619

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

CLICK HERE (POSTAL USE ONLY)

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

U.S. Form 3800, May 2002 (SEE REVERSE)

1925-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 2, 2007

David Struck
Wernerstruck Inc
20601 385th Ave
Wolsey SD 57348-8619

RE: Water Right Nos. 1925-3, 4396-3, 4662-3A, 5232-3 and 5452-3

Dear Mr. Struck:

I am writing to acknowledge receipt of your "2006" irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right Nos. 1925-3, 4396-3, 4662-3A, 5232-3 and 5452-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352