


Water Right Number 1956-3

1. Considered SEPTEMBER 6, 19 72
2. Name of Applicant H.E. MEYER
3. Post Office Address BROOKINGS
4. Amount of Water claimed 1.00
5. Source of Water supply GROUND WATER
6. Water to be used for SUBURBAN HOUSING
Acres to be irrigated _____
7. Water to be diverted and used in BROOKINGS County
about 3 miles S of BROOKINGS
8. Proof of Publication
Received ☒ 9-6-72
Not Received _____
9. Application
Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

Map No. 1387-3 Water Division No. 3 Big Sioux River District 1956-3
 (Blank to be filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

STATE WATER RESOURCES COM.M.
PIERRE, SOUTH DAKOTA

To Appropriate Water within the State of South Dakota

(NOTE: Draw a line through items not applicable)

1. Name of Applicant H. E. Meyer
 Postoffice address Drawer 248, Brookings State South Dakota
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of other, or by direct labor) Contract
3. Name of diversion work Meyer Well #1 and Meyer Well #2
4. Amount of water claimed (cubic feet per second) One (1) cubic foot per second
5. Source of water supply From an aquifer which is directly under the owner's property
6. Location of point of diversion SFF MAP. Well #1 SE corner of SE1/4NW1/4-11-109-50
WELL #2 TRANSFERRED TO Well #2 NE corner of SE1/4NW1/4-11-109-50
NEIL HAMILTON, Brookings, SD (1956-3A) County Brookings
7. Annual period or periods during which water is to be used During the entire year, each year
8. Use to be made of water. (Irrigation, industrial, municipal, commercial, recreation, etc.) Domestic residential
9. For irrigation use, _____ Total number of acres to be irrigated None

List below each forty-acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use One Year years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Brookings Register
12. Principal Features of the Proposed Water Supply System

A. Works proposed to divert water from its natural source

Water wells 3,000.00

B. Works proposed to transport water to place of use

Underground water distribution system 3,000.00

C. Works proposed to apply water to beneficial use

Hydro-pneumatic pressure system 3,000.00

Individual residence and commercial building piping


Estimated Total Cost \$ 9,000.00

Attachments: Attach Form 2A if diversion from a well or dug out, or if storage of water is proposed. Attach map (See instructions concerning preparation.)


STATE OF SOUTH DAKOTA

County of BROOKINGSI, H. E. MEYER the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend and am able to complete the necessary construction.Signed H. E. MeyerSubscribed and sworn to before me this 28th day of August, 1972My commission expires
September 13, 1973.

Notary Public for either qualified officers



H. E. MEYER, 80 AC., S 1/2, NW 1/4, 11-109-50.



MEYER WELLS NOS. 1 & 2.
TWP 109 N., R 50 W., BROOKSINGS COUNTY, S. D.

CENTER
SEC 11,
T109W, R50W.

EMIEL E. BELZER, P.E.
CONSULTING ENGINEER
De Smet, S. D. 57231

9/4/1972.

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 1956-3

H. E. MEYER
(Applicant)

DRAWER 248 BROOKINGS
(Post Office Address)

SOUTH DAKOTA
(State)

With the following modifications:

The ~~improvement~~ wells approved under this Permit will be located near domestic wells and other ~~improvement~~ wells which may obtain water from the same aquifer. The ~~improvement~~ well owner, under this Permit, shall control his ~~improvement~~ withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in ~~improvement~~ wells having prior water rights.

Date of first receipt of application AUGUST 30 1972
Date of return to applicant for correction, amendments or changes required
Date of receipt of corrected application
Approved SEPTEMBER 6 1972 Recorded in Book 12 Page 153

WATER RIGHT PERMIT NO. 1956-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 1956-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is AUGUST 30 1972
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 6 1975
3. The whole of said work is to be completed on or before SEPTEMBER 6 1977
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 6 1981
5. The water appropriated shall be used for the purpose of SUBURBAN HOUSING
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 6 1981; said water to be used during the following described annual period: CONTINUOUSLY

Witness my hand this 11TH day of SEPTEMBER 1972

WATER RESOURCES COMMISSION

By:

J. W. Lamm 10/10
Chief Engineer, Executive Officer

Certificate of Construction Issued January 2 1979

Water License Issued January 2 1979

12. Principal Features of the Proposed Water Supply System (continued)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 42 inches, Depth 50 feet
- (2) Casing, Type Concrete (wood, concrete, steel, etc), Diameter 22 inches ^{O.D.} Thickness 2 inches +
- (3) Perforated Screen.
Type "Kelley" Concrete, Diameter 22 inches ^{O.D.} length 12 feet
- (4) Gravel Pack. Thickness 10 inches, Length of gravel pack 38 feet

E. Dugout Information or Estimates.

- (1) Surface dimensions ---, Depth ---

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Water bearing gravel

Depth to top of water bearing material 12 feet

Depth to bottom of water bearing material approximately 50 feet

Thickness of water bearing material approximately 38 feet


Depth to water (ground surface to water level) 12 feet

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 1.5 rds. On property owned by others 10 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.



H. E. Meyer
Signature of Applicant
H. E. Meyer
P.O. Drawer 248
Brookings, South Dakota 57006

Form 15.

Permit No. 1956-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That H.E. Meyer

_____ the holder _____ of
Permit No. 1956-3, issued upon Application No. 1956-3, bearing date of priority of _____
August 30, 1972 authorizing the diversion of 1.0 cu. ft. per second of the waters of _____
groundwater (two wells) County of Brookings, State of South Dakota ~~at~~
Well #1-2600 feet South & 1580 feet East of NW corner Well #2-1440 feet South
and 2540 feet East of NW corner all in Section 11, T109N, R50W
_____, for Suburban housing

_____ purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 0.03 cu. ft. per second of water

Date January 2, 1973

By

WATER RIGHTS COMMISSION

John Hatch
JOHN HATCH, Chief Engineer

On July 8, 1981, .04 cfs and Well No. 2 were transferred to Neil Hamilton, Brookings, SD

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 1956-3.

(1) WHEREAS, On the 30th day of August A. D. 19 72

H. E. Hayer

made Water Right Application No. 1956-3 for a permit to use 1.0 cubic feet per second of the water of groundwater (two wells)

County of Brookings, State of South Dakota, for Suburban housing

purposes; and

(2) WHEREAS, On the 6th day of September A. D. 19 72

Permit No. 1956-3, with a date of priority of August 30, 1972

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 6th day of September A. D. 19 77 and for the application to beneficial use of said water on or before the 6th day of September A. D. 19 81

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert -.07-.03 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent.

water to be used for suburban housing purposes.

(5) NOW, THEREFORE By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to H.C. Hoyer

_____ of Brookings
_____ of 1956-3 a water right, dating from August 30, 1972
the holder _____ and owner _____ of said permit No. _____ a water right, dating from 07--03
_____ to use of _____ cubic feet per second of the waters
of groundwater (two wells)

in the County of Brookings and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinafter mentioned, to be diverted at Well #1-2600 feet South & 1580 feet East of
NW corner; Well #2-1440 feet South and 2540 feet East of NW corner all from Section 11,
T109N, R55W

_____ conducted through the distribution system of the housing development
and conducted to and upon _____

_____ suburban housing
for the purpose of _____

Subject to any limitations listed in Water Right Permit No. 1956-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 2nd day of January _____ A. D.
seventy-nine
Nineteen Hundred and _____

WATER RIGHTS COMMISSION

By:

John Hatch JOHN HATCH
Chief Engineer, Executive Officer

1956-3

Publish first publication, on or before August 31, 19 72

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 28, 19 72

Notice is hereby given that H. E. Meyer

whose post office address is Brookings, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

1.0 cubic feet of water per second of time from the ground water through the Meyer Wells #1 and #2, the point of diversion of which is to be located in the

SE 1/4 NW 1/4

of Section 17, Twp. 109N, Range 50 W. Said water to be used for the purpose of providing ~~irrigation on the following described land~~

supply for a suburban housing development

This application No. 1956-3 will be considered by the Water Resources Commission at the office at Pierre upon the 6th day of September, 19 72, at 2:00 P. M. All interested persons may appear and be heard.

cc: Tom Martin - Attorney
P.O. Box 248
Brookings, S. Dak. 57006

WATER RESOURCES COMMISSION

By:

Burton F. Jones, Water Right Specialist

Affidavit of Publication

State of South Dakota

County of Brookings

ss

Robert D. Snair of said county, being first duly sworn, on oath, says: That he is one of the editors of THE BROOKINGS REGISTER, a daily newspaper, printed and published in the City of Brookings, in said County of Brookings, and State of South Dakota; that he has full and personal knowledge of the facts herein stated; that said newspaper is a legal newspaper and has a bona fide circulation of at least two hundred copies of each issue daily; that said newspaper has been published within the said County of Brookings and State of South Dakota, for more than one year next prior to the first publication of Exhibit "A," hereto attached and herein mentioned, and was and is printed in the office maintained at said place of publication; and that the

Notice-Intent to Appropriate Water

a printed copy of which, taken from the paper in which the same was published, is hereto attached marked Exhibit "A," and is made a part

of this affidavit, was published in said newspaper for two

successive week.S., to-wit:

August 30....., 19.72....., 19....
September 5....., 19.72....., 19....
....., 19...., 19....
....., 19...., 19....

That the full amount of the fee charged for the publication of said Exhibit "A" inures to the sole benefit of the publishers of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever; that the fees charged for the publication thereof are:

Eight and 19/100- - - - -Dollars

Robert D. Snair

Subscribed and sworn to before me this 5th day of

September....., 19.72

Patty J. Reynolds

Notary Public in and for the County of Brookings, South Dakota.

My Commission expires Jan. 27, '97

Exhibit "A"

No. 207 -- Aug. 30, 1972
NOTICE
INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
August 28, 1972
Notice is hereby given that H.E. Meyer whose post office address is Brookings, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 1.0 cubic feet of water per second of time from ground water through the Meyer Wells No. 1 and No. 2, the point of diversion of which is to be located in the SE 1/4 NW 1/4 of Section 11, Twp. 109N, Range 53 W. Said water to be used for the purpose of providing supplies for a suburban housing development.
This application No. 1956-J will be considered by the Water Resources Commission at their office at Pierre upon the 6th day of September, 1972, at 2:00 p.m. All interested persons may appear and be heard.
WATER RESOURCES COM
MISSION
By: Burton F. Jones,
Water Right Specialist

Permit No. 1956-3Water Division 3 Big Sioux River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by H. E. Meyer
57066
 of Drauer 248, Brookings, South Dakota holder
 of Permit No. 1956-3, bearing date of priority of August 30, 1972
 authorizing the diversion of 1.0 cu. ft. per second of the waters of Two Wells
 for Suburban Housing purposes, in Brookings County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Well #1 - Pump - $3/4$ HP Red Jacket Submersible
 Pumping 500 gph at 16' = 1.0
 Well #2 pump - Barnes, 10 HP Submersible
 Pumping 1100 gph at 16' =

B. Works used to transport water to place of use,

Underground Pipes to houses in housing development

C. Works used to apply water to beneficial use.

Household water systems

The system is in the following condition: Good

The point of diversion is located Well #1 = 2600 ft S and 1580 ft E of N.W. cor Sec. 11,
Well #2 = 1440 ft S and 2540 ft E of the N.W. cor Sec. 11, all
in T109N R50W

The works are capable of diverting and conveying to the place of use 1.07
 cu. ft. per second of water which is to be used for Suburban Housing.

Water has been put to beneficial use to the maximum extent as follows:

comprising a total of _____ acres of land.

Well #1 = depth 45 ft
 Pumping 13.33 gpm

Well #2 = depth 48 ft
 Pump at 40 ft depth
 Pumping 16.33 gpm

Date _____

(Signature) _____

SOUTH Dakota Department of
Water & Natural Resources
Joe Foss Building
Pierre, South Dakota 57501

May 18, 1981

Re: 5.4 Mobile Manor

Nell Hamilton
R.R. 4, Box 298
Brookings, South Dakota 57006

Dear Mr. Hamilton:

Attached is a report entitled, "Routine Sanitary Survey of the Mobile Manor water supply system." This report has been prepared on the basis of a routine sanitary survey by the Department of Water and Natural Resources and is submitted for correction of the unsanitary features noted. Hopefully, these recommendations will be complied with at your earliest convenience.

We respectfully urge you or your representative to attend annual meetings and training short courses sponsored by the South Dakota Municipal League and the South Dakota Water and Wastewater Association. The next Annual Conference will be held on September 16, 17, and 18, 1981 at the Sheraton Inn in Yankton.

If you have any questions concerning the training short courses contact Mr. George Vansco at 775-3754 or write at your convenience.

Please acknowledge receipt of this report together with action contemplated on the recommendations included in the report within 30 days. If we can be of any assistance, please let us know.

Very truly yours,

Mark E. Steichen
Office Administrator
Office of Drinking Water
Phone: (605) 775-3754

cc: Ralph Meyers
Acting Mayor, NELRO

S74

Equal Opportunity Employer

Division of Water Rights
605 773-3352

May 22, 1981

Neil C Hamilton
Mobil Manor
Brookings SD 57006

Dear Mr. Hamilton:

We are in receipt of your letter dated May 20, 1981. In checking our files we find neither Mobil Manor or G & M Mobil Park have ever filed for a water right permit.

Enclosed please find the necessary forms which should be completed and returned to this office for your commercial use of water.

If you have any questions, please contact this office.

Sincerely,

KAREN WERNSMANN
Administrative Secretary

enclosure

MOBIL MANOR

Brookings, South Dakota
May 20, 1981



Dear sirs;

I am in receipt of a letter from Mr. Jay W. Cofer of the Northeast Lakes Regional Office at Watertown, South Dakota dated May 14th, 1981

In his letter he states that in his records Mobil Manor formerly G & M mobile home park, has not obtained water rights for the well that supplies the drinking water.

This mobil home park has been in operation for many years as I am the third owner, so this must have been accomplished earlier. Perhaps, Mr. Cofer did not check the files for G & M mobile home park, which was the former name of this park.

I am contacting you as he suggested and would appreciate your checking this out for me. Thank you.

Sincerely yours,

Neil C. Hamilton
Neil C. Hamilton
Owner

6/24/81 Neil Hamilton re: 195 - 3 H. E. Meyer
692-2721 office
693-4604 home

after checking with Stiechow, ~~at~~ discovered
Neil Hamilton bought Mobil Manor (E & M)
portion across the road. In checking
on legal of well to see if it is the
same as on the permit. Someone
may have to check this out.
will call back after 2:00 pm today.

University Estates is what H. E. Meyer's W/R
goes by now (?)


Called Las Vegas #2 . 24 of
split

PAGE OF

Lots 1 to 12 of Block 1 Subdivision
of the

Sig of the vol. of Section 11. T 109 N. R 50 W of the 5th PM

Brookings County, South Dakota
Scale 1"=100' September 16, 1972



W. 1/4 = 2600' x 1700'

SE NW 1/4 = 2600' x 1700'

SW NW 1/4 = 2600' x 1700'

SW SE 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'

SW SW 1/4 = 2600' x 1700'