

Water Right Number 2041-3

1. Considered MARCH 20, 1974
2. Name of Applicant CITY OF VIBORG
3. Post Office Address _____
4. Amount of water claimed 45
5. Source of water supply GROUND WATER
6. Water to be used for MUNICIPAL

Acres to be irrigated _____

7. Water to be diverted and used in TURNER County
about 2 Miles NE of VIBORG

8. Proof of Publication

Received ~~2-15~~ 3-21-74

Not received _____

9. Application

Approved _____

Subject to _____

Not approved _____

Action deferred _____

10. Remarks:

SEE 559-3

Map No. 559-3 Water Division No. 3 VERMILLION RIVER District

(Blocks to be filled in by the Engineer for the A. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant City of Viborg
 Postoffice address Viborg State South Dakota 57070
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) contract
3. Name of diversion work New Well No. 1
4. Amount of water claimed (cubic feet per second) 0.45
5. Source of water supply Well
6. Location of point of diversion SE1/4 Sec. 26, T97N, R53W (see map) NE 1/4
1692.2' N & 100' W OF THE SE CORNER, SECTION 26,
T97N, R53W County Turner
7. Annual period or periods during which water is to be used entire year
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) municipal
9. For irrigation use, _____ Total number of acres to be irrigated _____

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1/2 years Additional time required to complete application of water to the proposed beneficial use 0 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Viborg Enterprise
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source Well

B. Works proposed to transport water to place of use. 6" transmission line to connect to the existing transmission line which goes from existing well No. 7 to the existing water treatment plant. (New Well No. 1 and existing Well No. 7 will not be run together.)

C. Works proposed to apply water to beneficial use. Treatment works are existing. A new chlorinator, fluoridator, and high service pump are included in this project.

Estimated Total Cost \$ 45,000

Attachments - Attach Form 2A if diversion from a well or dugout, or if storage of water is proposed. Attach map (See instructions concerning preparation.)


STATE OF SOUTH DAKOTA

County of Turner

I, City of Viborg, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend and am able to complete the necessary construction.

Signed City of Viborg, Dale W. Gierman, MayorSubscribed and sworn to before me this 9 day of Jan, 1974.

Bernard Coleman
 Notary Public (or other qualified officer)



T-97-N
T-96-N

I HEREBY CERTIFY THAT THE MEASUREMENTS
AND DISTANCES SHOWN HEREON WHICH PERTAIN
TO CITY WELL INFORMATION ARE A TRUE AND
ACCURATE RECORD THEREOF.

R.D. Reckert 11/11/60
R.D. RECKERT PROF. ENGR. & LAND SURVEYOR NO. 720

SUBSCRIBED AND SWORN TO BEFORE ME
THIS _____ DAY OF _____, 1960.

NOTARY PUBLIC

(SEAL)

NEW WATER RIGHTS MAP			
REVISED:	DEWILD, GRANT, RECKERT & STEVENS		JOB NO.
	ENGINEERS & ARCHITECTS		971
	ROCK RAPIDS, IOWA		
AS BUILT:	CITY OF VIBORG		SHEET NO.
	SOUTH, DAKOTA		2
			OF
			2
OWN. BY:	D. E. M.	APPRO. BY: R. D. R.	DATE: (APPL NO 2041-3)

MAP NO 554-3 (APPL NO 751-3)

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2041-3CITY OF VIBORG
(Applicant)

(Post Office Address)

SOUTH DAKOTA
(State) With the following modifications:

The ~~irrigation~~ well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The ~~irrigation~~ well owner, under this Permit, shall control his ~~irrigation~~ withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application JANUARY 14 19 74

Date of return to applicant for correction, amendments or changes required _____ 19 _____

Date of receipt of corrected application _____ 19 _____

Approved MARCH 20 19 74 Recorded in Book 12 Page 326WATER RIGHT PERMIT NO. 2041-3

The Water Resources Commission hereby grants and issues this Water Right Permit 2041-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 14 19 74
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JUNE 20 19 74
3. The whole of said work is to be completed on or before SEPTEMBER 20 19 74
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith SEPTEMBER 20 19 74
5. The water appropriated shall be used for the purpose of MUNICIPAL USE

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed .45 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for ~~beneficial use~~ and if for the irrigation purpose, said appropriation must be limited to not more than 2.0 cfs and not to more than 1.0 cfs for USED FOR MUNICIPAL PURPOSES SEPTEMBER 20 19 74; said water to be used during the following described annual period: CONTINUOUSLY

Witness my hand this 22ND day of MARCH 19 74

WATER RESOURCES COMMISSION

By:

Donald Russell
Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19 _____

Water License Issued _____ 19 _____

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30", Depth 115'
- (2) Casing, Type Black Steel, Diameter 10", Thickness 0.365"
(wood, concrete, steel, etc.)
- (3) Perforated Screen
Type Stainless Steel, Diameter 10", Length 30'
- (4) Gravel Pack, Thickness 10", Length of gravel pack 33'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials sand and gravel outwash. This is the same
aquifer as used by the existing Well No. 7.

Depth to top of water bearing material Approximately 85'

Depth to bottom of water bearing material Approximately 195'

Thickness of water bearing material Approximately 110'

Depth to water (ground surface to water level) 115'

- (2) Distance to nearest existing household or livestock watering wells

On same owner's property ----- rds. On property owned by others 60 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

City of Liberty, Colorado, Auditor
Signature of Applicant

Form 6 - Notice of Intent to Appropriate Water

2041-3

Publish first publication, on or before March 7, 1974

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 23, 1974

Notice is hereby given that the City of Viborg

~~whose office address is~~ the City of Viborg, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

.45 cubic feet of water per second of time from ~~the~~ ground water through the

New Well #1

, the point of diversion of which is to be located in the _____

NE 1/4

of Section 26, Twp. 97N, Range 53W. Said water to be used for the purpose

of providing ~~in the~~ the following described lands:

municipal supplies for the City of Viborg

This application No. 2041-3 will be considered by the Water ~~Resources~~ ^{Rights} Commission at their office at Pierre upon the 20th day of March, 1974, at 2:30 P. M. All interested persons may appear and be heard.

~~WATER RESOURCES COMMISSION~~
WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/LW
EM

cc: Arlo W. Anderson, Mayor, City of Viborg, Viborg, S.D. 57070

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

NO 4 8695

PIERRE, February 2, 1922

RECEIVED OF City of Willard, Willard, SD 57070
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to appropriate Water No. (examination, processing, recording and filing)		
Fee for inspecting Construction, and issuing Cert. of Construction No. 2041-3		
Fee for inspecting Beneficial Use, and issuing Water License No. 2041-3	50	00
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filling		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH/ms

Permit No 2041-3Water Division 3 Vermillion River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by _____

City of VIBORG holder 1974 *
of Permit No. 2041-3, bearing date of priority of DECEMBER 13, 1974 JANUARY 14, 1974authorizing the diversion of 1.13 cu. ft. per second of the waters of GROUNDWATER
for MUNICIPAL purposes, in TOPIER County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water;
BOTH WELLS 117' DEEP WITH 10" STEEL CASING - 30" SS SCREEN
BOTH WITH THORPE PITLESS ADAPTERS WITH 7 STAGE
6" MARK SUBMERGIBLE PUMPS - TYPE 6A - 20 HP ELECTRIC MOTORB. Works used to transport water to place of use,
8000' OF 6" STEEL MAINLINE TO TOWN, EXCEPT FOR
1200' OF 6" TRANSITE, WILL REPLACE IRON PIPE WITH
TRANSITE OR PVC PIPE AS NEEDED
40,000 GALLON STEEL & 120,000 GROUND STORAGEC. Works used to apply water to beneficial use.
CITY WATER DISTRIBUTION SYSTEM TO APPROXIMATELY
350 HOOR-UPSThe system is in the following condition. GOODThe point of diversion is located S. WELL 1257' N. & 294' W. N. WELL 1220' N. & 50'
W. BOTH FROM SE CORNER, SECTION 26, T97N, R53WThe works are capable of diverting and conveying to the place of use .96 (220 GPM PER WELL) *
cu. ft. per second of water which is to be used for MUNICIPAL USE

Water has been put to beneficial use to the maximum extent as follows: _____

THE CITY HAS THREE WELLS DESIGNATED #1, #2 & #3. COVERED
UNDER VESTED RIGHT NO 751-3. THESE WELLS ARE STILL
EQUIPPED WITH PUMPS, BUT ARE NOT hooked INTO THE
CITY WATER DISTRIBUTION SYSTEM

comprising a total of _____ acres of land.

* THE APPLICABLE PORTIONS OF WATER LICENSE NO 751-3 HAVE
BEEN INCORPORATED INTO THIS WATER LICENSE. THIS
WATER LICENSE NO 2041-3 COVERS THE CITY'S USE OF
WATER AT THIS TIME. ALTHOUGH WATER LICENSE # 751-3
WAS ISSUED FOR .68 CPS, USAGE SINCE CONSTRUCTION
OF THE SECOND WELL HAS BEEN REDUCED TO 220 GPM.Dated NOVEMBER 17, 1981
[Signature]
(Signature)

SOUTH Dakota Department of
Water & Natural Resources

Joe Foss Building Water Rights Division
Pierre, South Dakota 57501

(605) 773-3352

May 17, 1982

City of Viborg
Viborg,
South Dakota 57070

Dear Sir:

Enclosed herewith are, Water License No. 2041-3 and Certificate of Construction.

Water License No. 2041-3 is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division

JH:ks

enclosures

NOTE; The applicable portions of Water License No. 751-3 have been incorporated into this Water License No. 2041-3

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2041-3

(1) WHEREAS, On the 14th day of January A. D. 1974
the City of Viborg

made Water Right Application No. 2041-3 for a permit to use 0.45 cubic feet per second of the waters
of groundwater (two wells)

County of Turner, State of South Dakota, for municipal

purposes; and
(2) WHEREAS, On the 20th day of March A. D. 1974
Permit No. 2041-3, with a date of priority of January 14, 1974

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 20th day of September A. D. 1974 and for the
application to beneficial use of said water on or before the 20th day of September A. D. 1974

WHEREAS, on the 17th day of November, 1981 the applicable portions of Water License
No. 751-3 have been incorporated into this Water License No. 2041-3 with the
priority dates of 0.68^{cfs} from December 13, 1960 and 0.45 cfs from January 14, 1974.

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 0.96* cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,
water to be used for municipal purposes for the City of Viborg**

* This Water License No. 2041-3 covers the City's use of water at this time.
Although Water License No. 751-3 was issued for 0.68 cfs, usage since construction
of the second well has been reduced to 220 gpm.

** The City has three wells designated #1, #2, & #6 covered under Vested Right
No. 750-3. These wells are still equipped with pumps, but are not hooked into
the City water distribution system.

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to the City of Viborg

_____ of South Dakota

the holder _____ and owner _____ of said permit No. 2041-3 a water right, dating from December 13, 1960 and January 16, 1974 to use of 0.95 cubic feet per second of the waters

of groundwater (one well)

in the County of Turner and State of South Dakota, or so much thereof as may be necessary for the purposes hereinbelow mentioned, to be diverted at the south well 1257'N and 294'W and north well 1720'N and 50'W, both from SE corner, Section 26, T97N, R53W

and conducted to and upon ~~XXXXXXXXXX~~ through the City's distribution system

for the purpose of municipal use

Subject to any limitations listed in Water Right Permit No. 2041-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 17th day of May A. D.
Nineteen Hundred and Eighty two

WATER MANAGEMENT BOARD

By: John Hatch
Chief Engineer, Executive Officer
JOHN HATCH

Permit No. 2041-3

Water Diversion No. 3 Vermillion River Water District

10170102


CERTIFICATE OF CONSTRUCTION

This is to Certify, That the City of Viborg

_____ the holder _____ of
Permit No. 2041-3, issued upon Application No. 2041-3, bearing date of priority of December 13, 1960*
& January 14, 1974 authorizing the diversion of 1.13* cu. ft. per second of the waters of _____
groundwater (two wells) County of Turner, State of South Dakota at _____
the south well - 1257'N and 294'W and north well - 1720'N and 50'W both
from the SE corner, Section 26, T97N, R53W
_____, for _____ municipal

_____ purposes, has 3 complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 0.96 cu. ft. per second of water.

Date May 17, 1982


JOHN HATCH, Chief Engineer
Water Rights Division

* The applicable portions of Water License No. 751-3 have been Incorporated
Into this Water License No. 2041-3

Appl. # 2041-3

- See also Appl. # 751-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 17, 2026

NOTICE OF HEARING

TO: City of Viborg, c/o Finance Officer
PO Box 56, Viborg SD 57070

FROM: Amanda Dewell, Permitting Administrator
DANR - Water Rights Program

SUBJECT: Notice Scheduling Hearing Regarding Addition of a Qualification Requiring
Annual Water Use Reporting for Water Right No. 2041-3, City of Viborg

Water Right No. 2041-3, held by the City of Viborg, appropriates 0.96 cubic feet of water per second (approx. 430 gpm) from two wells completed into the Upper Vermillion Missouri: West Aquifer for municipal use.

There are currently three applications (Nos. 8763-3, 8797-3, and 8817-3) requesting to appropriate water from the Upper Vermillion Missouri: West Aquifer that are in "deferred" status, based on concerns regarding water availability. Water Rights Program staff believe adding a qualification mandating annual water use reporting would be beneficial to management of the hydrologic budget for this aquifer.

Based on the acting Chief Engineer's recommendation to add a qualification that would require annual water use reporting for Water Right No. 2041-3 (enclosed); the qualification would read as follows:

"The permit holder shall report to the Chief Engineer annually, the amount of water withdrawn from the Upper Vermillion Missouri: West Aquifer."

The Water Management Board will conduct a hearing to consider addition of the mandatory reporting qualification to Water Right No. 2041-3 at **11:45 AM, on Wednesday, May 6, 2026 (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Ave, Pierre SD 57501 (*the agenda time is an estimate, and actual time of hearing may be later*).

The recommendation of the acting Chief Engineer is not final or binding upon the Board. The Board is authorized to 1) add the qualification as recommended, 2) delay action, or 3) take no action on Water Right No. 2041-3 based upon facts presented at the public hearing.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-14; 46-2-5, 46-2-9, 46-2-11; and Board Rules ARSD 74:02:01:14. This is a contested case pursuant to procedures contained in SDCL 1-26.

This hearing is an adversarial proceeding. Any party has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Prior to March 30, 2026, contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) if assistance is needed with the following: 1) further information on the proposed qualification addition; 2) to assure access to the meeting room for the handicapped; or 3) to obtain an interpreter for the hearing impaired.

According to SDCL 1-26-18.3, parties to a contested case may use the Office of Hearing Examiners to conduct a hearing if either a property right is being terminated or the dollar amount in controversy exceeds \$2,500.00. If you choose to use the Office of Hearing Examiners rather than the hearing procedure described above, then you need to notify the acting Chief Engineer (Water Rights Program, 523 E. Capitol Avenue, Pierre SD) by March 30, 2026. Questions regarding the hearing process may be directed to Amanda Dewell, Permitting Administrator, Water Rights Program, at (605) 773.3352 or amanda.dewell@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

**RECOMMENDATION OF ACTING CHIEF ENGINEER FOR
WATER RIGHT NO. 2041-3, CITY OF VIBORG &
WATER PERMIT NO. 6662-3, VANNORSDEL'S INC.**

Pursuant to SDCL 46-2A-2, the following is the recommendation of the acting Chief Engineer, Water Rights Program, Department of Agriculture and Natural Resources concerning Water Right No. 2041-3 & Water Permit No. 6662-3.

Water Right No. 2041-3 and Water Permit No. 6662-3, held by the City of Viborg and Vannorsdel's Inc., respectively, authorize the withdrawal of water from the Upper Vermillion Missouri: West Aquifer. Permit Application Nos. 8763-3, 8797-3, and 8797-3 have been deferred due to concerns regarding water availability. These deferrals were based primarily on the sudden drop in water levels in at least two observation wells completed into the Upper Vermillion Missouri: West Aquifer.

Considering the concerns regarding water availability in the Upper Vermillion Missouri: West Aquifer, it is the recommendation of the acting Chief Engineer that a qualification mandating annual water use reporting be added to Water Right No. 2041-3 & Water Permit No. 6662-3.

Adam Mathiowetz, PE
Acting Chief Engineer
March 13, 2026

CERTIFICATION

The undersigned hereby certifies under the penalty of perjury that I have personally deposited a true and correct NOTICE OF HEARING dated March 17, 2026, into the United States Mail in Pierre, South Dakota, first class postage prepaid to the following Water Permit and Right holders on March 17, 2026.

WR No. 2041-3

City of Viborg
c/o Finance Officer
PO Box 56
Viborg SD 57070

WR No. 6662-3

Vannorsdel's Inc.
c/o Merlin Vannorsdel
28891 455th Ave
Viborg SD 57070

Alyce McGhee
Senior Secretary-Water Rights

[illegible]

Sworn to, before me, this 17th day of March, 2026.

Walter H. H. H. Notary Public
My Commission expires

Wanda Huffman
My Commission Expires
July 28, 2028



File: Water Right/Permit Nos. 2041-3, 4265-3, 6662-3, & 8585-3
Water Rights Program
File Documentation

DATE: March 29, 2026

NAME:

Permit No.	Name	Priority Date	Status	Use
2041-3	City of Viborg	12/13/1960	LC	MUN
4265-3	James D Bondesen	03/27/1978	LC	IRR
6662-3	Vannorsdel's Inc	09/16/2008	LC	COM/DOM/LCO
8585-3	Allen Vannorsdel	01/21/2022	PE	IRR

RE: Updated aquifer management unit designation and require annual reporting of withdrawals from the Upper Vermillion Missouri: West (UVM:W) aquifer

COMMENTS:

A review of following a two-year deferral of Application Nos. 8763-, 8797-3, and 8817-3, determined there were several water rights/permits that had not been updated to include the management unit designation, West management unit of the Upper Vermillion Missouri (UVM:W) aquifer, developed Buhler (2014) (Mathiowetz, 2026). Furthermore, it was determined several non-irrigation water rights have not been required to report annual withdrawal from the UVM:W aquifer. Since the deferral for Application Nos. 8763-, 8797-3, and 8817-3 was based on whether unappropriated water was available from the aquifer, it is prudent that the water rights that are not currently required to report annual withdrawals begin to report to increase the accuracy of the hydrologic budget estimates.

Water Right Nos. 6662-3 and 2041-3 are not currently required to report annual withdrawal from the UVM:W aquifer. Water Right No. 2041-3 is held by the City of Viborg. The City of Viborg currently receives all their water from a rural water system (Mathiowetz, 2026). However, annual reporting is recommended to ensure as much accuracy for the hydrologic budget as possible and to alert the Water Rights Program if the City of Viborg starts using their own water right again. Water Right No. 6662-3 is held by Vannorsdel's Inc for use in a livestock confinement operation. To ensure as accurate of a hydrologic budget for the aquifer as possible, it is recommended Water Right No. 6662-3 also be required to report average annual withdrawals from the UVM:W aquifer.

In 2014, Buhler as part of a review for several deferred applications pending completion of a DANR-Geological Survey study of the entire Upper Vermillion Missouri aquifer divided the aquifer into three separate management units. Water Right Nos. 2041-3, 4265-3, and 6662-3 predate the development of the management units and Water Permit No. 8585-3 was a

File: Water Right/Permit Nos. 2041-3, 4265-3, 6662-3, & 8585-3 reinstatement of Cancelled Permit No. 7715-3 which also predates the management unit designations. Based on the best information currently available and management unit naming conventions, Water Right Nos. 2041-3, 4265-3, and 662-3, and Water Permit No. 8585-3 should all be redesignated as withdrawing water from the West management unit of the Upper Vermillion Missouri (UVM:W) aquifer. The addition of the management unit designation does not represent physical change in water source, well location, or well depth. It is an update to the naming convention to reflect the currently best available information for aquifer and management unit extents. This update to the aquifer management unit name does not authorize any increase in the amount of water appropriated by previously stated Water Rights/Permits, relocation of existing wells, completion of additional wells into the aquifer, or change of acres permitted for irrigation.



Adam Mathiowetz
Acting Chief Engineer
DANR-Water Rights Program

REFERENCES:

- Buhler, K.A. 2014. Report to the Chief Engineer on 21 Water Permit Applications from the Upper Vermillion Missouri Aquifer. Report in file for Water Permit No. 7715-3. SD DANR-Water Rights Program. Pierre, SD.
- Mathiowetz, A.W. 2026. Supplementary Report on Deferred Water Permit Applications 8763-3 B&K Dairy Farms LLC; 8797-3 Donald D Benson; 8817-3 Merlin Vannorsdel. SD DANR-Water Rights Program. Pierre, SD