

Feb. 10, 1977

6-5-70

6" - 14" ETL 10 SSS

Welded Line Roller 2" Pinner


Control by 60 HP US ELECTRIC MOTOR

6" BOLLER PLASTIC TO TWO PADS PADS

3 Lines rolling off ^{#200} end of line

2063-3

1. Considered 9-29, 1976
2. Name of Applicant JERRY ADRIAN
3. Post Office Address SIOUX FALLS
4. Amount of water claimed 1.14
5. Source of water supply 49' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 80
7. Water to be diverted and used in TURNER County
about 3 1/2 miles of HURLEY
8. Proof of Publication Received 1st
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 2063-3
 Map No. 1467-3 Water Division No. 3 VERMILION RIVER
 (Blanks to be Filled by the Engineer for the W. R. C.)


APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Jerry Adrian and Son
 Post-office address Rt. 3 Box 396, Sioux Falls, State South Dakota
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
3. Name of diversion work Jerry Adrian Irrigation Project No. 3
4. Amount of water claimed (cubic feet per second) 1.14 Maximum
5. Source of water supply Shallow Well
6. Location of point of diversion 660 ft. South and 1140 feet west of the NE Corner of Section 3, 98, 53
 _____ County Turner
7. Annual period or periods during which water is to be used April thru Oct.
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, _____ Total number of acres to be irrigated 80 Acres

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
N $\frac{1}{2}$, NE $\frac{1}{4}$, 3, 98, 53	80		

Attach sheet if more space is needed.

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use _____ years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication The Era, Parker, S. Dak.
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Irrigate Project

B. Works proposed to transport water to place of use.

Pipes

C. Works proposed to apply water to beneficial use.

Linear & center line typeEstimated Total Cost \$ 4000.00
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of MinnehahaI, Jerry Adrian


the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed

Jerry AdrianSubscribed and sworn to before me this 8th day of March, 1974B. A. Ferguson
Notary Public (or other qualified officer)

Notary Public

My Commission Expires



AREA BY LEGAL SUBDIVISION:
80 ACRES N1/2, NE 1/4 SECT. 3, T 98N, R 93 W, 5TH PM

SURVEYOR'S CERTIFICATE

STATE OF SOUTH DAKOTA } ss
COUNTY OF MINNEHaha } ss
I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
IN AND FOR THE STATE OF SOUTH DAKOTA DO HEREBY
CERTIFY THAT AT THE REQUEST OF JERRY ADRIAN
SOLE OWNER, I HAVE SHOWN THE LAND PROPOSED TO BE
IRRIGATED WITHIN HIS OWNERSHIP BOUNDARIES ON
MAR 5 1974. APPLICATION FOR APPROPRIATIVE WATER RIGHT
HAS BEEN MADE AND THIS MAP IS A TRUE REPRESENTATION
OF THE SAME
WITNESS MY HAND AND SEAL THIS 5TH DAY OF MARCH 1974

Harlan W. Meyer
REG. L.S. NO 495

JERRY ADRIAN IRRIGATION PROJECT NO 3

SHOWS AREAS TO BE IRRIGATED & DIVERSION POINTS.
FOR PERMIT TO APPROPRIATE WATER

OWNER
SURVEYOR

JERRY ADRIAN
HARLAN W. MEYER
MARCH 1974

MAP NO 1467-3 (APPL NO 2063-3)

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2063-3
JERRY ADRIAN Rt 3, Box 39B, SIOUX FALLS
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57107 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MARCH 11, 1974
 Date of return to applicant for correction, amendments or changes required MARCH 11, 1974
 Date of receipt of corrected application AUGUST 25, 1976
 Approved SEPTEMBER 30, 1976, Recorded in Book 15 Page 349

WATER RIGHT PERMIT NO. 2063-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2063-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is AUGUST 25, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 30, 1979
3. The whole of said work is to be completed on or before SEPTEMBER 30, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is SEPTEMBER 30, 1982
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water and not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.14 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 30, 1982; said water to be used during the following described annual period: APRIL 1ST, OCTOBER

Witness my hand this 22ND day of NOVEMBER, 19 76

WATER RESOURCES COMMISSION

By:

John Hatch
 Chief Engineer, Executive Officer

Certificate of Construction Issued July 9, 19 80

Water License Issued July 9, 19 80

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

No. 60
SE 1/4 Sec 31 T7N R3W

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 3 1/2", Depth 42'
- (2) Casing, Type (wood, concrete, steel, etc), Diameter 2.2, Thickness _____
- (3) Perforated Screen.
- Type _____, Diameter _____, Length _____
- (4) Gravel Pack Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material 13.0114

Depth to bottom of water bearing material 3.5

Thickness of water bearing material _____

Depth to water (ground surface to water level) 14.4

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 4.0 rds. On property owned by others _____ rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

James Adrian
Signature of Applicant

RESERVATION
MISSION
RM 11 11

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME JERRY L. ADRIAN
ADDRESS Rt 3 Box 293 Spear Falls S.D.
COUNTY Turner

LEGAL DESCRIPTION


1. WELL LOCATION NE 1/4 Section 38 Township 28 Range 28
2. LOCATION OF AREA TO BE IRRIGATED 1/2 Sec 80

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT _____ GUN ☒
4. CROPS TO BE IRRIGATED CORN & Small grain

WATER QUALITY

5. SAMPLE NUMBER 76-815
6. SALINITY (EC x 10⁶) 1482 (high)
7. SODIUM (SAR) 0.26 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0



I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and; the soils information has been acquired from _____ Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

Jerry Adrian
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
____ DAY OF _____ 19 ____.

(TITLE OR SEAL)

APPROVED/GIS

(SOILS INFORMATION ON REVERSE SIDE)



August 12, 1976

Jerry L. Adrian
RR 3, Box 39B
Sioux Falls, SD 57101

Dear Mr. Adrian:

You originally received the reports of analysis on water sample #76-815 and #76-816 on or about August 1, 1976. I have now received your WL-1 form in connection with your intent to irrigate in part of Turner County.

First I will turn my attention to the application for the 80 in NE 1/4 of sec 33-99-53. This water is moderately high in total salt. It carries about 1.2 tons of salt in each acre foot. This means that you should be careful to use this water in substantial amounts to completely reset the root zone each time you irrigate. Do not add small, frequent amounts to simply wet the top 6 or 8 inches of soil. This will quickly increase the salinity in the upper part of the soil and reduce the effectiveness of your irrigation.

Secondly, the application for the 1/4 sec in sec 34 is being forwarded along with your other WI-1 and application materials. Even though the water in this area is somewhat higher in total salt, the same recommendations prevail and you should be moderately successful irrigating the kind you say you have. It is even more important with this water than with the one on the 80 acres to use it in amounts that completely rewet the dried out portion of the soil every time you irrigate. Salt management by this kind of irrigation is absolutely imperative when your water carries this much total salt load.

Although the soils information are lacking and the WI-1 forms are not complete in all respects, I am sending them on to the State Conservation Commission for their action. I am attaching the short note you gave about your soils situation. The soils information is woefully deficient and you may receive both of these applications back from the Conservation Commission before they will act upon it. If such is the case, you must obtain the needed soils information and add it to the back side of the WI-1 form for these two locations.

Sincerely yours,

K. O. Fine
L. O. Fine

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Verlich Paving Service
 Address: Box 39
Sioux Falls, SD 57101

Date Rec'd: Aug 15, 1976
 Sample No.: 7-115
 Identification: 80 acre field

WATER ANALYSIS

Calcium (Ca)	243	ppm*	11.15	me/l**
Magnesium (Mg)	93	ppm	7.63	me/l
Sodium (Na)	19	ppm	0.83	me/l
Potassium (K)	7	ppm	0.18	me/l
Sulfate (SO ₄)	610	ppm	12.69	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	9	ppm	0.25	me/l
Bicarbonate (HCO ₃)	366	ppm	6.00	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	300	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1482	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.26			
Sodium	3.99	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.92			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations: 20.79 me/l
 Total anions: 18.94 me/l



By: Shirley Patten

Service Performed

Amount Due

Implication Analysis

\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 7-115

Amount Enclosed

Signed

Permit No. 2063-3

Water Diversion No. 3 Vermillion River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Jerry Adrian


_____ the holder _____ of
Permit No. 2063-3, issued upon Application No. 2063-3, bearing date of priority of August 25, 1976

_____ authorizing the diversion of 1.14 cu. ft. per second of the waters of _____
groundwater (one well) County of Turner, State of South Dakota in
the approximate center of the N $\frac{1}{2}$ NE $\frac{1}{4}$, Section 3 - T98N - R53W

_____, for irrigation

_____ purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 1.11 cu. ft. per second of water.

Date July 9, 1980



JOHN HATCH, Chief Engineer
Water Rights, WMD

WATER LICENSE NO. 2063-3

(1) WHEREAS, On the 11th day of March A. D. 19 74
Jerry Adrian

made Water Right Application No. 2063-3 for a permit to use 1.14 cubic feet per second of the waters
of groundwater (one well)

County of Turner, State of South Dakota, for irrigation

_____ purposes; and

(2) WHEREAS, On the 30th day of September A. D. 19 76

Permit No. 2063-3, with a date of priority of August 25, 1976

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water

supply system therein described on or before the 30th day of September A. D. 19 81 and for the

application to beneficial use of said water on or before the 30th day of September A. D. 19 82

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.03 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,

to irrigate the following lands all in Section 3 - T98N - R53W

ACRES

NW $\frac{1}{4}$ NE $\frac{1}{4}$ 36

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 36

Total 72

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Jerry Adrian

_____ of Sioux Falls, SD

the holder _____ and owner _____ of said permit No. 2063-3 a water right, dating from August 25, 1976

_____ to use of 1.03 cubic feet per second of the waters

of groundwater (one well)

in the County of Turner and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at in the approximate center of the N $\frac{1}{2}$ NE $\frac{1}{4}$,

Section 3 - T98N - R53W

and conducted to and upon _____

portions of land in Section 3, T98N - R53W more fully

described on the face of this License

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2063-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 9th day of July A. D.

Nineteen Hundred and Eighty

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer **JOHN HATCH**

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: NE 1/4 1/4 Section 5 Township 98 Range 53
 Well owner: Jerry Adison (Name) Adison, Fred O. Sr. (Address)
 Date well drilling completed: Aug. 23 Purpose of well: irrigation
 (domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer	Depth to top of water producing aquifer	
<u>0 - 2</u>	<u>Top Soil</u>	<u>2</u>	ft.
<u>2 - 60</u>	<u>Shale & gravel</u>	<u>12</u>	ft.
		Name of producing aquifer (if known)	
		Total depth of drill hole	<u>48</u> ft.
		Depth to bottom of casing	<u>48</u> ft.
Casing information: In the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing, if used.			
<u>22" O.D. Rely Well Casing (Concrete)</u>			
Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.			
<u>22" O.D. Rely Cast. Concrete Screen</u>			
If a flowing well, flow of completed well _____ G.P.M.			

Attach sheet if more space is needed

Empire Drilling Co. Inc.
 Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump: Western Land Reclaim 3" HP: 50
 Type of pump: turbine Capacity of installed pump: 800 G.P.M.
 Depth of pump placement: 35 ft., Date of pump installation: _____

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required. See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed: _____ ft., tube diameter _____, tube material _____.

Empire Irrigation Drilling Co. Inc.
 Name of Pump Installation Contractor

No. 2063-3

Publish first publication, on or before September 16, 1976

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

September 2, 1976

Notice is hereby given that Jerry Adrian

whose post office address is Sioux Falls, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

1.14 cubic feet of water per second of time from ~~the~~ ground water through the

Adrian # 3, the point of diversion of which is to be located in the

Center of the N $\frac{1}{2}$ NE $\frac{1}{4}$

of Section 3, Twp. 98N, Range 53W. Said water to be used for the purpose of providing irrigation on ^{portions of} the following described land:

N $\frac{1}{2}$ NE $\frac{1}{4}$, Section 3, T98N, R53W

This application No. 2063-3 will be considered by the Water Rights Commission at their office at Pierre upon the 29th day of September, 1976, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION
WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

RFJ/bw

cc: Jerry Adrian
Rt. 3, Box 39B
Sioux Falls, S. D. 57107

publish 9/9-16, 1976 etc25

No. 2063-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County TURNER) ss.

I, EARL J. BORMAHN hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the _____

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

NEW ERA of TURNER, S. D.
County of TURNER and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

THURSDAY, SEPTEMBER 9th, 1976

THURSDAY, SEPTEMBER 16th, 1976

EARL J. BORMAHN
(Signature)

OWNER
(Title)

9-3-76
(Date Signed)

No. 2063-3
NOTICE OF INTENT
TO APPROPRIATE WATER
Pierre, South Dakota 57501
September 1, 1976


Notice is hereby given that
Jerry Adrian, whose post office
address is Sioux Falls, South
Dakota, has made an application
in accordance with the provisions
of the water laws of South Dakota
for a permit to appropriate for
beneficial use 1.14 cubic feet of
water per second of time from
ground water through the Adrian
No. 3, the point of diversion of
which is to be located in the
Center of the N¹/₄NE¹/₄ of Section
3, Twp. 93N, Range 53W. Said
water to be used for the purpose
of providing irrigation on portions
of the following described land:
N¹/₄ NE¹/₄ Section 3, T98N,
R53W.

This application No. 2063-3 will
be considered by the Water Rights
Commission at their office at
Pierre upon the 29th day of
September, 1976, at 10:00 A.M.
All interested persons may appear
and be heard.

WATER RIGHTS
COMMISSION

By: Burton F. Jones,
Water Rights Specialist.

BFJ/bw
cc: Jerry Adrian,
Rt. 3, Box 303,
Sioux Falls, S. D. 57107
(2tc—Sept. 9 and 16, 1976)





Department of Water & Natural Resources

Joe Foss Building
Pierre, South Dakota 57501

Water Rights, Water Management Division
(605) 773-3352

133-3, 1773-3, 2062-3, 2063-3, 4122-3

June 24, 1980

Jerry Adrian
RR #3, Box 398
Sioux Falls, SD 57101


Dear Mr. Adrian:

On June 5, 1980, accompanied by Curt Adrian, I made an inspection of the irrigation developed under Permits 1773-3, 2062-3, 2063-3 & 4122-3 so licensing of these Permits can take place.

The N $\frac{1}{2}$ NE $\frac{1}{4}$, Section 34, T99N, R53W included in your Permit No. 4122-3 had a previous Permit No. 133-3 issued to Ernest Larson. In licensing Permit No. 4122-3 we propose to incorporate the applicable portions of Permit No. 133-3 including the earlier priority for the 80 acres, and cancel out Permit No. 133-3. To include Permit No. 133-3, we should have it transferred to your name. Please sign and have the enclosed Form 20 notarized, and return it to this office with the required fee of \$2.50 for the transfer.

Statutes require that we charge \$50.00 for each inspection and issuance of the Water Licenses. Please submit \$200.00 to cover the four Permits and the Water Licenses will be sent to you.

Sincerely,


BURTON F. JONES
Water Rights Specialist

BFJ/gy

encl: Form 20

Equal Opportunity Employer

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 7575

PIERRE, July 1, 1920

RECEIVED OF Jerry I. Adrian, Rt. 3, Box 202, Sioux Falls, SD 57101
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for inspecting Construction, and issuing Cert. of Construction No. <u>2063-3</u>	50	00
Fee for inspecting Beneficial Use, and issuing Water License No. <u>2063-3</u>		
Fee for issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer

JOHN HATCH / JD

Permit No. 2063-3Water Division 3 VERMILLION RIVER Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD /POSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by JERRY
ADRIAN of SIOUX FALLS holder
 of Permit No. 2063-3, bearing date of priority of AUGUST 25, 1976
 authorizing the diversion of 1.14 cu. ft. per second of the waters of GROUNDWATER
 for IRRIGATION purposes, in TURNER County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

49' DEEP WELL WITH 14" STEEL CASING - 10' SS SCREEN
 WESTERN LAND ROLLER 8" PUMP
 POWERED BY 60HP US ELECTRIC MOTOR

B. Works used to transport water to place of use,

TOTAL OF 1320' OF 6" BURIED PLASTIC LINE - 660' TO
 CENTER OF EACH PIVOT PAD.

C. Works used to apply water to beneficial use.

3 TOWER VALLEY CENTER PIVOT SYSTEM WITH
 # 200 END GUN

The system is in the following condition: GOOD

The point of diversion is located IN THE CENTER OF THE N2NE4,
SECTION 3, T98N, R53W

The works are capable of diverting and conveying to the place of use 1.11 (500 GPM)

cu. ft. per second of water which is to be used for _____

Water has been put to beneficial use to the maximum extent as follows: ALL IN SECTION 3, T98N, R53WNW4-NE4 36 ACRESNE4-NE4 36 ACREScomprising a total of 72 acres of land. 1.03

Date

JUNE 5, 1980

Burtin Jones
 (Signature)

4-2063-3
#4122-3

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Jerry L. Adrian
Rt. 3, Box 106
Sioux Falls, SD 57101

Dear Mr. Adrian:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;



Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Fowar, Water Rights Engineer (605-773-3352).

Very truly yours,

John Hatch
for JOHN HATCH, Chief Engineer
Water Rights Division



2063-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 30, 1996

NOTICE**TO:** JERRY L ADRIAN, RT 3 BOX 106, SIOUX FALLS, SD 57101 9620**FROM:** Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program**SUBJECT:** Violation of Water Permit No(s) 4694-3, 1773-3, 2062-3, 2063-3 & 4122-3 and 1995 Irrigation Questionnaire Requirements

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 4694-3, 1773-3, 2062-3, 2063-3 & 4122-3. The request for the Questionnaires was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 1773-3, 2062-3, 2063-3 & 4122-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4694-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4694-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1773-3, 2062-3, 2063-3 & 4122-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2063-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 12, 1996

Jerry Adrian
27217 473rd Ave
Sioux Falls, SD 57106

RE: Water Permit Nos. 1773-3, 2062-3, 2063-3, 4122-3 and 4694-3

Dear Mr. Adrian:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996. Notice of Violation of Water Permit and Violation of the Requirement to Submit the 1995 Irrigation Questionnaires.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.


If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

Map # 1467-3
UL 2063-3

NOT TO SCALE





DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

No. 2062-3
2063-3

August 6, 2015

Curt Adrian, Mgr
45572 279th St
Parker SD 57053

Dear Mr. Adrian:

On Tuesday, August 4, 2015, a staff member from the Department of Environment and Natural Resources (DENR) observed overspray had recently occurred from either the irrigation system located in the SE 1/4 Section 34-T99N-R53W or the NE 1/4 Section 3-T98N-R53W onto the road (see attached photo). These irrigation systems are covered by Water Right Nos. 2062-3 and 2063-2 which are held in the name of Jerry Adrian with you listed as the manager.

It is common for center pivots to have stops which are used to shut off the end gun when the pivot nears a road. Please take steps to insure end gun stops are functioning properly so there is not direct overspray on to the road.

A water right holder is not allowed to operate an irrigation system in violation of state water law, which includes end gun overspray upon land not authorized by the water right. Continued overspray can result in DENR taking enforcement action.

If you don't believe this irrigation system is causing the overspray, or if you have any questions, please contact me at (605) 773-3352 or by email at eric.gronlund@state.sd.us.


Thank you for your cooperation,

Eric Gronlund
Water Rights Program, DENR
605 773-3352

enclosure

c: Jerry Adrian, 27217 473rd Ave, Sioux Falls SD 57106

Photo of road at ? point
4 Aug. 2015, 6:21 PM

A photograph of a gravel road, likely a construction or maintenance site. The road is composed of reddish-brown gravel and stretches into the distance. In the foreground, a long, dark shadow of a person is cast onto the road, indicating the sun is low in the sky. In the distance, a dark-colored car is visible on the road. The road is flanked by green grass and vegetation. The text "Photo of road at ? point" and "4 Aug. 2015, 6:21 PM" is overlaid in the top left corner.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 5, 2016

No. 2063-3

Marion Rus
3283 Dogwood Ave
Rock Valley IA 51247

Dear Mr Rus:

Enclosed is a partially completed "Notice of Transfer" form for use in filing an ownership change on Water Right No. 2063-3. The water right is currently listed in the name of Jerry Adrian.

The transfer form should be checked over for accuracy and **signed by the new owner.** Upon completion, return the form to our office with a required filing fee of \$50.00.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a water permit or water right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact Genny McMath.

Sincerely,

Karen Schlaak
Water Rights Program
605 773-3352
email: karen.schlaak@state.sd.us

enclosure

RECEIVED
FEB 10 2016
WATER RIGHTS
PROGRAM

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 2063-3

Date: _____

I/We request that Water Right/Permit No. 2063-3

formerly owned by: Jerry Adrian

be transferred to: (name & address) Marion Rus, 3283 Dogwood Ave, Rock Valley IA 51247

or Rus Farms Realstate Inc

Telephone No. 712-540-2134

Title to the following described land(s)/property has been transferred as described above:


N 1/2 NE 1/4 Section 3-T98 N-R53W

I/We understand that the validity of Water Right/Permit No. 2063-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We _____, the new owner, certify that the above information is true and correct.



(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 2/10, 20 16

RECEIVED OF Rus Farms Inc 3283 Dogwood Ave Rock Valley IA 51247

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>2063-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. 07751

By Jeanne Gooden
Chief Engineer



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 10, 2016

2063-3

Marion Rus
Rus Farms Real Estate Inc
3283 Dogwood Ave
Rock Valley IA 51247

Dear Mr. Rus:

I am writing to acknowledge receipt of the transfer form and filing fee you submitted for changing ownership on Water Right No. 2063-3.

The ownership change has been completed. Water Right No. 2063-3 formerly held by Jerry Adrian is now listed in your name.

Enclosed for your records is Receipt No. 07751 in the amount of \$50. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure



2063-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2017

NOTICE

TO: MARION RUS, RUS FARMS REAL ESTATE INC, 3283 DOGWOOD AVE, ROCK VALLEY, IA 51247

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2016 Irrigation Questionnaire(s)

Our records indicate your 2016 Irrigation Questionnaire has not been submitted for Permit No(s) 2063-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 21, 2016. The Water Management Board has directed that owners of water permits who have not submitted the 2016 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 1, 2017 at 11:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2063-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 1, 2017** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

English

Customer Service

USPS Mobile

Register / Sign In



USPS Tracking®

Still Have Questions?

Browse our FAQs »



Get Easy Tracking Updates »
Sign up for My USPS.

Tracking Number: 70033110000374613311

Product & Tracking Information

Postal Product:

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 24, 2017, 9:11 am	Delivered	ROCK VALLEY, IA 51247

Your item was delivered at 9:11 am on January 24, 2017 in ROCK VALLEY, IA 51247.

January 23, 2017, 1:26 pm	Notice Left (No Authorized Recipient Available)	ROCK VALLEY, IA 51247
January 23, 2017, 8:29 am	Out for Delivery	ROCK VALLEY, IA 51247
January 23, 2017, 8:19 am	Sorting Complete	ROCK VALLEY, IA 51247
January 23, 2017, 7:27 am	Arrived at Unit	ROCK VALLEY, IA 51247
January 23, 2017, 3:15 am	Departed USPS Origin Facility	SIOUX FALLS, SD 57104
January 21, 2017, 3:30 pm	Arrived at USPS Origin Facility	SIOUX FALLS, SD 57104
January 20, 2017, 9:19 pm	Arrived at USPS Origin Facility	HURON, SD 57399
January 20, 2017, 6:33 pm	Departed Post Office	PIERRE, SD 57501
January 20, 2017, 2:16 pm	Acceptance	PIERRE, SD 57501

Track Another Package

Tracking (or receipt) number

U.S. Postal Service™

CERTIFIED MAIL™ RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Track

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Delivered
1-24-17
Postmark
Here

MARION RUS
RUS FARMS REAL ESTATE INC
3283 DOGWOOD AVE
ROCK VALLEY IA 51247



2063-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

March 2, 2017

NOTICE OF ENTRY OF ORDER TO AMEND WATER RIGHT

TO: Marion Rus, Rus Farms Real Estate, Inc., 3283 Dogwood Ave, Rock Valley
IA 52147

FROM: Jeanne Goodman, Chief Engineer
Water Rights Program 

SUBJECT: Amendment to Water Right No. 2063-3

On March 1, 2017, the Water Management Board amended Water Right No. 2063-3 to add the following qualification:

"This water right is subject to the Irrigation Water Use Questionnaire being submitted each year."

This action was taken for your failure to return the 2016 irrigation questionnaire. The addition of this qualification to your water right means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water right with no use of water for up to one year for the first violation.

Please contact Genny McMath (605) 773-3352, if you have any questions.

2063-3

USPS Tracking®

Still Have Questions?
Browse our FAQs »



Get Easy Tracking Updates »
Sign up for My USPS.

Tracking Number: 70132250000134944683

Product & Tracking Information

Postal Product:

Features:
Certified Mail™

DATE & TIME

March 7, 2017 , 12:13 pm

STATUS OF ITEM

Delivered, Left with
Individual

LOCATION

ROCK VALLEY, IA 51247

Available Actions

Text Updates

Email Updates

Your item was delivered to an individual at the address at 12:13 pm on March 7, 2017 in ROCK VALLEY, IA 51247.

March 4, 2017 , 1:48 pm	Notice Left (No Authorized Recipient Available)	ROCK VALLEY, IA 51247
March 4, 2017 , 7:10 am	Arrived at Unit	ROCK VALLEY, IA 51247
March 4, 2017 , 1:50 am	Departed USPS Facility	SIOUX FALLS, SD 57104
March 3, 2017 , 1:18 pm	Arrived at USPS Facility	SIOUX FALLS, SD 57104
March 2, 2017 , 9:57 pm	Arrived at USPS Origin Facility	HURON, SD 57399
March 2, 2017 , 6:28 pm	Departed Post Office	PIERRE, SD 57501
March 2, 2017 , 3:30 pm	Acceptance	PIERRE, SD 57501

Track Another Package

Tracking (or receipt) number

HELPFUL LINKS

Contact Us
Site Index
FAQs

ON ABOUT.USPS.COM

About USPS Home
Newsroom
USPS Service Updates
Forms & Publications
Government Services
Careers

7013 2250 0001 3494 4683

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com**OFFICIAL USE**

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Postmark
Here

MARION RUS
RUS FARMS REAL ESTATE INC
3283 DOGWOOD AVE
ROCK VALLEY IA 52147

PS Form 3800, August 2006

See Reverse for Instructions



2063-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

March 22, 2017

2063-3

Paul Petersen
45610 282nd St
Hurley SD 57036

Dear Mr. Petersen:

I am writing in follow-up to our phone conversation concerning Water Right No. 2063-3 held by Rus Farms Real Estate Inc. Mr. Rus notified us this week that you farm the land for him. I have included a copy of the water right for your records.

Also enclosed is the 2016 irrigation questionnaire pertaining to the land described in the water right. I am hopeful you still have the information for last season and can complete the form. Once completed, please return the questionnaire to our office.

Mr. Rus has requested future irrigation questionnaires for his water right be sent directly to you. Thank you in advance for your assistance.

If I can answer any questions for you, please let me know.

Sincerely,


Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

January 22, 2021

NOTICE

TO: PAUL PETERSEN, 45610 282ND ST, HURLEY, SD 57036

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2020 Irrigation Questionnaires

Our records indicate your 2020 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2020. The Water Management Board has directed that owners of water permits who have not submitted the 2020 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 121-3A, 199-3, 289-3, 3411-3, 1773-3, 3632-3, 3633-3 & 3648-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 164-3, 2053-3, 2852-3, 3906A-3, 5261-3, 5373-3, 5555-3, 6221-3 & 7588-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 3, 2021 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 164-3, 2053-3, 2852-3, 3906A-3, 5261-3, 5373-3, 5555-3, 6221-3 & 7588-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 121-3A, 199-3, 289-3, 3411-3, 1773-3, 3632-3, 3633-3 & 3648-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 3, 2021** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: XTHTSS**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

-----2053-3-----
2063-3



DENR
SOUTH DAKOTA

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
denr.sd.gov

February 2, 2021

Paul Petersen Farms
45610 282nd St
Hurley SD 57036

RE: Water Permit or Right Nos. 121-3A, 164-3, 199-3, 289-3, 1773-3, 2053-3, 2852-3, 3411-3, 3632-3, 3633-3, 3648-3, 3906A-3, 5261-3, 5373-3, 5555-3, 6221-3 & 7588-3

Dear Mr. Petersen:

I am writing to acknowledge receipt of your 2020 irrigation questionnaires.

You may disregard the January 22, 2021, "Notice" concerning reporting requirements for the above listed water permits and rights. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us