

Water Right Number 2144-3

1. Considered 3-24, 19 77
2. Name of Applicant JAN GROSE
3. Post Office Address DELMONT
4. Amount of Water claimed 2.00
5. Source of Water supply 70' WELL
6. Water to be used for IRR
Acres to be irrigated 140.0
7. Water to be diverted and used in DOUGLAS County
about 12N, 2 1/2 E miles of WAGNER
8. Proof of Publication
Received 1st 3-25-77
Not Received _____
9. Application
Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

No. 2144-3Map No. 1538-3 Water Division No. 3 MISSOURI RIVER

(Blanks to be Filled by the Engineer for the W. R. C.)

District 29 1974WATER RIGHTS COMMISSION
SOUTH DAKOTA

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE-Draw a line through items not applicable)

1. Name of Applicant JAN GROZ
Postoffice address DELMONT, State SOUTH DAKOTA
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) _____
3. Name of diversion work JAN GROZ NO. 1
4. Amount of water claimed (cubic feet per second) 2
5. Source of water supply DUGOUT - WELL
6. Location of point of diversion NEAR CENTER OF NW 1/4 - 31-98-62 - CR.
SW CORNER OF NW 1/4 - 31-98-62
- County DOUGLAS
7. Annual period or periods during which water is to be used Apr 1 - Nov. 1
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) IRRIGATION
9. For irrigation use, Total number of acres to be irrigated 140

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>NW 1/4 - 31-98-62</u>	<u>140</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication DELMONT RECORD
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

ELECTRIC PUMPS

B. Works proposed to transport water to place of use.

IRRIGATION PIPE

C. Works proposed to apply water to beneficial use.

SPRINKLEREstimated Total Cost \$40,000.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

) ss.

County of Douglas)

I, Jan. Groz the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction

Signed Jan. GrozSubscribed and sworn to before me this 27th day of November, 1974

Edna B. Bice
Notary Public (or other qualified officer)
Commission expires 11/75

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2144-3
JAN GROSZ DELMONT
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57330 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application NOVEMBER 29 19 74
 Date of return to applicant for correction, amendments or changes required NOVEMBER 29 19 74
 Date of receipt of corrected application JANUARY 6 19 75
 Approved MARCH 24 19 77, Recorded in Book 17 Page 299

WATER RIGHT PERMIT NO. 2144-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2144-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is NOVEMBER 29 19 74
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 24 19 78
3. The whole of said work is to be completed on or before MARCH 24 19 79
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 24 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 5 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 24 19 81; said water to be used during the following described annual period: APRIL 1 - NOVEMBER 1

Witness my hand this 18TH day of APRIL 19 77

WATER RIGHTS COMMISSION

By:

John H. H. H.
 Chief Engineer, Executive Officer

Certificate of Construction Issued May 5 19 78

Water License Issued May 5 19 80

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 36", Depth 70'
- (2) Casing, Type CONCRETE, Diameter 24" Thickness 2"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type CONCRETE, Diameter 24", Length 30'
- (4) Gravel Pack, Thickness 5", Length of gravel pack 20'

E. Dugout Information or Estimates.

- (1) Surface dimensions 175' x 150', Depth 20'

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials GRAVEL & SAND

Depth to top of water bearing material 10'

Depth to bottom of water bearing material 70'

Thickness of water bearing material 70'

Depth to water (ground surface to water level) 10'

- (2) Distance to nearest existing household or livestock watering wells.

~~On same owner's property~~ 0 rds. On property owned by others 50 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

[Signature]
Signature of Applicant

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SPC 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: W. J. N. N. N.

Disapproved: _____

NAME: JAN GROSZ

ADDRESS: DELMONT S.D. 57330

COUNTY: DOUGLAS

LEGAL DESCRIPTION

1. WELL LOCATION: CENTER OF NW 1/4 31-98-62 or SW corner of NW 1/4 31-98-62

2. AREA TO BE IRRIGATED: app 140 acres

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): ✓ Sprinkler

4. CROPS TO BE IRRIGATED: Corn - alfalfa -

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: Nearly level (0% slope)

6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: 1/2 the area is Barre
loam, remainder is Sioux Falls sandy loam

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 74-995

8. SALINITY: EC = 884 micromhos/cm (medium - high)

9. SODIUM: SAR = 0.30 (low)

No. 74-995
water sample

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Subscribed and sworn before me this

19 day of Dec 1974.

W. C. Mangel

Notary Public

(Title)

7-1-87-17
11-1-87-17

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Jim Gross
Address: Belmont, SD 571330

Date Rec'd: February 9, 1974
Sample No.: 71-995
Identification: 71-40'
Box, Sec. 36, T 98N, R 6E

WATER ANALYSIS

Calcium (Ca)	140	ppm*	7.00	me/l**
Magnesium (Mg)	51	ppm	4.18	me/l
Sodium (Na)	16	ppm	0.72	me/l
Potassium (K)	6	ppm	0.17	me/l
Sulfate (SO ₄)	212	ppm	4.41	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	6	ppm	0.18	me/l
Bicarbonate (HCO ₃)	337	ppm	5.52	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	276	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	584	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.30			
Sodium	5.96	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.30			
Others:				

*ppm=parts per million

***g.p.g.=grains per gallon

**me/l=milliequivalents per liter

COMMENTS: Total cations 10.07 me/l
Total anions 10.10 me/l

By: Shirley Johnson

Service Performed	Amount Due
Irrigation Analysis	\$6.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 71-225

Amount Enclosed \$

Signed

December 31, 1974

Mr. Jan Grosz
Pelmont, SD 57330

Dear Mr. Grosz:

Your WI-1 form has now been received. We are sending it along with a copy of this letter and a copy of the water analysis to the State Conservation Commission in Pierre.

The water quality which you have is satisfactory for irrigating the soils which you designate on your WI-1 form. There is a moderate amount of total salinity but the salt which it contains is low in sodium so there may be a slight tendency for salts to accumulate at times, but there should be no sodium problem with soil dispersion and loss of physical tilth.

I am enclosing a copy of Extension Circular 654 with the approximate quality of your water designated by an encircled red cross on the back cover. Please read this Circular and be guided by it.

I wish you success in your irrigation venture.

Sincerely yours,

L. G. Fine
L. G. Fine
Water Quality Lab

LOF:111
Enclosure

CC: State Conservation Commission
Norman Talkamp, Douglas County Agent
Darrel Pahl



STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2144-3

(1) WHEREAS, On the 29th day of November A. D. 19 74
Jan Grosz

made Water Right Application No. 2144-3 for a permit to use 2.0 cubic feet per second of the waters of groundwater (one well)

County of Douglas, State of South Dakota, for Irrigation

purposes; and

(2) WHEREAS, On the 24th day of March A. D. 19 77

Permit No. 2144-3, with a date of priority of November 29, 1974

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 24th day of March A. D. 19 79 and for the application to beneficial use of said water on or before the 24th day of March A. D. 19 81

and;

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.67 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate portions of the following lands all in Section 31 - T98N - R62W

acres

NW $\frac{1}{4}$ NW $\frac{1}{4}$ 32

NE $\frac{1}{4}$ NW $\frac{1}{4}$ 32

SW $\frac{1}{4}$ NW $\frac{1}{4}$ 32

SE $\frac{1}{4}$ NW $\frac{1}{4}$ 32

128 total acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Jan Grosz

of Deimont, SD
the holder and owner of said permit No. 2144-3 a water right, dating from November 29, 1974
to use of 1.67 cubic feet per second of the waters
of groundwater (one well)
in the County of Douglas and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 420 ft. east and 50 ft. north of W $\frac{1}{2}$ Corner
of Section 31 - T98N - R6W

and conduct to and upon portions of land in the NW $\frac{1}{4}$, Section 31 - T98N - R62W, more fully
described on the face of this License

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2144-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 5th day of May A. D.
Nineteen Hundred and Eighty

Board of Water Management

By:

John Hatch
Chief Engineer

JOHN HATCH

Permit No. 2144-3

Water Diversion No. 3 Missouri River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Jan Grosz

_____ the holder _____ of
Permit No. 2144-3, issued upon Application No. 2144-3, bearing date of priority of November 29,
1974 authorizing the diversion of 2.0 cu. ft. per second of the waters of _____
groundwater (one well) County of Douglas, State of South Dakota at _____
a point 420 ft. east and 50 ft. north of W $\frac{1}{2}$ corner of Section 31 - T98N - R62W

_____, for Irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 1.67 cu. ft. per second of water

Date May 5, 1980

John Hatch
JOHN HATCH, Chief Engineer
Water Rights, WND

No. 2144-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Douglas) ss.

I, Maynard H. Gochung hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Delmont Record

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Delmont
County of Douglas and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 16 & 17th 1977

Maynard H. Gochung
(Signature)

owner

(Title)

March 16, 1977

(Date Signed)

NOTICE
INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501

March 4, 1977

Notice is hereby given that Jan
Grosz whose post office address
is Delmont, South Dakota, has
made an application in accor-
dance with the provisions of the
water laws of South Dakota for a
permit to appropriate for bene-
ficial use 2.0 cubic feet of water
per second of time from ground
water through the Jan Grosz
No. 1, the point of diversion of
which is to be located in the
Near center of NW1/4 or SW
Corner of NW1/4 of Section 31,
Twp. 98N, Range 62W. Said water
to be used for the purpose of pro-
viding irrigation on portions of
the following described land:

NW1/4, Section 31, T98N, 62W.
This application No. 2144-3
will be considered by the Water
Rights Commission at their office
at Pierre upon the 24th day of
March, 1977, at 11:00 A.M. All
interested persons may appear
and be heard.

WATER RIGHTS COMMISSION

By: JAMES WINTERTON
Water Rights Specialist



No 2144-3

Publish first publication, on or before March 10, 1977

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

~~March 4~~ 1977

Notice is hereby given that Jan Grosz

whose post office address is Delmont, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.0 cubic feet of water per second of time from the ground water through the

Jan Grosz No. 1, the point of diversion of which is to be located in the

Near center of NW $\frac{1}{4}$ or SW Corner of NW $\frac{1}{4}$

of Section 31, Twp. 98N, Range 62W. Said water to be used for the purpose of providing irrigation on ^{portions of} the following described land:

NW $\frac{1}{4}$, Section 31, T98N, R62W

This application No. 2144-3 will be considered by the Water Rights Commission at their office at Pierre upon the 24th day of March, 1977, at 11:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

JAMES WINTERSTON
Water Rights Specialist

BFJ/bv

cc: Jan Grosz, Delmont, S.D. 57330

January 14, 1975

Miss Jan Grosz
Delmont
South Dakota 57330

Dear Miss Grosz:

Your Water Right Application No. 2144-3 to divert up to 2.0 cubic feet per second of water to irrigate up to 140 acres of land will be considered by the Water Rights Commission at 3:30 P.M., on January 22, 1975 at its office in Pierre, South Dakota.

Enclosed for your information is a copy of the report of the Commission Staff pertaining to this water right application and to other applications proposing to irrigate using water from a shallow aquifer near Delmont. You will note that the recommendation of the Commission Staff is that your Water Right Application No. 2144-3 be placed in a temporary deferred status before the notice of the proposed appropriation of water is advertised.

If you have any questions please let me know.

Sincerely,

DONALD DRISCOLL
Chief Engineer
WATER RIGHTS COMMISSION

DD/ow

Encl: As stated

NEW WATER RIGHT APPLICATIONS--SHALLOW AQUIFER NEAR DELMONT

The attached sketch map is a worked over portion of a map used when Water Right Applications No. 1805-3 and 1895-3 were being considered by the Water Resources Commission at its January 1973 meeting.

The sketch map shows the outline of a portion of this shallow aquifer as mapped by the U.S. Geological Survey. The brown contour lines show the thickness of the sands and gravels as mapped by the U.S.G.S. The saturated thickness is 6 to 15 feet less than the contour thickness indicated. These contours are a generalization and the depth at a specific location may vary greatly from that shown by the contour line. The water table slopes downward towards the south. The drop in the slope of the water table is about six feet per mile in the main body of the aquifer. The depth of this shallow aquifer varies between 0 and 50 feet.

This shallow aquifer is underlain, in part at least, by a much larger and deeper aquifer (100 to 250+ feet deep). This larger aquifer is under artesian pressure. There are 18 permits authorizing irrigation from this deeper aquifer, five deferred applications and five applications pending, or received, since the November 1974 Commission meeting.

The red circles indicate the location of wells owned by those people who in March 1971 had expressed their concern that additional irrigation from this shallow aquifer could deplete the water supply to less than the amount needed. Before this time 99 acres of land were being irrigated under Water Permit No. 1746-3. These domestic wells are all large diameter wells--15 inches or larger in diameter. These wells vary in depth from 12 through 16 feet. The Commission staff believes that some of these wells do not extend to the bottom of the shallow aquifer. The black circles indicate the locations and depths of some other domestic wells in the area. The orange triangles represent observation wells or test holes placed by the Water Resources Commission and the figure indicates the depth to the bottom of the shallow aquifer at that location.

As shown on the sketch map three areas are now being irrigated from this shallow aquifer. Following are data pertaining to this irrigation.

Permit No.	Approval Date	Application Amt.		Approved Amt.		Developed Amt.	
		Acres	Diversion	Acres	Diversion	Acres	Diversion
1746-3	5/20/71	120	1.71 cfs	120	1.71 cfs	99	1.5 cfs
1805-3	1/24/73	320	4.48	160	2.28	133	1.9
1895-3	1/24/73	240	3.43	240	2.50	150	1.9

All of these permits contained qualifications to protect the domestic well owners.

On September 12, 1973, Water Right Application No. 2010-3 was approved authorizing the diversion of 2.22 cfs of water from this shallow aquifer for fish culture purposes. Theoretically this is to be a non-consumptive use of water. This diversion of water actually first started last month, December 1974. This well is located approximately 100 feet from observation well No. C-1 and diversions under Water Permit No. 2010-3 will change the C-1 observation well readings.


Since the November 1974 meeting of the Commission, four water right applications proposing irrigation from this shallow aquifer have been received as shown below.

<u>Number</u>	<u>Priority</u>	<u>Proposed Acreage</u>	<u>Proposed Diversion Rate</u>	<u>Estimated Depth of Well</u>	<u>Distance to Nearest Well</u>
2143-3	11/27/74	220	3.14 cfs	70'	80 rds.
2144-3	11/29/74	140	2.0	70'	80 rds.
2145-3	11/29/74	160	2.28	50-90'	120 rds.
2163-3	12/10/74	154	2.20	51'	240 rds.

Water Right Application No. 2163-3 is within the area previously covered by Water Permit No. 1665-3. Water Permit No. 1665-3 for 347 acres was cancelled on May 15, 1974, for non-construction during the five-year period. The locations of these proposed irrigation developments are shown on the sketch map. There are indications that there will be a number of additional water right applications received proposing irrigation from this shallow aquifer.


Observation well C-1 has been a key observation well. It was drilled in 1957 and tests since then have indicated the well was always functioning as an excellent observation well. Below is a graph of the well measurements made since 1958. Note the periods of different levels, especially the high levels during the 1962-1966 period.

Observation Well C-1: Graph of Annual Water Level Measurements



Of course the drop in 1975 is due to the pumping under Water Permit No. 2010-3. However the drop between June and November was 1.7 feet. This drop may be caused, in part, by irrigation in the area.

Well JS is a domestic well located about $\frac{1}{4}$ mile from the first irrigation well. Since 1971 this well has been measured as an observation well. Below is a graph showing the measurements of this well during the second half of the last four years.



The levels are lower in 1974. The staff believes this would be true even without irrigation, but irrigation is probably a factor to some extent.

Below are shown the depths of water in most of the domestic wells as measured during one day in 1971 and one day in 1975.

	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>	<u>E</u>	<u>F</u>	<u>G</u>
Depth of well	16.1'	16.1'	12.3'	12.2'	12.1'	13.0'	15.1'
Depth of water 9/3/71	4.3	4.3	3.4	5.1	3.0	3.1	4.1
Depth of water 1/7/75	4.3	3.1?		4.0?	3.6	3.2	3.6

Measurements of the depth of water in these wells were not made during 1973. However the measurements made on domestic well JS during 1973 show a greater depth of water in 1973 and no doubt the other domestic wells in the area also had a greater depth of water in 1973 as compared to 1974.

Below are shown the 1972, 1973, and 1974 fall measurements of five Water Rights Commission observation wells tapping this shallow aquifer in this area.

<u>Year</u>	<u>D72F</u>	<u>C-1</u>	<u>D72G</u>	<u>C72I</u>	<u>C691</u>
1972	8.0'	13.1'	7.9'	4.9'	6.0'
1973	8.8	13.4	7.6	4.5	5.7
1974	9.8	15.3	9.3	5.9	6.9
Drop from 1973 to 1974	1.0	1.9	1.7	1.4	1.2


The wells nearest the irrigation area show a slightly greater drop from 1973 to 1974.

The Commission staff would prefer to learn more about the effects of the existing irrigation, effects of withdrawals under Water Permit No. 2010-3 and would prefer that precipitation resulting in higher water tables would occur before consideration by the Commission of Water Right Applications No. 2143-3, 2144-3, and 2145-3. However the conditions near the irrigation proposed in

Water Right Application No. 2163-3, including depth of aquifer, location of domestic wells and location of other irrigation wells are such that there is really no reason why consideration of this application should be deferred.

The recommendations of the Commission staff are:

1. That Water Right Applications 2143-3, 2144-3 and 2145-3 be placed in a temporary deferred status before the notices of the proposed appropriation of water are advertised;
2. That the notice of the proposed appropriation of water as proposed in Water Right Application No. 2163-3 be advertised for public hearing at the next meeting of the Commission.



Form 10.

No. 2144-3



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Delmont

Date 9-2-1977

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2144-3

Water Right Permit No. 2144-3 states that the diversion system is to be constructed by _____, 19____ and that the water is to be put to beneficial use by _____, 19____.

The diversion system was completed on June, 1977.
Applying the water to beneficial use was completed on June, 1977.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Jan. Groz
(Signature)

21443 Jan Gross

5-21-79 Well Sept 42 ft 13 in 114

II Pumping 750 gpm Capacity 750 gpm

C.P. Value 4271, P# 20915

8" Hub-Land 1000 ft CP

Est 127 cc. 1000 ft 1000 ft

Misc - 85 cc 1000 ft 1000 ft

I.D. # R 9991-00-120 1210988 3

Pumps - 2 units 1000 ft

Line 12", 3-stage Imp Dia A

No. 138 7509725X

Well # N 1 420 E. 1/2 Sec 10

Q15

Permit No. 2144-3Water Division 3 Missouri River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by Jan Gross
 of Deimont, South Dakota. 57330 holder
 of Permit No. 2144-3, bearing date of priority of November 29, 1974
 authorizing the diversion of 2.0 cu. ft. per second of the waters of one well
 for Irrigation purposes, in Douglas County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:
 Motor - USElec. IP⁴R 9991-00 130 R21095885, 100HP 1770 RPM
 Pump - Fairbanks Morse, Ser # N3B2809725-X.
 Size 12", 3 stage. pumping 750 gpm.

B. Works used to transport water to place of use,

1500 ft 8" PVC Pipe

C. Works used to apply water to beneficial use.

Valley Center Pivot, Model 4271, Ser # 20915The system is in the following condition: Good

The point of diversion is located 420 ft E & 50 ft N of the NW¹/₄ Cor of
Sec. 31, T98N R62W

The works are capable of diverting and conveying to the place of use 1.67
 cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: All in Sec. 31, T98N R62W
NW¹/₄ NW¹/₄ - 32 Ac. NE¹/₄ NW¹/₄ - 32 Ac. SW¹/₄ NW¹/₄ - 32 Ac.
SE¹/₄ NW¹/₄ - 32 Ac.

comprising a total of 128 acres of land.

Well Data:

Depth 42 ft.
 Static 11 ft.
 Pumping 750 gpm
 Capacity 750 gpm

pumping for 1.67 cfs.

Date August 21, 1978
Leroy J. McLaugh
 (Signature)

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

N^o 4 7467

PIERRE, APRIL 21 1910

RECEIVED OF JOHN GROSS, Delinquent SF 57330

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for inspecting Construction, and issuing Cert. of Construction No. <u>2144-3</u>	50	0
Fee for inspecting Beneficial Use, and issuing Water License No. <u>2144-7</u>		
Fee for issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH

**Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1987

Jan Grosz c/o John Fink
Rt. 1, Box 41
Delmont, SD 57330

Dear Mr. Fink:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division



January 30, 1996

NOTICE

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

TO: JAN GROSZ %JOHN FINK, RT 1, BOX 41, DELMONT, SD 57330

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Requirement to Submit 1995 Irrigation Questionnaire

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 2144-3. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:45 am, March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2144-3 to require the Irrigation Water Use Questionnaire to be submitted each year.
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996 your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

SEND:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

JOHN FINK, OPERATOR
RR BOX 41
DELMONT SD 57330

4a. Article Number

2348 3/8 921

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

1-31-96

5. Received By: (Print Name)

J. John Fink

6. Signature: (Addressee or Agent)

X John Fink

8. Addressee's Address (Only if requested and fee is paid)

2144-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 31, 1996

2144-3

4535-3

John Fink
RR 1 Box 41
Delmont, SD 57330

Dear Mr. Fink:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, Notices for "Violation of the Requirement to Submit the 1995 Irrigation Questionnaire" and "Violation of Water Permit No. 4535-3."

I completed questionnaires for you based on our January 31, 1996 telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352

c: Elsie Sanders, 3633 Midway Avenue, Grants Pass, OR 97527



2144-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: JOHN FINK, OPERATOR, 39973 285TH ST, DELMONT, SD 57330 5906

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire has not been submitted for Permit No(s) 2144-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 3, 2004, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2144-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 27, 2004**, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2144-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 8312

Your item was delivered at 5:58 am on February 03, 2004 in PIERRE, SD 57501 to CENTRAL MAIL SERVICE. The item was signed for by B KELLY.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

Returned by P.O.

SIGNATURE CONFIRMATION NUMBER:
2144 3460 0000 8515 8312

JOHN FINK, OPERATOR
39973 285TH ST
DELMONT SD 57330 5906

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

before mailing.

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services

2144-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 3, 2004

NOTICE

TO: John Fink, 39973 285th St, Delmont SD 57330-5906

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Division

SUBJECT: Unclaimed Certified Mail Concerning Violation of Water Right No. 2144-3

The attached notice was sent with "Signature Confirmation" requested. The post office has returned the envelope to our office marked "unclaimed". The envelope indicated the post office notified you January 15th and January 20th to pick up and sign for the mail.

If you have any questions, please contact Genny McMath, (605) 773-3352.

enclosure

CERTIFICATION

I hereby certify that on February 3, 2004 , I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated February 3, 2004 regarding Notice of Unclaimed Certified Mail Concerning Violation Water Right # 2144-3 addressed as stated below:

John Fink
39973 285th St
Delmont SD 57330-5906




Eric Gronlund
Natural Resource Engineer
Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 7th day of February, 2004.



Karen Schlaak
Notary Public
My Commission expires April 1, 2007



WATER RIGHTS PROGRAM -- FILE DOCUMENTATION

NAME & ADDRESS: John Fink, Delmont, SD

DATE: February 5, 2004

RE: irrigation questionnaire for Water Right No. 2144-3

COMMENTS:


Mr. Fink called after receiving the notice involving the 2003 irrigation questionnaire. He indicated he no longer farms the land and we need to contact Tad Kaufman.

February 18, 2004:

Spoke with Tad Kaufman – he confirmed that he farms the land. During our conversation, I obtained the irrigation questionnaire information from him for 2003.

He would like a copy of the water right sent to him. We discussed future irrigation questionnaires being directed to his attention.

Mail to: Tad Kaufman
28235 398th Ave
Delmont SD 57330



Genny McMath
Environmental Scientist



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 18, 2004

2144-3

Tad Kaufman
28235 398th Ave
Delmont SD 57330

Dear Mr. Kaufman:

Thank you for visiting with me concerning last year's irrigation records for Water Right No. 2144-3. I am enclosing a copy of the water right, map and the past two year's irrigation questionnaires as submitted by John Fink.

Each October, our office sends out the annual irrigation questionnaire to all irrigators in South Dakota with the exception of those with water spreading systems. The information supplied each year is one of the tools we use to help manage the water resources of the state. The questionnaires are typically due back in our office by December 1st.

If I can answer any questions for you concerning the water right, please let me know.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

2144-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 17, 2019

2144-3

Scott Redd
7227 W 35th St
Sioux Falls SD 57106

Dear Mr. Redd:

Thank you for calling me back about Water Right No. 2144-3, listed in the name of Jan Grosz. Since ownership has changed, the water right should be transferred.

Enclosed is a partially completed Notice of Transfer of Ownership form for filing an ownership change. Upon completion, please sign the form and return it to our office with a required filing fee of **\$50.00**. The check or money order for the fee can be made payable to the Water Rights Program.

I have also included a copy of the water right for your records. If you aren't one to keep paper copies of things, you can look up the water right on our website at any time you want. You can find the entire administrative record by following the link:

<https://denr.sd.gov/des/wr/wr.aspx>

Once you get to the site, on the left hand side of the page you will see a tab marked "databases". From there you should be able to navigate to the water rights database.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



2144-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 25, 2019

NOTICE

TO: TAD KAUFMAN, OPERATOR, 28235 398TH AVE, DELMONT, SD 57330

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2018 Irrigation Questionnaire(s)

Our records indicate your 2018 Irrigation Questionnaire has not been submitted for Permit No(s) 2144-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 30, 2018. The Water Management Board has directed that owners of water permits who have not submitted the 2018 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 6, 2019 at 10:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2144-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 6, 2019** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

c: Scott Redd, 7227 W 35th St., Sioux Falls SD 57106

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 31, 2019

2144-3

Tad Kaufman
28235 398th Ave
Delmont SD 57330

Dear Mr. Kaufman:

I am writing to acknowledge receipt of your 2018 irrigation questionnaire.

You may disregard the January 25, 2019, "Notice" concerning reporting requirements for Water Right No. 2144-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

PAID

FEB 04 2019

Ck# 2156

NOTICE OF TRANSFER OF OWNERSHIP

RECEIVED

FEB 04 2019

WATER RIGHTS
PROGRAM

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 2144-3

Date: 1 FEB 19

I/We request that Water Right No. 2144-3

formerly owned by: Jan Grosz

be transferred to: (name & address) JAN GROSZ Family Trust
SCOTT W. REDD, Executor

Telephone No. (605) 212-0712

Title to the following described land(s)/property has been transferred as described above:

128 acres - NW 1/4 Section 31, T98N, R62W


I/We understand that the validity of Water Right No. 2144-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

JAN GROSZ Family Trust

I/We SCOTT W. REDD, Executor, the new owner, certify that the above information is true and correct.


Redd, Scott W.
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date **February 4**, 20 **19**

RECEIVED OF **Jan Grosz Estate Scott W. Redd 7227 W 35th Street Sioux Falls SD 57106**

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form 2144-3		
Fee for _____	50	00
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. **09021**

By *Jeanne Goodman*
Chief Engineer *zm*



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 7, 2019

2144-3

Scott Redd, Executor
Jan Grosz Family Trust
7227 W 35th St
Sioux Falls SD 57106

Dear Mr. Redd:

I am writing to acknowledge receipt of the transfer form and filing fee you submitted for changing ownership on Water Right No. 2144-3.

The ownership change has been completed. The water right formerly held by Jan Grosz is now listed as "Jan Grosz Family Trust, Scott W Redd, Executor".

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure