


2169-3

1. Considered JANUARY 22, 1975
2. Name of Applicant JOHN P. GLANTZ
3. Post Office Address VOLGA
4. Amount of water claimed .21
5. Source of water supply GROUND WATER (21')
6. Water to be used for IRRIGATION
Acres to be irrigated 15
7. Water to be diverted and used in BROOKINGS county
about 25.1E miles 1ST of VOLGA
8. Proof of Publication
Received 1ST
Not received _____
9. Application
Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

Map No. 1561-3 Water Division No. 3 BIG SIOUX RIVER District 2169-3
(Must be filed by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT



STATE WATER RIGHTS COMM.
PIERRE, SOUTH DAKOTA

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant John P. Glantz
Postoffice address Valga R.R. 1, State South Dakota 57101
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct labor
3. Name of diversion work John Glantz Irrigation Project #1
4. Amount of water claimed (cubic feet per second) 0.21
5. Source of water supply well
6. Location of point of diversion From SE corner of Sec 26 - 110 - 51
2005' West and 480' North
County Brookings
7. Annual period or periods during which water is to be used April through October
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use: Total number of acres to be irrigated 15

List below each forty acre subdivision, or lot or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>SW 1/4 of SE 1/4 of Sec 26</u>	<u>15</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use Five years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Valga Tribune
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source. Puel sand point well system

B. Works proposed to transport water to place of use. plased conduit flammie pipe

C. Works proposed to apply water to beneficial use. Standard hand malleve sprinkler system

Estimated Total Cost \$ 1200

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Brookings

I, John P. Glantz, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Subscribed and sworn to before me this

9th day of December 1974
John P. Glantz
John P. Glantz
Notary Public for the State of South Dakota

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2169-3
Carol M. John P. Glantz R.R. #1, Volga
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57071 With the following modifications:
 (State)

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application DECEMBER 16, 1974
 Date of return to applicant for correction, amendments or changes required — 19 —
 Date of receipt of corrected application — 19 —
 Approved JANUARY 23, 1975 Recorded in Book 13 Page 177

WATER RIGHT PERMIT NO. 2169-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2169-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 16, 1974
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 23, 1977
3. The whole of said work is to be completed on or before JANUARY 23, 1980
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 23, 1983
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed .21 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventh (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 23, 1983; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 23rd day of JANUARY 19 75

WATER RESOURCES COMMISSION

By:


Donald D. Dillroll
 Chief Engineer, Executive Officer

Certificate of Construction Issued

January 23, 1979
January 23, 1979

Water License Issued

November 20, 1974



STATE WATER RIGHTS COMM.
PIERRE, SOUTH DAKOTA

Mr. John Glantz
Route 1
Volga, SD 57071

Dear Mr. Glantz:

Enclosed you will find the original copy of the report of analysis of your water sample #74-942. This is yours to keep. Also, you will find a copy of Extension Circular 654 with the approximate quality of this water for irrigation purposes designated by an encircled red cross on the back cover.

You are fortunate to have a very good quality water for purposes of irrigating vegetables and fruit. These crops are not as tolerant of salts as the ordinary field crops that we usually use, and, therefore, the water quality which you have is quite good. Most of the water in South Dakota is quite a bit higher in total salinity. I see no difficulty in irrigation of the soils which you have and growth of crops which you expect to use with this quality water.

A copy of this letter and the VI-1 form and a copy of the water analysis are being forwarded to the State Conservation Commission

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab.

LOP:111

Enclosures

CC: State Conservation Commission
Al Aho, Brookings County Agent
Darrel Pahl



STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY
Irrigation System: _____
Water Quality: _____
Soils Capability: _____
Approved: Albert D. J. [Signature]
Disapproved: _____

NAME: John Grantz
ADDRESS: Rt #1 Volga, S. Dak.
COUNTY: Brookings

LEGAL DESCRIPTION

1. WELL LOCATION: from SW corner Outlet B - 355' east, 480' north
2. AREA TO BE IRRIGATED: Outlet B of SW 1/4 of SE 1/4 26-110-51
Brookings County

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): _____
4. CROPS TO BE IRRIGATED: Vegetable & Fruit

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: none
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Estelline 5, 17 Loam

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 74-942
8. SALINITY: EC = 576 - micro mhos/cm (~~low~~) (medium)
9. SODIUM: SAR = 0.13 (low)

I do hereby certify that a chemical analysis of the ground water to be acquired for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

South Dakota State University

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

John P. Hantz

Subscribed and sworn before me this

13th day of Nov. 1974.

Paul Dunlap

Notary Public

(Title)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: John Clantz
 Address: Rt. 1
Volga, SD 57071

Date Rec'd November 13, 1974
 Sample No. 74-942
 Identification 1011-15
Box, Sec. 26, T 110N, R 51W

WATER ANALYSIS

Calcium (Ca)	72	ppm*	3.60	me/l**
Magnesium (Mg)	32	ppm	2.62	me/l
Sodium (Na)	5	ppm	0.23	me/l
Potassium (K)	2	ppm	0.06	me/l
Sulfate (SO ₄)	40	ppm	0.83	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	8	ppm	0.24	me/l
Bicarbonate (HCO ₃)	288	ppm	4.72	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	263	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	576	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.13			
Sodium	3.53	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.46			
Others:				

*ppm=parts per million
 **me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 6.51 me/l
 Total anions 5.79 me/l

By: Shirley Eitten

Service Performed	Amount Due
Irrigation analysis	6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 74-942

Amount Enclosed \$

Signed

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 4", Depth 21'
- (2) Casing, Type steel Diameter 3" Thickness standard pipe
(wood, concrete, steel, etc)
- (3) Perforated Screen,
Type Continuous Slot, Diameter 3", Length 30'
- (4) Gravel Pack, Thickness none, Length of gravel pack

E. Dugout Information or Estimates.

- (1) Surface dimensions , Depth

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials water bearing strata begins
12' below surface with sand and gravel
mixed with some fines

Depth to top of water bearing material 12'

Depth to bottom of water bearing material 21'

Thickness of water bearing material 9'

Depth to water (ground surface to water level) 13'

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 20 rds. On property owned by others 35' rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Note: Intent to put in two sand points
which will be connected

John P. Galt
Signature of Applicant

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2169-3

(1) WHEREAS, On the 16th day of December A. D. 19 74
Carol M. Glantz

made Water Right Application No. 2169-3 for a permit to use 2169-3 cubic feet per second of the waters
of groundwater (one well)

County of Brookings, State of South Dakota, for irrigation

purposes; and

(2) WHEREAS, On the 23rd day of January A. D. 19 75
Permit No. 2169-3, with a date of priority of December 16, 1974

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 23rd day of January A. D. 19 80 and for the
application to beneficial use of said water on or before the 23rd day of January A. D. 19 83

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert .14 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,

to irrigate fifteen acres in SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 26, T110N-R51W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Carol W. Glantz

_____ of Volga SD
the holder _____ and owner _____ of said permit No. 2169-3 a water right, dating from December 16, 1974
_____ to use of .14 cubic feet per second of the waters
of groundwater (one well)

in the County of Brookings and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at 2005 feet west and 480 feet north of the SE corner,
Section 26-T110N-R51W

and conduct to and upon portions of SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 26-T110N-R51W, total of fifteen acres

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2169-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 23rd day of January A. D.
Nineteen Hundred and Seventy-nine

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer, JOHN HATCH

Permit No. 2169-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Carol M. Glantz

_____ the holder _____ of
Permit No. 2169-3, issued upon Application No. 2169-3, bearing date of priority of December 16,
1974 authorizing the diversion of .21 cu. ft. per second of the waters of _____
groundwater (one well) County of Brookings, State of South Dakota at _____
2005 feet west and 480 feet north of the SE corner, Section 26-T110N-R51W

_____, for irrigation

purposes, has s complied with the provisions of the laws of the State of South Dakota relating to proof of completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory condition for diverting and conveying to the place of intended use .14 cu. ft. per second of water

Date January 23, 1979



JOHN HATCH, Chief Engineer
Water Rights Commission

2169-3

Publish first publication, on or before January 6, 19 75

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

December 17, 19 74

Notice is hereby given that John P. Glantz
whose post office address is Volga, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
.21 cubic feet of water per second of time from the ground water through the
Glantz Irrigation Project #1, the point of diversion of which is to be located in the

SW 1/4 SE 1/4

of Section 26, Twp. 110N, Range 51W. Said water to be used for the purpose
of providing irrigation on the following described land:

Outlot B., SW 1/4 SE 1/4, Section 26, T110N, R51W

This application No. 2169-3 will be considered by the Water Resources Commission at their office at
Pierre upon the 22nd day of January, 19 75, at 2:30 P. M. All interested
persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bx

cc: John P. Glantz, R.R. #1, Volga, S.D. 57071

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) ss.
County of Brookings)

I, Thomas G. Reynolds hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Volga Tribune

A newspaper which during the whole time of publication of said notice herein after stated, has been and is printed and published in the_____

City of Volga

County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

December 26, 1974

January 2, 1975

Thomas G. Reynolds
(Signature)

Publisher _____
(Title) _____


January 6, 1975
(Date Signed)

**NOTICE
INTENT TO APPROPRIATE WATER**

Notice is hereby given that John P. Glantz whose post office address is Volga, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use .21 cubic feet of water per second of time from ground water through the Glantz Irrigation Project #1, the point of diversion of which is to be located in the SW¼ SE¼ of Section 28; Twp. 110N, Range 51W. Said water to be used for the purpose of providing irrigation on the following described land: Outlet B., SW¼ SE¼, Section 28, T110N, R51W.

This application No. 2100-3 will be considered by the Water Resources Commission at their office in Pierre upon the 22nd day of January, 1975, at 2:30 p.m. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION
By: **s-Burton F. Jones**
Water Rights Specialist



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 6450

PIERRE, May 18, 1973

RECEIVED OF Carol M. Glantz, RR #1, Volga, SD 57071

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)	
Fee for inspecting Construction, and issuing Cert. of Construction No.	
Fee for inspecting Beneficial Use, and issuing Water License No.	
Fee for issuing Location Certificate-Dry Draw, No.	
Fee for filing transfer of Water Permit # 2169-3	2.50
Fee for certified copy of	
Fee for Print copy of map	
Fee for Certifying	
Fee for	
(any other work as provided by law)	
TOTAL	2.50

WATER RIGHTS COMMISSION

By John Hatch Chief Engineer, Executive Officer
JOHN HATCH 9Y

NOTICE OF TRANSFER OF WATER PERMIT

TO: Water Rights Commission
 Poss Building
 Pierre, South Dakota 57501

Date: May 15, 1978

This is to notify you that title to the lands described as follows:

SW $\frac{1}{4}$, SE $\frac{1}{4}$, Section 26-T120N, R51W

formerly owned by John P. Glantz


has been transferred to Carol Glantz, RR #1, Volga, SD 57071

together with any rights to the beneficial use of water thereon as evidenced by
 Water Right Permit No. 2169-3 as provided for in Section 61.0127 of the 1960
 Supplement to the South Dakota Code of 1939.

You are therefore hereby requested to file this "Notice of Transfer of Water
 Permit" in its appropriate file at the Office of Water Rights Commission as
 evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover
 filing fees as required under Section 61.0159 of the 1960 Supplement to the
 Dakota Code of 1939..

STATE OF SOUTH DAKOTA)
) SS.
 County of Brookings)



I, Carol Glantz being first duly sworn on my oath depose
 and say: That my relation to the above described undertaking is that of Owner,
 that I have read the above foregoing statement, and I know of my own personal
 knowledge that the information herein stated is true.

Carol M. Glantz
 (Signed)

Subscribed and sworn to before me this 17 day of May

19 78.

M.R. Cheeseman
 (Notary Public)



Dear Leroy,

I looked up the info you wanted.

I have 700'-4" al. pipe
new in 1962 - Matheson
Brand.

The pump is a Berkley Brand -
3 horse - ~~3~~ 65 - GPM
bought new in 1975.

The sprinklers are Rainbird
brand - old style 440 -
13 sprinkler heads -.

If you need any other
irrigation information
contact me.

Sincerely,

Carol M. Glantz

RR #1

Volga, SD

RECEIVED

JUN 2 1978

DEPT. OF NATURAL
RESOURCE DEVELOPMENT

2169-3 Coroi M Slautz

5-11-78 700ft of 4' alum pipe $\frac{1}{4}$ "
sprinkler.

Well depth Unknown est 30ft

Est 100 gpm pumping

Berkley Pump.

3 H.P. Motor.

Pump & Motor still covered from last count.

Located in a pit. Use above figure.

Permit No. 2169-3

Water Division 3 Big Sioux River Water District

**REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE**

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Carol M. Glantz of RR #1, Volga, South Dakota. 57071 holder of Permit No. 2169-3, bearing date of priority of December 16, 1978 authorizing the diversion of .21 cu. ft. per second of the waters of one well for Irrigation purposes, in Brookings County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Berkeley submersible pump. 3HP.
Pumping 65 gpm

B. Works used to transport water to place of use,

700 ft 4" dia. Aluminum Pipe

C. Works used to apply water to beneficial use.

Hand moved sprinklers - 13 sprinklers with
Rainbird 440 sprinklers with 1/64" Nozzle size

The system is in the following condition: Good

The point of diversion is located 2005 ft west and 480 ft North of
the SE corner of section 26, T110N R51W

The works are capable of diverting and conveying to the place of use .14

cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: SW 1/4 SE 1/4 - 15 Ac
in Sec. 26, T110N R51W

comprising a total of 15 acres of land.

Well depth 30 ft (est)
Pumping 65 gpm

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

N^o 4 6694

PIERRE, January 11, 1971

RECEIVED OF Carol M. Glantz, RR #1, Volga, SD 57071

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for inspecting Construction, and issuing Cert. of Construction No. 2169-3	50	00
Fee for inspecting Beneficial Use, and issuing Water License No. 2169-3		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH gy *df*



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 26, 1988

Carol M Glantz
RR 1, Box 166A
Volga, SD 57071

Dear Mrs. Glantz:

I am writing in regard of our review of irrigation questionnaire records. No irrigation has been reported for the last five irrigation seasons under Permit No(s). 2169-3.

South Dakota Codified Laws state that when any person fails to use water for the purpose for which it was appropriated for a period of three years, or abandons the use of the water, such unused water shall revert to the public. An exception to the law is when there is legal excuse for nonuse of water. Examples of legal excuse for nonuse of water are when water is not available or legal proceedings which prevent the use of water.

Since your permit(s) has (have) not been used for five years, the permit(s) may be subject to cancellation by the Water Management Board unless there is a legal reason for not using water. Please advise by June 17, 1988 if you still want to keep your water right and if there is a reason why water has not been used. Let us know, if you have any questions.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352




6-14-88

South Dakota Dept of
Water & Natural Resources
Joe Foss Building
523 East Capitol

Pierre, South Dakota 57501-3181

RE: Permit no. 2169-3



Dear Mr. Hatch,

In reply to your May 26, 1988 letter the legal reason I did not irrigate, ~~is~~ because it has rained adequately the last 5yr during the regular irrigation season.

I have started pumping the last couple of weeks, so the irrigation system is still used and still needed.

I want want to keep my irrigation permit, please allow me to maintain the permit, it will be used & needed.

Sincerely,
Carol M. Glantz



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

CAROL M GLANTZ
RR 1 BOX 166A
VOLGA SD 57071

NOTICE

RE: Violation of Requirement to Submit 1991 Irrigation Questionnaire

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:15 am, March 4, 1992, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2169-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office before the March 4th hearing date, your name will be deleted from the Board agenda.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Ron Duvall', written over a circular stamp or seal.

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 5, 1992

2169-3

Carol M Glantz
RR #1 Box 166A
Volga, SD 57071

Dear Ms. Glantz:

I am writing to acknowledge receipt of your 1991 irrigation questionnaire for Water Right No. 2169-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaire was received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Natural Resources Analyst
Water Rights Division

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

CAROL M GLANTZ
RR 1 BOX 166A
VOLGA, SD 57071

4a. Article Number

P906 557 622

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

7-30-92

5. Signature (Addressee)

Carol M. Glantz

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)



2169-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: CAROL M GLANTZ
RR 1 BOX 166A
VOLGA SD 57071

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Requirement to Submit 1992 Irrigation Questionnaire

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2169-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, your name will be deleted from the Board agenda.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete Items 1 and/or 2 for additional services.
- Complete Items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

CAROL M GLANTZ
RR 1 BOX 166A
VOLGA SD 57071

2169-3

4a. Article Number

906 55A 990

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

2-2-93


5. Signature (Addressee)

Carol M Glantz

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

Thank you for using Return Receipt Service.



2169-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 3, 1993

2169-3

Carol M Glantz
RR #1 Box 166A
Volga, SD 57071

Dear Mrs. Glantz:

I am writing to acknowledge receipt of your 1992 irrigation questionnaire information. You indicated during our telephone conversation that you did not irrigate during 1992 due to excessive rainfall. I completed a questionnaire for you with the information you provided.

You may disregard the "Notice" of concerning violation of the requirement to submit the 1992 Irrigation Questionnaire. Since the irrigation questionnaire was received in our office prior to the Water Management Board Meeting, your name was deleted from the agenda.

During our telephone conversation, you inquired as to whether or not you could lose your permit if you did not irrigate because it was "too wet" to irrigate. I am enclosing an excerpt from the Water Management Board Rules which addresses the legal excuses for nonuse of water.


If you have any questions, please contact me at (605) 773-3352.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Water Rights Division
(605) 773-3352

enclosure



2169-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2002

NOTICE

TO: CAROL M GLANTZ, 46456 213TH ST, VOLGA, SD 57071 6339

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaire(s)

Our records indicate that the 2001 Irrigation Questionnaire has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:00 am, March 13, 2002, in the Visitor Center (west bank of Capitol Lake), 650 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2169-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 8, 2002, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2169-3




DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
TEMP RETURN SERVICE REQUESTED


RECEIVED

FEB - 4 2002

WATERRIGHTS
PROGRAM




1.22 ✓
3-1 ✓





CAROL M GLANTZ
46456 213TH ST
VOLGA SD 57071 6339

CERTIFIED MAIL



7001 2510 0004 4797 5255





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 4, 2002

NOTICE

TO: Carol M Glantz, 46456 213th St, Volga, SD 57071 6339


FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Division 

SUBJECT: Unclaimed Certified Mail Concerning Violation of Water Right No. 2169-3

The attached notice was sent certified mail, return-receipt requested. The post office has returned the certified mail return-receipt requested envelope to our office marked "unclaimed". The envelope indicated the post office notified you January 17th and January 22nd to pick up and sign for the certified mail.

If you have any questions, please contact Genny McMath, (605) 773-3352.

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 6, 2002

2169-3

Carol M Glantz
46456 213th St
Volga SD 57071-6339

Dear Ms. Glantz:

I am writing to acknowledge receipt of your 2001 irrigation questionnaire. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right No. 2169-3.

I completed a questionnaire for you based on our February 6th telephone conversation. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2169-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: CAROL M GLANTZ, 46456 213TH ST, VOLGA, SD 57071 6339

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire

Our records indicate that the 2002 Irrigation Questionnaire has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 5, 2003, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2169-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 28, 2003**, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2169-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7540 5829

Your item was delivered at 1:07 pm on January 18, 2003 in VOLGA, SD 57071. The item was signed for by J KLIENJAN.

[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7540 5829

CAROL M GLANTZ
46456 213TH ST
VOLGA SD 57071 6339

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

(See Reverse)

PS Form 153, February 2001




DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 10, 2003

NOTICE OF AMENDMENT OF WATER RIGHT

TO: Carol M Glantz, 46456 213th St, Volga SD 57071-6339

FROM: Garland Erbele, Chief Engineer
Water Rights Program 

SUBJECT: Amendment to Water Right No. 2169-3

Pursuant to the provisions of the notice dated January 17, 2003, and following the hearing March 5, 2003, the Water Management Board has amended Water Right No. 2169-3 to add the following qualification:

"This water right is subject to the Irrigation Water Use Questionnaire being submitted each year."

This action was taken for failure to return the 2002 irrigation questionnaire. The addition of this qualification to your water right means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water right with no use of water for up to one year for the first violation.

Our records indicate the land was last irrigated in 1991. If you no longer irrigate and do not wish to retain the water right, let us know and the water right can be scheduled for cancellation consideration before the Water Management Board. Cancellation of the water right would eliminate the need for annual submission of the irrigation questionnaire.

Please contact Genny McMath (605) 773-3352, if you have any questions.



2169-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: CAROL M GLANTZ, 46456 213TH ST, VOLGA, SD 57071 6339

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaire(s)

Our records indicate that the 2004 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2169-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 2, 2005 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2169-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 25, 2005, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2169-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8516 0384

Your item was delivered at 2:11 pm on January 21, 2005 in VOLGA, SD 57071. The item was signed for by C GLANTZ.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
4980 9159 0000 094E 10E2

CAROL M GLANTZ
46456 213TH ST
VOLGA SD 57071 6339

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

e mailing.

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail®
☐ Package Services

(See Reverse)

PS Form 153, July 2001



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2005

2169-3

Carol M Glantz
46456 213th St
Volga SD 57071 6339

Dear Ms. Glantz:


I am writing to acknowledge receipt of your 2004 irrigation questionnaire. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Right No. 2169-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



Cross hatch indicates irrigated area

Scale - 1" = 330'

Point of diversion - From SE corner of Sec 26
2005' west and 480' North

JOHN GLANTZ
IRRIGATION PROJECT
ONE
Volga South Dakota
Brookings County

Area to be irrigated Outlot B located in
SW 1/4 of SE 1/4 of section 26-110-51
15 Acres to be irrigated
Water claimed 0.21 cfs

Surveyor's Certificate
I, John L. Wiersma, do hereby certify that
this map identifies a reasonably accurate
record of the land of:

John Glantz
Volga South Dakota Brookings County
Deputy Surveyor 12-1-74
P.E.H. 1916

APPL N° 2169-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: CAROL M GLANTZ, 46456 213TH ST, VOLGA, SD 57071 6339

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2169-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2169-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2169-3

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 8917

Service(s): Signature Confirmation™

Status: Delivered

Your item was delivered at 1:02 PM on January 23, 2010 in VOLGA, SD 57071. The item was signed for by C GLANTZ.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 23, 2010, 1:02 pm, VOLGA, SD 57071
- Out for Delivery or Available at PO Box, January 23, 2010, 8:57 am, VOLGA, SD 57071
- Sorting Complete, January 23, 2010, 8:27 am, VOLGA, SD 57071
- Arrival at Post Office, January 23, 2010, 8:02 am, VOLGA, SD 57071

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

U.S. POSTAL SERVICE

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 8917

CAROL M GLANTZ
46456 213TH ST
VOLGA SD 57071 6339

Waiver of Signature ☐ YES ☐ NO

Postmark Here

for mailing.

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2010

2169-3

Carol M Glantz
46456 213th St
Volga SD 57071 6339

Dear Ms. Glantz:

I am writing to acknowledge receipt of your 2009 irrigation questionnaire. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right No. 2169-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2169-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2014

NOTICE

TO: CAROL M GLANTZ, 46456 213TH ST, VOLGA, SD 57071 6339

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2013 Irrigation Questionnaire(s)

Our records indicate that the 2013 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2169-3. The request for the Questionnaire was dated October 18, 2013. The Water Management Board has directed that owners of water permits who have not submitted the 2013 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2169-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **9:00 am, March 6, 2014** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2169-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 3, 2014**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 4, 2014

2169-3

Carol M Glantz
46456 213th St
Volga SD 57071 6339

Dear Mr. Glantz:

I am writing to acknowledge receipt of your 2013 irrigation questionnaire.

You may disregard the January 24, 2014, "Notice" concerning reporting requirements for Water Right No. 2169-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us