


2184-3

1. Considered JANUARY 22, 1975
2. Name of Applicant P. J. LYONS
3. Post Office Address YANKTON
4. Amount of water claimed 2.50
5. Source of water supply GROUND WATER (120')
6. Water to be used for IRRIGATION
Acres to be irrigated 275
7. Water to be diverted and used in YANKTON Q. county
about 1N, 3E miles of YANKTON
8. Proof of Publication
Received 1-21-75
Not received
9. Application
Approved
Subject to
Not Approved
Action deferred
10. Remarks:

No. 2184-3
JAMES RIVER CONSERVATION
 District
 Map No. 1576-3 Water Division No. 3
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

STATE WATER RIGHTS COMMISSION
SIOUX FALLS, SOUTH DAKOTA

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant P. J. LYONS
 Postoffice address R. 4 BOX 175 YANKTON State SD
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) _____

3. Name of diversion work LYONS #14. Amount of water claimed (cubic feet per second) 2.505. Source of water supply WELL6. Location of point of diversion SW 4 NW 4 11 93-55County YANKTON7. Annual period or periods during which water is to be used APRIL - SEPT8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) IRRIGATION9. For irrigation use, _____ Total number of acres to be irrigated 275.300

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>SW 1/4 NW 1/4 NW 1/4 SW 1/4</u>	<u>6.0</u>	<u>W 1/4 SE 1/4 NW 1/4 & W 1/4 NE 1/4</u>	<u>6.0</u>
<u>11 93-55</u>	<u>6.0</u>	<u>11-93-55</u>	<u>6.0</u>
<u>SW 1/4 SE 1/4 NE 1/4 NE 1/4 SE 1/4</u>	<u>6.0</u>	<u>NE 1/4 NE 1/4 & NE 1/4 SE 1/4 NE 1/4</u>	<u>6.0</u>
<u>10 93-55</u>	<u>6.0</u>	<u>NW 1/4 NE 1/4</u>	<u>4.0</u>

N 1/2 SW 1/4 NW 1/4 11 93-55 Attach sheet 20 more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 3 years.

11. Choice of newspaper for Notice of Intent to Appropriate Water publication YANKTON PRESS + PHOETAN

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

IRRIGATION WELL
 PUMP + MOTOR

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

SELF PROPULLED

CIRCULAR IRRIGATION SPRINKLER

Estimated Total Cost \$ 36,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of YANKTON

I, P. J. LYONS the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed P. J. LyonsSubscribed and sworn to before me this 31st day of Dec 1974

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2184-3

P. J. LYONS

(Applicant)

Rte 4, Box 175, YANKTON

(Post Office Address)

SOUTH DAKOTA 57078

(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JANUARY 2 1975

Date of return to applicant for correction, amendments or changes required — 19—

Date of receipt of corrected application — 19—

Approved JANUARY 23 1975 Recorded in Book 13 Page 172

WATER RIGHT PERMIT NO. 2184-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2184-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 2 1975
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 23 1977
3. The whole of said work is to be completed on or before JANUARY 23 1980
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 23 1983
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.5 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 23 1983; said water to be used during the following described annual period: APRIL - SEPTEMBER

Witness my hand this 27TH day of JANUARY 1975

WATER RIGHTS COMMISSION

By

Donald D. Duvall

Chief Engineer, Executive Officer

Certificate of Construction Issued August 2 1979

Water License Issued August 2 1979

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 36, Depth 120
- (2) Casing, Type Asbestos Concrete Diameter 16" Thickness 1 1/2
(wood, concrete, steel, etc)
- (3) Perforated Screen.
- Type Asbestos Concrete, Diameter 16, Length 34
- (4) Gravel Pack. Thickness 8, Length of gravel pack 120

(E) ~~Dugout Information or Estimates.~~

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0-30 FINE SAND - GRAVEL
30-40 GRAVEL
40-80 GRAVEL CLAY
80-96 FINE SAND CLAY 96-120 COARSE GRAVEL

Depth to top of water bearing material 20'

Depth to bottom of water bearing material 120'

Thickness of water bearing material 10' 30' to 40' LEVEL 24' 96' to 120'

Depth to water (ground surface to water level) 15'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 100 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

P. J. Lyons
Signature of Applicant

December 12, 1974

Mr. Pat J. Lyons
Route 4, Box 175
Yankton, SD 57078

Dear Mr. Lyons:

Enclosed you will find a copy of the report of analysis of the water sample submitted about 10 days ago. Also, a receipt for that payment is enclosed.

The WI-1 form has been received. It plus a copy of this letter plus a copy of the water analysis are being sent to the State Conservation Commission. There is no problem with the sodium content of the water. In other words, it should not cause any dispersion or tendency to form slick spots or gumbo. However, the total salt level of the water is high enough so that you should be very careful not to over irrigate and bring the water table up near the surface. This is particularly true with respect to the area of your farm designated as Blake silty clay loam. These soils, characteristically, have a moderately poor drainage situation and the water table may be as close to the surface as three or four feet at times. Therefore, if possible, I would exclude the Blake silty clay loam as described in the soils survey interpretation sheets and irrigate only the Haynie. However, this may not be possible.

I'm enclosing a copy of Extension Circular 654 which explains some of the hazards of irrigation and some of the problems with salinity in irrigation waters. Please read this carefully. On the back cover there is a red encircled cross denoting the approximate quality of your irrigation water.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:111

Enclosures

CC: State Conservation Commission
Vane Miller, Yankton County Agent
Darrel Pahl

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: 12/16/74

Disapproved: _____

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION

FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED

(This Form Required for Proposed Well Irrigation Only)

NAME: PAT J LYONS

ADDRESS: RT. 4 BOX 175

COUNTY: YANKTON

LEGAL DESCRIPTION

1. WELL LOCATION: SW 1/4 NW 1/4 11 93-55
2. AREA TO BE IRRIGATED: S 1/2 SE 1/4 NE 1/4 + NE 1/4 SE 1/4 10 93-55
S 1/2 SW 1/4 NE 1/4 NW 1/4 SW 1/4 10 93-55
NE 1/4 NE 1/4 + N 1/2 SE 1/4 10 93-55
N 1/2 SW 1/4 NE 1/4 SEC 11 93-55

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): SELF PROPELLED
4. CROPS TO BE IRRIGATED: CORN & SOY BEANS ALFALFA

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 0 to 17% SLOPE
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: FAIRIE SILT LOAM
BLAKE SILTY CLAY LOAM

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 74-972
8. SALINITY: EC = 1641 micromhos/cm (high)
9. SODIUM: Sodium adsorption ratio 0.15 (low)

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and;
the land capability for irrigation information has been acquired from
YANKTON COUNTY CONSERVATION DISTRICT
and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Pat J. Lyons

Subscribed and sworn before me this

27 day of Mar 1974.

Myrtle Lehman

Notary Public

ff (Title)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Pat J. Lyons
Address: Rt. 4, Box 175
Yankton, SD 57078

Date Rec'd. December 2, 1974
Sample No. 74-272
Identification Well-100
W2, Sec. 11, T 93N, R 55W

WATER ANALYSIS

Calcium (Ca)	260	ppm*	13.00	me/l**
Magnesium (Mg)	62	ppm	5.08	me/l
Sodium (Na)	10	ppm	0.44	me/l
Potassium (K)	18	ppm	0.47	me/l
Sulfate (SO ₄)	403	ppm	10.14	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	2	ppm	0.05	me/l
Bicarbonate (HCO ₃)	549	ppm	9.00	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	450	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1641	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.15			
Sodium	2.31	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.03			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 18.99 me/l
Total anions 19.19 me/l

By: Shirley Litten

Service Performed	Amount Due
Irrigation analysis	6.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 74-272

Amount Enclosed \$

Signed

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2184-3

(1) WHEREAS, On the 2nd day of January A. D. 19 75
P.J. Lyons

made Water Right Application No. 2184-3 for a permit to use 2.5 cubic feet per second of the waters of ground water (one well)

County of Yankton, State of South Dakota, for Irrigation purposes; and

(2) WHEREAS, On the 23rd day of January A. D. 19 75
 Permit No. 2184-3, with a date of priority of January 2, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 23rd day of January A. D. 19 80 and for the application to beneficial use of said water on or before the 23rd day of January A. D. 19 83

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 2.0 cubic feet per second of water for beneficial use and;

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate portions of the following land all in T93N, R55W

Section 10-NW $\frac{1}{4}$ NE $\frac{1}{4}$ 32 acres

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 17 "

SE $\frac{1}{4}$ NE $\frac{1}{4}$ 21 "

NE $\frac{1}{4}$ SE $\frac{1}{4}$ 34 4

Section 11-SW $\frac{1}{4}$ NW $\frac{1}{4}$ 39 "

SE $\frac{1}{4}$ NW $\frac{1}{4}$ 21 "

NW $\frac{1}{4}$ SW $\frac{1}{4}$ 39 "

NE $\frac{1}{4}$ SW $\frac{1}{4}$ 21 "

TOTAL 224 acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to P.J. Lyons

of Yankton, SD

the holder _____ and owner _____ of said permit No. 2184-3 a water right, dating from January 2, 1975 to use of 2.0 cubic feet per second on the waters of ground water (one well)

in the County of Yankton and State of South Dakota, or so much thereof as may be necessary for the purposes hereinbelow mentioned, to be diverted ~~XX~~ 2600' S and 900' E of the NW corner of Section 11, T93N, R55W

and conducted to and upon portions of land in Section 10 and 11, T93N, R55W more fully described on the face of this license

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2184-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 2nd day of August A. D.
Nineteen Hundred and seventy-nine

Board of Water Management

By:

John Hatch
Chief Engineer JOHN HATCH

Permit No. 2184-3Water Diversion No. 3 James River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That P. J. Lyons

_____ the holder _____ of
Permit No. 2184-3, issued upon Application No. 2184-3, bearing date of priority of _____
January 2, 1975 authorizing the diversion of 2.5 cu. ft. per second of the waters of _____
ground water (one well) County of Yankton, State of South Dakota
2600 feet S and 900 feet E of the NW corner of Section 11, T93N, R55W

_____, for Irrigation

purpose, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use _____ cu. ft. per second of water.

Date August 2, 1979

John Hatch
JOHN HATCH, Chief Engineer
Water Rights, WHD

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Yankton) ss.

I, Harry L. Spence hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Yankton Daily Press & Dakotan

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City Yankton of _____
County of Yankton and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

January 9, 1975

January 16, 1975

(Signature)

(Title)

1-20-75
(Date Signed)

149&16
NOTICE INTENT TO
APPROPRIATE WATER


Pierre, South Dakota 57501

January 3, 1975

Notice is hereby given that P.J. Lyons whose post office address is Yankton, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.5 cubic feet of water per second of time from ground water through the Lyons No. 1, the point of diversion of which is to be located in the SE 1/4 NW 1/4 of Section 11, Twp. 33N, Range 55W. Said water to be used for the purpose of providing irrigation on the following described land: S 1/2 NW 1/4 and N 1/2 SW 1/4 of Section 11, NW 1/4 NE 1/4 NE 1/4 NE 1/4 NE 1/4 Section 10, all in T33N, R55W.

This application No. 218-3 will be considered by the Water Rights Commission at their office at Pierre, upon the 22nd day of January, 1975, at 2:30 p.m. All interested persons may appear and be heard.

Water Rights Commission
By: BURTON F. JONES
Water Rights Specialist



STATE WATER RIGHTS COMM.
PIERRE, SOUTH DAKOTA

Publish first publication, on or before January 9, 19 75NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

January 3, 1975Notice is hereby given that P. J. Lyonswhose post office address is Yankton, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use2.5 cubic feet of water per second of time from the ground water through the Lyons #1, the point of diversion of which is to be located in the _____SW 1/4 NW 1/4of Section 11, Twp. 93N, Range 55W. Said water to be used for the purpose of providing irrigation on the following described land:S 1/2 NW 1/4 and N 1/2 SW 1/4, Section 11; NW 1/4 NE 1/4, E 1/2 NE 1/4, NE 1/4 SE 1/4, Section 10,
all in T93N, R55W

WATER RIGHTS COMMISSION

This application No. 2184-3 will be considered by the Water Resources Commission at their office at Pierre upon the 22nd day of January, 19 75, at 2:30 P. M. All interested persons may appear and be heard.WATER RIGHTS COMMISSION
WATER RESOURCES COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/bw

cc: P.J. Lyons, Rte. 4, Box 175, Yankton, S.D. 57078

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

Post Office YANKTONDate OCT. 28 1975

TO: **WATER RIGHTS COMMISSION**
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2184-3

Water Right Permit No. 2184-3 states that the diversion system is to be constructed by JAN 23, 1980 and that the water is to be put to beneficial use by JAN. 23, 1983.

The diversion system was completed on MARCH, 1975. Applying the water to beneficial use was completed on JUNE, 1975.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

P. J. Lyons
(Signature)

2184

P.T. Evans

6-16-76

Well 105 Sept 02-1350 gpm

Hydro pump, 900 gpm. This pump

is only one used for Top Cr.

)) bank changed in 1975

Pore 10' in 1975 - 3000 ft

" 6' in 1975

" also 8' in 1975

" 10' in 1975 - 1000 ft

Pump 700 gpm in 40' in 1975

Pump Hydro Turbine

Type 12-6 ft

1975 451 ft

Hydro Turbine

100 F.V. 1750 R.P.M.

T.O. 2 9181-00-F-520

Engine 100 3708 Cat

100 908 6667 125 HP

2500 100 100

E. C. C. C.

Permit No. 2184-3Water Division 3 James River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by P.J. Lyons
of Rt. 4, Box 175, Yankton, S. Dak 57078 holder
 of Permit No. 2184-3, bearing date of priority of January 2, 1976
 authorizing the diversion of 2.5 cu. ft. per second of the waters of Well
 for Irrigation purposes, in Yankton County.
 I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:
 Pump - Hygro-Turbine, Type 12GH, Pumps 700 gpm.
 Hollowshaft Gear Drive, 100HP, 1760 RPM.
 Engine - Caterpillar Model 3208, 125HP, 8 cyl. Diesel
 Ser # 90N8669.

B. Works used to transport water to place of use,
 Under ground PVC pipe, 8" dia + 10" dia - 3000 ft.
 Aluminium Pipe - 8" dia. 700 ft, 6" dia 800 ft.

C. Works used to apply water to beneficial use.
 Hygromatic C.P. Model B678FCN79TP1TD
 Ser # 75CS49750, 7 Towers, 132 Acres
 Hygromatic C.P. Model 13678FCN79TP1TD
 Ser # 76087438

The system is in the following condition: Good (New)

The point of diversion is located 2600 ft South and 900 ft East of
the NW Corner of Section 11, T93N R55W

The works are capable of diverting and conveying to the place of use 2.0
 cu. ft. per second of water which is to be used for Irrigation.

Water has been put to beneficial use to the maximum extent as follows: In sec. 10, T93N R55W

NW 1/4 NE 1/4 - 32 Ac, NE 1/4 NE 1/4 - 17 Ac, SE 1/4 NE 1/4 - 21 Ac,
NE 1/4 SE 1/4 - 34 Ac. In sec 11, T93N R55W, SW 1/4 NW 1/4 - 39 Ac
SE 1/4 NW 1/4 - 21 Ac., NW 1/4 SW 1/4 - 39 Ac, NE 1/4 SW 1/4 - 21 Ac.

comprising a total of 224 acres of land.

Well data.

Depth 106 ft.Capacity 1350 gpm

Date July 28, 1976
LeRoy J. McManis
 (Signature)



2184-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: P J LYONS, 1704 WILLOWDALE RD, YANKTON, SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire has not been submitted for Permit No(s) 230-3 & 2184-3. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 1:30 pm, March 1, 2000, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 230-3 & 2184-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2184-3

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

P J LYONS
1704 WILLOWDALE RD
YANKTON SD 57078

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)

B. Date of Delivery

1-17

C. Signature

X P. J. Lyons

☐ Agent

☐ Addressee

D. Is delivery address different from item 1?

☐ Yes

If YES, enter delivery address below:

☐ No

3. Service Type

☒ Certified Mail

☐ Express Mail

☐ Registered

☐ Return Receipt for Merchandise

☐ Insured Mail

☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

2. Article Number (Copy from service label)

2 227 670 373



2184-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 21, 2000

P J Lyons
1704 Willowdale Rd
Yankton, SD 57078

Dear Mr. Lyons:


I am writing to acknowledge receipt of your 1999 irrigation questionnaires. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit Nos. 230-3 and 2184-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



PLANNING ASSISTANCE BY
Hazel O. Lohm
District Conservationist

MAP NO 1576-3 (APP NO 2184-3)



2184-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: P J LYONS, 1704 WILLOWDALE RD, YANKTON, SD 57078

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaire(s)

Our records indicate that the 2010 Irrigation Questionnaire has not been submitted for Permit No(s) 2184-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 9, 2011**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2184-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2184-3

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 1093

Service(s): **Signature Confirmation™**Status: **Delivered**

Your item was delivered at 1:55 pm on January 26, 2011 in YANKTON, SD 57078. The item was signed for by C READE.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 26, 2011, 1:55 pm, YANKTON, SD 57078
- Notice Left, January 22, 2011, 2:22 pm, YANKTON, SD 57078
- Out for Delivery, January 22, 2011, 8:35 am, YANKTON, SD 57078
- Sorting Complete, January 22, 2011, 8:25 am, YANKTON, SD 57078
- Arrival at Post Office, January 22, 2011, 8:07 am, YANKTON, SD 57078
- Processed through Sort Facility, January 22, 2011, 3:51 am, SIOUX FALLS, SD 57104

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email.

[Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail.

[Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

USPS Mail products
are covered by the
Privacy Act, 5 U.S.C. 552USPS Mail products
are covered by the
Privacy Act, 5 U.S.C. 552

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 1093	P J LYONS 1704 WILLOWDALE RD YANKTON SD 57078		mailing.
	Waiver of Signature ☐ YES ☐ NO		
Postmark Here		POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com ® or call 1-800-222-1811	
		☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 7, 2011

2184-3

P J Lyons
1704 Willowdale Rd
Yankton SD 57078

Dear Mr. Lyons:

I am writing to acknowledge receipt of your 2010 irrigation questionnaire.

You may disregard the January 21, 2011, "Notice" concerning reporting requirements for Water Right No. 2184-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 1, 2024

2184-3

Ryan Guthmiller, Renter
1700 John St
Yankton SD 57078

Dear Mr. Guthmiller:

I write to you today in response to the 2024 Irrigation Questionnaire information submitted online for PJ Lyons' Water Right No. 2184-3.

Water Right No. 2184-3 (copy enclosed) authorized diversion of 2.0 cubic feet of water per second (900 gpm) from one well completed into the Missouri: Elk Point Aquifer for irrigation of 224 acres located within portions of Sections 10 & 11; all in T93N, R55W.

On this year's questionnaire you reported the irrigation of 240 acres. If an additional 16 acres have been developed for irrigation, additional permitting would be required.

Please contact me to either revise your 2024 Irrigation Questionnaire or discuss additional permitting.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
Amanda.Dewell@state.sd.us
(605) 773-3352

enclosure