


1. Considered 3-19, 1975 2200-3
2. Name of Applicant DAVID KOST
3. Post Office Address HURLEY
4. Amount of water claimed 210
5. Source of water supply GROUNDWATER
6. Water to be used for IRRIGATION
Acres to be irrigated 144
7. Water to be diverted and used in TURNER county
about 3 W miles of DAVIS
8. Proof of Publication Received ~~1st~~ 3-20-75
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 2200-3Map No. 1600-3 Water Division No. 3 VERMILLION RIVER
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

STATE WATER RIGHTS DIVISION
SOUTH DAKOTA

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant David Kost
Postoffice address Hurley, State SD
If a corporation show date and place of incorporation NA
2. Method of accomplishing work (contract, employment of others, or by direct labor) Well driller & Equipment dealer
3. Name of diversion work KOST #1
4. Amount of water claimed (cubic feet per second) 2
5. Source of water supply Well
6. Location of point of diversion S 5th E, 80 RODS FROM THE NW CORNER, SECTION 31, T98N, R52W
- County Turner
7. Annual period or periods during which water is to be used May - Sept.
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, 144 Total number of acres to be irrigated 144

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
W 1/2 NW 1/4 Sec 31-98-52	60		
NE 1/4 NW 1/4 Sec 31-98-52	40		
E 1/2 Sec 36-98-52	44		
	144		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 1 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Hurley Leader, Hurley, SD.
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Elec. Pump

B. Works proposed to transport water to place of use.

Flexible Pipeline

C. Works proposed to apply water to beneficial use.

Big Gun Sprinkler and/or Bird - (Boom Type) SprinklerEstimated Total Cost \$ 15,000 - 20,000Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of TurnerI, David Kost, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed David KostSubscribed and sworn to before me this 10th day of Feb. 1975Charles E. Linder
(Notary Public (or other qualified officer))

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2200-3DAVID KOST
(Applicant)HURLEY
(Post Office Address)SOUTH DAKOTA 57036
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application FEBRUARY 11, 19 75
 Date of return to applicant for correction, amendments or changes required FEBRUARY 11, 19 75
 Date of receipt of corrected application FEBRUARY 18, 19 75
 Approved MARCH 20, 19 75, Recorded in Book 13 Page 222
 WATER RIGHT PERMIT NO. 2200-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2200-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 11, 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MARCH 20, 19 76
3. The whole of said work is to be completed on or before MARCH 20, 19 77
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 20, 19 78
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 20, 19 78; said water to be used during the following described annual period: MAY THRU SEPTEMBER

Witness my hand this 24TH day of MARCH, 19 75

WATER RESOURCES COMMISSION

By:

Donald Orinoff
Chief Engineer, Executive Officer

Certificate of Construction Issued SEPTEMBER 14, 19 77

Water License Issued SEPTEMBER 14, 19 77

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 26"-30", Depth 5.0
- (2) Casing, Type concrete Diameter 18" Thickness 1/2"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Concrete w/gravel pack, Diameter 18", Length 19'
- (4) Gravel Pack. Thickness 4-6", Length of gravel pack 15-20'

E. Dugout Information or Estimates.

- (1) Surface dimensions , Depth

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials water bearing sands + gravels
(no log available)

Depth to top of water bearing material 18"

Depth to bottom of water bearing material 40'

Thickness of water bearing material 40'

Depth to water (ground surface to water level) 10'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 110 rds. On property owned by others rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

N/A

David Host
Signature of Applicant

WATER LICENSE NO. 2200-3

(1) WHEREAS, On the 11th day of February A. D. 19 75
David Kost

made Water Right Application No. 2200-3 for a permit to use 2.0 cubic feet per second of the waters
of ground water

County of Turner, State of South Dakota, for irrigation

purposes; and
(2) WHEREAS, On the 20th day of March A. D. 19 75
Permit No. 2200-3, with a date of priority of February 11, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 20th day of March A. D. 19 77 and for the
application to beneficial use of said water on or before the 20th day of March A. D. 19 78

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.2 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,
for irrigating the following land

T98N, R52W Section 21 NW $\frac{1}{4}$ NW $\frac{1}{4}$ 32 acres

NE $\frac{1}{4}$ NW $\frac{1}{4}$ 25 "

SW $\frac{1}{4}$ NW $\frac{1}{4}$ 31 "

T98N, R53W Section 36 NE $\frac{1}{4}$ NE $\frac{1}{4}$ 26 "

SE $\frac{1}{4}$ NE $\frac{1}{4}$ 18 "

TOTAL 132 acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to David Kint

_____ of Hurley
the holder _____ and owner _____ of said permit No. 2200-3 a water right, dating from February 11, 1975
_____ to use of 1.2 cubic feet per second of the waters
of ground water

in the County of Turner and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinafter mentioned, to be diverted at _____

a point S50E, 80 rods from the NW corner, Section 31, T98N
R52W

and conduct said upon portions of Section 31, T98N, R52W & Section 36, T98N, R53W
described on the face of this license

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2200-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 14th day of September
Nineteen Hundred and seventy-seven

WATER RIGHTS COMMISSION

By:

John Hatch

Chief Engineer, Executive Officer JOHN HATCH

Permit No. 2200-3Water Diversion No. 3 Vermillion River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That David Kost

the holder of
 Permit No. 2200-3, issued upon Application No. 2200-3, bearing date of priority of February 11,
1975 authorizing the diversion of 2.0 cu. ft. per second of the waters of
ground water County of Turner, State of South Dakota at
a point S50E, 80 rods from the NW corner, Section 31, T98N,
R52W

, for irrigation

purposes, has complied with the provisions of the laws of the State of South Dakota relating to proof of
 completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
 condition for diverting and conveying to the place of intended use 1.2 cu. ft. per second of water.


Date September 14, 1977

By:

WATER RIGHTS COMMISSION

John Hatch
 JOHN HATCH, Chief Engineer

November 6, 1974



STATE WATER RIGHTS COMM.
PIERRE, SOUTH DAKOTA

Mr. David Kost
Hurley, SD 57036

Dear Mr. Kost:

The WI-1 form with respect to your application for a water use permit in Sec 31 T98N R52W has been received. It is being forwarded to the State Conservation Commission with a copy of this letter and a copy of the water analysis.

The original copy of the water analysis is enclosed along with a receipt for your payment. The analysis reveals that this water is quite good in both the total salinity contained and in the sodium situation. That is, it is low in electrical conductivity and has a sodium adsorption ratio of 0.18. Thus, there should be no hazard of salt accumulation or sodium causing deterioration of the structure of this soil.

I am enclosing a copy of Extension Circular 654 with the approximate quality of your water for irrigation purposes designated on the back cover by an encircled red cross. Please read this circular carefully.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:111

Enclosures

CC: State Conservation Commission
Merlin Pietz, Turner County Agent
Darrel Pahl

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: W. J. S. J. J.
11/23/74

WATER RIGHT APPLICATION NO. Cno (1)

NAME: David Kost

ADDRESS: Hurley, S. Dak. 57036

COUNTY: Turner

LEGAL DESCRIPTION

WELL LOCATION: NE 1/4 Sec 31-28-52

SITE TO BE IRRIGATED: W 1/2 and NE 1/4 Sec 31 and 1/4 ac. in E 1/4 Sec 36-28-52

WATER QUALITY

TEST WELL SAMPLE: 74-921

SALINITY: EC = 657 micromhos/cm (medium)

SODIUM: Sodium Adsorption Ratio = 0.18 (low)

LAND CAPABILITY FOR IRRIGATION

PERCENTAGE OF SLOPE: one percent or less

PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Soils nearly level with quite sandy and gravelly area 20 to 36 inches below the surface. Water holding capacity is somewhat limited. 1-6 - capability Unit IIIc5 is predominate soil with some 1-1 - IIIc3
1-0 1-6

TYPE OF IRRIGATION

GRAVITY: _____

SPRINKLER TYPE: Big Gun Sprinkler type system

CROPS TO BE IRRIGATED

Corn, alfalfa and beans

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

J. W. Rezek, District Conservationist, Soil Conservation Service, Parker, S. Dak. 57053
J. W. Rezek

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

David Kost

Subscribed and sworn before me this

31st day of October 1974.

Louis Milbauer

Register of Deeds

(Title)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: David Kost

Date Rec'd November 1, 1974

Address Hurley, SD 57036

Sample No. 74-921

Identification Well-

NE 1/4, Sec. 31, T 98N, R 52W

WATER ANALYSIS

Calcium (Ca)	82	ppm*	4.10	me/l**
Magnesium (Mg)	36	ppm	2.95	me/l
Sodium (Na)	8	ppm	0.34	me/l
Potassium (K)	5	ppm	0.13	me/l
Sulfate (SO ₄)	94	ppm	1.96	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	5	ppm	0.13	me/l
Bicarbonate (HCO ₃)	332	ppm	5.44	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	272	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	657	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.18			
Sodium	3.99	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.30			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS:

Total cations 8.52 me/l
 Total anions 7.53 me/l

By: Shirley Hitten

Service Performed

Amount Due

Irrigation analysis

\$6.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 74-921

Amount Enclosed \$

Signed

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

WELL CONSTRUCTION

Location of well _____ 1/4 _____ 1/4 NW Section 31 Township 97 Range 52

Well owner David Kost (Name) DAVIS, SD. 57021 (Address)

Date well drilling completed 6/16/75 Purpose of well Irrigation (domestic, irrigation, municipal, industrial, other)

WELL LOG

[illegible]

Attach. Add if more space is needed

Depth to top of water producing aquifer 26 ft.
 Depth to static water level 60' 60" ft.
 Name of producing aquifer (if known) grain ft.
 Total depth of drill hole 40 ft.
 Depth to bottom of casing 40 ft.

Casing information in the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used.

0-20²² O.D. Concrete

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

20-40' 22" O.D. Concrete

If a flowing well, flow of completed well _____ 8.P.M.

Empire Irrigation Drilling
Name of Drilling Contractor Do One

(2) PUMP INSTALLATION


PUMP INSTALLATION
Company name and size of pump Not done by Empire HP. _____ G.P.M. _____
Type of pump _____ Capacity of installed pump _____
Depth of pump placement _____ ft., Date of pump installation _____

(3) WATER SURFACE MEASURING TUBE

WATER SURFACE MEASURING TUBE
On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.
_____ measuring tube, when installed _____ ft., tube diameter _____,

On some wells an air-lift
WELL CONSTRUCTION STANDARDS.
Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____,
tube material _____.

Name of Pump Installation Contractor



Form G - Notice of Intent to Appropriate Water

No. 2200-3

Publish first publication, on or before March 6, 19 75

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 12, 19 75

Notice is hereby given that David Kost
whose post office address is Hurley, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.0 cubic feet of water per second of time from the ground water through the
Kost #1, the point of diversion of which is to be located in the

NW 1/4 NW 1/4
of Section 31, Twp. 98N, Range 52W. Said water to be used for the purpose
of providing irrigation on the following described land:

W 1/2 NW 1/4, NE 1/4 NW 1/4, Section 31, T98N, R52W and E 1/2, Section 36,
T98N, R53W

This application No. 2200-3 will be considered by the Water Rights Commission at its office at
Pierre upon the 19th day of March, 19 75, at 2:30 P. M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: David Kost, Hurley, South Dakota 57036

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)

County Turner) ss.

I, James E. Wight hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Hurley Leader

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

city of Hurley

County of Turner and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 6, 1975

March 13, 1975

James E. Wight

(Signature)

Publisher


(Title)

3-17-75

(Date Signed)

John H. Hargis
Notary Public

Commission Expires 5-2-83



STATE WATER RIGHTS COM.
PIERRE, SOUTH DAKOTA

NOTICE OF
PUBLIC HEARING

Pursuant to South Dakota
Compiled Laws 11-2-19, notice is
hereby given that a Public Hear-
ing will be held at the Turner
County Court House, Parker, S.
D., at 8:00 p.m. on Thursday,
March 20, 1975.

The purpose of the hearing is
to consider the adoption of the
Turner County Comprehensive
Plan, including the Zoning Res-
olution and Subdivision Regula-
tions. All interested persons may
appear to be heard.

Publish: March 6 & 13, 1975

No. 2200-3

NOTICE INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501
February 18, 1975

Notice is hereby given that
David Kost whose post office
address is Hurley, South Dakota,
has made an application in ac-
cordance with the provisions of
the water laws of South Dakota
for a permit to appropriate for
beneficial use 2.0 cubic feet of
water per second of time from
ground water through the Kest
#1, the point of diversion of
which is to be located in the
NW 1/4 NW 1/4 of Section 31, Twp.
98N, Range 52W. Said water to be
used for the purpose of providing
irrigation on portions of the fol-
lowing described land:

W 1/2 NW 1/4, NE 1/4 NW 1/4,
Section 31, T98N, R52W and E 1/2,
Section 36, T98N, R53W.

This application No. 2200-3 will
be considered by the Water
Rights Commission at its office
at Pierre upon the 19th day of
March, 1975, at 2:30 P. M. All
interested persons may appear
and be heard.

WATER RIGHTS
COMMISSION

By: Burton F. Jones,
Water Rights Specialist

cc: David Kost,
Hurley, South Dakota 57030
Publish: March 6 & 13, 1975

2200-3 Davis Kost

7-15-25 1100 - 30' - 12' dia. RCP

1500 gpm. RCP. 12' dia. RCP

530 gpm.

Aluminum Pipe - 62' - 10' dia. RCP

27' - 30' - 510' - 6' dia. RCP

615' - 2' dia. RCP - 4' dia.

Apr. 1st E-1 - RCP - 4' dia. RCP

530 gpm. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

12' dia. RCP. 12' dia. RCP

Permit No. 2200-3Water Division 3 Vermillion Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by David Kost of Hurley, S. Dak, 57036 holder of Permit No. 2200-3, bearing date of priority of Feb. 11, 1975 authorizing the diversion of 2.0 cu. ft. per second of the waters of Well for Irrigation purposes, in Turner County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Pump - (No name) - Hollow Shaft Drive - 50 HP - 1760 RPM
Engine - General Motors Diesel, Model. 4031-G
Unit # 4A-91330, Max RPM 1890

B. Works used to transport water to place of use,

Aluminum - 6" dia - 2670 ft long.
4" dia Flexible hose 660 ft.

C. Works used to apply water to beneficial use.

Sprinkler - E-Z Rain - 4.1 Nozzle, Model MK54,
Serial # 56132; 530 gpm

The system is in the following condition: Good.

The point of diversion is located S 5° E, 80 rods from the NW corner,
Section 31, T98N, R52W

The works are capable of diverting and conveying to the place of use 1.2cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: In sec. 31, T98N R52W,

NW 1/4 NW 1/4 - 32 Ac., NE 1/4 NW 1/4 - 25 Ac., SW 1/4 NW 1/4 - 31 Ac.

In sec. 36, T98N R53W, NE 1/4 NE 1/4 - 26 Ac., SE 1/4 NE 1/4 - 18

comprising a total of 132 acres of land.

Well data:

Depth 40 ftDepth to water 7 ft.Casing - 22" dia.Capacity est. 1000 gpm.

Date

July 28, 1976

LeRoy J. Mernagh
(Signature)

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 8, 1989

DAVID KOST
RR 2 BOX 33
HURLEY, SD 57036

NOTICE

RE: Violation of Requirement to Submit 1988 Irrigation Questionnaire

Our records indicate that the 1988 Irrigation Questionnaire has not been submitted for Permit No(s). 2200-3. The request for the Questionnaire was dated October 26, 1988. The Water Management Board had directed that owners of water permits who have not submitted the 1988 Irrigation Questionnaire be given notice of hearing to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 9:45 am, March 1, 1989 at the Howard Johnson's, Roosevelt Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s). 2200-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 1st hearing date, your name will be deleted from the agenda for the hearings.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 23, 1989

2200-3

David Kost
RR #2 Box 33
Hurley, SD 57036

Dear Mr. Kost:

I am writing to acknowledge receipt of your 1988 irrigation questionnaire for Water Permit No. 2200-3. You may disregard the February 8, 1989, Notice of failure to submit the 1988 irrigation questionnaire. With receipt of the questionnaire your name has been deleted from the March Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division



2200-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOV 30 1992

5290-3

David Kost
RR 1, Box 176
Menlo, SD 57045

Dear Mr. Kost:

Enclosed is Water License No. 5290-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 413074 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 5290-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

NOTE: The applicable portions of Water Right No. 2200-3 are incorporated into this Water License No. 5290-3.

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

WELL CONSTRUCTION
Location of well: 1/4 111 Section 31 Township 97 Range 52
Well owner: David Kart Darius S.D. 57621
Date well drilling completed: 6/16/75 Purpose of well: Irrigation
(Agricultural, domestic, municipal, industrial, other)

WELL LOG

Core well drilling completed

WELL LOG

Layers, top to top in feet	Description of layer
0-2	top soil
2-40	sand & gravel
40-	clay

Depth to top of water producing aquifer ————— 26 ft.
Depth to static water level ————— 6' 6" ft.
Name of producing aquifer (if known) ————— gravel
Total depth of drill hole ————— 40 ft.
Depth to bottom of casing ————— 40 ft.

Casing information: In the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing, if used.
0-20' 22" O.D. Concrete

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.
20-40' 22" O.D. Concrete

If a flowing well, flow of completed well ————— G.P.

Empire Irrigation Drilling
A Division Contractor

Attach sheet if more space is needed

If a flowing well, flow of completed well _____ O.P. 12

Empire Investigation Drilling
Name of Drilling Contractor Do. One

(2) PUMP INSTALLATION

PUMP INSTALLATION
Company name and size of pump Not done by Empire HP. _____
Type of pump _____ Capacity of installed pump _____ G.P.M.
Depth of pump placement _____ ft., Date of pump installation _____

(3) WATER SURFACE MEASURING TUBE

WATER SURFACE MEASURING TUBE
On some wells an air-tight water surface measuring tube is required. See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.
_____ ft., tube diameter _____,

On some wells an air-tight water surface measuring tube is used. WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____ tube material _____.

Name of Pump Installation Contractor



LOCATION OF LAND TO BE IRRIGATED

LOCATION	SEC.	TWP.	RGE.	ACRES
E2NE4	36	98-N	53-W	44
W2NW4	31	98-N	52-W	57
NE4NW4	31	98-N	52-W	35
TOTAL				136



CONSERVATION PLAN MAP

Turner Co. Conservation District
 Owner David Kost Operator Same
 County Turner State S. D. Photo No. _____
 Date prepared 1/75 Scale: 1/2" = 1 mile. Acreage = 280
 Approximate Approximate

PREPARED BY U.S. DEPARTMENT OF AGRICULTURE, SOIL CONSERVATION SERVICE

SPRINKLER IRRIGATION SYSTEM

Scale 1" = 440 ft.



MAP NO 1600-3 (APPL NO 2200-3)