

2232B-3

WATER PERMIT NO. 2232B-3

Phone: 772-5221

Name of Applicant: Greenwood Colony

Post Office Address: Box 89, Delmont SD 57330

Amount of Water Claimed: no add'l (3.50) Total Acres: no add'l (245)

Source of Water Supply: groundwater (two wells)

Water to be used for: irrigation County: Charles Mix

About 7 miles north of Wagner

PRIORITY Date Received: 1-24-94 Fee: \$50 Remarks: change

diversion point location and correct diversion rate

Corrected Application Received: _____ Period of Annual Use: May 1 - Oct 31

WATER QUALITY APPROVAL RECEIVED: 2-6-81 APPROVED/CONDITIONAL (Circle one)


WI-1 Description same as Application YES _____ NO _____ REMARKS: _____

Diversión Point: NW 1/4 NW 1/4 and NE 1/4 NW 1/4

Sec 14-T97N-R63W

Land to be Irrigated: NW 1/4 and NE 1/4 Sec 14-

T97N-R63W



Well Log: Driller: _____ Licensed YES _____ NO _____

Depth of Well: 50 feet REMARKS: well logs not available

Type of Map: aerial PREPARED BY: Barry McLaury Reviewed and the Number


Assigned on: 1-26-94 By: Karen Schlaak

WATER LICENSE NO. 2232B-3 FOR IRRIGATION

Section 14-T97N-R63W	NW 1/4 NW 1/4	34 acres
	NE 1/4 NW 1/4	34 acres
	SW 1/4 NW 1/4	34 acres
	SE 1/4 NW 1/4	34 acres
	NW 1/4 NE 1/4	31 acres
	NE 1/4 NE 1/4	32 acres
	SW 1/4 NE 1/4	17 acres
	SE 1/4 NE 1/4	29 acres
	Total	245 acres

Water License No. 2232B-3
Greenwood Colony
Page 2

(4) Pursuant to South Dakota Water Law 4E-5-30.1 Greenwood Colony of RR 1, Box 89, Delmont SD 57337 the holders and owners of Water Permit No. 2232B-3 are issued a license to appropriate water, the right to use 3.50 cubic feet of water per second from groundwater (two wells) with a priority date of February 18, 1975 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 2232B-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and Natural Resources

DEC 28 1994

date

FORM 2: Application for Irrigation in South Dakota
(type or print)

Mail to:
Water Rights Division
Joe Foss Building
523 E Capitol
Pierre SD 57501-3181
605 773-3352

No. 2232-3 Hydrologic Unit 16/70/11
Basin Missouri River
Newspaper Wagner Post, Box 167, Wagner
(office use only)



Application For Soil/Water Compatibility Permit And Permit To Appropriate Water

Type of Application: 2232-3
(check one) 2232-3A
☐ New ☐ Vested Right ☒ Amendment/Correction to Permit No. 2232-3A
(Use predates Mar 2, 1955)

Description of amendment/correction: (i.e. acreage change, change diversion point(s), add diversion point(s), etc.)
Change diversion point location and correct diversion rate
authorized by No. 2232-3

- Name of Applicant Greenwood Colony Hutterian Brothers Phone 724-5001
RR1 (check one) ☒ Owner ☐ Tenant/lessee
Mailing Address Box 59 Delmont State SD 57330-980
(Street, RR, or Box) (City) (Zip Code)
- Amount of water claimed 3.50 *CFS or **GPM ***AF Total Acreage 245
(*Cubic Feet per Second) (**Gallons per Minute) (**Acre Feet - storage capacity of dam/dugout if applicable)
- Source of water supply ground water 2 wells
- Location of point of diversion (example - 3 wells in SW1/4 NE1/4 section 12-T104N-F53W) Well No. 1: 1,020 Ft E
and Well No. 2: 1,550 Ft E; both from the NW corner of section 14-97N-63W
(NW1/4 NW1/4 + NE1/4 NW1/4, respectively) County Charles Mix
- County or counties where water will be used Charles Mix
- Annual period during which water is to be used May 1 - Oct 31
- List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.
(Attach sheet if more space is needed)

Land Description	Acres	Land Description	Acres
<u>NW1/4 NW1/4 sec 14-97N-63W</u>	<u>34</u>	<u>NW1/4 NE1/4 sec 14-97N-63W</u>	<u>31</u>
<u>NE1/4 NW1/4</u>	<u>34</u>	<u>NE1/4 NE1/4</u>	<u>32</u>
<u>SW1/4 NW1/4</u>	<u>34</u>	<u>SW1/4 NE1/4</u>	<u>17</u>
<u>SE1/4 NW1/4</u>	<u>34</u>	<u>SE1/4 NE1/4</u>	<u>29</u>

- Type of Irrigation: Gravity: Towline: Center Pivot(s) ☒ Gun: Other (Specify):
- Crops to be irrigated: Corn & Soy Beans & Alfalfa
- Give a description of the project. (Attach sheet if more space is needed)
see attachment dated January 14, 1994


Attachments: Attach Form 2A if diversion is from a well or dugout, or if storage of water is proposed. Attach maps, soils information and any other technical information. (see instructions)

STATE OF SOUTH DAKOTA)

County of Charles Mix)^{ss}

I, Joe Glazner, the applicant, certify that I have read this application and examined the attached maps, that the water sample, if needed, has been taken by the required procedures and has not been adulterated or tampered with and is representative of the water to be used, and that the matters stated in this application are true and correct.

Signed Joe Glazner
before me this 21 day of Jan 19 94



[Signature]
Notary Public

**ATTACHMENT
APPLICATION TO AMEND/CORRECT
NOS. 2232-3 & 2232-3A**

January 14, 1994

Water Permit No. 2232-3A authorized 2 additional diversion points with no increase in diversion rate to irrigate the NW1/4 section 14. The 2 additional diversion points are now used to irrigate the entire N1/2 section 14. The original diversion point authorized by No. 2232-3 is no longer in use. This application is to change the location of the diversion point used to irrigate the NE1/4 section 14 to the location of the existing diversion points in the N1/2 NW1/4 section 14.

In addition, this application corrects the diversion rate specified on the permit issued for Application No. 2232-3. The original application requested 4.10 cfs for irrigation of 290 acres; however, the permit was issued for 2.28 cfs for irrigation of 290 acres. The minutes of the March 24, 1977, Water Rights Commission meeting indicate the application was presented as being for 4.10 cfs and the action taken by the Commission did not specify that the permit was reduced to 2.28 cfs. This application does not authorize an increase in diversion rate, but does recognize that the correct diversion rate based on prior Commission action should be 3.50 cfs. The specified diversion rate is less than 4.10 cfs based on the actual number of acres (245 acres) developed for irrigation (245 acres/1 cfs per 70 acres = 3.50 cfs).

no logs available

(type or print in ink)

As constructed

west- well

East well

1. Well Information - Proposed-Construction

- a) Drill Hole Diameter _____ Depth 50', 50'
- b) Casing Type steel, concrete Diameter 16", 16" Thickness _____
- c) Screen Type stainless, stainless Diameter _____ Thickness _____
- d) Gravel Pack Thickness _____ Length of Gravel Pack _____
- e) Depth to Top of Water Bearing Material _____
- f) Depth to Water (ground surface to water level) 15, 15
- g) Distance to nearest existing domestic well: _____

On applicants property 24000 On property owned by others 14000



2. Dugout Information

- a) Surface Dimensions _____ Depth _____
- b) Depth to water (ground surface to water level) _____

3. Water Storage Dams

If the proposed water use system contains one or more storage dams, please furnish the information requested below for each dam. The locations of the dams need to be shown on the map submitted with the application.

- a) If a private engineering firm or government agency was involved in the design of this dam, please give their name and address:



- b) Freeboard _____
- c) Crest Width _____
Crest Length _____
- d) Height _____
- e) Primary Outlet Capacity _____
If pipe, diameter _____
- f) Secondary Spillway Capacity _____
Spillway Width _____
- g) X & Y Slope
Upstream _____
Downstream _____
- h) Surface Area of Impoundment _____
- i) Storage _____ Acre Feet
- j) Drainage Area Above Dam _____ Acres

REPORT ON WATER PERMIT APPLICATION NO. 2232B-3
for Greenwood Hutterian Brethren
February 9, 1994

Application No. 2232B-3 specifies the location of an existing well and corrects the diversion rate authorized by Water Permit No. 2232-3. Water Permit No. 2232-3 was issued for 2.28 cfs from one well located in the center of the N 1/2 of section 14 to irrigate the N 1/2 of section 14; all in T97N R63W. Water Permit No. 2232-3A authorized 2 additional diversion points located in the NW 1/4 NW 1/4 of section 14 with no increase in the diversion rate to irrigate the NW 1/4 of section 14; all in T97N R63W. The 2 additional diversion points are now used to irrigate the entire N 1/2 of section 14, T97N R63W. The original diversion point authorized by Permit No. 2232-3 is no longer used. This application is to change the location of the diversion point used to irrigate the NE 1/4 of section 14 to the NE 1/4 NW 1/4 of section 14 all in T97N R63W in Charles Mix County. This application does not authorize any increase in the diversion, but does recognize that the correct diversion rate should be 3.5 cfs.

AQUIFER - DELMONT (D)

The Delmont is a surficial glacial outwash (sand and gravel) under unconfined (water table) conditions. The Delmont underlies 12,200 acres and contains an estimated 36,610 acre feet of recoverable water in storage in Charles Mix County and underlies 15,700 acres and contains an estimated 35,200 acre feet of recoverable water in storage in Douglas County (Hedges, 1982). The aquifer extends into Douglas County to the north and ground water movement is from north to south (Kume, 1977). The aquifer is in hydraulic connection with Choteau Creek which acts as a discharge/recharge boundary. Recharge to the Delmont aquifer has been estimated to be about 5.6 inches per year (5,700 acre feet per year) for Charles Mix County and (7,325 acre feet per year) for Douglas County (Hedges, 1983). The largest water use for the Delmont aquifer was 2,017 acre feet in 1988 (Unpublished Irrigation Questionnaire Data).

The Division of Water Rights monitors two observation wells CM-72A and CM-69B both completed in the Delmont and located within 1 mile of this application. Water levels for these wells show good response to climatic conditions, that is, rising water levels during wet years and gradually declining water levels during dry years. The water level record for the Delmont indicates that the aquifer is capable of sustaining additional withdrawals (Water Rights, 1994). Hydrographs for these two wells are included with this report.


REVIEW OF EXISTING WATER PERMITS/RIGHTS

There is one existing water permit No. 5779-3 (also No. 2163-3) with a diversion located about 1/2 mile north of the diversions for this application which also obtains water from the Delmont

aquifer. Interference is not expected to be a concern. These are water table wells and drawdown caused by pumping is not significant at the distance between wells. These are existing wells and have been in use for many years with no apparent problems.

CONCLUSIONS

1. Water is available from the Delmont aquifer.
2. The aquifer is unconfined (water table) and drawdown should not be significant. Interference is not expected to be a problem.
3. No information is available to determine if the well construction is in accordance with SD Well Construction Standards.
4. Permit No. 2232-3 was issued probably incorrectly for 2.28 cfs instead of the 4.1 cfs applied for. The only explanation is a mistake on the Division's part in writing up the permit. No mention is contained in the Board's minutes which changed the approved diversion rate for the original permit.
5. Approval of this application will allow for the licensing of the three permits Nos. 2232-3, 2232-3A and 2232B-3 for a diversion rate of 3.50 cfs for irrigation of 245 acres from two wells (as shown by inspection).


James A Goodman
Natural Resources Engineer


BIBLIOGRAPHY

- Hedges, L.S., etal, 1982, Evaluation of Ground-Water Resources Eastern SD and Upper Big Sioux River, SD and Iowa, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.
- Hedges, L.S., 1983, Same, Task 7: Ground Water Recharge, for US Army Corps of Engineers, SD DENR, SDGS, Vermillion, SD, 57069.
- Kume, J., 1977, Geology and Water Resources of Charles Mix and Douglas Counties, South Dakota, Bulletin 22, Part II: Water Resources, SD DENR, SDGS, Vermillion, SD, 57069.
- Water Rights, 1994, Unpublished Observation Well Data for Charles Mix County, SD DENR, Division of Water Rights, Pierre, SD, 57501.

WATER RIGHTS OBSERVATION WELL


CM-69B

WATER LEVEL (FEET)



WATER RIGHTS OBSERVATION WELL

CM-72A




RECOMMENDATION OF CHIEF ENGINEER FOR WATER PERMIT
APPLICATION NO. 2232B-3, Greenwood Hutterian Brethren

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Environment and Natural Resources concerning Water Permit Application No. 2232B-3, Greenwood Hutterian Brethren, c/o Joe Glanzer, RR 1 Box 89, Delmont, SD 57330.

The Chief Engineer is recommending APPROVAL of Application No. 2232B-3 because 1) the proposed diversion can be developed without unlawful impairment of existing rights, 2) the proposed use is a beneficial use and 3) in the public interest with the following qualifications:

1. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This Permit is approved subject to the irrigation water use questionnaire being submitted each year.

See report on application for additional information.


JOHN HATCH, Chief Engineer
March 4, 1994



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTE: TO BE SURE OF PUBLICATION ON
THE CORRECT DATES, CONTACT
THE NEWSPAPER RIGHT AWAY.

March 4, 1994

Joe Glanzer
Greenwood Hutterian Brethren
RR 1 Box 89
Delmont, SD 57330

Dear Mr. Glanzer:

Water Permit Application No. 22328-3 for irrigation use has been examined and found to comply with the South Dakota Water Laws and applicable rules. A notice of hearing has been sent to the Publisher of the Wagner Post printed at Wagner, SD (Ph # 384-5616). For your information, a copy of the notice, the recommendation of the Chief Engineer and a report on the application are enclosed. Please review the notice prior to publication and notify this office, if you have any corrections or questions.

Be sure to contact the above newspaper to authorize publication of your Notice of Hearing and to arrange for payment. Early contact with the paper can eliminate delays. The publisher has been instructed to publish your notice once each week for two consecutive weeks with the last publication to occur twenty days before the board meeting. The newspaper has been instructed to send us the Proof of Publication. We must receive Proof of Publication before action can be taken on the application.

Sincerely,

Eric Gronlund
Natural Resources Engineer
505 775-3352

enclosures

NOTE: If you plan to contest any part of the Chief Engineer's recommendation, you must file a petition pursuant to the procedures outlined in the attached notice of hearing. The Water Management Board will then consider your concerns during a hearing on the application.

c: Tom Young, BIA, 115 4th Avenue SE, Aberdeen, SD 57401



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE, SOUTH DAKOTA 57501-3181

March 4, 1994

Wagner Post
Box 187
Wagner, SD 57380-0187

ATTENTION: Legal Department

Enclosed is a Notice of Hearing on Application No. 2232B-3 to be published twice. Please publish the first notice on March 15, 1994, with the second publication 7 days later.

The APPLICANT MUST VERIFY TO YOU THAT THE NOTICE IS TO BE PUBLISHED before you make the first publication. Please BILL the APPLICANT for the cost of publication. The APPLICANT is Greenwood Hutterian Brethren, RR 1 Box 89, Delmont, SD 57330-9801 (Ph # 779-5221).

A copy of BOTH publications must be SENT to the WATER RIGHTS DIVISION. IMMEDIATELY return the FIRST publication with the FIRST Transmittal form on the bottom of this page. The first copy is needed to check the publication for errors so any corrections can be made in the second publication. Publication errors can invalidate the public notice and cause the applicant costly delays.

Please be sure the SECOND publication is returned IMMEDIATELY with the enclosed Proof of Publication form. DO NOT WAIT until the end of the month or the billing cycle. No action may be taken on the permit application until proof of publication has been received.

Sincerely,

Eric Gronlund
Eric Gronlund
Natural Resources Engineer
605 773-3352

enclosures

FIRST TRANSMITTAL NOTICE

-----CUT HERE-----

No. _____

Date _____

We are in receipt of your letter, of _____ enclosing Notice of
Hearing to Appropriate Water by Application No. _____ which was first
published in our issue of _____. ENCLOSED IS A COPY OF THIS
FIRST PUBLICATION.

TO: Eric Gronlund
Water Rights Division
Joe Foss Building
Pierre SD 57501-3181

Name _____

Newspaper _____

Instruction to Newspaper - Publish first Notice on March 15, 1994, with the second publication 7 days later. The applicant is responsible for payment.

NOTICE OF APPLICATION NO. 2232B-3 to Appropriate Water
to Amend Water Permit Nos. 2232-3 and 2232-3A

Notice is given that Greenwood Hutterian Brethren, RR 1 Box 89, Delmont, SD 57330-9801 has filed an application for a water permit to specify the correct location of an existing well and to correct the diversion rate authorized by Water Permit No. 2232-3. Water Permit No. 2232-3 was issued for 2.28 cubic feet of water per second (cfs) from one well located in the center of the N 1/2 Section 14 to irrigate the N 1/2 Section 14; all in T97N-R63W. Water Permit No. 2232-3A authorized 2 additional diversion points located in the NW 1/4 NW 1/4 Section 14 with no increase in the diversion rate to irrigate the NW 1/4 Section 14; all in T97N-R63W. The 2 additional diversion points are now used to irrigate the entire N 1/2 Section 14-T97N-R63W. The original diversion point authorized by Permit No. 2232-3 is no longer used. This application is to change the location of the diversion point used to irrigate the NE 1/4 Section 14 to the NE 1/4 NW 1/4 Section 14; all in T97N-R63W. This application does not authorize any increase in the diversion rate, but does recognize that the correct diversion rate should be 3.50 cfs.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2232B-3 because 1) existing rights will not be unlawfully impaired, 2) it is a beneficial use of water, and 3) it is in the public interest. In accordance with SDCL 46-2A-23, the chief engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and chief engineer. The applicant must file a petition if contesting the chief engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given above. A petition filed by either an interested person or the applicant must be filed by April 1, 1994.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Division address to request copies of information pertaining to this application. Russell L. Stone, Acting Secretary, Department of Environment and Natural Resources.

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County of *Charles Mix*) ss

1. Donald Harrell

certify that the attached printed Notice was

taken from the

The Wagner Post

printed and published in Wagner

County of Charles Mix and State of

South Dakota. The notice was published in the newspaper on the following two dates:

March 16, 1994

March 23, 1994

Cost of Printing: \$42.59

Donald Harrell
(Signature)

Publisher
(Title)

March 23, 1994
(Date Signed)

**NOTICE OF APPLICATION
NO. 2232B-3 to Appropriate
Water to Amend Water Permit
Nos. 2232-3 and 2232-5A**

Notice is given that Greenwood Hutterian Brethren, RR 1 Box 89, Delmont, SD 57330-9801 has filed an application for a water permit to specify the correct location of an existing well and to correct the diversion rate authorized by Water Permit No. 2232-3. Water Permit No. 2232-3 was issued for 2.28 cubic feet of water per second (cfs) from one well located in the center of the N 1/2 Section 14 to irrigate the N 1/2 Section 14; all in T97N-R63W. Water Permit No. 2232-3A authorized 2 additional diversion points located in the NW 1/4 NW 1/4 Section 14 with no increase in the diversion rate to irrigate the NW 1/4 Section 14; all in T97N-R63W. The 2 additional diversion points are now used to irrigate the entire N 1/2 Section 14-T97N-R63W. The original diversion point authorized by Permit No. 2232-3 is no longer used. This application is to change the location of the diversion point used to irrigate the NE 1/4 Section 14 to the NE 1/4 NW 1/4 Section 14; all in T97N-R63W. This application does not authorize any increase in the diversion rate, but does recognize that the correct diversion rate should be 3.50 cfs.

Pursuant to SDCL 46-2A-2, the Chief Engineer recommends APPROVAL of Application No. 2232F-3 because 1) existing rights will not be unlawfully impaired, 2) it is a beneficial use of water, and 3) it is in the public interest. In accordance with SDCL 46-2A-23, the chief engineer will act on the application, as recommended, unless a petition is filed opposing the application or the applicant files a petition contesting the chief engineer's recommendation. If a petition opposing the application or contesting the recommendation is filed, then a hearing will be scheduled and the Water Management Board will consider the application. Notice of the hearing will be given to the applicant and any person filing a petition.

Any person interested in opposing or supporting this application or recommendation must file a written petition with BOTH the applicant and chief engineer. The applicant must file a petition if contesting the chief engineer's recommendation. The Chief Engineer's address is "Water Rights Division, Foss Building, 523 E Capitol, Pierre SD 57501 (605 773-3352)" and the applicant's mailing address is given

above. A petition filed by either an interested person or the applicant must be filed by April 1, 1994.

The petition may be informal, but must include a statement describing the petitioner's interest in the application, the petitioner's reasons for opposing or supporting the application, and the signature and mailing address of the petitioner or the petitioner's legal counsel, if legal counsel is obtained. Contact Eric Gronlund at the above Water Rights Division address to request copies of information pertaining to this application. Russell L. Stone, Acting Secretary, Department of Environment and Natural Resources.
Pub: March 16, 23, 1991



Permit No. 2232-3A
Missouri River - Water District

Report Of Examination Of Works And/OR Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Greenwood Colony of Box 89, Delmont, SD 57330 holder of Permit Nos. 2232-3 & 2232-3A, bearing the priority of February 18, 1975 authorizing the diversion of cu. ft. of water per second from ground water for irrigation purposes, in Douglas County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

- | | <u>Pump: (West well)</u> | | <u>Pump: (East well)</u> |
|------|--------------------------------|----|---------------------------------|
| 1) | Make <u>Wel Line</u> | 1) | Make <u>Western Land Roller</u> |
| 2) | Model <u>81542K</u> | 2) | Model <u>No ID plate</u> |
| 3) | Pressure <u>100</u> PSI | 3) | Pressure <u>100</u> PSI |
| 4) | Capacity <u>800</u> GPM | 4) | Capacity <u>800</u> GPM |
|
 | | | |
| | <u>Motor:</u> | | <u>Motor:</u> |
| 1) | Make <u>Leroy - Somer</u> | 1) | Make <u>General Electric</u> |
| 2) | Model No. <u>1744801</u> | 2) | Model No. <u>LHJ1124331</u> |
| 3) | Horsepower rating <u>60</u> hp | 3) | Horsepower rating <u>60</u> hp |

B. Works used to transport water to place of use:

DISTRIBUTION LINES:

- 1) Type PVC 2) Size 8 inches 3) Length 4025 feet

C. Works used to apply water to beneficial use:

SYSTEM TYPE:

Center pivots: (2 identical)

- 1) Make T-I
- 2) Overall lengths 1320 feet
- 3) Number of towers 10
- 4) Distance between towers 132 feet
- 5) End guns Y
- 6) High or low pressure High
- 7) Capacities 800 each GPM

The system is in the following condition good. The points of diversion are located 1020 feet E & 1550 feet E, both from the NW corner of Section 14 T97N-R63W (NW1/4 NW1/4 & NE1/4 NW1/4). The works are capable of diverting and conveying to the place of use 3.55 cu. ft. of

water per second which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:


<u>T97N-R63W</u>	<u>SECTION 14</u>	<u>NW1/4 NW1/4</u>	<u>34 acres</u>
		<u>NE1/4 NW1/4</u>	<u>34 acres</u>
		<u>SW1/4 NW1/4</u>	<u>34 acres</u>
		<u>SE1/4 NW1/4</u>	<u>34 acres</u>
		<u>NW1/4 NE1/4</u>	<u>31 acres</u>
		<u>NE1/4 NE1/4</u>	<u>32 acres</u>
		<u>SW1/4 NE1/4</u>	<u>17 acres</u>
		<u>SE1/4 NE1/4</u>	<u>29 acres</u>

comprising a total of 245 acres of land and the license should be issued for 3.50 cfs.
Applicable permit qualifications have been compiled with: Yes X No

****NOTE:** Based on the June 29, 1993 inspection of this water use system, a new application was needed to correctly match the diversion points with the actual acreage being irrigated. Water Permit No. 2232B-3 specifies the correct location of an existing well and corrects the diversion rate authorized by Water Permit No. 2232-3.

The applicable portions of Nos. 2232-3 and 2232-3A will be incorporated into Water License No. 2232B-3.

Exceptions to compliance are: None Date: June 29, 1993


Barry A. McLaury
Natural Resources Analyst
DENR, Water Rights Division

REPORT ON INSPECTION OF PERMIT NO. 2232-3A

DATE: June 29, 1993

Other permit(s) associated with the project: 2232-3

DIVERSION POINTS LEGAL LOCATION: 1020 feet E & 1550 feet E, both from the NW corner of Section 14 T97N-R63W (NW1/4 NW1/4 & NE1/4 NW1/4).

WELL INFORMATION: (2 WELLS)

West well

- 1) Well Drilling Firm: Verely D. Illing
- 2) No. of Wells 1
- 3) Depth(s) 50 feet
- 4) Well log is available N

Casing:

- 1) Diameter 16 inches
- 2) Length 20 feet
- 3) Type steel

Screen:

- 1) Type Stainless steel
- 2) Length 30 feet
- 3) Static water level 15 feet

Pump:

- 1) Make Wel Line
- 2) Model 81542K
- 3) Pressure 100 PSI
- 4) Capacity 800 GPM

Motor:

- 1) Make Leroy - Somer
- 2) Model No. 1744801
- 3) Horsepower rating 60 hp

East well

- 1) Well Drilling Firm: Grosch Irrigation Co.
- 2) No. of Wells 1
- 3) Depth(s) 50 feet
- 4) Well log is available N

Casing:

- 1) Diameter 16 inches
- 2) Length 20 feet
- 3) Type Concrete

Screen:

- 1) Type Stainless Steel
- 2) Length 30 feet
- 3) Static water level 15 feet

Pump:

- 1) Make Western Land Roller
- 2) Model No ID plate
- 3) Pressure 100 PSI
- 4) Capacity 800 GPM

Motor:

- 1) Make General Electric
- 2) Model No. LHJ1124331
- 3) Horsepower rating 60 hp

DISTRIBUTION LINES:

- 1) Type PVC
- 2) Size 8 inches
- 3) Length 4025 feet

SYSTEM TYPE:

Center pivots: (2 Identical)

- 1) Make T-L
- 2) Overall lengths 1320 feet
- 3) Number of towers 10
- 4) Distance between towers 132 feet
- 5) End guns Y
- 6) High or low pressure High
- 7) Capacities 800 each GPM

CHEMIGATION EQUIPMENT: (Both Pivots)

- 1) Does chemigate Y
- 2) Main line check valve Y
- 3) Inspection port/air relief Y
- 4) Low pressure drain Y
- 5) Discharge is 20' from source Y
- 6) Interlock type electrical
- 7) Injection pump type not at sites
- 8) Injection check valve Y
- 9) Injection line check valve or positive displacement pump Y
- 10) All chemigation equipment appears to be installed in the proper position and complies with chemigation laws and rules Y
- 11) Comments : The 20' discharge hoses and injection pumps are removed from the sites at the end of the irrigation season.

PERMIT QUALIFICATIONS AND REGULATIONS:

- 1) Soil and water permit lands agree with lands being irrigated and lands listed on permit Y
- 2) Special qualifications to permit being abided by Y
- 3) All structures, wells and lands on map Y
- 4) Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y

** NOTE: Water Permit Nos. 2232-3 and 2232-3A will be incorporated during licensing.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PERRIE, SOUTH DAKOTA 57501-3181

January 14, 1994

Joe Glanzer
Greenwood Colony
Box 89
Delmont SD 57330

Dear Mr. Glanzer:

This letter is in response to an onsite inspection of Water Permit Nos. 2232-3 and 2232-3A for irrigation of the N1/2 section 14-T97N-R63W. The inspection was completed on June 29, 1993, by Barry McLaury, Natural Resources Analyst.

Based on the inspection results, a new application needs to be filed to correctly match the diversion points with the acreage that is being irrigated. A partially completed application and instruction sheet are enclosed. Please complete questions with red checks and sign the application in the presence of a notary public. The application then needs to be returned to the Water Rights Division with a \$50.00 application fee. Eventually, another fee of \$50.00 will also be needed in order to issue a water license for the Nos. 2232-3, 2232-3A, and this application if approved.

The reason a new application is needed is explained in the Attachment to the enclosed water permit application. According to state law, diversion points need to be located within 660 feet of the location described on the permit. Well No. 2 is located approximately 1,700 feet from the center of the N1/2 section 14 which is the well location described on No. 2232-3 for irrigation of the NE1/4 section 14.

In addition, an error is also being corrected concerning the diversion rate. The correct diversion rate for irrigation of 245 acres should be 3.50 cubic feet of water per second. This new application should not affect the priority date established by Permit No. 2232-3.

Please contact me if you have any questions (605 773-3352).

Sincerely,

Ron Duvall
Natural Resources Engineer
Water Rights Division

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 20, 1994

Greg Magera, attorney
PO Box 490
Aberdeen SD 57402-0490

Dear Mr. Magera:

This letter is in response to our phone conversation on January 19, 1994, concerning Greenwood Colony.

First of all, I apologize for confusing Greenwood Colony with another colony that is working on a swine confinement project. Everything I told you about the swine confinement and blending of wastewater to irrigate does not apply to Greenwood Colony. Enclosed is a copy of the cover letter, permit application, and maps I sent to Joe Glanzer. The applications pertain only to making corrections to existing irrigation projects.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in dark ink, appearing to read "Ron Duvall", written over a horizontal line.

Ron Duvall
Natural Resources Engineer
Water Rights Division
605 773-3352

enclosures


**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

January 6, 1981

Joe Glanzer
Greenwood Colony
Box 89
Delmont SD 57330



Dear Mr. Glanzer:

We have received your application to appropriate 2.2 cfs to irrigate 155 acres in the NW $\frac{1}{4}$, Section 14, T97N, R63W, Charles Mix County

The location of the proposed well on the new application, is the same description as Permit No. 2232-3. Mr. Mernaugh of this office inspected Permit No. 2232-3 and the well being used, was located in NW $\frac{1}{4}$, NW $\frac{1}{4}$, Section 14, T97N, R63W. Do you now intend to drill the second well in the same location as shown on Permit No. 2232-3? Both wells should be on this new application. Enclosed is your application and your map. Please show the exact location on the map of the wells and state the locations on your application.

When the corrected application and the Soil/Water Compatibility permit approval is received from the State Conservation Commission further processing of the application will proceed.

Sincerely,

BETTY WESTLUND
Water Rights Specialist

BW:kw

enclosure

Equal Opportunity Employer

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
Pierro, South Dakota 57501

Water Rights Division

(605) 773-3352

April 21, 1981

Greenwood Colony
% Joe Glanzer
Box 89
Delmont, SD 57330

Dear Mr. Glanzer:

Enclosed herewith is your Water Right Permit No. 2232-3A as approved by the Water Management Board authorizing you to construct your water diversion system and apply the water to beneficial use, not exceeding the limits as specified in said Water Right Permit No. 2232-3A.

Also enclosed is FORM 10, Notice of Completion of Works and Application of Water to Beneficial Use, which you are to complete and submit to the Water Management Board when you have completed the system and/or have put the water to beneficial use. The Board can then schedule an inspection so that your Certificate of Construction and/or Water License may be issued to you, thus completing your acquisition of a Water Right.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division

JH: gy

enclosure



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

OCT 4 1994

Joe Glanzer
Greenwood Hutterian Brethren
RR 1 Box 89
Delmont, SD 57330-9801

Dear Mr. Glanzer:

Enclosed is Water Permit No. 2232B-3 authorizing your water diversion system and beneficial use of the water, not exceeding the limits as specified in the Water Permit.

The final inspection has been completed on this Permit, and we are ready to issue the Water License. Statutes require we charge \$50 for the inspection and issuance of the final papers. Upon receipt of this amount the Water License will be sent to you.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures

**SOUTH DAKOTA
WATER PERMIT NO. 2232B-3**

Date of first receipt of application January 24, 1994.

Date Soil/Water Compatibility Permit received February 6, 1981


The Chief Engineer, on behalf of the Water Management Board, issues Water Permit No. 2232B-3 to Greenwood Hutterian Brethren, RR 1, Box 89, Delmont SD 57330-9801 authorizing the construction of the water use system and the placing of water to beneficial use subject to the following limitations, conditions and qualifications:

1. Water Permit No. 2232B-3 specifies the correct location of an existing well and corrects the diversion rate authorized by Water Permit No. 2232-3. Water Permit No. 2232-3 was issued for 2.28 cubic feet of water per second (cfs) from one well located in the center of the N 1/2 Section 14 to irrigate the N 1/2 Section 14; all in T97N-R63W. Water Permit No. 2232-3A authorized 2 additional diversion points located in the NW 1/4 NW 1/4 Section 14 with no increase in the diversion rate to irrigate the NW 1/4 Section 14; all in T97N-R63W. The 2 additional diversion points are now used to irrigate the entire N 1/2 Section 14-T97N-R63W. The original diversion point authorized by Permit No. 2232-3 is no longer used. This permit changes the location of the diversion point used to irrigate the NE 1/4 Section 14 to the NE 1/4 NW 1/4 Section 14; all in T97N-R63W. This permit does not authorize any increase in the diversion rate, but does recognize that the correct diversion rate should be 3.50 cfs.
2. The amount of the appropriation may not exceed 2 acre feet annually for each acre of land to which water is actually and beneficially applied for irrigation. The water is to be used during the following described annual period: May 1 - October 31.
3. The date from which applicant may claim right is February 17, 1985 (established by No. 2232-3).
4. The date of approval of Permit No. 2232B-3 is April 1, 1994.
5. Water rights obtained in compliance with the laws of the State of South Dakota may not be unlawfully impaired by this appropriation.

QUALIFICATIONS

1. The wells approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The well owner under this Permit shall control his withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.
2. This permit is approved subject to the irrigation water use questionnaire being submitted each year.

WATER MANAGEMENT BOARD

By: 
John Hatch, Chief Engineer
Water Rights Division
Department of Environment and Natural Resources

OCT 4 1994
date

**Water Rights Division
File Documentation**

NAME OF PERSON OR FILE: Greenwood Colony

ADDRESS: RR 1, Box 89, Deimont SD COUNTY: CM

DATE: 11-29-94 TELEPHONE:

RE: Correction on Water Permit No. 2232B-3

COMMENTS:

When preparing the water license for Permit No. 2232B-3 it was noted that a typographical error was made on priority date. Item 3. of Water Permit No. 2232B-3 should read as follows:

3. The date from which applicant may claim right is February 18, 1975 (established by No. 2232-3).

Karen Schlaak

Karen Schlaak
Environmental Scientist

RECEIPT

Division of Water Rights

414296

South Dakota Department of Environment and Natural Resources

Pierre, _____ October 12, 19 94

CEIVED OF Greenwood Hutterian Brethren, RR 1 Box 89, Delmont, SD 57350-9801

following amount in fees for services rendered as provided for by law:

for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
to retain Future Use Permit No. _____ after period of seven years.		
for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2232B-3</u>	50	00
for Filing Transfer Form _____		
for Filing Extension Request _____		
for _____		

(Any Other Work Provided by Law)	Total	50 00

By

Chief Engineer

John H. Smith



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

DEC 28 1994

2232B-3
3967-3

Joe Glanzer
Greenwood Colony
RR 1, Box 89
Delmont, SD 57330


Dear Mr. Glanzer:

Enclosed are Water License Nos. 2232B-3 and 3967-3. These are the final water right documents completing your process of obtaining Water Rights. Enclosed are Receipt Nos. 414296 and 414341 in the amount of \$50.00 each which you paid for the inspection and issuance of the Water Licenses.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the wells authorized by Water Right Nos. 2232B-3 and 3967-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water Licenses, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

ks
enclosures

RECEIPT

414008

Division of Water Rights

South Dakota Department of Environment and Natural Resources

Pierre, _____ January 21, 1994

RECEIVED OF Greenwood Lutterian Breth, RR 1 Box 39, Delmont SD 57530-9A01

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. 2232B-3 to Appropriate Water, to construct and to put water to beneficial use _____

50 00

Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____

Fee to retain Future Use Permit No. _____ after period of seven years.

Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____

Fee for Filing Transfer Form _____

Fee for Filing Extension Request _____


Fee for _____

(Any Other Work Provided by Law)

Total

50 00

By John H. H. H.
Chief Engineer



JOE GLANZER IRRIGATION PROJECT # 2
 SHOWS AREA TO BE IRRIGATED AND WELL
 DIVERSION POINT LOCATION.
 THIS MAP FOR PERMIT TO APPROPRIATE WATER
 LANDS TO BE IRRIGATED : E 1/2, SECT 14, T. 97 N., R. 63 W., 5 PM.

OWNER

JOE GLANZER

SURVEYOR



Harlan W. Meyer
 HARLAN W. MEYER

STATEMENT

Date SEPT 27, 1977

To: JOE GLANTZ
DELMONT S. DAK 57330

From: Harlan W. Meyer
Registered Land Surveyor # 495
225 S. Main, Suite 210
Sioux Falls, S. Dak. 57102

For: WATER RT MAP - E 1/4, SECT 19, 97, 63

THANKS.

Total Amount due 20.00

Paid by Check # 5635

9-28-1977



Department of Agriculture

DIVISION OF CONSERVATION


Anderson Building, Room 322

Pierre, South Dakota 57501

Phone 605/773-3258

IRRIGATION PROGRAM: 773-3259

DATE: March 9, 1981



Joe Glanzer

(Name)

Greenwood Colony

~~XXXXXXXXXXXXXXXXXXXX~~

Delmont, South Dakota 57330

(City and State)

LEGAL DESCRIPTION: N $\frac{1}{2}$ Section 14-T97-R63

COUNTY: Charles Mix

This is to notify you that your application for soil/water compatibility (WI#1 Form) has been approved and forwarded to the Board of Water Management.

Sincerely,

Wynn Sudtelgte

Wynn Sudtelgte
Program Director
Irrigation Program

WS:dt

Enclosure: ~~XXXXXXXXXXXXXXXXXXXX~~

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12 Principal Features of the Proposed Water Supply System (continued)

D. Well Information or Estimates

(1) Drill Hole, Diameter 20", Depth 50'
(2) Casing, Type Steel Concrete Diameter 12" Thickness 1/4"
(wood, concrete, steel, etc)
(3) Perforated Screen.
Type 50 lb. 50 ft., Diameter 12", Length 30'
(4) Gravel Pack, Thickness 4", Length of gravel pack 30'

E. Dugout Information or Estimates

(1) Surface dimensions —, Depth —

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 10 feet clay hard to del sand to
50 feet

Depth to top of water bearing material 10

Depth to bottom of water bearing material 50

Thickness of water bearing material 40

Depth to water (ground surface to water level) 6

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property same property On property owned by others 280 rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Greenwood Farmers Corp
By Joe Glanzer 9-27-1977
Signature of Applicant

SOIL/WATER COMPATIBILITY PERMIT APPLICATION FORM
STATE CONSERVATION COMMISSION
SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

Office Use Only
2712-0m

OWNERS NAME: GREENWOOD COLONY OWNERS ADDRESS: Delmont, SD 57220

COUNTY LAND LOCATED IN: Charles Mix PHONE: _____

TENANT'S NAME AND ADDRESS: (If Other Than Owner) _____

In accordance with State Law SDCL 46-5-6.5, If a water permit is granted with a conditional Soil/Water Compatibility permit, a copy of such conditional soil/water compatibility permit must be filed with the County Register of Deeds. This action must be taken by the holder of a water permit within 6 months of receipt of such water permit.

LEGAL DESCRIPTION: (Show Legal Description to Nearest 10 Acres)

1. WELL LOCATION OR DIVERSION POINT: _____
2. SURFACE WATER SOURCE: N/A
3. LOCATION OF AREA TO BE IRRIGATED. NOTE: SOILS INFORMATION FOR THIS AREA MUST ACCOMPANY THE APPLICATION. (See instruction sheet)

Legal Description	Acres	Legal Description	Acres
<u>N1 Section 14-97-63</u>	<u>320</u>		

4. TYPE OF IRRIGATION: GRAVITY: _____ TOWLINE: _____ CENTER PIVOT: XX GUN: _____ OTHER: _____ (Specify)
5. CROPS TO BE IRRIGATED: Corn, alfalfa, soybeans
6. SHOW ANY PORTION OF LAND THAT PRESENTLY HOLDS AN IRRIGATION PERMIT: YEAR OBTAINED: _____
LEGAL DESCRIPTION: _____
IN WHAT NAME: _____

WATER QUALITY: (TO BE COMPLETED BY SDSU WATER QUALITY LABORATORY)

7. WATER SAMPLE NUMBER: 75-018
8. SALINITY (EC X 10⁶): 1259
9. SODIUM (SAR): 2.00
10. ADJUSTED (SAR): 5.08

RECEIVED

FEB 06 1981

South Dakota
Division of Conservation

I hereby certify that I personally obtained or that I personally observed the taking of a sample of the water to be used in irrigating the above-described land. I also hereby certify that the required procedures for the taking of the sample (see instruction sheet) were followed, and that the sample was taken at _____ a.m./p.m., on _____, 19____, at the following location: _____ by _____ (individual who took sample if other than applicant). I also hereby certify that the water sample taken has NOT been adulterated or tampered with in any manner, and is TRULY REPRESENTATIVE of the water which will be used in irrigating the above-described land.

I understand that the Division of Conservation or agents thereof may obtain another water sample for the purpose of validating the water sample analysis taken at the time of application (SDCL 46-5-6.4).

SUBSCRIBED AND SWORN BEFORE ME THIS

1 DAY OF February, 1981.

[Signature]
NOTARY PUBLIC

IMPORTANT

Action by the Department of Agriculture or the State Conservation Commission is not the final action on any application. In all cases a WATER PERMIT must be obtained from the Board of Water Management.

[Signature]
APPLICANT'S SIGNATURE


[Signature]
Director, Division of Conservation

- ☒ APPROVED
☐ DISAPPROVED
☐ CONDITIONALLY APPROVED

Fall, NE 68763 - 402/336-1805
 er C. Sak, NE 68663 - 308/773-2261
 ion, NE 68620 - 402/395-6437
 mont, NE 68025 - 402/727-4850
 son City, IL 62664 - 217/482-3479
 Dublin, GA 31021 - 912-275-0013

GROSCH IRRIGATION CO., Inc.

WELL DRILLING and COMPLETE INSTALLATIONS



2232B-3

STATEMENT ☒
 CONTRACT ☐
 ESTIMATE ☐

Date: 7-17-81

Grosch Irrigation Co., Inc., hereafter called seller, has sold the following merchandise, equipment and materials to

Greenwood Farm, Inc. Cooper, S. L. Smith, South

hereafter called purchaser, under the terms and conditions set forth below and on the reverse side hereof, to be placed upon

location legally described as

Phone: 602-779-5221

Estimated Pumping Conditions: G.P.M. _____ Total Pumping Head _____ BHP _____

Material & Description	Unit Price	Ref.	Price Amount
Discharge Head <u>8 M-0-30</u>	<u>570.00</u>		
Column <u>8"</u> Oil Tube <u>2"</u> Shaft <u>1 1/4"</u>	<u>1320.00</u>		
Bowl Assembly: Stages <u>4</u> Size <u>12 R</u> Type <u>XL</u>	<u>225.00</u>		
Suction & Strainer			
Check Valve <u>8"</u>	<u>170.00</u>		
Discharge Fittings <u>8"</u>	<u>45.00</u>		
MOTOR: HP _____ Make <u>OL</u> Type _____ RPM _____ Volt. _____			
Thermal Overloads _____ Non-Reverse _____ PH. _____			
Pump Control Panel: Make <u>OL</u> Size _____ Type _____			
Electrical wiring & service lab. from power to motor			
GEARHEAD: HP _____ Make _____ Ratio _____			
Flex Shaft _____ Gear Flange _____ PTO Cover _____			
ENGINE:			
Engine Accessories			
Heat Exchanger, surge tank and plumbing fittings			
Engine Base: Concrete _____ Base Stands _____			
<u>1 1/4" x 13 1/16" x 4 1/2" headshaft</u>	<u>87.80</u>		
TOTAL	<u>4464.80</u>		
SALES TAX	<u>133.14</u>		
Freight and Installation	<u>300.00</u>		
PUMP TOTAL	<u>4898.74</u>		
Well - Drilled and Cased			
Gravel	<u>40.00</u>	<u>47</u>	<u>2280.00</u>
Surface Casing			<u>370.50</u>
Concrete for Surface Casing			
Supply Well and Casing			
Gravel			
Test Holes			
Concrete for Pump Base			<u>50.00</u>
Fit Excavation (Not Back Filled)			
Test Pumping (Base Price) <u>Minimum</u>			<u>150.00</u>
Additional Test Pumping			
OTHER			

WELL TOTAL 2850.50

PUMP TOTAL 4898.74

7378.24

Service Charge is 1% per month on all accounts 30 days past due.

The undersigned acknowledges that he has read the above contract and all of the terms and conditions stated on the reverse side which are specifically made a part hereof and agrees to be bound by the term stated above and on the reverse side hereof.

Date _____

Date _____

Seller _____

Purchaser _____

Authorized Representative _____

Barrycher #2293
7-18-81



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 JOE FOSS BUILDING
 523 EAST CAPITOL
 PIERRE, SOUTH DAKOTA 57501-3181
NOTICE

TO: GREENWOOD COLONY, SAM GLANZER, RR 1 BOX 89, DELMONT, SD 57330 9721

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 2232B-3, 3967-3 and 1995 Irrigation Questionnaire Requirements

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 2232B-3, 3967-3. The request for the Questionnaires was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

GREENWOOD COLONY
SAM GLANZER
RR 1 BOX 89
DELMONT SD 57330-9721

4a. Article Number

2161 984 116

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

1-31-96 IF

5. Received By: (Print Name)

John Glanzer

6. Signature: (Addressee or Agent)

X John Glanzer

8. Addressee's Address (Only if requested and fee is paid)

2232B-3



**DEPARTMENT of ENVIRONMENT
AND NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 16, 1996

2232B-3
3967-3

Sam Glanzer
Greenwood Colony
RR 1 Box 89
Delmont, SD 57330-9721

Dear Mr. Glanzer:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, Notice of Violation of Water Permit and Violation of the Requirement to Submit the 1995 irrigation questionnaire.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

103263

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

GREENWOOD COLONY
JAKE WURTZ, FARM MGR
28718 402ND AVE
DELMONT SD 57330 5911

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)

B. Date of Delivery

Joe Glanzer

01-15-00

C. Signature

X Joe Glanzer

☐ Agent

☐ Addressee

D. Is delivery address different from item 1?

☐ Yes

If YES, enter delivery address below:

☐ No

3. Service Type

☒ Certified Mail

☐ Express Mail

☐ Registered

☐ Return Receipt for Merchandise

☐ Insured Mail

☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

2. Article Number (Copy from service label)

227 670 285



2232B-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: GREENWOOD COLONY, JAKE WURTZ, FARM MGR, 28718 402ND AVE, DELMONT, SD 57330 5911

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer:
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaires

Our records indicate that the 1999 Irrigation Questionnaires have not been submitted for Permit Nos. 2232B-3, 3967-3. The request for the Questionnaires was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2232B-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 24, 2000

2232B-3
3967-3

Iake Wurtz, Farm Mgr
Greenwood Colony
28718 402nd Ave
Delmont, SD 57330-5911

Dear Mr. Wurtz:

I am writing to acknowledge receipt of your 1999 irrigation questionnaires. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit Nos. 2232B-3 and 3967-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

2232B-3
07-92

Well Owner: GREENWOOD COLONY
Business Name: 28781 402ND AVE
Address: DELMONT, S.D. 57330

Well Completion Date

4-22-03

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.): 2500 ft. from FARMSTEAD (identify source).

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

FALSE CASING

CASING DATA: ☒ Steel ☐ Plastic ☐ Other
If other describe 12" Schedule 40

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
50 LB/FT	12" IN	43 FT	27 FT	20" IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN
_____ LB/FT	_____ IN	_____ FT	_____ FT	_____ IN

Grout Type	No. of Sacks	Grout Weight	From	To
		lb./gal	ft.	ft.
		lb./gal	ft.	ft.

Describe grouting procedure PAN IN CEMENT
from SWI to surface

Diameter 12' IN Length _____ FEET
Material _____
Slot Size _____ Set From _____ Feet to _____ Feet
Other information _____

If so, what material? _____

Describe packer(s) and location? _____

YES, How: GIACCI PRO

NO, Why Not? _____

Laboratory sent to for water quality analysis

NO. REPLACEMENT WELL

[illegible]

Can well be completely shut in? _____

☒ Pumped Describe: pumped 650
☐ Bailed 9pm @ 12' dd for
☐ Other 4 hrs.

If pump installed, pump rate _____ GPM

RECEIVED

SEP - 4 2003


~~WATER RIGHTS PROGRAM~~

Signature of Well Owner or Equitable Property Holder: _____


[Handwritten scribbles]

Date: 8.29.13

NOT TO SCALE



Barry McLaury *Barry McLaury*
 Natural Resources Analyst
 Division of Water Rights
 Date December 2, 1993



GREENWOOD COLONY

IRRIGATION PROJECT NO. 1

Joe Glander - MGR

Delmont S. Dak

Douglas County

Point of Diversion - 2885' N 115° W at NE corner
of Section 14-97-63

Cross hatch indicates irrigated area

Water claimed - 4.1 cfs

N

Scale - 8" = 1 Mile

Land to be Irrigated	Acres
NW ¹ / ₄ of NW ¹ / ₄ Sec 14-97-63	39
NE ¹ / ₄ of NW ¹ / ₄ Sec 14	39
SW ¹ / ₄ of NW ¹ / ₄ Sec 14	40
SE ¹ / ₄ of NW ¹ / ₄ Sec 14	40
NW ¹ / ₄ of NE ¹ / ₄ Sec 14-97-63	39
NE ¹ / ₄ of NE ¹ / ₄ Sec 14	38
SW ¹ / ₄ of NE ¹ / ₄ Sec 14	17
SE ¹ / ₄ of NE ¹ / ₄ Sec 14	38
Total Acres	290

Surveyor's Certificate

I, John L. Wiersma, do hereby certify that
this is a reasonably accurate record
of the land of:

Greenwood Colony

Delmont S. Dakota

Douglas County

Drawn by J. L. W.

Feb. 12, 1975

John L. Wiersma

P.E. # 1310

Bookings S. Dak

~~Map No. 10213~~ Appl No 2232-3



2232B-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

January 26, 2007

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTICE

TO: GREENWOOD COLONY, JAKE WURTZ, FARM MGR, 28718 402ND AVE, DELMONT, SD 57330 5911

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaires

Our records indicate that the 2006 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 1, 2007

2232B-3
3967-3

Jake Wurtz, Farm Mgr
Greenwood Colony
28718 402nd Ave
Delmont SD 57330-5911

Dear Mr. Wurtz:

I am writing to acknowledge receipt of your 2006 irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right Nos. 2232B-3 and 3967-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2232B 3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: GREENWOOD COLONY, JAKE WURTZ, FARM MGR, 28718 402ND AVE, DELMONT, SD
57330 5911

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaires

Our records indicate that the 2008 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/efrms/secure/efrms/E0455V7-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2009

2232B-3
3967-3

Jake Wurtz
Greenwood Colony
28718 402nd Ave
Delmont SD 57330-5911

Dear Mr. Wurtz:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right Nos. 2232B-3 and 3967-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



22326-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: GREENWOOD COLONY, JAKE WURTZ, FARM MGR, 28718 402ND AVE, DELMONT, SD 57330 5911

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaires

Our records indicate that the 2009 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 11, 2010

2232B-3
3967-3

Jake Wurtz, Farm Mgr
Greenwood Colony
28718 402nd Ave
Delmont SD 57330-5911

Dear Mr. Wurtz:

I am writing to acknowledge receipt of your 2009 irrigation questionnaires. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right Nos. 2232B-3 and 3967-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2232B-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2015

NOTICE

TO: GREENWOOD COLONY, JAKE WURTZ, FARM MGR, 28718 402ND AVE, DELMONT, SD
57330 5911

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2014 Irrigation Questionnaires

Our records indicate your 2014 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 17, 2014. The Water Management Board has directed that owners of water permits who have not submitted the 2014 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 4, 2015** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2015** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182

January 22, 2015

2232B-3
3967-3

Jake Wurtz, Farm Manager
Greenwood Colony
28718 402nd Ave
Delmont SD 57330-5911

Dear Mr. Wurtz:

I am writing to acknowledge receipt of your 2014 irrigation questionnaires.

You may disregard the January 16, 2015, "Notice" concerning reporting requirements for Water Right Nos. 2232B-3 and 3967-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2232B-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: GREENWOOD COLONY, JAKE WURTZ, FARM MGR, 28718 402ND AVE, DELMONT, SD 57330 5911

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaires

Our records indicate your 2015 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



22320-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 22, 2016

2232B-3
3967-3

Jake Wurtz, Farm Manager
Greenwood Colony
28718 402nd Ave
Delmont SD 57330-5911

Dear Mr. Wurtz:

I am writing to acknowledge receipt of your 2015 irrigation questionnaires.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Right Nos. 2232B-3 and 3967-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

RECEIVED

JUL 02 2018

WATER RIGHTS
PROGRAM

Mail to: PMB 2020
DENR - Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

Water Right/Permit No. 2232B-3Date: June 27, 2018

I/We request that Water Right/Permit No. 2232B-3 formerly owned by:
Greenwood Hutterian Brethren Inc be transferred to:

New Owner Name: HB of South Dakota LLCAddress: 41181 179th StCity, State, Zip Raymond SD 57258 Telephone No. 605-233-1200

Title to the following described land(s)/property has been transferred as described above:

N 1/2-14-T97-R63

☒ I understand that the validity of Water Right/Permit No. 2232B-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

I, Ben Waldner (Director), the new owner, certify that the above information is true and correct.

Ben Waldner
(signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date July 3

18

Clark Hutterian Brethren Inc. 41181 179th St Raymond, SD 57258-7400

RECEIVED OF

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form _____ 2232B-3		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____	50	00
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. 08769

By

Jeanne Goodman
Chief Engineer

UM

State of South Dakota

Office of the Secretary of State

Certificate of Organization

Domestic Limited Liability Company


I, **Shantel Krebs**, Secretary of State of the State of South Dakota, hereby certify that the
ARTICLES OF ORGANIZATION for

HB of South Dakota, LLC

BUSINESS ID# DL144985

with an effective date of: March 8, 2018, duly signed and verified, SDCL 47-34A-203, 212
has been received in this office and is found to conform to law.

ACCORDINGLY, and by virtue of the authority vested in me by law, I hereby issue this
Certificate of Organization and attach hereto a duplicate of the ARTICLES OF
ORGANIZATION.




IN TESTIMONY WHEREOF, I have
hereunto set my hand and caused to be
affixed the Great Seal of the State of South
Dakota, in Pierre, the Capital City, this day,
March 8, 2018.

Shantel Krebs

Shantel Krebs
Secretary of State

03/08/2018 10:04 AM



DL144985

ARTICLES OF ORGANIZATION

South Dakota State Capitol
500 E. Capitol Ave
Pierre, SD 57501-5070
(605) 773-4845

DOMESTIC LIMITED LIABILITY COMPANY
SDCL 47-34A-203, 212

Filing Fee: \$150

Total Fee: \$150

Please Type or Print Clearly in Ink
Please submit one Original
Make payable to the SECRETARY OF STATE

Article I

The name of the Company: **HB of South Dakota, LLC**

Article II

The address of the initial designated office in or out of the State of South Dakota where the company conducts its business:

Actual Street Address

**41181 197TH STREET
RAYMOND, SD 57258-7400**

Mailing Address

**41181 197TH STREET
RAYMOND, SD 57258-7400**

Article III

SDCL 59-11-6

The South Dakota Registered Agent's Name:

South Dakota law permits the registered agent to be either (a) a noncommercial registered agent or (b) a commercial registered agent.

(a) The South Dakota Noncommercial Registered Agent's name

Name **JEFFREY T. SVEEN**

Actual Street Address in this State

**415 S MAIN ST 400 CAPITOL BLDG
ABERDEEN, SD 57401-4364**

Mailing Address in this State

**PO BOX 490
ABERDEEN, SD 57402-0490**

Article IV

The name and address of each organizer

Name

Address


Clark Hutterian Brethren, Inc. 41181 197th Street, Raymond, SD, 57258-7400

Article V

The duration of the company if other than perpetual is: **Perpetual**

If the document is not to be effective upon filing by the Secretary of State, the delayed effective date is: _____

B0054-5798 03/08/2018 10:04AM Rec'd by SD SOS



Article VI

☒ Member-Managed ☐ Manager-Managed

Article VII

Whether one or more of the members of the company are to be liable for its debts and obligations as set forth under SDCL 47-34A-303(c).

☐ Yes ☒ No

Article VIII

Beneficial Owners (optional): A beneficial owner is a person who has or in some manner controls an equity security. Please consult an attorney for legal advice if you have any questions concerning this entry. Any question under this heading is considered a request for legal advice and the secretary of state's office is, by statute, not permitted, to provide legal advice.

Signature/Authorization

The Articles of Organization must be executed by the organizers.

No person may execute this report knowing it is false in any material respect. Any violation may be subject to a criminal penalty (SDCL 22-39-36).

BEN WALDNER

BEN WALDNER

SECRETARY/TREA 03/08/2018
Surer

PRINTED NAME

SIGNATURE

TITLE

DATED

2232B-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

July 3, 2018

2232B-3
3967-3

Ben Waldner
HB of South Dakota LLC
41181 179th St
Raymond SD 57258

Dear Mr. Waldner:

I am writing to acknowledge receipt of the transfer forms and filing fees submitted for changing ownership on Water Right Nos. 2232B-3 and 3967-3.

The ownership changes have been completed. Water Right Nos. 2232B-3 and 3967-3 formerly held by Greenwood Hutterian Brethren Inc., are now listed in the name of HB of South Dakota LLC.

Enclosed for your records are Receipt Nos. 08709 and 08710 in the amounts of \$50 each. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



2232B-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: HB OF SOUTH DAKOTA LLC, BEN WALDNER, DIRECTOR, 41181 179TH ST, RAYMOND, SD 57258

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaires

Our records indicate your 2019 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/ig> using this password: BFFVXO**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 6, 2020

2232B-3
3967-3

Ben Waldner, Director
HB of South Dakota LLC
41181 179th St
Raymond SD 57258

Dear Mr. Waldner:

I am writing to acknowledge receipt of your 2019 irrigation questionnaires.

You may disregard the January 23, 2020, "Notice" concerning reporting requirements for Water Right Nos. 2232B-3 and 3967-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: HB OF SOUTH DAKOTA LLC, BEN WALDNER, DIRECTOR, 41181 179TH ST, RAYMOND, SD 57258

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaires

Our records indicate your 2024 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 3967-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2232B-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2232B-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 3967-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: VSXJLC**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 24, 2025

2232B-3
3967-3

HB of South Dakota LLC
c/o Ben Waldner
41181 179th St
Raymond SD 57258

Dear Mr. Waldner:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2232B-3 & 3967-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us