

Water Right Number 2246-3

1. Considered MAY 21, 19 75
2. Name of Applicant DON MARONE
3. Post Office Address CAVOUR
4. Amount of Water claimed 2.0
5. Source of Water supply GROUND WATER 100' WELL
6. Water to be used for IRRIGATION
- Acres to be irrigated 155
7. Water to be diverted and used in BEADLE County
about 4 IN, 75 miles of CAVOUR
8. Proof of Publication Received 5-19-75
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action Deferred _____

10. Remarks:

Map No. 1639-3 Water Division No. 3 JAMES RIVER District 915
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE-Draw a line through items not applicable)

- Name of Applicant Per Marone
- Postoffice address Box 33 Cactus, State S. DAK
- If a corporation show date and place of incorporation _____
- Method of accomplishing work (contract, employment of others, or by direct labor) contract
- Name of diversion work Per Marone Irrigation
- Amount of water claimed (cubic feet per second) 2
- Source of water supply well
- Location of point of diversion NW 1/4 Sec. 7-109-60
Reference point is on enclosed well log County Beadle
- Annual period or periods during which water is to be used April - Oct
- Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
- For irrigation use, Total number of acres to be irrigated 155

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.
NW 1/4 NW 1/4 7-109-60	37 1/2
SW 1/4 NW 1/4 7-109-60	37 1/2
SE 1/4 NW 1/4 7-109-60	40
NE 1/4 NW 1/4 7-109-60	40

Attach sheet if more space is needed

- Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 3 years.
- Choice of newspaper for Notice of Intent to Appropriate Water publication Union
- Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

well

B. Works proposed to transport water to place of use.

Runway + pipe

C. Works proposed to apply water to beneficial use.

Center pivot

Estimated Total Cost \$ 45,000

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Beadle

I, Ronald W. Marone the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Ronald W. Marone

Subscribed and sworn to before me this 12th day of February, 1975

Marion H. Mason
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2246-3
RON MARONE Box 33, CAVOUR
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57324 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MARCH 31 19 75
 Date of return to applicant for correction, amendments or changes required APRIL 9 19 75
 Date of receipt of corrected application APRIL 25 19 75
 Approved MAY 21 19 75, Recorded in Book 13 Page 291

WATER RIGHT PERMIT NO. 22463

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2246-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MARCH 31 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 21 19 77
3. The whole of said work is to be completed on or before MAY 21 19 80
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 21 19 83
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served; and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 21 19 83; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 28TH day of MAY 19 75

WATER RIGHTS COMMISSION

By:

Allen H. Becker
 Chief Engineer, Executive Officer

Certificate of Construction Issued SEPTEMBER 15 19 77

Water License Issued SEPTEMBER 15 19 77

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 26", Depth Approx. 100'
- (2) Casing, Type Steel Diameter 14 Thickness 3/8
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Steel - Johnson, Diameter 1.4", Length Approx 25'
- (4) Gravel Pack. Thickness 4-6", Length of gravel pack To Top of well

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Approx. 60 Ft. sand and gravel,
last 30 ft is good sharp water bearing aquifer.

Depth to top of water bearing material 70 FT.

Depth to bottom of water bearing material 100 FT.

Thickness of water bearing material 30 FT. at bottom and sand above

Depth to water (ground surface to water level) 30 FT.

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 80 rds. On property owned by others 80 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Ronald W. Marone
Signature of Applicant

March 14, 1975

Mr. Ronald Marone
Cavour, S.D. 57324

Dear Mr. Marone:

We have completed the analyses of the two water samples brought in here March 5. The original copies of these reports are enclosed herewith for your use and keeping. Also enclosed is a copy of Extension Circular 654 with the approximate quality of these two waters indicated by an encircled red cross on the outside back cover. Please keep this circular and refer to it for guidance in your irrigation operations.

Although the waters are fairly good, the soils which you have are moderately slowly permeable, especially as regards internal drainage. This means that there is a considerable opportunity for salts to build up in the root zone and cause poor performance of crops as time goes on. If a progressive salt build-up occurs, there will be a time eventually when crops will have a difficult time even germinating.

Thus I recommend that this water be applied in fairly large quantities and as infrequently as possible. A frequent light application of only an inch or an inch and a half is the worst possible way to use this water. Although this water is much better than that of Mr. Zell, there is still enough salt in it that you should be concerned about internal drainage. For the first ten or twelve years you may see no effect whatever.

A copy of this letter, the WI-1 forms and copies of the water analyses are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOP:MRB

Enclosures

cc: State Conservation Commission
Richard Fadgen, Beadles County Agent
Darrel Pahl



Conservation
Commission
Form M-1

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: *[Signature]*

3/15/55

Disapproved: _____

STATE CONSERVATION COMMISSION
SOILS AND IRRIGATION

FOR APPLICATION FOR GROUND WATER IN ACCORDANCE
WITH SECT. 46-6-3 AS AMENDED

(This Form Required for proposed Well Irrigation Only)

NAME: *Ron Marone*

ADDRESS: *Box 33 Cavour, S. Dak.*

COUNTY: *BEADIE*

LEGAL DESCRIPTION

1. WELL LOCATION: *NW 1/4 Sec 7 T 109 N R 60 W*

2. AREA TO BE IRRIGATED: *Sec 7-109-60*

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): *center pivot*

4. CROPS TO BE IRRIGATED: *corn, wheat, alfalfa*

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: *See attachment*

6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: *See attached*

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: *75-146*

8. SALINITY: *EC = 613 micromhos/cm (medium)*

9. SODIUM: *SAR = 0.35 (low)*

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and;
the land capability for irrigation information has been acquired from

Soil Conservation Service, Beadle Co.

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Ronald W. Marone

Subscribed and sworn before me this


27th day of February 19 75

Marion F. Brauer

Natary Public

(Title)

SOIL MAP



Legal description: NW $\frac{1}{4}$ Sec. 7, T109N, R60W, Beadle County.

SOIL LEGEND

- 32 Blendon - Carthage sandy loams, 0 to 3 percent slopes.
- 52B Carthage sandy loams, 3 to 6 percent slopes
- 101A Prosper - Houdek loams, 0 to 2 percent slopes
- 102B Houdek - Prosper loams, 2 to 6 percent slopes

SOIL DESCRIPTION

In mapping unit 32, the Blendon soils are well drained. They have sandy loam surface layers about 9 inches thick and sandy loam subsoils which grade into medium and coarse sands at about 30 inches. Clay loam glacial till occurs below 40 inches in some places. Permeability is moderately rapid (2.0-6.0 in/hr.)

The Carthage soils are moderately well drained. They have sandy loam surface layers about 11 inches thick and sandy loam subsoils which grade into loamy sand materials. Clay loam glacial till occurs between depths of 20 to 40 inches. Permeability is moderately rapid (2.0-6.0 in/hr) in the sandy loam materials and moderately slow (0.2-0.6 in/hr) in the underlying loamy materials. Slopes are slightly concave to slightly convex, smooth and long.

In mapping unit 52B, the Carthage soils are as described above in mapping unit 32. The clay loam material is at the surface in places on the tops and knolls and ridges. Slopes are short and complex.

In mapping unit 101A, the Prosper are moderately well drained soils with loam surface layers about 11 inches thick and clay loam subsoils containing 27 to 35 percent clay about 20 inches thick over calcareous clay loam glacial till. The Houdek are well drained soils with loam surface layers about 6 inches thick and clay loam subsoils containing 27 to 35 percent clay about 18 inches thick over calcareous clay loam glacial till. Slopes are slightly concave to slightly convex, smooth and long. Surface runoff is slow to medium. Permeability is moderately slow (0.2-0.6 in/hr). The main concern of managing these soils for sprinkler irrigation is their slow intake and moderately slow internal drainage.

The Houdek-Prosper loams (102B) have soils as described above in mapping unit 101A except for the greater slope. Slopes are short and complex. The main concern of managing these soils for sprinkler irrigation is their slow intake and complex slope.

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Ronald Marone
 Address: Cavour, SD 57324

Date Rec'd March 5, 1975
 Sample No. 75-146
 Identification Well-100'
WPA, Sec. 7, T 109N, R 60W

WATER ANALYSIS

Calcium (Ca)	110	ppm*	5.50	me/l**
Magnesium (Mg)	41	ppm	3.36	me/l
Sodium (Na)	17	ppm	0.74	me/l
Potassium (K)	6	ppm	0.14	me/l
Sulfate (SO ₄)	145	ppm	3.02	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	8	ppm	0.22	me/l
Bicarbonate (HCO ₃)	254	ppm	4.16	me/l
Carbonate (CO ₃)	43	ppm	1.44	me/l
Iron (Fe)	0.08	ppm		me/l
Fluoride (F)		ppm		g.p.g.***
Hardness (EDTA as CaCO ₃)		ppm		
Alkalinity (Methyl Orange)	208	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	72	ppm (as CaCO ₃)		
Electrical Conductivity	613	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.35			
Sodium	7.59	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	8.38			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 9.74 me/l
 Total anions 8.84 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$7.00
Make checks payable to: Water Quality Laboratory	
Cut along dotted line and return the lower portion with payment	
Sample No. <u>75-146</u>	Amount Enclosed \$
	Signed

Permit No. 2246-3

Water Diversion No. 3 James River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Ron Marone

_____ the holder _____ of
Permit No. 2246-3, issued upon Application No. 2246-3, bearing date of priority of March 31,
1975 authorizing the diversion of 2.0 cu. ft. per second of the waters of _____
ground water County of Beadle, State of South Dakota at _____
a point 1320'S & 1300'E of the NW corner, Section 7, T109N,
R60W
_____, for irrigation

_____ purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 1.23 cu. ft. per second of water.

Date September 15, 1977

By:

~~WATER RIGHTS COMMISSIONER~~
WATER RIGHTS COMMISSIONER

John Hatch
JOHN HATCH, Chief Engineer

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2246-3

(1) WHEREAS, On the 31st day of March A. D. 19 75
Ron Marone

made Water Right Application No. 2246-3 for a permit to use 2.0 cubic feet per second of the waters
of ground water

County of Beadle, State of South Dakota, for irrigation

_____ purposes; and

(2) WHEREAS, On the 21st day of May A. D. 19 75
Permit No. 2246-3, with a date of priority of March 31, 1975

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 21st day of May A. D. 19 80 and for the
application to beneficial use of said water on or before the 21st day of May A. D. 19 83

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.33 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,

for irrigating a 132 acre circle in the NW 1/4, Section 7, T109N, R60W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Ron Marone

of Cavour
the holder _____ and owner _____ of said permit No. 2246-3 a water right, dating from March 31, 1975
to use of 1.33 cubic feet per second of the waters
of ground water

in the County of Beadle and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at
a point 1320'S & 1300'E of the NW corner, Section 7, T109N, R60W

and conduct to and upon a 132 acre circle in the NW 1/4, Section 7, T109N, R60W

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2246-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 15th day of September A. D.
Nineteen Hundred and Seventy-seven

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer JOHN HATCH

Publish first publication, on or before May 8, 19 75**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

April 25, 19 75Notice is hereby given that Ronald W. Maronewhose post office address is Cavour, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use2.0 cubic feet of water per second of time from the ground water through the Marone #2, the point of diversion of which is to be located in the _____Center of the NW 1/4of Section 7, Twp. 109N, Range 60W. Said water to be used for the purpose of providing irrigation on the following described land:NW 1/4, Sect. 7, T109N, R60WThis application No. 2246-3 will be considered by the Water Resources Commission at their office at Pierre upon the 21st day of May, 19 75, at 2:30 P. M. All interested persons may appear and be heard.**WATER RESOURCES COMMISSION**

By:

**BURTON F. JONES
Water Rights Specialist**

BFJ/bw

cc: Ronald W. Marone, Box 33, Cavour, S.D. 57324

No. 2247-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Dorothy Murphy hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

city of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

May 2, 1975

May 9, 1975

Dorothy Murphy
(Signature) ✓

Bookkeeper
(Title)

May 1975

(Date Signed)

PUBLIC NOTICE
F.P. 5-2-75
NOTICE INTENT TO
APPROPRIATE WATER
Notice is hereby given that Ronald
W. Marone, whose post office ad-
dress is Cavour, South Dakota, has
made an application in accordance
with the provisions of the water laws
of South Dakota for a permit to
appropriate for beneficial use 2.0
cubic feet of water per second of
time from ground water through the
Marone No. 2, the point of diversion
of which is to be located in the
Center of the NW 1/4 of Section 7,
Twp. 109N, Range 60W, said water
to be used for the purpose of
providing irrigation on the following
described land: NW 1/4, Section 7,
T109N, R60W, S44E, B1E, SD 5701.
This application No. 2247-3 will be
considered by the Water Resources
Commission at their office at Pierre
upon the 21st day of May, 1975, at
2:30 P.M. All interested persons
may appear and be heard.
WATER RESOURCES COM-
MISSION
BURTON F. JONES
Water Rights Specialist
No. 700 (adv.)

RECEIVED
MAY 19 1975

STATE WATER RIGHTS COM.
PIERRE, SOUTH DAKOTA

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

Post Office Cavour S.D.Date Sept. 20

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:


This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 22463

Water Right Permit No. 22463 states that the diversion system is to be constructed by May 21, 1980 and that the water is to be put to beneficial use by May 21, 1983.

The diversion system was completed on Aug. 27, 1974. Applying the water to beneficial use was completed on July, 1975.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Ronald W. Marone
(Signature)



Permit No. 2246-3Water Division 3 James River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Ronald Mereneof Cavour, S. Dak. holderof Permit No. 2246-3, bearing date of priority of March 31, 1975authorizing the diversion of 2.0 cu. ft. per second of the waters of Groundfor Irrigation purposes, in Beadle County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water: Pump Worthington, size 10M50
SN. VTP-38584 - 90.6" pumping 600 gpm.
Motor: General Electric Model. 5K624 8x114A.
HP - 50, RPM 1760

B. Works used to transport water to place of use,
8" dia. Aluminum - 20 ft long.

C. Works used to apply water to beneficial use.
Valley Center Pivot, Model 4171, Ser # 17503

The system is in the following condition: ExcellentThe point of diversion is located 1320 ft South and 1300 ft East of the
NW corner of Section 7, T109N R60WThe works are capable of diverting and conveying to the place of use 1.33cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: All in sec. 7, T109N R60W
NW 1/4 NW 1/4 - 33 Ac. NE 1/4 NW 1/4 - 33 Ac. SW 1/4 NW 1/4 - 33 Ac
SE 1/4 NW 1/4 - 33 Ac.
comprising a total of 132 acres of land.

Well data:

Depth 100 ftDepth to water 63 ft.Casing - 14" dia Steel.Pump - 600 gpm.Date Sept 30, 1976LeRoy J. McEnaugh
(Signature)



2246-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: RONALD W MARONE, 21536 405TH AVE, CAVOUR, SD 57324 7615

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire has not been submitted for Permit No(s) 2040-3, 2246-3, 4248-3 & 4397-3. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 1:30 pm, March 1, 2000, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2040-3, 2246-3, 4248-3 & 4397-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2246-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

March 6, 2000

NOTICE OF AMENDMENT OF WATER RIGHTS

TO: Ronald W Marone, 21536 405th Ave, Cavour, SD 57324 7615

FROM: Garland Erbele, Chief Engineer
Water Rights Program *Garland Erbele*

SUBJECT: Amendment to Water Right Nos. 2040-3, 2246-3, 4248-3 & 4397-3

Pursuant to the provisions of the notice dated January 14, 2000, and following the hearing March 1, 2000, the Water Management Board has amended Water Right Nos. 2040-3, 2246-3, 4248-3 and 4397-3 to add the following qualification:

"This water right is subject to the Irrigation Water Use Questionnaire being submitted each year."

This action was taken for failure to return the 1999 irrigation questionnaires. The addition of this qualification to your Water Rights means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water rights with no use of water for up to one year for the first violation.

Please contact Genny McMath (605) 773-3352, if you have any questions.

2246-3

CERTIFICATION

I hereby certify that on March 6, 2000, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated March 6, 2000, regarding Amendment to the following Water Rights/Permits, addressed as stated below:

W.R. #424-1: Steve Smeenk, Rt 1, Box 134, Newell, SD 57750.

W.R. #968-2: Dwayne Newman, Box 429, Philip, SD 57567-0429.

W.P. #'s 1362-2, 1363-2 & 1365-2: Oakley Eide, RR 2, Box 24, Burke, SD 57523.

W.R. #'s 1045-3 & 1962-3: Alvin Gutormson, 2187 21st SE, Huron, SD 57350.

W.R. #'s 1237-3 & 1395-3: Rolland Vander Pol, Box 32, Corsica, SD 57328.


W.R. #'s 2040-3, 2246-3, 4248-3 & 4397-3: Ronald W. Marone, 21536 405th Ave., Cavour, SD 57324-7615.

W.R. #2150-3: Ronald Foster, 46571 196th St., Estelline, SD 57234-5102.

W.R. #'s 2595-3 & 4379-3: James B. Zell, 21795 408th Ave., Cavour, SD 57324.


W.R. #3358-3: Allan Kramer, 2004 Arizona Ave. NW, Orange City, IA 51041.

W.R. #4475-3: John Pillote, HCR 1, Box 886, Michiganme, MI 49861-9600.



Cheryl F. Frost
Secretary

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 7th day of March, 2000


Karen Schlaak
Notary Public

KAREN SCHLAACK, Notary Public
My Commission Expires:



BY Dick F. DATE 4/14/75 SUBJECT Ronald Marone
CHKD. BY Dick F. DATE 4/14/75 Irrigation No. 2

SHEET NO. 2 OF 2
JOB NO. NW 1/4 of 7-109-60 Beadle Co.

Map Abstract Copy

Section 7-109-60 Beadle Co.

