


Water Right Number 2282-3

1. Considered 3-24, 19 77
2. Name of Applicant JOHN & BRYAN HECKER
3. Post Office Address WAGNER
4. Amount of Water claimed 2.20
5. Source of Water supply 220' WELL
6. Water to be used for IRR.
- Acres to be irrigated 160
7. Water to be diverted and used in CHAS. MIX County
about 3 N, 1 W miles of WAGNER
8. Proof of Publication Received ~~not~~ 3-21-77
- Not Received _____
9. Application Approved _____
- Subject to _____
- Not Approved _____
- Action Deferred _____

10. Remarks:

No. 2282-3Map No. 1672-3 Water Division No. 3 MISSOURI RIVER
(Blanks to be Filled by the Engineer for the W. R. C.)STATE WATER RIGHTS COM.
PIERRE, SOUTH DAKOTA

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant John & Bryan Uecker
Postoffice address RR # 1, Wagner State S. Dak. 57380
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) _____
3. Name of diversion work John and Bryan Irrigation Project No. 1
4. Amount of water claimed (cubic feet per second) Maximum allowable 228
5. Source of water supply Well
6. Location of point of diversion 1320 ft. N and 330 ft W of the S E Corner of
Section 17, 96, 63
County Charles Mix
7. Annual period or periods during which water is to be used April through October
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 160

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
E 100 Acres of the S E $\frac{1}{4}$			
Sect 17, 96, 63	100		
W 60 Acres of the S W $\frac{1}{4}$			
Sect 16, 96, 63	60		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 years Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Wagner Post
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

well

B. Works proposed to transport water to place of use.

8" pipe


C. Works proposed to apply water to beneficial use.

Center pivotEstimated Total Cost \$ 42,000Attachments: Attach Form 2A if diversion from a well or dugout or if storage of water is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Charles MixI, John Uecker, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed John UeckerSubscribed and sworn to before me this 21st day of March 1975D. R. JUFFER
NOTARY PUBLIC
MY COMMISSION
PIERRE 9-20-81

Notary Public (or other qualified officer)



AREA BY LEGAL SUBDIVISION

100 ACRES: S.E. 1/4 SECTION 17, T96N, R68W, S4PM.
60 ACRES: S.W. 1/4 SECTION 16 T96N, R68W, S4PM.
160 ACRES TOTAL

SURVEYOR'S CERTIFICATE

STATE OF SOUTH DAKOTA) ss
COUNTY OF MINNEAPOLIS)

I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
IN AND FOR THE STATE OF SOUTH DAKOTA DO HEREBY
CERTIFY THAT AT THE REQUEST OF JOHN & BRYAN HECKER,
OWNERS, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
WITHIN THEIR OWNERSHIP BOUNDARIES ON MAR 14, 1975 FOR WHICH
APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
THIS MAP IS A TRUE REPRESENTATION OF THE SAME.


WITNESS MY HAND AND SEAL THIS 14TH DAY OF MARCH 1975

Harlan W. Meyer
REG. L.S. #495

JOHN & BRYAN HECKER IRRIGATION PROJECT #1
SHOWS AREA TO BE IRRIGATED & WELL DIVERSION POINT
FOR PERMIT TO APPROPRIATE WATER

OWNER JOHN & BRYAN HECKER
SURVEYOR HARLAN W. MEYER
MARCH, 1975


1672-3 2282-3
MAP NO. 1672-3 APPL. NO. 2282-3



AREA BY LEGAL SUBDIVISION
 100 ACRES: S.E. 1/4 SECTION 17, T.96N, R.63W, STH. 4PM.
 60 ACRES: S.W. 1/4 SECTION 16 T.96N, R.63W, STH. 4PM.
 160 ACRES TOTAL

SURVEYOR'S CERTIFICATE
 STATE OF SOUTH DAKOTA) ss
 COUNTY OF MINNEHAWA)
 I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
 IN AND FOR THE STATE OF SOUTH DAKOTA DO HEREBY
 CERTIFY THAT AT THE REQUEST OF JOHN & BRYAN HECKER,
 OWNERS, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
 WITHIN THEIR OWNERSHIP BOUNDARIES ON MAR 14, 1975 FOR WHICH
 APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
 THIS MAP IS A TRUE REPRESENTATION OF THE SAME.
 WITNESS MY HAND AND SEAL THIS 14TH DAY OF MARCH 1975

Harlan W. Meyer
 REG. L.S. #495



JOHN & BRYAN HECKER IRRIGATION PROJECT #1
 SHOWS AREA TO BE IRRIGATED & WELL DIVERSION POINT
 FOR PERMIT TO APPROPRIATE WATER

OWNER JOHN & BRYAN HECKER
 SURVEYOR HARLAN W. MEYER
 MARCH, 1975

MAP NO. 1672-3 (APPL. NO. 2282-3)
 1672-3 2282-3

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2282-3JOHN E. BRYAN UECKER
(Applicant)R.R. #1, WAGNER
(Post Office Address)SOUTH DAKOTA 57380
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MAY 12 19 75Date of return to applicant for correction, amendments or changes required — 19 —Date of receipt of corrected application JUNE 12 19 75Approved MARCH 24 19 77 Recorded in Book 17 Page 304WATER RIGHT PERMIT NO. 2282-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2282-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MAY 12 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 24 19 77
3. The whole of said work is to be completed on or before MARCH 24 19 78
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 24 19 82
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before MARCH 24 19 82; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 19TH day of APRIL 19 77

WATER RESOURCES COMMISSION

By:

John Hatch
Chief Engineer, Executive OfficerCertificate of Construction Issued July 7 19 80Water License Issued July 9 19 80

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 3 1/2", Depth 220'
- (2) Casing, Type Steel, Diameter 4", Thickness 1/4"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Slotted Pipe, Diameter 1 1/2", Length 40'
- (4) Gravel Pack, Thickness 7', Length of gravel pack 7'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 1-20' dirt & yellow clay
20-105 coarse gravel 105'-120'
blue clay - 120-220' sand & gravel
120-220'

Depth to top of water bearing material 120'

Depth to bottom of water bearing material 220'

Thickness of water bearing material 100'

Depth to water (ground surface to water level) 22'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 150 rds. On property owned by others 150 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Ryan Hecker
Ryan Hecker
Signature of Applicant

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Pole, Diameter 3.2, Depth 50'
- (2) Casing, Type Steel (wood, concrete, steel, etc.) Diameter 16" Thickness 5/16"
- (3) Perforated Screen.
Type Slot Diameter 16" Length 20 ft
- (4) Gravel Pack, Thickness 7" Length of gravel pack 20 ft

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0 - 30 ft Top soil
yellow clay 30 - 50 coarse gravel

Depth to top of water bearing material 30 ft

Depth to bottom of water bearing material 50 ft

Thickness of water bearing material 20 ft

Depth to water (ground surface to water level) 4 ft

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 50 rds. On property owned by others 80 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Bryan Unken
Bryan Unken
Signature of Applicant

Conservation
Commission
Form WI #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: Alfred H. H. H.

Disapproved: _____

NAME: John & Bryan Uecker

ADDRESS: Rural Route 1, Wagner, SD 57380

COUNTY: Charles Mix

LEGAL DESCRIPTION

1. WELL LOCATION: 1320 ft. N and 220 ft. W of the SE Corner of Section 17-96-63.
2. AREA TO BE IRRIGATED: E 100 acres SW 1/4 -17-96-63, W 60 acres SW 1/4 16-96-63.

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Sprinkler
4. CROPS TO BE IRRIGATED: corn, milo & wheat

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 1%, 2% and 3%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Houdek loam, 0.3 intake family

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 75-275 (#1 well)
8. SALINITY: EC = 1877 micromhos/cm (high)
9. SODIUM: SAR = 7.50 (medium)

I do hereby certify that a chemical analysis of the ground water to be acquired for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

Soil Conservation Service Lab. Records

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

Bryan Hecker
John H. Hecker


Subscribed and sworn before me this

21 day of March 19 75

[Signature]

D. R. JUFFER, NOTARY PUBLIC
MY COMMISSION EXPIRES 9-29-81

(Title)



STATE WATER RIGHTS COMM
PIERRE, SOUTH DAKOTA

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: John & Fryon Uecker
 Address: Box 1
Eggen, SD 57380

Date Rec'd April 21, 1975
 Sample No. 75-275
 Identification # 11-155
SEA, Sec. 17, T 96N, R 63W

WATER ANALYSIS

Calcium (Ca)	130	ppm*	6.50	me/l**
Magnesium (Mg)	27	ppm	2.21	me/l
Sodium (Na)	360	ppm	15.66	me/l
Potassium (K)	29	ppm	0.75	me/l
Sulfate (SO ₄)	580	ppm	12.06	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	145	ppm	4.06	me/l
Bicarbonate (HCO ₃)	281	ppm	4.60	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	230	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1877	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	7.50			
Sodium	62.24	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.08			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 25.12 me/l
 Total anions 20.72 me/l

By: Shirley Hutton

Service Performed	Amount Due
Irrigation analysis	\$6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment


Sample No. 75-275

Amount Enclosed 15

Signed _____

SOUTH DAKOTA STATE UNIVERSITY
BROOKINGS, SOUTH DAKOTA 57006

WATER RESOURCES RESEARCH INSTITUTE



"Fever"—From Experience—
Vision in Education and Research

June 4, 1975

Mr. Al Griffiths
State Conservation Commission, State Capitol Building
Pierre, SD 57501

Dear Al:

On or about May 27 I forwarded to you an application for John and Bryan Wecker for irrigation in the SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec 17 T96 R63. This should have had water sample #75-352 designated on it and the WI-1 form and soils information should have accompanied it. Either I have received another set of information for the same application or else this was inadvertently missed in packing the envelope that went to you. At any rate, I am enclosing herewith a WI-1 form and the soils information supplied by Mr. Edwin Artz which should accompany that application. If you can locate this application, I would appreciate your attaching it to the application and if you find that this information is already at hand, simply discard these copies.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:RT

Enclosures

5-21-75

The soils on John & Bryan Wecker farmland to be irrigated are in the Highmore & Hardock series. The Highmore soils have an intake of 0.5 or 2 Hardock 0.3.

The Hardock soils are deep, well drained loamy soils having moderately slow to slowly permeable clay loam underlain by clay loam or loam till.

The Highmore soils are deep, well drained soils with loamy surfaces, silty clay loam or clay loam subsoils, and silt loam substrata underlain by calcareous loamy material below $3\frac{1}{2}$ to 8' or more. Moderately permeable.

E. Louis S. Aubrey
District Conservationist

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE OF
Irrigation System: _____
Water Quality: _____
Soils Capability: _____
Approved: ALLI L. J. [Signature]
Disapproved: 6/14/55

NAME: John & Bryan Decker
ADDRESS: RR #1, Wagner S.D. 57380
COUNTY: Charles Mix

LEGAL DESCRIPTION

1. WELL LOCATION: SW 1/4 of NW 1/4 Sec 17-76-63

2. AREA TO BE IRRIGATED: SW 1/4 Sec 17-76-63
NW 1/4 SW 1/4 Sec 17-76-63

TYPE OF IRRIGATION

SE 1/4 Sec 18-76-63
SE 1/4 Sec 18-76-63

3. GRAVITY SPRINKLER (Indicate Type): Water Wheel

4. CROPS TO BE IRRIGATED: Corn, Milo, Alfalfa, Wheat

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: High more Soils 0-3%; Harder 3-6%

6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Inspection attached

WATER QUALITY TO BE COMPLETED BY COMMISSION

7. SAMPLE NO.: _____

8. SALINITY: _____

9. SODIUM: _____

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Bryan H. Harker
John E. Harker

Subscribed and sworn before me this

22 day of May 19 75.

[Signature]

D. R. JUFFER, NOTARY PUBLIC
MY COMMISSION EXPIRES 9-20-81

(Title)



Dear Sirs:

I drilled six test
holes for shallow water.
I got 23' of coarse sand,
but the driller said he didn't
know if it was enough.

I am sending my papers
for the deep water. ~~It is~~
As soon as I get time
I will come up & see you.
There are some questions I would
like to ask about the shallow
water.

How long will it be
before I can expect a
well?

Please send me another
set of papers I have one
more piece of land I would
like to apply for. The description
is 17-96-63 ^{SE 1/4 NW 1/4 NE 40 1/2 SW 1/4} 120 acres & 18-96-63
SE 1/4 & SE 40 1/4 NE 1/4 I have
shallow water here.

Thank you
John Becker

May 27, 1975

John & Bryan Uecker
Wagner, S.D. 57380

Dear Sirs:

You earlier received the original copy of the report of analysis for your well sample #75-352. I am enclosing herewith a copy of Extension Circular 654 with the approximate quality of this water for irrigation purposes designated by an encircled red cross on the outside back cover. You will see that it is quite high in total salinity but low in sodium hazard. That is, there is a considerable chance for salts to accumulate periodically in the upper part of the soil and may even cause a grayish surface appearance. It also might, with some very tender crops, cause poor germination or poor crop performance. However, the sodium proportion of all salts is rather low, so there should be no problem of soil dispersion of "alkali or slick spot" development.

Therefore, it is my judgement that this water is suitable for application to this soil which you have designated (Houdek Loam) in moderate amounts. It should not be used extremely frequently and in small amounts. Occasionally you may need to apply very large quantities in the late fall, so as to improve the chances of leaching by natural spring and winter precipitation. If the soil profile is completely filled with irrigation water in the late fall, fall, winter, and spring precipitation may cause leaching to occur in some years, which will displace the salts down and out of the root zone. This will not be a necessary procedure unless you begin to notice the accumulation of salts in the top soil.

A copy of this letter and the WI-1 form and a copy of the water analysis are being forwarded to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:MRB

Enclosure

cc: State Conservation Commission

Arnold Reickman, Charles Mix County Extension Agent
Darrel Pahl

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE OF

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: [Signature]

Disapproved: _____

NAME: John & Bryan Uscker

ADDRESS: Wagner

COUNTY: Charles Mix

LEGAL DESCRIPTION

1. WELL LOCATION: R 634, T 96 N, Sec 17, SE $\frac{1}{4}$ of the NW $\frac{1}{4}$
2. AREA TO BE IRRIGATED: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec 18, SE $\frac{1}{4}$ Sec 18, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 17
5 50 07 NW $\frac{1}{4}$ T 96 N R 634

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Tow-line
4. CROPS TO BE IRRIGATED: corn, alfalfa, sorghum & wheat

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 3%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Houder? Loam

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 75-352
8. SALINITY: EC = 1769 (high)
9. SODIUM: SAR = 2.13 (low)

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from
Extension Agent

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

John Hecker


Subscribed and sworn before me this

12 day of May 1975.

Gene Mead

sp. Clerk of Courts

(Title)



REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: John A. Bryan Ueker
 Address: Wagner, SD 57380

Date Rec'd May 13, 1975
 Sample No. 75-352
 Identification Well-65'
174, Sec. 17, T 96N, R 63W

WATER ANALYSIS

Calcium (Ca)	200	ppm*	10.00	me/l**
Magnesium (Mg)	97	ppm	7.95	me/l
Sodium (Na)	147	ppm	6.39	me/l
Potassium (K)	10	ppm	0.25	me/l
Sulfate (SO ₄)	754	ppm	15.68	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	20	ppm	0.55	me/l
Bicarbonate (HCO ₃)	332	ppm	5.44	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	252	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1769	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	2.13			
Sodium	25.98	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	6.92			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 24.59 me/l
 Total anions 21.67 me/l

By: Shirley Litten

Service Performed

Amount Due

Irrigation analysis

\$6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-352

Amount Enclosed

Signed

Permit No. 2282-3

Water Diversion No. 3 Missouri River Water District


CERTIFICATE OF CONSTRUCTION

This is to Certify, That John & Bryan Uecker

_____ the holder _____ of
Permit No. 2288-3, issued upon Application No. 2282-3, bearing date of priority of May 12, 1975
_____ authorizing the diversion of 2.28 cu. ft. per second of the waters of _____
groundwater (two wells) County of Charles Mix, State of South Dakota at _____
a point 1320 feet north and 340 feet west of the SE corner
Section 17, T96N, R63W
_____, for irrigation

purposes, has ~~ya~~ complied with the provisions of the laws of the State of South Dakota relating to proof of completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory condition for diverting and conveying to the place of intended use 2.0 cu. ft. per second of water.

Date July 9, 1980



JOHN HATCH, Chief Engineer
Water Rights, WMD

WATER LICENSE NO. 2232-1

(1) WHEREAS, On the 12th day of May A. D. 19 75
John and Bryan Uecker

made Water Right Application No. 2232-1 for a permit to use 2.73 cubic feet per second of the waters of groundwater (one well)

County of Charles Mix, State of South Dakota, for irrigation purposes and

(2) WHEREAS, On the 24th day of March A. D. 19 77
Permit No. with a date of priority of May 12, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 24th day of March A. D. 19 78 and for the application to beneficial use of said water on or before the 24th day of March A. D. 19 82

and:
(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 2.0 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate the following lands all in T66N, R63W	
Section 16	Acres
NW 1/4 SW 1/4	30
SW 1/4 SW 1/4	30
Section 17	
NW 1/4 SE 1/4	11
SW 1/4 SE 1/4	11
NE 1/4 SE 1/4	39
SE 1/4 SE 1/4	39
TOTAL ACRES	160

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to John and Bryan Uecker

_____ of Wagner, South Dakota

the holder 2 and owner 6 of said permit No. 2282-3 a water right, dating from May 12, 1975

_____ to use of 2.0 cubic feet per second of the waters

of groundwater (two wells)

in the County of Charles Mix and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at a point 1120 feet north and 400 feet east of

the SE corner of Section 17, T96N, R63W

and conducted to and upon portions of land in section 16 and 17-T96N-R63W, here

fully described on the face of this license

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2282-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 9th day of July A. D.

Nineteen Hundred and Eighty

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer
JOHN HATCH

OVERSIZE

DOCUMENT IS

SUPPLEMENTARY


TO MICROFILM FILE

Dear Sus:

I am sending back ~~the~~
~~an~~ map and ~~the~~ re-applying
on the shallow water.

I am sending a shallow
water sample in to Brookings.
I'm sure it will pass because
the shallow water is much better
for irrigation. If my water sample
pass I intend to drill a test
well and test pump it to
find out how much water is
there. I'll let you know
if I don't have the water.

If possible I would
like to have this application
registered as John & Bryan
Udden Project No. 1.



Thank you
John Udden

May 15, 1975

Messrs. John and Bryan Uecker
Rural Route #1
Wagner, South Dakota 57380

Gentlemen:

Your application which proposes to divert up to 2.28 cubic feet per second of ground water (a 220' deep well) to irrigate 160 acres in portions of the SE $\frac{1}{4}$, Section 17, and SW $\frac{1}{4}$, Section 16, T96N, R63W, has been received, and assigned Application No. 2282-3. This is in an area where existing irrigation withdrawals have had a serious effect on surrounding domestic wells.

Because of existing water table conditions, and because more information is needed about existing irrigation and diversion of water from this aquifer, several water right applications proposing irrigation from this aquifer have been placed in a temporarily deferred status by the Water Rights Commission.

Your water right application will be brought to the attention of the Water Rights Commission on May 21, 1975. As has been indicated to you, because of a need to learn more of the effects of the existing and authorized diversions, the recommendation of the Commission Staff will be that your water right application be placed in a temporary deferred status prior to the advertising step.

In another letter to you, it is pointed out that the water quality on your other application was disapproved by the State Conservation Commission, and that the Water Rights Commission cannot consider such a request. Your check in the amount of \$16.00 covered

Messrs. John & Bryan Uecker
May 15, 1975
Page 2

both applications. We are returning the check with the request that you submit another in the amount of \$8.00 to cover this Application No. 2282-3.

Sincerely,

Donald Driscoll
Chief Engineer

DD:yjl

Enclosure: As stated

2282-3

May 27, 1975

John & Bryan Decker
R.R. #1
Wagner, S.D. 57380

Gentlemen:

This is to inform you that the Water Rights Commission on May 21, 1975, placed your Water Right Application No. 2282-3 in a temporary deferred status prior to the advertising step.

Your Water Right Application No. 2282-3 proposes to divert up to 2.28 c.f.s. of ground water (220' deep well) to irrigate 160 acres of land in portions of the SE $\frac{1}{4}$ Section 17, and SW $\frac{1}{4}$ Section 16, T96N, R65W.

This action taken by the Commission was as recommended by the Commission Staff as was indicated in our letter to you dated May 15, 1975.

Sincerely,

Vern W. Butler
Acting Executive Officer
Water Rights Commission

VWB:mb

DE MONT SHALLOW AQUIFER

2232-3 GREENWOOD COLONY
2287-3 DONALD SCHMIDT
2283-3 TED REINFELD
2284-3 TED REINFELD

DEEP AQUIFER

2164-3 CHARLES EITEMILLER
2165-3 CHARLES EITEMILLER
2282-3 JOHN & BRYAN DECKER

Form 6 - Notice of Intent to Appropriate Water

No. 2282-3

Publish first publication, on or before March 10, 19 77

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

March 4, 19 77

John & Bryan Uecker

Notice is hereby given that _____

whose post office address is Wagner, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.2 cubic feet of water per second of time from the ground water through the

Uecker # 1, the point of diversion of which is to be located in the _____

of Section 17, Twp. T96N, Range R63W. Said water to be used for the purpose of providing irrigation on the following described land:

SE $\frac{1}{4}$, Section 17, W $\frac{1}{2}$ SW $\frac{1}{4}$, Section 16-T96N-R63W

This application No. 2282-3 will be considered by the Water Rights Commission at their office at Pierre upon the 14 day of March, 19 77, at 11:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By: **JAMES WINTERTON**

Water Rights Specialist

BEJ/bw

cc: John & Bryan Uecker, Wagner, South Dakota 57350

No. 2282-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Charles Mix) ss.

I, Mildred Robinson hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Wagner Post

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Wagner
County of Charles Mix and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 10, 1977

March 17, 1977

Mildred Robinson
(Signature)

Bookkeeper
(Title)

March 17, 1977
(Date Signed)

Public Notice

**NOTICE INTENT TO
APPROPRIATE WATER**
Pierre, South Dakota 57501
March 4, 1977

Notice is hereby given that
John & Bryan Uecker whose
post office address is
Wagner, South Dakota, has
made an application in
accordance with the pro-
visions of the water laws of
South Dakota for a permit to
appropriate for beneficial use
2.2 cubic feet of water per
second of time from ground
water through the Uecker #1,
the point of diversion of which
is to be located in the E $\frac{1}{4}$ SE $\frac{1}{4}$
of Section 17, Twp. 96N, Range
83W. Said water to be used for
the purpose of providing irriga-
tion on portions of the following
described land: SE $\frac{1}{4}$, Section
17, W $\frac{1}{2}$ SW $\frac{1}{4}$, Section 16-
T96N-R63W.

This application No. 2282-3
will be considered by the Water
Rights Commission at their
office at Pierre upon the 24th
day of March, 1977, at 11:00
a.m. All interested persons
may appear and be heard.

**WATER RIGHTS
COMMISSION**
By: James Winterton
Water Rights Specialist

Mar. 10-17, 1977



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 6527

PIERRE, September 19 78

RECEIVED OF John E. Uecker, RR #1, Wagner, SD

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. 2309-2 (examination, processing, recording and filing) -----	8	00
Fee for inspecting Construction, and issuing Cert. of Construction No. -----		
Fee for inspecting Beneficial Use, and issuing Water License No. -----		
Fee for issuing Location Certificate-Dry Draw, No. -----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for ----- (any other work as provided by law)		
TOTAL	8	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH 9Y

2309-3
2282-3

August 23, 1978

Mrs. John Uecker
RR #1
Wagner, SD 57380

Dear Mr. Uecker:

Enclosed are the checks dated in 1975, the filing fees for water
Permits No. 2309-3 and 2292-3 which we discussed by phone August 23, 1978.

We shall send your receipts for these fees upon receipt of the up-dated
checks.

Thank you for your consideration on our oversight.

Sincerely,

Betty Westlund
WATER RIGHTS SPECIALIST I

BW/gy

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7569

PIERRE, _____, 19__

RECEIVED OF _____
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. _____	50	00
Fee for Inspecting Beneficial Use, and Issuing Water License No. _____		
Fee for issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By _____
Chief Engineer, Executive Officer
JOHN HATCH / bt

Permit No. 2-252-3Water Division 3 Missouri River Water District

**REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE**

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by John & Bryant Wecker of RR #1, Wagner, South Dakota 57182 holder of Permit No. 2-282-3, bearing date of priority of May 12, 1975 authorizing the diversion of 2.25 cu. ft. per second of the waters of one well for Irrigation purposes, in Charles Mix County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor: GE Model 5X6255XN502A, Ser # ENJ525441
75 H.P. 1765 RPM
Pump: Aurora, No. 57771122, Type 12RH, 5 stage
Pumping 900 gpm.

B. Works used to transport water to place of use,

5" Alum pipe from well to CP100

C. Works used to apply water to beneficial use.

Valley Center Pipe, Model 5001, Ser # 24152, with
corridor system. covers 160 Ac.

The system is in the following condition: Excellent

The point of diversion is located 1320 ft N and 340 ft W of the SE
Cor. Sec. 17, T96N R63 W.

The works are capable of diverting and conveying to the place of use 2.0
 cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: The following in Sec 16,

T96N R63W. NE 1/4 SW 1/4 - 30 Ac. SW 1/4 SW 1/4 - 30 Ac.
The following in Sec 17, T96N R63W NE 1/4 SE 1/4 - 11 Ac.
SW 1/4 SE 1/4 - 11 Ac. NE 1/4 SE 1/4 - 39 Ac. SE 1/4 SE 1/4 - 39 Ac.

comprising a total of 160 acres of land.

Well Data:

Depth 153 ftStatic 25 ft.Pumping 900 gpmTested to 1250 gpm

wells for 2.0 cfs

Date July 25, 1979
LeRoy J. McManis
 (Signature)



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

JOHN E UECKER
RR #1 BOX 169
WAGNER, SD 57380

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 2282-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 2282-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.

Dear Sir:

I do not have your irrigation questionnaire, but I could have lost it among the bills. I'll write the information and if it is not enough please send me a questionnaire.

160 irrigated $\frac{1}{2}$ corn $\frac{1}{2}$ barley
7 cycles

10" of water applied

29 day pumped 24 hour each day

900 gallons per min.

all water pump between June 15 & August 15.

Thank You

John Becker

RR#1, Box 169, Wagner SD 57380



South Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 24, 1987

2282-3

John E Uecker
RR #1 Box 169
Wagner, SD 57380


Dear Mr. Uecker:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaire. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit No. 2282-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



2282-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: JOHN E UECKER
RR #1 BOX 169
WAGNER SD 57380

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Requirement to Submit 1992 Irrigation Questionnaire

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 2282-3 & 3696-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2282-3 & 3696-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s) is(are) received in this office before the March 3rd hearing date, your name will be deleted from the Board agenda.

2282-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 5, 1993

2282-3
3696-3


John E Uecker
RR #1 box 169
Wagner, SD 57380

Dear Mr. Uecker:

I am writing to acknowledge receipt of your 1992 irrigation questionnaires for Water Right No. 2282-3 and Water Permit No. 3696-3. You may disregard the January 29, 1993, Notice of Violation of the Requirement to Submit 1992 Irrigation Questionnaires.

The questionnaires were received in our office prior to the Water Management Board Meeting and your name has been deleted from the agenda. If you have any questions, please contact me.

Sincerely,


Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



January 9, 1998

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 JOE FOSS BUILDING
 523 EAST CAPITOL
 PIERRE, SOUTH DAKOTA 57501-3181
NOTICE
TO: JOHN E UECKER, RR 1 BOX 169, WAGNER, SD 57380

FROM: Ron Duvall, Natural Resources Engineer
 for John Hatch, Chief Engineer
 Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaires

Our records indicate that the 1997 Irrigation Questionnaires have not been submitted for Permit Nos. 5930A-3, 2282-3 & 3696-3. The request for the Questionnaires was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2282-3 & 3696-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5930A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year"

The hearing will be held at 9:45 am, February 25, 1998 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5930A-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2282-3 & 3696-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2282-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 21, 1998

2282-3
3696-3
5930A-3

John E Uecker
RR 1 Box 169
Wagner, SD 57380

Dear Mr. Uecker:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit No. 2282-3, 3696-3 and 5930A-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 14, 2004

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 PMB 2020
 JOE FOSS BUILDING
 523 EAST CAPITOL
 PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr
NOTICE
TO: JOHN E UECKER, 39440 294TH ST, WAGNER, SD 57380

FROM: Ron Duvall, Natural Resources Engineer
 for Garland Erbele, Chief Engineer
 Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaires

Our records indicate that the 2003 Irrigation Questionnaires have not been submitted for Permit Nos. 5930A-3, 2282-3 & 3696-3. The request for the Questionnaires was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2282-3 & 3696-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5930A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5930A-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2282-3 & 3696-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2282-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 8022

Your item was delivered at 9:42 am on January 15, 2004 in WAGNER, SD 57380. The item was signed for by E UECKER.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 8022

JOHN E UECKER
39440 294TH ST
WAGNER SD 57380

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services



2282-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2004

2282-3
3696-3
5930A-3

John E Uecker
39440 294th St
Wagner SD 57380

Dear Mr. Uecker:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right or Permit Nos. 2282-3, 3696-3 and 5930A-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2282-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: JOHN E UECKER, 39440 294TH ST, WAGNER, SD 57380
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaires

Our records indicate that the 2004 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2282-3 & 3696-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5930A-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 2, 2005 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5930A-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2282-3 & 3696-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before **February 25, 2005**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2282-3

Track & Confirm

Current Status

You entered 2301 0370 0000 7541 4944

Your item was delivered at 9:04 am on January 21, 2005 in WAGNER, SD 57380. The item was signed for by J UDCKER.

[Shipment Details >](#)

Notification Options

- ▶ Track & Confirm by email [What is this?](#) [Go >](#)
▶ Request Proof of Delivery [What is this?](#) [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 0370 0000 7541 4944

JOHN E UECKER
39440 294TH ST
WAGNER SD 57380

Postmark
Here

mailing.

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

(See Reverse)

PS, Form 153, February 2001



2282-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 16, 2005

2282-3
3696-3
5930A-3

John E Uecker
39440 294th St
Wagner SD 57380

Dear Mr. Uecker:

I am writing to acknowledge receipt of your 2004 irrigation questionnaires. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Permit or Right Nos. 2282-3, 3696-3 and 5930A-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

I noticed on two of the forms that you wrote the land has been sold. They are as follows:

- Water Right No. 3696-3 authorizes diversion of ground water from a well in the center of the SE ¼ Section 16 to irrigate 136 acres in the SE ¼ Section 16, T96N, R63W
- Water Permit No. 5930A-3 authorizes diversion of water from Choteau Creek to irrigate 20 acres in the NE ¼ NE ¼ Section 34, T96N, R63W.

In order for us to contact the new owner and have the water rights transferred, we need to know the name and address of who the new owner(s) is. Please take a few minutes to reply and send us the information. I have enclosed a postage paid envelope for your convenience.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosure



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

November 3, 2015

2282-3

John E Uecker
PO Box 573
Wagner SD 57380 0573


Dear Mr. Uecker:

Enclosed is a "Notice" dated October 23, 2015 concerning the 2015 irrigation questionnaire.

The notice was originally mailed to 39440 294th St, Wagner SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,


Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



2282-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: JOHN E UECKER, PO BOX 573, WAGNER, SD 57380 0573

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire has not been submitted for Permit No(s) 2282-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2282-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 6, 2018

2282-3

John E Uecker
PO Box 573
Wagner SD 57380-0573

Dear Mr. Uecker:

I am writing to acknowledge receipt of your 2017 irrigation questionnaire.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right No. 2282-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: JOHN E UECKER, PO BOX 573, WAGNER, SD 57380 0573

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire has not been submitted for Permit No(s) 2282-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2282-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: VJRLIJ**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 1, 2022

2282-3

John E Uecker
PO Box 573
Wagner SD 57380-0573

Dear Mr. Uecker:

I am writing to acknowledge receipt of your 2021 irrigation questionnaire.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Right No. 2282-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: JOHN E UECKER, PO BOX 573, WAGNER, SD 57380 0573

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire has not been submitted for Permit No(s) 2282-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2282-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: NYJWUG**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 7, 2023

2282-3

John E Uecker
PO Box 573
Wagner SD 57380-0573

Dear Mr. Uecker:

Thank you for visiting with me about your 2022 irrigation questionnaire. I completed a form for you based on our phone conversation.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right No. 2282-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

During our conversation you indicated the well broke down and you have not yet had it repaired or drilled another one. It is my understanding you are considering selling the land. Please keep us informed if you decide to do that or if you make a business decision to discontinue irrigation and no longer want to maintain the water right.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: JOHN E UECKER, PO BOX 573, WAGNER, SD 57380 0573

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire has not been submitted for Permit No(s) 2282-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2282-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: UHSHRH**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2282-3

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
■ Complete items 1, 2, and 3. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.		A. Signature ☒ <i>Trudy H. Schroeder</i> ☐ Agent ☐ Addressee	
JOHN OR BYRON UECKER PO BOX 573 VAGNER SD 57380		B. Received by (Printed Name) C. Date of Delivery <i>Trudy H. Schroeder</i> <i>3-7-25</i>	
		D. Is delivery address different from item 1? ☐ Yes If YES, enter delivery address below: ☐ No	
9590 9402 6392 0303 3253 96		3. Service Type ☐ Adult Signature ☐ Adult Signature Restricted Delivery ☒ Certified Mail® ☐ Certified Mail Restricted Delivery ☐ Collect on Delivery ☐ Collect on Delivery Restricted Delivery ☐ Insured Mail ☐ Insured Mail Restricted Delivery (over \$500) ☐ Priority Mail Express® ☐ Registered Mail™ ☐ Registered Mail Restricted Delivery ☐ Signature Confirmation™ ☐ Signature Confirmation Restricted Delivery	
Article Number (Transfer from service label) 7021 1970 0000 9489 7561			
PS Form 3811, July 2020 PSN 7530-02-000-9053		Domestic Return Receipt	



2282-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 6, 2025

NOTICE OF AMENDMENT OF WATER RIGHT

TO: John or Byran Uecker, PO Box 573, Wagner SD 57380

FROM: Eric Gronlund, Chief Engineer *Eric Gronlund*
Water Rights Program

SUBJECT: Amendment to Water Right No. 2282-3

On March 5, 2025, the Water Management Board amended Water Right No. 2282-3 to add the follow qualification:

“This Water Right is subject to the Irrigation Water Use Questionnaire being submitted each year.”

This action was taken by the Board for failure to return the 2024 irrigation questionnaire. The addition of this qualification means that failure to submit the required irrigation questionnaire in the future could result in suspension or cancellation of the Water Right.

Please contact Amanda Dewell (605) 773-3352 with any questions.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	

Postmark
Here

Post

\$

Total

\$

Sen

Stre

City

JOHN OR BYRON UECKER
PO BOX 573
WAGNER SD 57380

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

7021 1970 0000 9489 7561

CERTIFICATION

The undersigned hereby certifies under the penalty of perjury that I have personally mailed a true and correct NOTICE OF AMENDMENT OF WATER RIGHT, NOTICE OF ENTRY OF ORDER (ONE & THREE YEAR SUSPENSION OF WATER RIGHTS) dated March 6, 2025, via certified mail to the following parties.

Walter Heine
PO Box 145
Blunt SD 57522

Larry Ryken
244 Gavins Point Rd
Yankton SD 57078

Albert Hattum
21862 West Bend Rd
Harrold SD 57536

James & Joan McElhany
45840 SD Hwy 22
Castlewood SD 57223

Layna Saathoff
46044 199th St
Bruce SD 57220

Makens Oak Tree LLP
c/o Michael Makens
PO Box 274
Clark SD 57552

John or Byran Uecker
PO Box 573
Wagner SD 57380

Selby Community Golf Course
201 S Railway St
Selby SD 57472

Lane Tekrony
47840 180th St
Clear Lake SD 57226

Charlotte Nichols
c/o Philip Nichols
7497 Rolling Meadow Dr
West Chester OH 45069

Saddle Butte Angus
c/o Larry May
20545 May Rd
Interior SD 57750


Robert Novotny
10035 County Rd 19
Lidgerwood ND 58503

Stop Drop Lock Inc
c/o Karl Schenk
44352 308th St
Mission Hills SD 57046

Todd Block
PO Box 114
Roslyn SD 57261

Ryan Edwards
25331 Yellow Eagle Rd
White River SD 57579

Robert Phelps Jr
16220 Spring Valley Rd
Piedmont SD 57769


Shannon Konst
Senior Secretary-Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 07 day of March, 2025.


Rachel Rodriguez Notary Public
My Commission expires May 16, 2029



2282-3

ALERT: SEVERE WEATHER IN THE SOUTHEAST AND CENTRAL U.S AND WINTER STORMS IN ...

USPS Tracking[®]

FAQs >

Tracking Number:

Remove X

70211970000094897561

Copy

Add to Informed Delivery (<https://informedelivery.usps.com/>)

Latest Update

Your item was picked up at the post office at 11:16 am on March 7, 2025 in WAGNER, SD 57380.

Get More Out of USPS Tracking:

USPS Tracking Plus[®]

Delivered

Delivered, Individual Picked Up at Post Office

WAGNER, SD 57380

March 7, 2025, 11:16 am

[See All Tracking History](#)

Feedback

[What Do USPS Tracking Statuses Mean?](https://faq.usps.com/s/article/Where-is-my-package) (<https://faq.usps.com/s/article/Where-is-my-package>)

Text & Email Updates



USPS Tracking Plus[®]



Product Information



See Less ^

Track Another Package



2282-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: JOHN E UECKER, PO BOX 573, WAGNER, SD 57380 0573

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2282-3. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2282-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2282-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: MIPCBO**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

March 6, 2026

NOTICE OF ENTRY OF ORDER FOR ONE YEAR SUSPENSION OF WATER RIGHT

TO: John & Bryan Uecker, PO Box 573, Wagner SD 57380

FROM: Adam Mathiowetz, PE, Acting Chief Engineer
DANR - Water Rights Program

SUBJECT: One Year Suspension of Water Right No. 2282-3

On March 4, 2026, the South Dakota Water Management Board ordered:

- Effective April 3, 2026, Water Right No. 2282-3 be suspended for the 2026 irrigation season.

This action was taken by the Board for failure to return the 2025 irrigation questionnaire. If the 2025 irrigation questionnaire is received prior to April 3, 2026, the suspension will not take effect.

A one-year suspension of Water Right No. 2282-3 means water may not be pumped during the 2026 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2026 unless the 2025 irrigation questionnaire is submitted prior to April 3, 2026.

After April 3, 2026, you may petition the Board to rescind the suspension. You will need to submit, to the Water Rights Program, the 2025 irrigation questionnaire and a letter including your reason for not completing the 2025 irrigation questionnaire within the allotted time and requesting time on the agenda for the next Water Management Board meeting. The next Water Management Board meeting is scheduled for May 6, 2026, in Pierre SD.

Decisions made by the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Please contact Amanda Dewell, Water Rights Permitting Administrator (605) 773-3352 with any questions.

NOTE: Water Rights staff will conduct unscheduled compliance checks of suspended water rights to ensure irrigation is not taking place.

7021 1970 0000 9489 8292

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$

Extra Services & Fees (check box, add fee as appropriate)

- | | | |
|--|----|--|
| ☐ Return Receipt (hardcopy) | \$ | |
| ☐ Return Receipt (electronic) | \$ | |
| ☐ Certified Mail Restricted Delivery | \$ | |
| ☐ Adult Signature Required | \$ | |
| ☐ Adult Signature Restricted Delivery | \$ | |

Postmark
Here

Postage

\$

Total

\$

Sent

Street

City, State

John & Bryan Uecker
PO Box 573
Wagner, SD 57380

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

CERTIFICATION

The undersigned hereby certifies under the penalty of perjury that I have personally mailed a true and correct NOTICE OF ONE- AND THREE-YEAR SUSPENSION OF WATER RIGHT dated March 6, 2026, via certified mail to the following parties.

Chance & Michelle Wientjes
PO Box 96
Mobridge, SD 57601

Vernon & Marlys Walkling
29832 267th Ave
Crookston, NE 69212

Vasgaard Properties
28746 462nd Ave
Centerville, SD 57014

Doug & Darla Van Gerpen
40930 305th St
Avon, SD 57315

John & Bryan Uecker
PO Box 573
Wagner, SD 57380

Twisted Land & Cattle Co.
C/O Brad Peterson
19030 391st Ave
Hitchcock, SD 57348

Tilton Ranch Inc.
C/O Janet Burback
2199 Skinner Rd
Belgrade, MT 59714

Dale Sprague
16221 Twilight Rd
Mud Butte, SD 57758

Greg & Evette Rihanek
814 E State St
Plankinton, SD 57368

Wayne Reiersen
30048 Reiersen Pl
Pollock, SD 57648

Charlotte or Phillip Nichols
7497 Rolling Meadow Dr
West Chester, OH 45069

Wilma Heien (Walter Heien)
PO Box 145
Blunt, SD 57522

David & Jerry Wieber
PO Box 238
Lidgerwood, ND 58053

Vintage Square Estates
PO Box 594
Ft Pierre, SD 57532

Valley View Farms Inc.
17716 458th Ave
Watertown, SD 57201

Kash & Trish Van Dyke
48549 219th St
Elkton, SD 57026

Oscar Inc.
C/O Floyd Peterson
209 27th St NW
Huron, SD 57350

Dan & David Trudeau
33927 478th Ave
Jefferson, SD 57038

Terrill Farms Inc.
C/O Tony Terrill
42099 176th St
Clark, SD 57225

Swan Creek Land Co. Inc
PO Box 435
Akaska, SD 57420

Six Mile Creek Golf Course
20307 483rd Ave
White, SD 57276

Robert Phelps Jr
16220 Spring Valley Rd
Piedmont, SD 57769

GW Evridge
20151 Saddle Ct
Whitewood, SD 57793


Mark & Melvin Morlock
33820 112th St
Eureka, SD 57437

Laverne Neuharth
33567 109th St
Eureka, SD 57437

Central Valley Golf Club
700 E Hwy 38
Hartford, SD 57033

Dale & Mary Helen Bisson
PO Box 844
Ft Pierre, SD 57532

Ryan Edwards
25331 Yellow Eagle Rd
White River, SD 57579




Alyce McGhee
Senior Secretary-Water Rights

STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 6 day of March, 2026.



Rachel Rodriguez Notary Public
My Commission expires May 16, 2029



Tracking Number:

Remove X

70211970000094898292

Copy Add to Informed Delivery (<https://informedelivery.usps.com/>)

Latest Update

Your item was picked up at the post office at 9:50 am on March 12, 2026 in WAGNER, SD 57380.

Get More Out of USPS Tracking:

USPS Tracking Plus[®]

Delivered

Delivered, Individual Picked Up at Post Office

WAGNER, SD 57380
March 12, 2026, 9:50 am

See All Tracking History

[What Do USPS Tracking Statuses Mean?](https://faq.usps.com/s/article/Where-is-my-package) (<https://faq.usps.com/s/article/Where-is-my-package>)

Feedback

Text & Email Updates



USPS Tracking Plus[®]



Product Information



See Less ^

Track Another Package

