


Water Right Number 2316-3

1. Considered SEPTEMBER 10, 1975
2. Name of Applicant RAY GOEBEL & SONS, INC.
3. Post Office Address LEBANON
4. Amount of Water claimed 8.34
5. Source of Water supply GROUND WATER (5. NEELS - 35' to 90')
6. Water to be used for IRRIGATION
Acres to be irrigated .584
7. Water to be diverted and used in POTTER County
about 2E 10S miles of LEBANON
8. Proof of Publication Received B-22-75
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action Deferred _____
10. Remarks:

No. 2316-3
 Map No. 169B-3 Water Division No. 3 MISSOURI RIVER
 (Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT



To Appropriate Water within the State of South Dakota

(NOTE-Draw a line through items not applicable)

1. Name of Applicant RAY G. GEBEL & Sons Inc.
 Postoffice address ARBAWON State S. DAK.
 If a corporation show date and place of incorporation 1-1974-6-27 TYSBORO S. D.
2. Method of accomplishing work (contract, employment or others, or by direct labor) CONTRACT
3. Name of diversion work IRRIGATION WELLS & PIPELINE
4. Amount of water claimed (cubic feet per second) 5.32
5. Source of water supply WELLS
6. Location of point of diversion SEC. 24 & 25 T4S R17E
SE 1/4 SW 1/4, SECTION 25, SE 1/4 SW 1/4, T4S R17E
SECTION 24 POTTER County POTTER
7. Annual period or period during which water is to be used APRIL THRU OCT
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) IRRIGATION
9. For irrigation use, Total number of acres to be irrigated 584

List below each forty-acre subdivision, or lot, or fraction

Land Description	No. Acres Irr.
SEC 25 - T4S R17E	
S. 1/4 of N.E. 1/4	36
S.E. 1/4 of N.E. 1/4	40
ALL OF S.E. 1/4	152

and show number of acres to be irrigated in each

Land Description	No. Acres Irr.
SEE ATTACHED COPY	

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 12 years. Additional time required to complete application of water to the proposed beneficial use 1 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication POTTER COUNTY NEWS
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

WELL

B. Works proposed to transport water to place of use.

PIPE (ALU)

C. Works proposed to apply water to beneficial use.

SPRINKLEREstimated Total Cost \$150,000
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Potter
 I, Ray G. Gebel & Sons Inc. the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.
Signed Ray G. GebelSubscribed and sworn to before me this 20th day of February 1975
Kenneth L. Hericks
 Notary Public (or other qualified officer)

 Kenneth L. Hericks, Notary Public
 Potter County, South Dakota

My commission expires Feb. 15, 1982

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2316-3

RAY GOEREL & SONS, INC.
(Applicant)

LERANON
(Post Office Address)

SOUTH DAKOTA 57455 With the following modifications
(State)

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application JULY 2 1975
Date of return to applicant for correction, amendments or changes required _____ 19____
Date of receipt of corrected application _____ 19____
Approved SEPTEMBER 10 1975 Recorded in Book 14 Page 31

WATER RIGHT PERMIT NO. 2316-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2316-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JULY 2 1975
2. The equivalent of at least one-fifth of the work above provided is to be completed on or before MARCH 10 1979
3. The whole of said work is to be completed on or before SEPTEMBER 10 1978
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith SEPTEMBER 10 1979
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 8.34 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 10 1979; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 15TH day of SEPTEMBER 1975


WATER RESOURCES COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19____

Water License Issued _____ 19____



Mobridge, S. Dak.
P. O. Box 445
Phone 845-3030

SCHERLE IRRIGATION SALES, INC.

Zimatic Pivot Self Propelled Irrigator,
Tow Lines, Traveling Volume Guns

SEC 914-117-74

IRREGULAR APNEAL

N.W. $\frac{1}{4}$

152 A.

S.W. $\frac{1}{4}$

134 A.

N.E. $\frac{1}{4}$

N.W. $\frac{1}{4}$ OF N.E. $\frac{1}{4}$

25 A

S.W. $\frac{1}{4}$ OF N.E. $\frac{1}{4}$

25 A

S.E. $\frac{1}{4}$

N.W. $\frac{1}{4}$ OF S.E. $\frac{1}{4}$

13 A

S.W. $\frac{1}{4}$ OF S.E. $\frac{1}{4}$

5 A

Test well #21

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 12", Depth 33'
- (2) Casing, Type STEEL Diameter 12" Thickness 12 GA
(wood concrete, steel, etc)
- (3) Perforated Screen.
Type STEEL, Diameter 1 1/2", Length 15'
- (4) Gravel Pack. Thickness 5", Length of gravel pack 33'

E. Dugout Information or Estimates.

(1) Surface Dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 4-33 SAND & GRAVEL
33-40 CLAY

Depth to top of water bearing material 18'
Depth to bottom of water bearing material 33'
Thickness of water bearing material 15'
Depth to water (ground surface to water level) 13'

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 50 rds. On property owned by others 880 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Larry J. Smith
Signature of Applicant

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 1.5", Depth 70'
 (2) Casing, Type STEEL, Diameter 1.5", Thickness 12 ga
 (wood, concrete, steel, etc)
 (3) Perforated Screen.
 Type STEEL, Diameter 1.5", Length 53'
 (4) Gravel Pack, Thickness 5", Length of gravel pack 60'

E. Dugout Information or Estimates.

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials. 0-37 CLAY YELLOW 37-42 GRANVEL
42-50 CLAY 50-61 SAND 61-68 CLAY
68-73 SAND 73-95 CLAY & GRANVEL, SHALES
AT 90-95

Depth to top of water bearing material 27'

Depth to bottom of water bearing material 58'

Thickness of water bearing material 21'

Depth to water (ground surface to water level) 23 1/2'

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 40 rds. On property owned by others 800 rds.

G. Water Storage Dams

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map:

Larry Schel
 Signature of Applicant

June 17, 1975

Mr. Ray Goebel & Sons, Inc.
Lebanon
South Dakota 57455

Dear Sirs:

Enclosed please find the original copy of the report of analysis for the two water samples submitted here about two weeks ago. These two samples are very much alike and are plotted by the single red uncircled cross on the outside back cover of Extension Circular 654, which is enclosed for your use.

These waters are medium to high in total salinity, but low in sodium, thus there is a moderate hazard of salt accumulation in the upper part of the soil, but practically no hazard of sodium dispersion of soils. This sodium dispersion, if it occurs, will cause slick spot or alkali soil development and poor permeability and poor tilth. However, there shouldn't be any of this as a result of the use of this water. There may be some naturally occurring on the Williams loam or Oahe loam in very small restricted spots.


This water then should be suitable for any ordinary use on agricultural crops to be grown in your area and on these soils. I would suggest that you use it in rather sizable amounts each time you irrigate (that is, two to three inches or more), rather than light frequent applications. These techniques will help to reduce the tendency for salt to accumulate in the upper part of the root zone.

A copy of this letter and of the two water analyses and your WI-1 forms will be sent to the State Conservation Commission for their action.

Sincerely yours,


L. O. Fine

L. O. Fine
Water Quality Lab



cc: State Conservation Commission

Laurance Madison, Potter County Extension Agent
Darrel Pahl



STATE WATER RIGHTS COMMISSION
PIERRE, SOUTH DAKOTA

Conservation
Commission
Form WL #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-2 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE OF

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: Alfred D. Hays
2/27/75

Disapproved: _____

NAME: Ray Gerald Samson
ADDRESS: Lebanon, S. Dak.
COUNTY: Potter

LEGAL DESCRIPTION

1. WELL LOCATION: SE 1/4 - 25-117-24
2. AREA TO BE IRRIGATED: NE 1/4 - SE 1/4 - 25-117-24
(Just portions of both)

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Spin. blower
4. CROPS TO BE IRRIGATED: Corn & Alfalfa

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 6-9%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Willamson loam
& silt loam, stony

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 75-442
8. SALINITY: EC = 892 micromhos/cm (med-high)
9. SODIUM: SAR = 1.13 (low)

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Ray Gabel & Sons Inc
By Helen Gabel Secretary


Subscribed and sworn before me this

27 day of May 1975.

Elaine Storkan

Register of Deeds

(Title)



STATE WATER RIGHTS COMMISSION
PIERRE, SOUTH DAKOTA



REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Ray Goebel
 Address: Lebanon, SD 57455

Date Rec'd: June 2, 1975
 Sample No.: 75-443
 Identification: E011-24
SE1, Sec. 25, T 117N, R 74W

WATER ANALYSIS

Calcium (Ca)	80	ppm*	4.00	me/l**
Magnesium (Mg)	35	ppm	2.87	me/l
Sodium (Na)	48	ppm	2.09	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	123	ppm	2.55	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	11	ppm	0.32	me/l
Bicarbonate (HCO ₃)	407	ppm	6.68	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		g.p.g.***
Hardness (EDTA as CaCO ₃)		ppm		
Alkalinity (Methyl Orange)	334	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	872	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.13			
Sodium	22.66	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.54			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 9.22 me/l
 Total anions 9.55 me/l

By: Shirley Litten

Service Performed	Amount Due
Irrigation analysis	\$6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-443

Amount Enclosed \$

Signed

Conservation
Commission
Form WL 21

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: Ally B. [Signature]

Disapproved: _____

NAME: Ray Gabriel & Sons Inc.
ADDRESS: Lebanon, S. Dak.
COUNTY: Butte

LEGAL DESCRIPTION

1. WELL LOCATION: #4 SW 1/4 24-117-74
2. AREA TO BE IRRIGATED: SW 1/4 - NW 1/4 - 24-117-74
(Portions)

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Sprinkler
4. CROPS TO BE IRRIGATED: Corn & Alfalfa

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: none to 0-3%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Dark loam

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 175-442
8. SALINITY: EC = 562 micromhos/cm (high)
9. SODIUM: SAR = 0.99 (low)

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Subscribed and sworn before me this


27 day of May 1975.

Elaine Storkman

Register of Deeds

(Title)

Ralph Gabel & Sons Inc
By Helen Gabel Sec Treas



REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Ray Goebel & Son's, Inc. Date Rec'd: June 2, 1975
 Address: Lebanon, SD 57455 Sample No. 75-442
 Identification # 4-111-13'
SD, Sec. 24, T 117N, R 74E

WATER ANALYSIS

Calcium (Ca)	80	ppm*	4.00	me/l**
Magnesium (Mg)	47	ppm	3.85	me/l
Sodium (Na)	45	ppm	1.96	me/l
Potassium (K)	8	ppm	0.21	me/l
Sulfate (SO ₄)	120	ppm	2.50	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	11	ppm	0.30	me/l
Bicarbonate (HCO ₃)	405	ppm	6.64	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	332	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	362	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.99			
Sodium	19.56	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.60			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 10.02 me/l
 Total anions 9.44 me/l

By: Shirley Kitten

Service Performed	Amount Due
Irrigation analysis	\$6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-442

Amount Enclosed \$

Signed

Form 6. - Notice of Intent to Appropriate Water

No. 2310-3

Publish first publication, on or before

August 25, 1975

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 6, 1975

Notice is hereby given that Ray Goebel and Sons, Inc.

whose post office address is Lebanon, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 0.54 cubic feet of water per second of time from the ground water through the Goebel #1, the point of diversion of which ~~is~~^{are} to be located in the ~~S1/4 NE1/4, Sec. 24, and S1/4 SE1/4, T11N, R7W~~

of Section 24, Twp. 117N, Range 74W. Said water to be used for the purpose of providing irrigation on the following described land:
all or portions of

NW1/4, SW1/4, W1/2 NE1/4, W1/2 SE1/4, Section 24; S1/2 NE1/4 and SE1/4, Section 25, T117N, R7W

This application No. 2310-3 will be considered by the Water Rights Commission at the Burgundy Room at the Skyline Hotel, Yankton, S.D. upon the 10th day of September, 1975 at 2:30 P. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/Lw

cc: Ray Goebel and Sons, Inc., Lebanon, S.D. 57455

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Potter) ss.

I, Dorothy Shawgo hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Potter County News

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the
City Gettysburg of Potter

County of Potter and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Aug. 14, 1975

Aug. 21, 1975

Dorothy Shawgo
(Signature)

Burton F. Jones
(Title)

Aug. 21, 1975
(Date Signed)


No. 2316-3
NOTICE OF INTENT
TO APPROPRIATE
WATER

Pierre, S. D. 57501
August 6, 1975

Notice is hereby given that
Ray Goebel and Sons, Inc.
whose post office address is
Lebanon, South Dakota, has
made an application in ac-
cordance with the provisions
of the water laws of South
Dakota for a permit to ap-
propriate for beneficial use
8.34 cubic feet of water per
second of time from ground
water through the Goebel
No. 1 the points of diversion
of which are to be located in
the SE $\frac{1}{4}$, NE $\frac{1}{4}$ and SW $\frac{1}{4}$
NE $\frac{1}{4}$, Sec. 25 and SE $\frac{1}{4}$
SW $\frac{1}{4}$, W $\frac{1}{2}$ SW $\frac{1}{4}$, of Section
24, Twp. 117N, Range 74W.
Said water to be used for the
purpose of providing
irrigation on all or portions
of the following described
land: NW $\frac{1}{4}$, SW $\frac{1}{4}$, W $\frac{1}{2}$
NE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Section 24,
S $\frac{1}{2}$ NE $\frac{1}{4}$ and SE $\frac{1}{4}$, Section
25, T117N, R74W.

This application No. 2316-3
will be considered by the
Water Rights Commission at
the Burgundy Room at
the Skyline Motel,
Yankton, S. D. upon the 10th
day of September, 1975, at
2:30 P.M. All interested
persons may appear and be
heard.

Water Rights Com-
mission
Burton F. Jones,
Water Rights Specialist
(Aug. 14, 21, 1975)





NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

Post Office LEBANON, S.D.
Date 3-28, 77TO THE WATER RIGHTS COMMISSION
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2316-3.

Water Right Permit No. 2316-3 states that the diversion system is to be constructed by SEPT. 10, 19 78 and that the water is to be put to beneficial use by SEPT 10, 19 78.

The diversion system was completed on MAY, 19 76. Applying the water to beneficial use was completed on MAY, 19 76.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Larry Jacob
(Signature)
Larry Jacob

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 29, 1988

RAY GOEBEL & SONS INC
RR #1 BOX 46
LEBANON, SD 57455

NOTICE

**Re: Violation of Requirement To Submit 1987 Irrigation
Questionnaire**


Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 2316-3. The request for the Questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 9:00 am, March 2, 1988 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 2316-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the March 2 hearing date, your name will be deleted from the agenda for the hearing.

**Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 5, 1988

2316-3


Ray Goebel & Sons
RR 1, Box 46
Lebanon SD 57455

Dear Sirs:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 2316-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

November 17, 1989

2316-3

Ray Goebel & Sons Inc
RR #1 Box 46
Lebanon, SD 57455

Dear Sirs:

Enclosed is your 1989 irrigation questionnaire and an extra copy. You indicated on the form that you irrigated approximately the same as last year. Your 1988 irrigation questionnaire reflects irrigation of 248 acres as opposed to the 130 acres you wrote on this year's form.

Water Management Board Rules require the annual irrigation questionnaire to be completed and returned to this office. Simply stating you irrigated the same as last year is not acceptable.

Complete the questionnaire and return it to our office prior to December 15, 1989. If you have any questions, or need assistance in filling out the form, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMATH".

GENNY MCMATH
Natural Resources Analyst
(605) 773-3352



2316-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

January 29, 1993

NOTICE

TO: RAY GOEBEL & SONS INC
RR #1 BOX 46
LEBANON SD 57455

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Violation of Requirement to Submit 1992 Irrigation Questionnaire

Our records indicate that the 1992 Irrigation Questionnaire has not been submitted for Permit No(s) 2316-3. The request for the Questionnaire was dated October 16, 1992. The Water Management Board has directed that owners of water permits who have not submitted the 1992 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:30 am, March 3, 1993, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2316-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to February 22, 1993, contact the Water Rights Division, 523 E Capitol, Pierre SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the questionnaire(s), as(are) received in this office before the March 3rd hearing date, your name will be deleted from the Board agenda.

SENDER: • Complete items 1 and/or 2 for additional services. • Complete items 3, and 4a & b. • Print your name and address on the reverse of this form so that we can return this card to you. • Attach this form to the front of the mailpiece, or on the back if space does not permit. • Write "Return Receipt Requested" on the mailpiece below the article number. • The Return Receipt will show to whom the article was delivered and the date delivered.		I also wish to receive the following services (for an extra fee): 1. ☐ Addressee's Address 2. ☐ Restricted Delivery Consult postmaster for fee.	
3. Article Addressed to: <u>2316-3</u>		4a. Article Number <u>P906560038</u>	
RAY GOEBEL & SONS INC RR #1 BOX 46 LEBANON SD 57455		4b. Service Type ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise	
5. Signature (Addressee) <u>Helen Goebel</u>		Date of Delivery <u>1-30-93</u>	
6. Signature (Agent)		8. Addressee's Address (Only if requested and fee is paid)	
PS Form 3811, December 1991 • U.S.G.P.O. : 1992-307-530 • DOMESTIC RETURN RECEIPT			

Is your RETURN?

Is your RETURN?

Thank you for using Return Receipt Service.



2316-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 1, 1993

2316-3

Ray Goebel & Sons Inc
RR #1 box 46
Lebanon, SD 57455

Dear Sirs:

I am writing to acknowledge receipt your 1992 irrigation questionnaire for Water Permit No. 2316-3. The questionnaire was completed for you following your telephone conversation with Ron Duvall, Staff Engineer. You may disregard the January 29, 1993, Notice of Violation of the Requirement to Submit the 1992 Irrigation Questionnaire.

The questionnaire was received prior to the Water Management Board meeting, and your name has been deleted from the agenda.

Enclosed, as you requested, is a copy of the your questionnaire. If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352



2316-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOL FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 16, 1994

NOTICE

TO: RAY GOLBEL & SONS, INC
RR 1 BOX 46
LEBANON, SD 57455

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Failure to Report Chemical Use under Water Permit No(s) 2316-3

The first notice to file chemigation report(s) for Permit No(s) 2316-3 was dated October 18, 1993. Our records indicate that we have not received the 1993 chemigation report for Permits No(s) 2316-3. The Water Management Board has directed that owners of water permits who have not submitted the 1993 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 8:45 A.M. on April 6, 1994, at the Golden Hills Resort, 900 Miners Avenue, Lead, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2316-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to April 1, 1994, contact the Water Rights Division, 523 E. Capitol, Pierre, SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to April 1, 1994, you will no longer be in violation and your name will be deleted from the Board agenda.

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

3. Article Addressed to:

2316-3

RAY GOEBEL & SONS, INC
RR 1 BOX 46
LEBANON, SD 57455

5. Signature (Addressee)

6. Signature (Agent)

I also wish to receive the following services (for an extra fee):

1. ☒ Addressee's Address
 2. ☐ Restricted Delivery
- Consult postmaster for fee.

4a. Article Number

P837 692 669

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

2-17-94

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, December 1991

U.S.G.P.O.: 1992-307-530

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



February 16, 1994

RAY GOEBEL & SONS INC
RR #1 BOX 46
LEBANON SD 57455

2316-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOTICE

RE: Violation of Requirement to Submit 1993 Irrigation Questionnaire

Our records indicate that the 1993 Irrigation Questionnaire has not been submitted for Permit No(s) 2316-3. The request for the Questionnaire was dated October 18, 1993. The Water Management Board has directed that owners of water permits who have not submitted the 1993 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 8:45 am, April 6, 1994, at the Golden Hills Resort, 900 Miners Ave, Lead, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2316-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before April 1, 1994, your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☒ Addressee's Address
 2. ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

RAY GOEBEL & SONS INC
RR #1 BOX 46
LEBANON SD 57455

2316-3

4a. Article Number

P837 692 546

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

2-17-94

8. Addressee's Address (Only if requested and fee is paid)

5. Signature (Addressee)

6. Signature (Agent)

PS Form 3811, December 1991 ☆ U.S.G.P.O.: 1992-307-530

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



2316-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 18, 1994

2316-3

Ray Goebel & Sons
RR #1 Box 46
Lebanon, SD 57455

Dear Sirs:

I am writing to acknowledge receipt of your 1993 Irrigation questionnaire and chemical use report. An Irrigation questionnaire and chemical report form were completed for you based upon my telephone conversation with Larry Goebel. You may disregard the February 16, 1994, Notice of Violation of the Requirement to Submit the 1993 Irrigation Questionnaire and the Notice of Failure to Report Chemical Use.

The questionnaire and chemical use form were received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 JOE FOSS BUILDING
 523 EAST CAPITOL
 PIERRE, SOUTH DAKOTA 57501-3181
NOTICE
TO: RAY GOEBEL & SONS INC. RR #1 BOX 46, LEBANON, SD 57455

FROM: Ron Duvall, Natural Resources Engineer
 for John Hatch, Chief Engineer
 Water Rights Program

SUBJECT: Violation of Requirement to Submit 1995 Irrigation Questionnaire

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 2316-3. The request for the Questionnaire was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 9:45 am, March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2316-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 1996 your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
 2. ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

RAY GOEBEL & SONS INC
RR #1 BOX 46
LEBANON SD 57455

4a. Article Number

2348 318 853

4b. Service Type

- | | |
|---|---|
| ☐ Registered | ☒ Certified |
| ☐ Express Mail | ☐ Insured |
| ☐ Return Receipt for Merchandise | ☐ COD |

7. Date of Delivery

2.2.96

8. Addressee's Address (Only if requested and fee is paid)**5. Received By: (Print Name)**

Kerry Goebel

6. Signature: (Addressee or Agent)

X

KG



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: RAY GOEBEL & SONS INC
RR #1 BOX 46
LEBANON SD 57455

FROM: Ron Duvall, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 2316-3

The first notice to file chemigation report(s) for Permit No(s) 2316-3 was dated 10/20/95. Our records indicate that we have not received the 1995 chemigation report for Permits No(s) 2316-3. The Water Management Board has directed that owners of water permits who have not submitted the 1995 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 A.M. on March 6, 1996, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2316-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before March 1, 1996 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2316-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 6, 1996

Ray Goebel & Sons, Inc.
RR #1 Box 46
Lebanon, SD 57455

2316-3

Dear Mr. Goebel:

I am writing to acknowledge receipt of your 1995 irrigation questionnaire and chemical reporting form. You may disregard the January 30, 1996, Notice of Violation of the Requirement to Submit the 1995 Irrigation Questionnaire and the Notice of Failure to Report Chemical Use under Water Permit No. 2316-3.

I completed the above forms for you based on my February 6th telephone conversation with Larry Goebel. The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

STATE OF SOUTH DAKOTA
WATER LICENSE NO. 2316-3

(1) Ray Goebel and Sons, RR 1, Box 46, Lebanon SD 57455 made Application No. 2316-3, July 2, 1975 for a water permit to divert 8.34 cubic feet of water per second from groundwater, Potter County, South Dakota for irrigation purposes. Permit No. 2316-3, with a priority date of July 2, 1975 was approved September 10, 1975 and issued to the applicants for diversion of water with construction of the described water supply system to be completed on or before September 10, 1978 and for the application to beneficial use of said water on or before September 10, 1979.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.0 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 75 feet north and 225 feet east; Well #2 - 75 feet north and 1,280 feet east; Well #3 - 830 feet north and 1,510 feet east; Well #4 - 1,055 feet north and 1,510 feet east; and Well #5 - 380 feet south and 2,640 feet east; all from the southwest corner of Section 24-T117N-R74W (Well #1 & 2 are in the SW 1/4 SW 1/4, Well #3 & 4 are in the SE 1/4 SW 1/4 Section 24 and Well #5 is in the NE 1/4 NW 1/4 Section 25).

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

all in Section 24-T117N-R74W

NW 1/4 NW 1/4	23 acres	NW 1/4 SW 1/4	26 acres
NE 1/4 NW 1/4	38 acres	NE 1/4 SW 1/4	39 acres
SW 1/4 NW 1/4	23 acres	SW 1/4 SW 1/4	25 acres
SE 1/4 NW 1/4	38 acres	SE 1/4 SW 1/4	12 acres
NW 1/4 NE 1/4	7 acres	NW 1/4 SE 1/4	6 acres
SW 1/4 NE 1/4	7 acres	SW 1/4 SE 1/4	3 acres

Total 247 acres

(4) Pursuant to South Dakota Water Law 46-5-30.1 Ray Goebel and Sons, RR 1, Box 46, Lebanon SD 57455 the holders and/or owners of Water Permit No. 2316-3 is issued a license to appropriate water, the right to use 2.0 cubic feet of water per second from groundwater (five wells) with a priority date of July 2, 1975 from the location specified in (2) of this license. The water to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 2316-3 and subject to South Dakota State Law.

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Program
Department of Environment and Natural Resources

APR 4 1996
date



Permit No. 2316-3

Missouri River Water District

Report Of Examination Of Works And/Or Application of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DENR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Ray Goebel and Sons of RR 1, Box 46, Lebanon, SD 57455 holder of Permit No. 2316-3, bearing the priority of July 2, 1975 authorizing the diversion of 8.34 cu. ft. per second of the waters of Okobojo Creek Aquifer for irrigation purposes, in Potter County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Well #1 - 33' deep with 18' of 12" steel casing, 15' of steel screen, Fairbanks Morris motor rated at 10 hp, pump capacity is 100 gpm.

Well #2 - 59' deep with 39' of 4" pvc casing, 20' of 4" pvc screen, Fairbanks Morris motor rated at 20 hp, pump capacity is 300 gpm.

Well #3 - Fairbanks Morris motor rated at 30 hp, Mid America pump model no. 5-6H300-21-3B with a capacity of 400 gpm.

Well #4 - Fairbanks Morris motor rated at 10 hp, pump capacity is 100 gpm.

Well #5 - 42' deep with 16" pvc casing, stainless steel screen, Fairbanks Morris motor rated at 20 hp, pump capacity is 300 gpm.

B. Works used to transport water to place of use:

1055' of 4" pvc, 300' of 6" pvc, 750' of 8" pvc, 3130' of 10" pvc, and 1550' of 5" aluminum.

C. Works used to apply water to beneficial use:

Lindsey Zimatic center pivot, 1320' long, 10 tower, with end gun, high pressure system, 900 gpm capacity.

Valley center pivot, 1320' long, 10 tower, with end gun, high pressure system, 900 gpm capacity.

The system is in the following condition good. The point of diversion is located well #1 - 75' N and 225' E; well #2 - 75' N and 1280' E; well #3 - 830' N and 1510' E; well #4 - 1055' N and 1510' E; well #5 - 380' S and 2640' E all of the SW corner Sec. 24-117-74.

The works are capable of diverting and conveying to the place of use 2.0 cu. ft. per second of water which is to be used for irrigation. Water has been put to beneficial use to the maximum extent as follows:

All in Sec. 24-117-74:

NW 1/4 NW 1/4	23	acres	NW 1/4 SW 1/4	26	acres
NE 1/4	38	"	NE 1/4	39	"
SW 1/4	23	"	SW 1/4	28 ⁵	"
SE 1/4	38	"	SE 1/4	12	"
NW 1/4 NE 1/4	7	"	NW 1/4 SE 1/4	6	"
SW 1/4	7	"	SW 1/4	3	"

comprising a total of 247 acres of land and the license should be issued for 2.0 cfs

Application permit qualifications have been complied with Y Yes No

Exceptions to compliance are: none

Date 9-2-92

Lynn Beck

Lynn Beck
Natural Resources Engineer III
DENR, Water Rights Division

REPORT ON INSPECTION OF PERMIT NUMBER 2316-3
Other permit(s) associated with the project none

DATE 9-2-92

DIVERSION POINT LEGAL LOCATION: 75' N and 225' E of the SW corner Sec. 24-117-74

WELL INFORMATION: Well Drilling Firm

No. of Well #1 Depth(s) 33

- a) Casing: 1) diameter 12 inches b) Screen: 1) type steel
2) length 18 feet 2) length 15 feet
3) type steel c) Pump 1) make
2) model
d) Static Water Level 13 feet 3) size inches
e) Motor: 4) capacity 100 GPM
1) make Fairbanks and Morris 5) turbine pump - No. of stages
2) model No. 6) operating pressure PSI
3) horsepower rating 10 hp

DIVERSION POINT LEGAL LOCATION: 75' N and 1280' E of the SW corner Sec. 24-117-74

WELL INFORMATION: Well Drilling Firm Dakota Boring Co., drilled Nov. 1987.

No. of Well #2 Depth(s) 59

- a) Casing: 1) diameter 4 inches b) Screen: 1) type pvc
2) length 39 feet 2) length 20 feet
3) type pvc c) Pump 1) make
2) model
d) Static Water Level 38 feet 3) size inches
e) Motor: 4) capacity 300 GPM
1) make Fairbanks and Morris 5) turbine pump - No. of stages
2) model No. 6) operating pressure PSI
3) horsepower rating 20 hp

DIVERSION POINT LEGAL LOCATION: 830' N and 1510' E of the SW corner Sec. 24-117-74

WELL INFORMATION: Well Drilling Firm

No. of Well #3 Depth(s)

- a) Casing: 1) diameter inches b) Screen: 1) type
2) length feet 2) length feet
3) type c) Pump 1) make Mid America

- | | | | |
|-----------------------|-----------------------------|---------------------------------|----------------------|
| d) Static Water Level | feet | 2) model | <u>5-6H300-21-3B</u> |
| e) Motor: | | 3) size | inches |
| 1) make | <u>Fairbanks and Morris</u> | 4) capacity | <u>400 GPM</u> |
| 2) model No. | | 5) turbine pump - No. of stages | |
| 3) horsepower rating | <u>30 hp</u> | 6) operating pressure | PSI |

DIVERSION POINT LEGAL LOCATION: 1055' N and 1510' E of the SW corner Sec. 24-117-74

WELL INFORMATION: Well Drilling Firm

- | | | | |
|-----------------------|-----------------------------|---------------------------------|----------------|
| No. of Well | <u>#4</u> | Depth(s) | |
| a) Casing: | 1) diameter | inches | b) Screen: |
| | 2) length | feet | 1) type |
| | 3) type | | 2) length |
| | | | feet |
| | | | c) Pump |
| d) Static Water Level | feet | 1) make | |
| e) Motor: | | 2) model | |
| 1) make | <u>Fairbanks and Morris</u> | 3) size | inches |
| 2) model No. | | 4) capacity | <u>100 GPM</u> |
| 3) horsepower rating | <u>10 hp</u> | 5) turbine pump - No. of stages | |
| | | 6) operating pressure | PSI |

DIVERSION POINT LEGAL LOCATION: 380' S and 2640' E of the SW corner Sec. 24-117-74

WELL INFORMATION: Well Drilling Firm Dakota Boring Co., drilled May, 1981.

- | | | | |
|-----------------------|-----------------------------|---------------------------------|------------------------|
| No. of Well | <u>#5</u> | Depth(s) | <u>42</u> |
| a) Casing: | 1) diameter | <u>16</u> inches | b) Screen: |
| | 2) length | feet | 1) type |
| | 3) type | <u>pvc</u> | <u>stainless steel</u> |
| | | | 2) length |
| | | | feet |
| | | | c) Pump |
| d) Static Water Level | feet | 1) make | |
| e) Motor: | | 2) model | |
| 1) make | <u>Fairbanks and Morris</u> | 3) size | inches |
| 2) model No. | | 4) capacity | <u>300 GPM</u> |
| 3) horsepower rating | <u>20 hp</u> | 5) turbine pump - No. of stages | |
| | | 6) operating pressure | PSI |

DISTRIBUTION LINES OR CANALS:

- | | | | | | |
|---------|------------|---------|-----------------|-----------|------------------|
| a) type | <u>pvc</u> | b) size | <u>4</u> inches | c) length | <u>1055</u> feet |
| a) type | <u>pvc</u> | b) size | <u>6</u> inches | c) length | <u>300</u> feet |
| a) type | <u>pvc</u> | b) size | <u>8</u> inches | c) length | <u>750</u> feet |

- | | | |
|-------------------------|--------------------------|----------------------------|
| a) type <u>pvc</u> | b) size <u>10</u> inches | c) length <u>3130</u> feet |
| a) type <u>aluminum</u> | b) size <u>5</u> inches | c) length <u>1550</u> feet |

SYSIFM TYPE:

- | | |
|-------------------------------------|-------------------------------------|
| 1) Center pivot: NW 1/4 Sec. 24 | 2) Center pivot: SW 1/4 Sec. 24 |
| 1) make <u>Lindsay Zimmatic</u> | 1) make <u>Valley</u> |
| 2) overall length <u>1320</u> feet | 2) overall length <u>1320</u> feet |
| 3) number of towers <u>10</u> | 3) number of towers <u>10</u> |
| 4) distance between towers feet | 4) distance between towers feet |
| 5) end gun <u>Y</u> (Y/N) | 5) end gun <u>Y</u> (Y/N) |
| 6) high or low pressure <u>high</u> | 6) high or low pressure <u>high</u> |
| 7) capacity <u>900</u> GPM | 7) capacity <u>900</u> GPM |

CHEMIGATION EQUIPMENT: at well #4

- | | |
|---|--|
| b) main line check valve <u>Y</u> (Y/N) | a) does chemigate <u>Y</u> (Y/N) |
| d) low pressure drain <u>N</u> (Y/N) | c) inspection port/air relief <u>Y</u> (Y/N) |
| f) interlock type <u>electric</u> | e) discharge is 20' from source <u>N</u> (Y/N) |
| h) injection check valve <u>Y</u> (Y/N) | g) injection pump type <u>piston</u> |
| | i) injection line check valve or positive displacement pump <u>Y</u> (Y/N) |
| j) all chemigation equipment appears to be installed in the proper position and complies with chemigation laws and rules <u>N</u> (Y/N) | |
| k) comments : <u>Needs a low pressure drain with discharge 20' from the water source.</u> | |

Taken care of, see doc. file 2-6-96. AB

PERMIT QUALIFICATIONS AND REGULATIONS:

- Soil and water permit lands agree with lands being irrigated and lands listed on permit Y (Y/N)
- Special qualifications to permit being abided by Y (Y/N)
- All structures, wells and lands on map Y (Y/N)
- Irrigation Questionnaires checked to determine if permit owner started irrigation by the end of construction period Y (Y/N)



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 11, 1993

Ray Goebel and Sons
RR 1, Box 46
Lebanon, SD 57455

Dear Mr. Goebel:

Please find enclosed South Dakota Codified Law Chapter 74:02:09 for Chemigation, and two pamphlets on chemigation. During an inspection for licensing of Permit No. 2316-3, it was discovered that you lacked a low pressure drain and discharge 20' from the water source. Chapter 74:02:09 discusses the necessary equipment for chemigation.

After you update your chemigation equipment to include a low pressure drain and discharge, please notify me so that I may continue with the licensing of Permit No. 2316-3.

If you have any questions, please feel free to contact me.

Sincerely,

Lynn Beck
Natural Resource Engineer
Water Right Division
(605) 773-3352

enclosures

File No. 2316-3
Water Rights Division -DENR
Conversation or File Documentation

NAME OF PERSON OR FILE: Jerry Goebel (son)

ADDRESS: RR 1 Box 46, Lebanon, SD 57455

COUNTY: Potter

DATE: 5-19-93

TELEPHONE: (605) 765-9688


RE:

COMMENTS:

Mr. Goebel called and said that the low pressure drain for chemigation had not been installed yet. They will not chemigate until July and will install the drain before then. Mr. Goebel will let me know once the drain is installed.

I will finish the inspection report for licensing, now, on good faith that the drain will be installed.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.



Lynn Beck

Natural Resources Engineer III
DENR, Water Rights Division


Water Rights Division - DENR
Conversation or File Documentation

Name of Person: Jerry Goebel File No. 2316-3
Address: RR 1 Box 46, Lebanon, SD 57455 County: Potter
Date: 7-17-95 Telephone: (605) 765-9688
RE: Chemigation equipment.

Comments:

Mr. Goebel told me that he had not used the chemigation equipment in the last couple of years but was intending to use it this summer. I informed Mr. Goebel that he would need to install a low pressure drain and hose. Mr. Goebel said that he has been intending to do that and will be in Pierre at Morris Irrigation Thursday July 20. At that time he will have Morris install what he needs.

I sent a diagram showing the low pressure drain to Mr. Goebel (7-17-95). Mr. Goebel will call or write when the valve is installed.



Lynn Beck
Natural Resources Engineer

2316-3

**WATER RIGHTS PROGRAM
FILE DOCUMENTATION**

NAME OF PERSON OR FILE: Larry Goebel

ADDRESS: Lebanon, SD 57455

COUNTY: Potter

DATE: February 6, 1996


RE: chemigation equipment

COMMENTS:

Mr. Goebel indicated they have installed the necessary equipment to meet our chemigation rules.

He stated that after someone from our office was out to do an inspection, they were informed they needed to install a low pressure drain and hose. He indicated they had taken pictures to send to us, but the pictures did not turn out. Mr. Goebel wanted me to let Lynn know that the drain and hose had been installed.

I told Mr. Goebel that if any further documentation was needed, I would have Lynn Beck call or write to him.



Genny McMath
Environmental Scientist



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
WATER RIGHTS PROGRAM

February 12, 1996


RE: **CHANGE IN LOCATION OF A DIVERSION POINT FOR WATER**
PERMIT No. 2316-3, Ray Goebel and Sons Inc.

An inspection of Permit No. 2316-3 found a diversion point in a location not authorized by this permit. SDCL 46-5-13.1 provides that a point of diversion may be changed or additional points of diversion may be approved without application or publication of a notice of hearing if the additional point of diversion is from the same source of water, no additional water is appropriated and the chief engineer makes a finding that the change does not increase the potential for interference with existing diversions.

Water Permit No. 2316-3 appropriates 8.34 cubic feet of water per second from an unspecified number of wells located in the SE 1/4 SW 1/4, W 1/2 SW 1/4 section 24 and the SE 1/4 NE 1/4, SW 1/4 NE 1/4 section 25, T117N, R74W for irrigation purposes. The inspection found that one of the five wells developed was located 2640 feet east and 380 feet south of the NW corner on the quarter line between the NW 1/4 NE 1/4 and the NE 1/4 NW 1/4 all of Section 25, T117N, R74W. No additional appropriation of water is required for this diversion.


There are eight other wells completed in the Okabojo Creek aquifer within two miles of this diversion. Four of the wells are authorized by Permit No. 2316-3. The other four wells are approximately 1.5 to 2 miles from this diversion. These four wells are authorized by License No. 5792-3, Maurice Hobus. There are three domestic wells within one mile of this diversion. Two of the wells belong to Ray Goebel and Son's Inc. and the other well belongs to Jerry Goebel.

If a finding is made that this change does not increase the potential for interference with existing diversions, Water Permit No. 2316-3 will be licensed for 2.0 cubic feet of water per second from five wells. The five wells are located 225 feet east and 75 feet north, 1280 feet east and 75 feet north, 1510 feet east and 830 feet north, 1510 feet east and 1055 feet north, and 2640 feet east and 380 feet south of the NW corner Section 25, T117N, R74W.


Lynn Beck
Natural Resources Engineer III

The Chief Engineer makes a finding that:

This change in location does not increase the potential for interference with existing diversions. In making this finding "does not increase the potential for interference" is interpreted to mean potential for adverse interference.


John Hatch, Chief Engineer
Water Rights Program



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 22, 1996

2316-3

Ray Goebel and Sons
PR 1, Box 46
Lebanon, SD 57455

Dear Mr. Goebel:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 2316-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

Please remit fee to:
Department of Environment & Natural Resources
Water Rights Program
523 E. Capitol
Pierre, SD 57501-3181

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Program
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

APR 4 1996

2316-3

Ray Goebel and Sons
RR 1, Box 46
Lebanon, SD 57455

Dear Mr Goebel:

Enclosed is Water License No. 2316-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 414831 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 2316-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Program
(605) 773-3352

ks
enclosures

RECEIPT

Division of Water Rights

South Dakota Department of Environment and Natural Resources

2316-3
414831

Pierre, _____

March 4

19 96

RECEIVED OF Ray Goebel & Sons, Inc., RR 1, Box 46, Lebanon, SD 57455
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ and to put water to beneficial use _____	to Appropriate Water, to construct		
Fee for Application for Permit No. _____ Use _____	to Appropriate Water, for Future		
Fee to retain Future Use Permit No. _____	after period of seven years,		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2316-3</u>			
Fee for Filing Transfer Form _____			
Fee for Filing Extension Request _____			
Fee for _____			

(Any Other Work Provided by Law)			
Total		50	00

By

Chief Engineer

John Hatcher

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

2316-3

RAY GOEBEL & SONS INC
RR 1 BOX 46
LEBANON SD 57455

4a. Article Number

P 378 081 349

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ COD

7. Date of Delivery

2/6/97

5. Received By: (Print Name)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature: (Addressee or Agent)

X Helen Goebel



2316-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: RAY GOEBEL & SONS INC, RR 1 BOX 46, LEBANON, SD 57455

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Requirement to Submit 1996 Irrigation Questionnaire

Our records indicate that the 1996 Irrigation Questionnaire has not been submitted for Permit No(s) 2316-3. The request for the Questionnaire was dated October 24, 1996. The Water Management Board has directed that owners of water permits who have not submitted the 1996 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 2:30 pm, March 5, 1997, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2316-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 1997, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 4, 1997

NOTICE

TO: RAY GOEBEL & SONS INC
RR 1 BOX 46
LEBANON SD 57455

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

RE: Failure to Report Chemical Use under Water Permit No(s) 2316-3

The first notice to file chemigation report(s) for Permit No(s) 2316-3 was dated 10/24/96. Our records indicate that we have not received the 1996 chemigation report for Permits No(s) 2316-3. The Water Management Board has directed that owners of water permits who have not submitted the 1996 chemigation report(s) be given notice of violation and hearing before the board. The hearing held by the board is to determine what action is to be taken concerning violation of Administrative Rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical applied.

The hearing will be held at 2:30 PM on March 5, 1997, in the Floyd Matthew Training Center, Joe Foss Building, 523 East Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to chapter 1-26. According to SDCL 46-1-12, the board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2316-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the chemigation report(s) is(are) received by this office on/or before February 28, 1997 your name will be deleted from the board agenda.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 East Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 7, 1997

2316-3

Ray Goebel & Sons, Inc
RR 1 Box 46
Lebanon, SD 57455

Dear Mr. Goebel:

I am writing to acknowledge receipt of your 1996 irrigation questionnaire and chemical use report. You may disregard the February 4, 1997, Notices of "Failure to Report Chemical Use" and "Violation of the Requirement to Submit the 1996 Irrigation Questionnaire" for Water Permit No. 2316-3.

I completed a questionnaire and chemical use report for you based on my February 7th telephone conversation with Larry Goebel. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2316-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: RAY GOEBEL & SONS INC, 32240 170TH ST, LEBANON, SD 57455
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaires

Our records indicate that the 2002 Irrigation Questionnaires have not been submitted for Permit Nos. 5792-3, 2316-3. The request for the Questionnaires was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2316-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5792-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5792-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2316-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2316-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7541 4517

Your item was delivered at 10:41 am on January 18, 2003 in LEBANON, SD 57455. The item was signed for by R P.

[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:

2301 0370 0000 7541 4517

RAY GOEBEL & SONS INC
32240 170TH ST
LEBANON SD 57455

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access Internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail
☐ Package Services

PS Form 163, February 2001

(See Reverse)



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2003

2316-3
5792-3

Ray Goebel & Sons Inc
32240 170th St
Lebanon SD 57455

Dear Sirs:

I am writing to acknowledge receipt of your 2002 irrigation questionnaires. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Right Nos. 2316-3 and 5792-3.


The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Cenny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE



Total Acres = 247

Prepared by:

Lynn Beck

Lynn Beck
Natural Resources Engineer
DENR, Water Rights Division
9-17-92

2316-3

1975

152.0

Ray Goebel
Hwy 11

oats

Corn

92.0

630

Test well
#4

(1.52) 50.0

Ray Goebel

oats

117-74

MAP NO 11698.3 APR 12 2316-3

Ray Goebel and Sons own and intend to irrigate the west half and 50 acres of the North East quarter of Sec. 24 and 20 acres of the South East quarter of Sec. 24 117-74. Their intended source of water will be a series of wells located within the area to be irrigated.

Lawrence R. Madsen

Lawrence R. Madsen
County Extension Agent
Gettysburg, South Dakota

1975

NOT TO SCALE

320.0

Steve Pollock

25.0

Ray Goebel

(1-35)

OATS

alfalfa (goats)
Broke

36.0

OATS

OATS

79.20

25

34.0

Ray Goebel

N.C.

80.0

test well →

Ray Goebel and Sons own and intend to irrigate ~~the~~ 36 acres of the S.W. $\frac{1}{4}$ of the N.E. $\frac{1}{4}$; 40 acres of the S.E. $\frac{1}{4}$ of the N.E. $\frac{1}{4}$; and 152 acres of the S.E. $\frac{1}{4}$. Their intended source of water will be a series of wells located within the area to be irrigated.

SEC. 25 117-74
JAM

38.0

Lawrence R. Madsen
Potter County Extension Agent
Gettysburg, South Dakota

117-74

(1-35)

State School Land



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

November 4, 2024

 2316-3

Ray Goebel & Sons Inc
32240 170th St
Lebanon SD 57455

Dear Mr. Goebel:

I write to you today in response to the 2024 Irrigation Questionnaire information submitted online for Ray Goebel & Sons Inc. Water Right No. 2316-3.

Water Right No. 2316-3 (copy enclosed) authorized diversion of 2.0 cubic feet of water per second (900 gpm) from five well completed into the Okobojo Creek Aquifer for irrigation of 247 acres located within portions of Section 24; all in T117N, R74W.

On this year's questionnaire you reported the irrigation of 254 acres. If an additional 7 acres have been developed for irrigation, additional permitting would be required.

Please contact me to either revise your 2024 Irrigation Questionnaire or discuss additional permitting.

Sincerely,



Amanda Dewell
Permitting Administrator
Water Rights Program
Amanda.Dewell@state.sd.us
(605) 773-3352

enclosure