


Water Right Number 2317-3

1. Considered SEPTEMBER 10, 1975
2. Name of Applicant DONALD E. JORGENSEN
3. Post Office Address HURLEY
4. Amount of Water claimed 1.2
5. Source of Water supply GROUND WATER (150' DEEP WELL)
6. Water to be used for IRRIGATION
- Acres to be irrigated 160
7. Water to be diverted and used in TURNER County
about 2E, 2S miles of HURLEY
8. Proof of Publication Received 9-5-75
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action Deferred _____

10. Remarks:

Map No. 1699.3 Water Division No. 3 VERMILLION RIVER District 3
 (Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT



To Appropriate Water within the State of South Dakota

(NOTE: Draw a line through items not applicable)

1. Name of Applicant Donald E. Jorgensen
 Postoffice address Harley, S. Dak. 57036 State N/A
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work N/A JORGENSEN #1
4. Amount of water claimed (cubic feet per second) 1.2
5. Source of water supply Well
6. Location of point of diversion N/A SERIAL 1-7 RODS FROM THE NE CORNER SECTION 35, T40N, R57W
 County TYPING
7. Annual period or periods during which water is to be used May 1-Nov.
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 160

List below each forty-acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NE 1/4 35-98-53	40		
NW 1/4 35-98-53	40		
SW 1/4 35-98-53	40		
SE 1/4 35-98-53	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 2 years. Additional time required to complete application of water to the proposed beneficial use 1 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Harley Leader, Harley, S. Dak. 57036
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Elec. Pump

B. Works proposed to transport water to place of use.

Pipeline

C. Works proposed to apply water to beneficial use.

Center Pivot Sprinkler System

Estimated Total Cost \$ 30,000.00
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Turner
Donald E. Jorgensen the applicant, certify that I have read the foregoing application and have examined the attached map and that all matters therein stated are true and that I intend, and am able to complete the necessary construction.
Signed Donald E. JorgensenSubscribed and sworn to before me this 14 day of July, 1975
William E. Smith
 (Notary Public for other qualified officers)

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2317-3
DONALD E. JENSEN HURLEY Rt #2, Box 18
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57036 With the following modifications
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JULY 21 19 75
 Date of return to applicant for correction, amendments or changes required JULY 21 19 75
 Date of receipt of corrected application JULY 31 19 75
 Approved SEPTEMBER 10 1975 Recorded in Book 14 Page 32

WATER RIGHT PERMIT NO. 2317-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2317-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JULY 21 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 10 1976
3. The whole of said work is to be completed on or before SEPTEMBER 10 1977
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith SEPTEMBER 10 1978
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.2 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before SEPTEMBER 10 1978; said water to be used during the following described annual period: MAY - NOVEMBER

Witness my hand this 15TH day of SEPTEMBER 19 75

WATER RESOURCES COMMISSION

By

John H. T. H.
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____ 19 _____

Water License Issued _____ 19 _____

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 20", Depth 150'
- (2) Casing, Type concrete Diameter 20" Thickness 1"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type concrete, Diameter 20", Length 21'
- (4) Gravel Pack. Thickness 12", Length of gravel pack 110'

E. Dugout Information or Estimates.

- (1) Surface dimensions N/A, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials water bearing sands and gravels

Depth to top of water bearing material 10"

Depth to bottom of water bearing material 150' plus

Thickness of water bearing material 150' plus

Depth to water (ground surface to water level) 3'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 60 rds. On property owned by others 220 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

N/A.

Ronald E. Jorgensen
Signature of Applicant

July 23, 1975

Mr. Donald E. Jorgensen
Hurley, SD 57036

Dear Mr. Jorgensen:

Enclosed please find the original copy of the report of analysis of the water sample submitted here July 15. This copy is yours to keep. Also, you will find a receipt and a copy of extension circular 654 with an encircled red cross on the outside back cover. This is to indicate the approximate quality of your water for irrigation purposes. You will notice that it is in the low sodium bracket but moderately high in total salinity. This means that there is a moderate amount of salt in the water, and the water should be used in such a fashion as to improve the chances for natural leaching to occur. There will not be trouble in the immediate future, but perhaps 5 or 10 years from now you will begin to have some salt accumulation in the surface soils unless measures are taken to prevent this. Such measures include especially the use of adequate very late fall and early spring irrigation to completely fill the profile and cause the natural precipitation to result in some leaching of salt. There may not ever be any problem, but this method of management will help to assure the lack of a salinity problem in this future.

There is no specific chemical property of the water which will cause any difficulty such as toxic amounts of boron or such things, and the soils which you have are completely compatible with this water except for the salinity problem above and you should have no difficulty with internal drainage except on the class 3 W1 type which is moderately poorly drained. This, of course, you'll have to watch and avoid irrigation if the water table begins to rise appreciably.

A copy of this letter and the W1 1 form and a copy of the water analysis are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Laboratory

LOP:ckb

Enclosures

cc: State Conservation Commission

Darrel Pahl, Morlin Pletz (County Extension Agent)



STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: [Signature]
7/25/75

Disapproved: _____

NAME: Donald E. Jorgensen
ADDRESS: Hurley, S. Dak. 57036
COUNTY: Turner

LEGAL DESCRIPTION

1. WELL LOCATION: NE1 NE1 35-98-52
2. AREA TO BE IRRIGATED: NE1 35-98-53

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Sprinkler
4. CROPS TO BE IRRIGATED: Corn, Alfalfa, Soybeans

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: Mostly 2% or less with a small percentage 6%.
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Southwest one half plus mostly: 71
Deep, loamy well drained soils on nearly level (0-2%) upland soils with few or 2-0
no limitations in use-Class I₂ with some 75 -Class IIIe2-Deep, loamy well drained soils
on gently undulating (2-5%) slopes with 6-2 moderate erosion hazard. NE half mostly
12, 1-0 Class IIIw1, Deep, clayey, limy poorly drained soils on bottom lands that are
WATER QUALITY (TO BE COMPLETED BY COMMISSION) sometimes flooded with some 46 Class II s3
Moderately deep, well drained soils with 20-40" of loam 1-0 material
over sand and gravel.
7. SAMPLE NO.: 75-619
8. SALINITY: EC = 13.59 micromhos/cm (high)
9. SODIUM: SAR = 0.85 (low)

I do hereby certify that a chemical analysis of the ground water to be acquired for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

J. W. Rezek, DC, SCS, Parker, S. Dak. 57053

and: Just Rezek

that the legal description for the location of the well and land to be irrigated is true and correct.

Ronald E. Jorgensen


Subscribed and sworn before me this

1st day of July 1975.

Walter E. Linder

Notary Public

(Title)



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Donald E. Jorgensen
Address: Murley, SD 57036

Date Rec'd July 15, 1975
Sample No. 75-619
Identification Well-
NE 1/4, Sec. 35, T. 98N, R. 53W

WATER ANALYSIS

Calcium (Ca)	245	ppm*	12.25	me/l**
Magnesium (Mg)	36	ppm	2.95	me/l
Sodium (Na)	54	ppm	2.35	me/l
Potassium (K)	7	ppm	0.18	me/l
Sulfate (SO ₄)	450	ppm	9.36	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.29	me/l
Bicarbonate (HCO ₃)	361	ppm	5.92	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	296	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1359	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.85			
Sodium	13.25	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.16			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 17.73 me/l
Total anions 15.57 me/l

By: Shirley Mitten

Service Performed	Amount Due
Irrigation analysis	\$6.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-619

Amount Enclosed \$

Signed

Form 6. - Notice of Intent to Appropriate Water

Do. 1237-3
Publish first publication, on or before

August 6, 1975

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

August 6, 1975

Notice is hereby given that Donald E. Jorgensen

whose post office address is Hurley, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 1.0 cubic feet of water per second of time from the ground water through the Jorgensen #1, the point of diversion of which is to be located in the _____

NM1 NM1

of Section 33, Twp. 44N, Range 50W. Said water to be used for the purpose of providing irrigation on the following described land:

NM1, Section 33, T44N, R50W

This application No. 1237-3 will be considered by the Water Rights Commission at the Thursday Room at the Skyline Motel, Tabor, S.D. upon the 10th day of September, 1975 at 3.30 P. .M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON I. JONES, Water Rights Specialist

BFJ/LW

cc: Donald E. Jorgensen, Hurley, S.D. 57036

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 2317-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Turner) ss.

I, James E. Wipf hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Hurley Leader

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

city of Hurley
County of Turner and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

August 28 1975
September 4, 1975

James E. Wipf
(Signature)
Publisher
(Title)

September 4, 1975
(Date Signed)

State of S.D.
County of Turner
on 4th day of Sept 1975 appeared
James Wipf, publisher of Hurley Leader,
and signed alone
James E. DeFendolf
Notary Public
my Commission expires 7-1-80

No. 2317-3

NOTICE OF INTENT TO
APPROPRIATE WATER


Pierre, South Dakota 57501
Notice is hereby given that
Donald E. Jorgensen, whose post
office address is Hurley, South
Dakota, has made an application
in accordance with the provisions
of the water laws of South Dak-
ota for a permit to appropriate
for beneficial use 1.2 cubic feet
of water per second of time from
ground water through the Jor-
gensen No. 1, the point of diver-
sion of which is to be located in
the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 35,
Twp. 98N, Range 53W. Said water
to be used for the purpose of
providing irrigation on the fol-
lowing described land:


NE $\frac{1}{4}$, Section 35, T98N, R53W.

This application No. 2317-3 will
be considered by the Water
Rights Commission at the Bur-
gundy Room at the Skyline Mo-
tel, Yankton, S. D., upon the 10th
day of September, 1975 at 2:30
p.m. All interested persons may
appear and be heard.

WATER RIGHTS COMMISSION

By: Burton F. Jones,
Water Rights Specialist
cc: Donald E. Jorgensen,
Hurley, S. D. 57036
Hurley Leader, Hurley, S. D. 57036
Publish: Aug. 28 & Sept. 4, 1975.





Department of Water & Natural Resources

Joe Foss Building Water Rights Division
Pierre, South Dakota 57501

(605) 773-3352

December 9, 1981

James D. Bondeson
Rt. 2, box 18
Hurley, SD 57036

Dear Mr. Bondeson:

The inspection of your water use system and inspection of the extent of your application of water to beneficial use, as developed under your Water Right No. 4647-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

You will also receive the Certificate of Construction as required by statute.

Sincerely,

BARB TEMPLETON
Staff Assistant

/bt

NOTE: On form of payment, please include the number of the water permit.
This insures proper handling of the fee.

Also enclosed is a "Notice of Transfer" form. Please check over, date, sign, have notarized and return the form with a \$2.50 filing fee so that the Permit No. 2317-3 can be changed to your name. Total amount due for transfer and Water License is \$52.50.

WDR-814-7/79

Notarization of Water License ready for Issuing (\$50.00)

**SOUTH Dakota Department of
Water & Natural Resources**
Joe Foss Building
Pierre, South Dakota 57501
Water Rights Division
605 773-3352

May 10, 1982

James D Bondesen
Rt 2, Box 18
Hurley SD 57036

SECOND NOTICE
2317-3 & 4647-3

Dear Mr. Bondesen:

On December 9, 1981 notice was sent to you concerning the transfer of Water Permit No. 2317-3 in the name of Donald Jorgensen which covers irrigation of 160 acres in the NE 1/4 Sec. 35, T98N, R53W. To date, we have not heard from you on this matter.

A transfer form was previously sent to you, enclosed please find an additional form. Please sign, have notarized and return the form to this office with the required filing fee of \$2.50. The permit can then be transferred to your name.

Also, on the above date you were notified concerning the final inspection fee of \$50.00 which is due before Water License No. 4647-3 and Certificate of Completion of Works can be issued. As of this date, the fee has not been received.

State Statutes requires a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee, your Water License will be sent to you. You will also receive the Certificate of Construction as required by Statute. These are the final papers for the perfection of your water right.

Please remit the above state transfer form and fees (total of \$52.50) at your earliest convenience. If you have any questions, please contact this office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:GY:ks

enclosure



Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

January 26, 1983

THIRD NOTICE
2317-3 & 4647-3

James D Bondesen
Rt 2, Box 18
Hurley SD 57036

Dear Mr. Bondesen:

On December 9, 1981 and May 10, 1982 notice was sent to you concerning the transfer of Water Permit No. 2317-3 in the name of Donald Jorgenson which covers irrigation of 160 acres in the NE $\frac{1}{4}$, Section 35, T98N, R53W. To date, we have not heard from you on this matter.

A transfer form was previously sent to you, enclosed please find an additional form. Please sign, have notarized and return the form to this office with the required filing fee of \$2.50. The Permit can then be transferred to your name. If you are not the owner of the land covered under this Permit, please advise. The Statutes provide that a permit for irrigation remains appurtenant to the land. If there is an ownership change; however, no such assignment (transfer) shall be binding except upon the parties thereto, unless filed for record in this office.

You were also notified on the above dates of the required final inspection fee of \$50.00 due before Water License No. 4647-3 can be issued. As of this date, the fee has not been received.

The fee is the final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$50.00 fee your Water License will be sent to you along with the Certificate of Construction as required by Statute. These are the final papers for the perfection of your Water Right.

A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used. Failure to pay the fee means that the legal requirements to establish a water right have not been completed and a property right has not been established.

Please submit the required fee immediately to avoid jeopardizing your water permit or advise if you have any questions. Also submit the notice of transfer and the \$2.50 filing fee. The total amount due is \$52.50.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:GY:ks
enclosure

PS Form 3811, Jan. 1979

● **SENDER:** Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one.)
☒ Show to whom and date delivered.
☐ Show to whom, date and address of delivery.
☐ RESTRICTED DELIVERY
☐ Show to whom and date delivered.
☐ RESTRICTED DELIVERY.
 Show to whom, date, and address of delivery. \$..
 (CONSULT POSTMASTER FOR FEES)

2. **ARTICLE ADDRESSED TO:**
James D. Bonden
Box 18
Hurley, SD 57036

3. **ARTICLE DESCRIPTION:**
 REGISTERED NO. CERTIFIED NO. INSURED NO.
P206485211
 (Always obtain signature of addressee or agent)

I have received the article described above.
 SIGNATURE ☐ Addressee ☐ Authorized agent
X. D. Bonden

4. **DATE OF DELIVERY**
1-29-83

5. **ADDRESS** (Complete only if requested)

6. **UNABLE TO DELIVER BECAUSE:**

CLERK'S INITIALS

PS Form 3811, Jan. 1979

☆ GPO : 1979-288-648



NOTICE OF TRANSFER OF WATER PERMIT

TO: Water Rights
Foss Building
Pierre, SD 57501

Date: _____

This is to notify you that the title to the lands described as follows:

.160 acres - NE 1/4 Section 35, T98N, R53W

_____ formerly owned by Donald Jorgensen

has been transferred to James Bondesen, Rt 2, Box 18, Hurley SD 57036

together with any rights to the beneficial use of water thereon as evidenced by

Water Right Permit No. 2317-3 as provided for in SDCL 46-5-32 and 46-5-33.

You are therefore hereby requested to file this 'Notice of Transfer of Water Permit' in its appropriate file at the Office of Water Rights, Water Management Board as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of TURRALIER) ss.

I, James D Bondesen being first duly sworn on my oath depose and say: That my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and I know of my own personal knowledge that the information herein stated is true.

James D Bondesen
(Signed)

Subscribed and sworn to before me this 20th Day of July, 1982

Saron A. Christensen
(Notary Public)



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 9226

PIERRE, April 11, 1983

RECEIVED OF James Bondesen, Rt#2, Box 18, Hurley, SD 57036
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and issuing Cert. of Construction No.....		
Fee for Inspecting Beneficial Use, and issuing Water License No.....		
Fee for Issuing Location Certificate-Dry Draw, No.....		
Fee for filing <u>Transfer of WR#2317-3</u>	2	50
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	2	50

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH (ms)

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
Pierre, South Dakota 57501

Water Rights Division

Phone (605) 773-3352

April 12, 1983

James Bondesen
Rt 2 Box 18
Hurley SD 57036

Dear Mr. Bondeson:

Enclosed is receipt No. 4 9226 in the amount of \$ 2.50 which you
paid for transfer of Water Right No. 2317-3.

Our records now show you as the owner of this Water Right.

Sincerely,

KAREN SCHLAAK
Administrative Aide

enclosure

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
223 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

No. 4647-3

2317-3

April 20, 1983

James Bondesen
RR#2, Box 18
Hurley, South Dakota 57036

Dear Mr. Bondesen:

Enclosed herewith is, Water License No. 4647-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division

JH: ms

Enclosures

Applicable portions of Permit No. 2317-3 have been incorporated into this Water License No. 4647-3.

WNR-817 3/53
Transmittal of Water License

9853

Page # 832

2. D

32.0

14.7

8.2

6.0

29.3

11.8

3.8

3-148

75.7

T-98 N.

LAND TO BE IRRIGATED:

NW⁴NE⁴ 35-98-53 - 40.0 A.

NEYNEY 35-98-53 - No. 4

SE4NE4 35-98-53- 40.0 A

SW⁴NE⁴ 35-98-53- 40.04

TOTAL 160.0 A

9.2

130.1

76.3

65.5

98.53

21

DONALD E. JORGENSEN
IRRIGATION SYSTEM NO.1
MURLEY, S.DAK. 57036

~~MAPA-1699-3~~ ~~APR-2317-3~~