


Water Right Number 2373-3

1. Considered November 12, 19 75
2. Name of Applicant Mark F. Chicoine
3. Post Office Address Elk Point, SD 57025
4. Amount of Water claimed 1.10
5. Source of Water supply Ground Water (79' DEEP WELL)
6. Water to be used for Irrigation
Access to be irrigated 77.40
7. Water to be diverted and used in Union County
about 3N, 2E miles of ELK POINT
8. Proof of Publication
Received 10-27-75
Not Received _____
9. Application
Approved _____
Subject to _____
Not Approved _____
Action Deferred _____

10. Remarks:

No. 2373-3Map No. 1752-3 Water Division No. 3 Big Sioux River
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Mark F. Chiccone
 Post-office address Box 191 Rte. 1 Elk Point, State South Dakota 57025
 If a corporation show date and place of incorporation None
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Chicoine Irrigation System
4. Amount of water claimed (cubic feet per second) 2.7 LI MAXIMUM ALLOWABLE
5. Source of water supply Well
6. Location of point of diversion 2550' East and 2675' South of the Northwest corner of Section 5 T91NR49W
County Union
7. Annual period or periods during which water is to be used June through September
8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 77.4 ac.

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
Lot 6 of Sec. 4 T91R-49			
Lot 2 of NE 1/4 5 T91R-9	77.4 ac		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Leader Courier, Elk Point, SD 57025
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

Gravity - Gated Pipe

Estimated Total Cost \$ 10,000Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Union) ss.I, Mark F. Chiccone, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Mark F. ChicconeSubscribed and sworn to before me this 17 day of September, 1975

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2373-3
MARK E. CHICOINE R.R. #1, Box 341, ELK POINT
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57025 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application SEPTEMBER 26 19 75
 Date of return to applicant for correction, amendments or changes required --- 19 ---
 Date of receipt of corrected application OCTOBER 8 19 75
 Approved NOVEMBER 13 19 75 Recorded in Book 14 Page 108

WATER RIGHT PERMIT NO. 2373-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2373-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which a applicant may claim right is SEPTEMBER 26 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 13 19 78
3. The whole of said work is to be completed on or before NOVEMBER 13 19 80
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 13 19 80
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.1 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before NOVEMBER 13 19 80; said water to be used during the following described annual period: JUNE THRU SEPTEMBER

Witness my hand this 18th day of NOVEMBER 19 75

WATER RIGHTS COMMISSION

J. L. H. H. H.
 Chief Engineer, Executive Officer

Certificate of Construction Issued SEPTEMBER 14 19 79

Water License Issued SEPTEMBER 14 19 79

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30", Depth 79'
- (2) Casing, Type Transite Diameter 16" I.D. Thickness 3/4"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type 1/8" Slotted, Diameter 16" I.D., Length 20'
- (4) Gravel Pack, Thickness 6-9", Length of gravel pack 20 + '

E. Dugout Information or Estimates

- (1) Surface dimensions -, Depth -

F. Fill cut for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0-3' Topsoil 3-10' Blue Clay
10'-35' fine sand streaked with clay 35-79' coarse gravel

Depth to top of water bearing material 35'

Depth to bottom of water bearing material 79'

Thickness of water bearing material 44'

Depth to water (ground surface to water level) Static Water Level - 9 feet

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 145 rds. On property owned by others 210 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Mark F. Christine
Signature of Applicant

2373-3

Publish first publication, on or before October 30, 1975

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

October 8, 1975

Notice is hereby given that Mark F. Chicoine

whose post office address is Elk Point, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

1.1 cubic feet of water per second of time from the ground water through the

Mark Chicoine #1, the point of diversion of which is to be located in the

NE $\frac{1}{4}$ SW $\frac{1}{4}$

of Section 5, Twp. 91N, Range 49W. Said water to be used for the purpose

of providing irrigation on the following described land:

NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 3 and Lot 6 of Section 4, T91N, R49W

This application No. 2373-3 will be considered by the Water Resources Commission at their office at

Pierre upon the 12th day of November, 1975, at 2:30 P. M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Mark F. Chicoine, R.R. #1, Box 191, Elk Point, S.D. 57025

No. 2373-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss

I, Lester E Emerson hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Leader Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Elk Point

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

October 16, 1975

October 23, 1975

Lester E Emerson
(Signature)

Publisher
(Title)

October 23, 1975
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
October 8, 1975

Notice is hereby given that
Mark F. Chicoine whose post
office address is Elk Point,
South Dakota, has made an app-
lication in accordance with the
provisions of the water laws of
South Dakota for a permit to
appropriate for beneficial use
1.1 cubic feet of water per sec-
ond of time from ground water
through the Mark Chicoine #1,
the point of diversion of which
is to be located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$
of Section 5, Twp. 91N, R49W.
Said water to be used for the
purpose of providing irrigation
on the following described land:
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 5 and Lot 6
of Section 4, T91N, R49W.

This application No. 2373-3
will be considered by the Water
Resources Commission at their
office at Pierre upon the 12th
day of November, 1975, at 2:30
p.m. All interested persons
may appear and be heard.
WATER RESOURCES
COMMISSION
By: Burton F. Jones
Water Rights Specialist
Publish: October 16, 23

2373-3

September 8, 1975

Mr. Mark F. Chicoine
Box 191, R.R. #1
Elk Point, SD 57025

Dear Mr. Chicoine:

Enclosed please find the original copy of the report of analysis of your water sample submitted here about 10 days ago. Also enclosed you will find a copy of extension circular 654 with the approximate quality of this water for irrigation use indicated by a red cross on the outside back cover inside the chart. As you will note, this water is quite high in total salinity but fairly low in sodium. Thus, this water would normally have the effect of causing a gradual increase in the total salt in the root zone of the crop unless leaching procedures are undertaken fairly regularly. But it would have no discernible effect on physical behavior or dispersion of the soil.

As a result of this situation, I strongly advise you to use this water in large quantities and as infrequently as possible, that is, use 3 to 4 inches at a time. Furthermore, you have about 70 acres of Omadi and Zook soils which are easily used more intensively than the remainder of the land which is large Luton soil. Under these circumstances, I recommend strongly that you discuss this with your work unit conservationist before developing this plan.

Under these circumstances I recommend you develop this land with special care for the area which is not Omadi or Zook soil. These two soils are a lot easier to manage and will respond much better than the remainder. Also it will be a lot easier to irrigate them. It would be my advice to discuss this carefully with your district conservationist.

A copy of this letter, the water analysis, and the WI-1 are being sent to the State Conservation Commission.

Sincerely,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Louis DeSmet, County Conservation Agent



STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY
Irrigation System: _____
Water Quality: _____
Soils Capability: _____
Approved: [Signature]
Disapproved: _____

NAME: Mark F. Chieco
ADDRESS: Box 121 R.R. #1 Elk Point, S.D. 57025
COUNTY: Lincoln

LEGAL DESCRIPTION

1. WELL LOCATION: 2450' East x 2500' N. of the NW corner
of Sec 5 T14N R47W
2. AREA TO BE IRRIGATED: 40000

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Gravity
4. CROPS TO BE IRRIGATED: Corn & Soybeans

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 0.2%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: HT & 2 A1b-1a Silty
Clay loam - s. heavy, test

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 75-783
8. SALINITY: EC = 2055 (high)
9. SODIUM: SAR = 1.58 (low)

I do hereby certify that a chemical analysis of the ground water to be acquired for irrigation from South Dakota State University and: the land capability for irrigation information has been acquired from

S. C. S.

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

Mark S. Chicome.

Subscribed and sworn before me this

16 day of AUGUST 1975.

William L. Brumell

NOTARY

(Title)



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Mark F. Chicoine
Address: Box 1, Box 191
Elk Point, SD 57025

Date Rec'd: August 27, 1975
Sample No. 75-783
Identification Well-
101, Sec. 5, T 91N, R 49W

WATER ANALYSIS

Calcium (Ca)	250	ppm*	12.50	me/l**
Magnesium (Mg)	100	ppm	8.20	me/l
Sodium (Na)	117	ppm	5.09	me/l
Potassium (K)	16	ppm	0.43	me/l
Sulfate (SO ₄)	780	ppm	16.22	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	46	ppm	1.27	me/l
Bicarbonate (HCO ₃)	410	ppm	6.72	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	336	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	2055	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.58			
Sodium	19.41	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.33			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 26.22 me/l
Total anions 24.21 me/l

By: Shirley Litten

Service Performed	Amount Due
Irrigation analysis	\$6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-783

Amount Enclosed \$ 15

Signed _____

Permit No. 2373-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Mark F. Chilcoine

_____ the holder _____ of
Permit No. 2373-3, issued upon Application No. 2373-3, bearing date of priority of
September 26, 1975 authorizing the diversion of 1.1 cu. ft. per second of the waters of
groundwater (one well) County of Union, State of South Dakota at
a point 2550 feet east and 2675 feet south of the NW corner,
Section 5, T91N, R49W
_____, for Irrigation

_____ purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 3.3 cu. ft. per second of water

Date September 14, 1979


JOHN HATCH, Chief Engineer
Water Rights, WID

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2373-3

(1) WHEREAS, On the 26th day of September A. D. 19 75
Mark Chilcolne

made Water Right Application No. 2373-3 for a permit to use 1.1 cubic feet per second of the waters of ground water (one well)

County of Union, State of South Dakota, for irrigation

_____ purposes; and

(2) WHEREAS, On the 13th day of November A. D. 19 75

Permit No. 2373-3, with a date of priority of September 26, 1975

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 13th day of November A. D. 19 80 and for the application to beneficial use of said water on or before the 13th day of November A. D. 19 80

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.1 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate 77.4 acres in Lot 6, Section 4 and Lot 2 of NE $\frac{1}{4}$, Section 5, both in
T51N, R49W

*NOTE: Gated pipe used interchangeably on Permit No. 2114-3. Portions of the
lands under Permit No. 2114-3 are irrigated from this well.

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Mark F. Chicolne

_____ of Elk Point, SD
the holder _____ and owner _____ of said permit No. 2373-3 a water right, dating from September 26, 1975
to use of 1.1 cubic feet per second of the water
of ground water (one well)

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 2550 feet East and 2675 feet South of the NW
corner, Section 5, T91N, R49W

and conducted upon lands in lot 6, Section 4 and lot 2 of NE1, Section 5, both in
T91N, R49W, total of 77.4 acres,

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2373-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 14th day of September A. D.
Nineteen Hundred and seventy-nine

Board of Water Management

By:

John Hatch
Chief Engineer

JOHN HATCH

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7007

PIERRE, August 22, 1970

RECEIVED OF Mark C. Calkins, RR. #1, Box 242, Elk Point, SD 57025
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____	2373-3		
Fee for inspecting Construction, and issuing Cert. of Construction No. _____	2272-3	50	10
Fee for inspecting Beneficial Use, and issuing Water License No. _____			
Fee for issuing Location Certificate-Dry Draw, No. _____			
Fee for filing _____			
Fee for certified copy of _____			
Fee for Print copy of map _____			
Fee for Certifying _____			
Fee for _____ (any other work as provided by law)			
TOTAL		50	20

WATER RIGHTS COMMISSION

By (Signature)
Chief Engineer, Executive Officer

JOHN HATCH

cy

88

Permit No. 2373-3Water Division 3 BIG SIOUX RIVER Water District

**REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE**

TO: Water Resources Commission, State Office Building No. 2, Pierre South Dakota 57501

I have this day made a thorough examination of the water use system constructed by MARK F
CHICOINE of ELK POINT holder
of Permit No. 2373-3, bearing date of priority of SEPTEMBER 26, 1975
authorizing the diversion of 11 cu. ft. per second of the waters of GROUND WATER
for IRRIGATION purposes, in UNION County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

80' DEEP WELL WITH 16" DIA TRANSITE CASING
WESTERN LAND ROLLER 10" PUMP w/ 12" BOWLS
RUNK 30HP ELECTRIC MOTOR

B. Works used to transport water to place of use,

GATED PIPE USED AS MAINLINE

C. Works used to apply water to beneficial use.

3000' OF 10" GATED PIPE WITH 30" GATES }
1/2 MILE OF 8" GATED PIPE WITH 40" GATES } ALUMINUM
ALL LAND HAS BEEN LEVELLED

The system is in the following condition: GOOD

The point of diversion is located 2550' E AND 2075' S OF THE NW CORNER
SECTION 5, T91N, R49W

The works are capable of diverting and conveying to the place of use 3.33 (1500 GPM)

cu. ft. per second of water which is to be used for IRRIGATIONWater has been put to beneficial use to the maximum extent as follows: ALL IN ~~SECTION 4~~ T91N, R49W

LOT 6, SECTION 4 } 77.4 ACRES
LOT 2, SECTION 5 }

(1/4 MI²)comprising a total of 77.4 acres of land.

* GATED PIPE USED INTERCHANGEABLY ON PERMIT 2114-3
PORTIONS OF THE LANDS UNDER PERMIT NO 2114-3 ARE
IRRIGATED FROM THIS WELL.

Date JULY 26, 1979
[Signature]
(Signature)

PLEASE FILL OUT AND RETURN
BEFORE DECEMBER 20, 1991

211-3
MARK F CHICQUE
3000
ELK POINT
SD 57025

Telephone No. _____

Type of Power	No. of acres Irrigated
1. Electric	233
2. Gravity	
3. Gasoline	
4. Nat. Gas pipeline	
5. Diesel	
6. Propane	
7. Other	
Type of System	
1. Hand moved sprinklers	
2. Portable booms	
3. Center pivots (# of)	
4. Gated pipes	
5. Sidewheels	
6. Towlines	
7. Big gun	
8. Siphons	
9. Flood	
10. Other	✓

OCTOBER 1991 WATER MANAGEMENT BOARD IRRIGATION QUESTIONNAIRE

1. SURFACE WATER _____ GROUNDWATER _____

2. Did you irrigate during 1991? Yes 233 No 0
3. Number of acres irrigated in 1991? Yes 233 No 0
4. Has your system been constructed? Yes 233 No 0
5. Do you apply fertilizer, insecticide or herbicide through your irrigation system? Yes 233 No 0
6. If no, do you apply above chemicals by other methods? Yes 1 No 0
7. If yes, please describe: ammonia

Month	# days pumped	Average # hours per day	Average pump rate (gpm)	Acres of Crop Irrigated & Estimated Water Use			
				Crop	Acres	Water Used	Water Used
April							
May							
June							
July	14	20	1000 gpm x 2 wells 2000	corn	230	5"	103
August							
Sept.							
Oct.							
Other Months							

Owner or address change, if any:

P.R. 2 Box 508

COMMENTS: all land irrigated is included in these permits.
Chemicals are applied preplant incorporated and postemergence.

Complete & return to:
Water Rights Division
Joe Foss Building
523 E Capitol
Pierre SD 57501-3181

2373-3

File No. 3769-3, 2114-3 and 2373-3

Water Rights Division -DENR

Conversation or File Documentation

NAME OF PERSON OR FILE: Mark F. Chicoine

ADDRESS: (New) R2, Box 508 Elk Point, SD 57025 COUNTY: Union

DATE: 1/13/92 TELEPHONE: (new) 605/356-2580

RE: Note new address and number.

COMMENTS:

Mr. Chicoine responded to second letter (sent 12/26/1991) and returned map with description of lands being irrigated and the specific wells being used in Secs. 4 and 5 -T92N-R49W. Will complete application and hopefully license 3 permits (2114-3 and 2373-3 and new appl.) together as soon as possible.

Permit No. 3769-3 was applied for in 1977. The completion of works deadline and the time at which the water should be put to beneficial use was May 25, 1982. The actual well was not drilled until 1989. Because of this, cancellation of Permit No. 3769-3 will be recommended to the Water Management Board. In addition, Mr. Chicoine is now applying for a new permit to be used for the well that should have been covered by 3769-3 and for eighty acres not permitted in the SE1/4 NE1/4 and the NE1/4 SE1/4 of Section 5-T91N-R49W.



Gregory C. Johnston

Natural Resources Engineer

DENR, Water Rights Division

2373-3

File No. 2114-3 and 2373-3

Water Rights Division -DENR

Conservation or File Documentation

NAME OF PERSON OR FILE: Mark Chicoine

ADDRESS: RR2 Box 508 Elk Point, SD 57025 COUNTY: Union


DATE: 2/18/92 TELEPHONE: 356-2580

RE: Irrigation of lands under No. 2114-3 and 2373-3

COMMENTS:

Returned a call from Mr. Chicoine to check on whether the well drilled for No. 2373-3 was used to irrigate lands covered under No. 2114-3. Mr. Chicoine said that the well placed under No. 2373-3 (center of Section 5-T91N-R49W) was used to irrigate only those acreages covered under No. 2373-3, not those acreages under 2114-3.

In addition, Mr. Chicoine mentioned that he had tried to obtain the well log for the newest well (located in Lot 2, Section 5-T91N-R49W). Wetmore Drilling placed the well, but the recent death of Mr. Wetmore last week will delay his obtaining the well log.



Gregory C. Johnston

Natural Resources Engineer

DENR, Water Rights Division

~~2373~~ 2373-3

File No. 2114-3 and 2373-3

Water Rights Division -DENR

Conversation of File Documentation

NAME OF PERSON OR FILE: Mark Chicoine

ADDRESS: RR2 Box 508 Elk Point, SD 57025

COUNTY: Union

DATE: 3/2/92

TELEPHONE: 356-2580

RE: Lands irrigated under 2114-3 by well for 2373-3

COMMENTS:



Mr. Chicoine called in response to applications and documents sent to him for permitting all the acres he irrigates in Union County. When asked by me in an earlier conversation (see Document file dated 2/18/92), Mr. Chicoine stated that the well under 2373-3 had not been used to irrigate acres covered by No. 2114-3. His call today was to explain that he misunderstood what I had asked and that, in fact, the well on 2373-3 had irrigated part of the 320 acres under 2114-3 for several years. In addition, the well under 2373-3 also irrigated those acres covered by the permit itself.

Gregory C. Johnston

Gregory C. Johnston

Natural Resources Engineer

DENR, Water Rights Division



Scale 8" = 1 mi.

Mark Chicoine
Box 191 RR#1 Elk Point, So. Dak 57025
Chicoine Irrigation Project

Gravity Irrigation 77.4 ac.

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed <u>C. K. Dahlgreen 9-17-75</u>	Date <u>9-17-75</u>	Approved by <u>C. K. Dahlgreen</u>
Drawn <u>C. K. Dahlgreen 9-17-75</u>	Title <u>Grav</u>	
Traced	Sheet No. <u>1</u>	Drawing No.
Checked	of <u>1</u>	