


Water Right Number 2375-3

1. Considered November 12, 1975
2. Name of Applicant Spink Hutterian Brethern, Inc. %George Waldner
3. Post Office Address Frankfort, SD 57440
4. Amount of water claimed 2.22
5. Source of water supply Ground Water (80' DEEP WELL)
6. Water to be used for Irrigation
Acres to be irrigated 300
7. Water to be diverted and used in Spink County
about 9S, 2E Miles of FRANKFORT
8. Proof of Publication
Received 11-6-75
Not received
Approved
Subject to
Not approved
Action deferred
9. Application

10. Remarks:

No. 2375-3

Map No. 1754-3 Water Division No. 3 JAMES RIVER
(Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

STATE WATER RIGHTS COMMISSION
SIOUX FALLS, SOUTH DAKOTA

To Appropriately Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

- Name of Applicant Spink Hattigman Brothers Inc.
Postoffice address Sioux Falls, State S. Dak 57140
If a corporation show date and place of incorporation _____
- Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
- Name of diversion work Well
- Amount of water claimed (cubic feet per second) 1000 gal. per minute
- Source of water supply Well
- Location of point of diversion West 1/2 of 26-115-62

- County Spink
- Annual period or periods during which water is to be used June to Oct. 1st.
- Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
- Total number of acres to be irrigated 300 acres
- For irrigation use, List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>West 1/2 26-115-62</u>	<u>300</u>		

Attach sheet if more space is needed

- Time required to complete construction of water supply system _____ years. Additional time required to complete application of water to the proposed beneficial use _____ years.
- Choice of newspaper for Notice of Intent to Appropriately Water publication. Daily Plainsman
Huron & Dak.
- Principal Features of the Proposed Water Supply System.
 - Works proposed to divert water from its natural source.
 - Works proposed to transport water to place of use. Well
 - Works proposed to apply water to beneficial use.

Estimated Total Cost \$ 35,100.00

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Beade) ss.



I, George B. Waldner, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed George B. Waldner

Subscribed and sworn to before me this 29 day of August, 1975

Ken W. Wadsworth
Notary Public (or other qualified officer)

SPINK COLONY IRRIGATION PROJECT NO. 4



SCHOELL and MADSON INC.
ENGINEERS and SURVEYORS
HURON SOUTH DAKOTA

MAP

SHOWING AREAS TO BE IRRIGATED AND THE LOCATION OF WELLS FROM WHICH WATER IS PROPOSED TO BE DIVERTED - FOR PERMIT TO APPROPRIATE WATER.

AREA BY LEGAL SUBDIVISION:

Section 26, Township 115, Range 62 West of the 5th P.M., Spink County, South Dakota:

The West Half	320 acres
TOTAL ACREAGE.....	320 acres

STATE OF SOUTH DAKOTA)
COUNTY OF BEADLE) SS

I, Jack T. Vosler, a registered and licensed land surveyor, in and for the State of South Dakota, do hereby certify that at the request of the owner, I have shown the lands proposed to be irrigated by diverting water from wells within their ownership, for which application to appropriate water is made, and that this map is a true representation thereof. In witness whereof I place my hand and seal this 2nd day of October, A.D., 1975.

Jack T. Vosler
Jack T. Vosler, Land Surveyor - So. Dak. Reg. No 956

STATE OF SOUTH DAKOTA)
COUNTY OF BEADLE) SS

On this 2nd day of October, A.D., 1975, before me, a notary public, personally appeared Jack T. Vosler, known to me to be a registered land surveyor and the person who executed the foregoing instrument, and he acknowledged to me that he executed the same as his own free act and deed.

Ronald J. Vosler
Notary Public, Beadle County, South Dakota *July 30, 1980*
commission expires

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2375-3
SPINK HUTTIERIAN BRETHERN, INC. FRANKFORT
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57440 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application OCTOBER 10, 19 75
 Date of return to applicant for correction, amendments or changes required —, 19 —
 Date of receipt of corrected application —, 19 —
 Approved NOVEMBER 13, 19 75, Recorded in Book 14 Page 110

WATER RIGHT PERMIT NO. 2375-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2375-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 10, 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 13, 19 76
3. The whole of said work is to be completed on or before NOVEMBER 13, 19 76
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 13, 19 77
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.22 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before NOVEMBER 13, 19 77; said water to be used during the following described annual period: JUNE TO OCTOBER 1

Witness my hand this 18TH day of NOVEMBER, 19 75

WATER RIGHTS COMMISSION

By:

J. M. White
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

2375-3

WELL CONSTRUCTION

Location of well: 1/4 1/4 NW Section 26 Township 115 Range 63

Well owner Spink Colony Franklin, SD 57410
(Name) (Address)

Date well drilling completed 9/1/75 Purpose of well Domestic
(domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to bottom in feet	Description of layer	Depth to top of water producing aquifer _____ ft.
0-2	top soil	64'
2-25	yellow loess	46'
25-98	sand grain & gravel	Name of producing aquifer (if known) gravel
95-104	sand grain & gravel gravel	Total depth of drill hole _____ ft. 104 Depth to bottom of casing _____ ft. 104

Casing information: In the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing, if used.

0 - 64 16" Stainless Steel

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

64 - 104 16" Stainless Steel

If a flowing well, flow of completed well _____ G.P.M.

Empire Investigation Drilling Co. Inc.
Name of Drilling Contractor

PUMP INSTALLATION

Company name and size of pump Western Land Reclaim HP 69


Type of pump turbine Capacity of installed pump 860 G.P.M.

Depth of pump placement 70 ft., Date of pump installation not done yet

On some wells an air-tight water surface measuring tub is required: See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Empire Driveway Drilling
(Name of Pump Installation Contractor)

Note -
oasing & screen info
may not be accurate
They installed their own



IRRIGATION & DRILLING COMPANY

Ph. 352-4587

[illegible]

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 27", Depth 100'
- (2) Casing, Type Shrink Steel (wood, concrete, steel, etc) Diameter 16" Thickness 10 gauge.
- (3) Perforated Screen.
Type Shrink Steel, Diameter 16", Length 40'
- (4) Gravel Pack, Thickness 11", Length of gravel pack 100'

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material 25'

Depth to bottom of water bearing material 100'

Thickness of water bearing material 75'

Depth to water (ground surface to water level) 30'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 320 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Spind Colony
John J. Hoff
Signature of Applicant

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: [Signature]

Disapproved: _____

NAME: Spink Hutteria Breth
ADDRESS: Frankfort, S. Dak 57440
COUNTY: Spink

LEGAL DESCRIPTION

1. WELL LOCATION: SW 1/4 26-115-62
2. AREA TO BE IRRIGATED: SW 1/4 26-115-62

TYPE OF IRRIGATION

3. GRAVITY _____ SPRINKLER (Indicate Type): Center Pivot
4. CROPS TO BE IRRIGATED: Corn & Alfalfa

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 0-2%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Beaule Silt Loam

WATER QUALITY (To Be Completed by Commission)

7. SAMPLE NO: 75-790
8. SALINITY: EC = 13.29 μ mhos/cm (high)
9. SODIUM: SAR = 4.15 (low)

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

and:


that the legal description for the location of the well and land to be
irrigated is true and correct.

George B. Aldrey

Subscribed and sworn before me this

29 day of August 1975.

Jerry Aldrey
(Title)



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: **George Waldner**
Address: **Spink Colony**
Frankfort, SD 57440

Date Rec'd **August 29, 1975**
Sample No. **75-790**
Identification **Well-**
SW4, Sec. 26, T 115N, R 62W

WATER ANALYSIS

Calcium (Ca)	80	ppm*	4.00	me/l**
Magnesium (Mg)	38	ppm	3.12	me/l
Sodium (Na)	180	ppm	7.83	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	265	ppm	5.51	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	70	ppm	1.97	me/l
Bicarbonate (HCO ₃)	498	ppm	8.16	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	408	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1329	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	4.15			
Sodium	51.47	% of cations		
Residual sodium carbonate	1.04	me/l		
pH	7.70			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS:

Total cations	15.21	me/l
Total anions	15.64	me/l

By: **Shirley Mittan**

Service Performed

Amount Due

Irrigation analysis

\$6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. **75-790**

Amount Enclosed \$

Signed

No. 2375-3

Publish first publication, on or before October 30, 1975

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

October 17, 1975

Notice is hereby given that Spink Hutterian Brethern, Inc.

whose post office address is Frankfort, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

2.22 cubic feet of water per second of time from the ground water through the Spink Colony Well, the point of diversion of which is to be located in the _____

Center of the SW $\frac{1}{4}$ and in the NE $\frac{1}{4}$ SW $\frac{1}{4}$

of Section 26, Twp. 115N, Range 62W. Said water to be used for the purpose of providing irrigation on the following described land:

W $\frac{1}{2}$, Section 115N, R62W

This application No. 2375-3 will be considered by the Water Resources Commission at their office at Pierre upon the 12th day of November, 1975, at 2:30 P. M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/LW

cc: George Waldner, Spink Colony, Frankfort, S.D. 57440

No. 2375-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Dorothy Murphy hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

_____ city _____ of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

October 24, 1975

October 31, 1975

Dorothy Murphy
(Signature)

Beadle Plainsman
(Title)

October 21, 1975
(Date Signed)

F.P. 10-24-75 L.P. 10-31-75
**NOTICE INTENT TO
APPROPRIATE WATER**
Pierre, South Dakota 57501
October 17, 1975
Notice is hereby given that Spink
Hutterian Brethren, Inc. whose post
office address is Frankfort, South
Dakota, has made an application in
accordance with the provisions of
the water laws of South Dakota for a
permit to appropriate for beneficial
use 2.22 cubic feet of water per
second of time from ground water
through the Spink Colony Well, the
points of diversion of which are to be
located in the Center of the SW1/4 and
in the NE1/4 SW1/4 of Section 24, Twp.
115N, Range 62W. Said water to be
used for the purpose of providing
irrigation on the following described
land: W1/2, Section 115N, R62W.
This application No. 2375-3 will be
considered by the Water Resources
Commission at their office at Pierre
upon the 12th day of November,
1975, at 2:30 P.M. All interested
persons may appear and be heard.
WATER RESOURCES COM-
MISSION
By: BURTON F. JONES
Water Rights Specialist
cc: George Waldner, Spink Colony,
Frankfort, S. D. 57440. 17.08
34X2-7X2-44- No. 552 (Rev.)

_____ COUNTY, SOUTH DAKOTA

TOWNSHIP No. _____ RANGE No. _____

(With surrounding tier of sections of adjacent townships)

36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6
12	7	8	9	10	11	12	7
13	18	17	16	15	14	13	18
24	19	20	21	22	23	24	19
25	30	29	28	27	26	25	30
36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6

3240 3 - 1160. 11-71 -



**Department of
Water & Natural Resources**
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

1979-3
2375-3
2396-3
3272-3
3468-3
4195-3

March 2, 1983

Spink Hutterian Brethern, Inc.
Frankfort, South Dakota 57440

Dear Sir:

The inspection of your water use system and inspection of the extent of your application of water to beneficial use, as developed under your Water Permit Nos. 1979-3, 2375-3, 2396-3, 3272-3, 3468-3, and 4195-3 has been completed. Your final water right documents, the Water Licenses can now be issued. Statutes require that we charge \$50.00 fee for the inspection and issuing of the Water License for each, a total of \$300.00 for six Licenses. Upon receipt of the \$300.00 fee from you, your Water License will be sent to you.

You will also receive the Certificate of Construction as required by statute.

Sincerely,

Genny Young
Water Rights Specialist

GY:ms

NOTE: On form of payment, please include the number of the water permit.
This insures proper handling of the fee.

Permit No. 2375-3Water Division 3 JAMES RIVER Water District
10160006REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by SPINK HUTTERIAN BRETHERN, INC. of FRANK FORT holder of Permit No. 2375-3, bearing date of priority of OCTOBER 10, 1975 authorizing the diversion of 2.22 cu. ft. per second of the waters of GROUNDWATER for IRRIGATION purposes, in SPINK County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

104' DEEP WELL - 16" STAINLESS STEEL CASING - 30' SS SCREEN
WESTERN LAND ROLLER 8" PUMP - MODEL KB75624,
POWERED BY 75HP US ELECTRIC MOTOR @ 1765 RPM

B. Works used to transport water to place of use,

1320' OF 3" BURIED PVC FROM WELL TO PIVOT PAD IN NW⁴
1320' OF 8" BURIED PVC FROM WELL TO PIVOT PAD IN SW⁴

C. Works used to apply water to beneficial use.

10 TOWER T & L CENTER PIVOT SYSTEM WITH NELSON
#100 END GUN - TOWED BETWEEN TWO QUARTERS

The system is in the following condition: GOOD

The point of diversion is located 1300' E OF THE NW⁴ CORNER,
SECTION 26, T115N, R62W

The works are capable of diverting and conveying to the place of use 1.78 (800 GPM)
cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows:

FOR IRRIGATING A 136 ACRE CIRCLE IN THE NW⁴, AND
A 136 ACRE CIRCLE IN THE SW⁴, SECTION 26, T115N, R62W

comprising a total of 272 acres of land.

Date AUGUST 26, 1982
[Signature]
(Signature)

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2375-3

(1) WHEREAS, On the 10th day of October A. D. 19 75
Spink Hutterian Brethern, Inc.

made Water Right Application No. 2375-3 for a permit to use 2.22 cubic feet per second of the waters of groundwater (one well)

County of Spink, State of South Dakota, for Irrigation

purpose; and

(2) WHEREAS, On the 13th day of November A. D. 19 75
 Permit No. 2375-3, with a date of priority of October 16, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 13th day of November A. D. 19 76 and for the application to beneficial use of said water on or before the 13th day of November A. D. 19 77

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.78 (800 gpm) cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,
 to irrigate the following land all in Section 26, T115N, R62W

NE $\frac{1}{4}$ NW $\frac{1}{4}$ 34 acres (BA)

NW $\frac{1}{4}$ NW $\frac{1}{4}$ 34 acres (BB)

SW $\frac{1}{4}$ NW $\frac{1}{4}$ 34 acres (BC)

SE $\frac{1}{4}$ NW $\frac{1}{4}$ 34 acres (BD)

NE $\frac{1}{4}$ SW $\frac{1}{4}$ 34 acres (CA)

NW $\frac{1}{4}$ SW $\frac{1}{4}$ 34 acres (CB)

SW $\frac{1}{4}$ SW $\frac{1}{4}$ 34 acres (CC)

SE $\frac{1}{4}$ SW $\frac{1}{4}$ 34 acres (CD)

TOTAL 272 ACRES

Note: The above described land is irrigated as a 136 acre circle in the NW $\frac{1}{4}$ and
 a 136 acre circle in the SW $\frac{1}{4}$

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Spink Hutterian Brathern, Inc.

_____ of c/o John H. Wipf, Frankfort, SD 57440
the holder _____ and owner _____ of said permit No. 2375-3 a water right, dating from October 10, 1975
_____ to use of 1.78 cubic feet per second of the waters
of groundwater (one well)

in the County of Spink and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 1300' E of the W $\frac{1}{2}$ Corner, Section 26,
T115N, R62W

and conducted to and upon portions of land in Section 26, T115N, R62W more fully
described on the face of this License

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2375-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 28th day of March A. D.
Nineteen Hundred and Eighty-Three

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer
JOHN HATCH

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 9185

PIERRE, March 15, 19 83

RECEIVED OF Spink Hutterian Brethem, Inc. (John J. Wipf) Frankfort, SD 57440

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. 2375-3	50	00
Fee for inspecting Beneficial Use, and Issuing Water License No. 2375-3		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By *(John Hatcher)*
Chief Engineer, Executive Officer
JOHN HATCHER

No. 2375-3

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

March 29, 1983


Spink Hutterian Brethern, Inc.
c/o John J. Wlpf
Frankfort, South Dakota 57440

Dear Sir:

Enclosed herewith is, Water License No. 2375-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division

JH:ms

Enclosures

WNR-817 3/83
Transmittal of Water License



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
January 29, 1988

2375-3

JOHN J WIPF- SPINK COLONY
RR 1 BOX 84
FRANKFORT, SD 57440

NOTICE

Re: Violation of Water Permit No(s). 2276-3A and 1987 Irrigation Questionnaire Requirements

Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 2276-3A. The request for the questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 2276-3A qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 4195-3, 1538-3, 2375-3, 2396-3, 3467-3, 3468-3, 1979-3, 3272-3 should be amended with the qualification to require the Questionnaire to be submitted each year.

The hearing(s) will be at 9:00 am, March 2, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, South Dakota.


The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:

1. Suspend Permit No(s). 2276-3A until either the 1987 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s) 4195-3, 1538-3, 2375-3, 2396-3, 3467-3, 3468-3, 1979-3, 3272-3 also held by JOHN J WIPF- SPINK COLONY to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,

A handwritten signature in cursive script, appearing to read "John Hatch".

John Hatch, Chief Engineer
Water Rights Division

Note: If the questionnaire(s) are received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-2181

February 5, 1988

3468-3	3467-3
4195-3	3272-3
2375-3	1979-3
2276-3A	2396-3
1538-3	

Spink Colony
c/o John J Wipf
Frankfort SD 57440

Dear Mr. Wipf:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the the requirement to submit the Irrigation Questionnaire(s) for Water Permit Nos. 1538-3, 1979-3, 2276-3A, 2375-2, 2396-3, 3272-3, 3467-3, 3468-3, 4195-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

Department of Agriculture
WR#1
5-87

SOIL-WATER COMPATIBILITY PERMIT
Division of Conservation

Office Use Only

4757-1

WR#

OWNERS NAME: _____ OWNERS ADDRESS: GENERAL DELIVERY
FRANKFORT SD 57440
COUNTY AND LOCATED IN: _____ PHONE: 472-1269

LEGAL DESCRIPTION

1. LOCATION: _____ ☒ Well ☐ Surface
Depth: _____


Legal Description	Acres	Legal Description	Acres

2. TYPE OF IRRIGATION: GRAVITY _____ TOWLINE _____ CENTER PIVOT _____ GUN _____ OTHER: _____ (Specify) _____
3. CROPS TO BE IRRIGATED: _____

WATER QUALITY	
4. WATER SAMPLE NUMBER: _____	7. ADJUSTED (SAR): _____
5. SALINITY (EC X 10 ³): _____	8. PERCENT SODIUM: _____
6. SODIUM (SAR): _____	

Requirements:

APPROVED (APRIL 2, 1991).



XXX APPROVED _____ DISAPPROVED _____
WAVEVER _____ REQUIREMENTS

Director, Division of Conservation

Signature: _____
Date: _____

Soil/water permits will be recorded by the Department of Agriculture, with the County Register of Deeds.

2375-3

Spink Colony Irrigation Management Plan 2 April, 1991

for submission to the South Dakota Conservation Commission



In the early 1970's we began irrigating. We have always been aware of the possibilities for sodium and salinity problems. Over the years we have observed negative impacts from salinity and sodium problems. We have experimented with several different practices to improve our salt problems. More recently We have been working with Shawn Thelen, an agronomist with the Wheat Growers, and we have been talking with Gregg Carlson, SDSU Extension Service, about irrigation management practices that will minimize our sodium and salinity problems. Because the irrigation water that we use is of marginal quality, we understand the importance of the use of good management for the maintenance of productivity.


The irrigation water that we are using has an SAR of 10-20. Recent Soil tests have shown ESP's within the surface soil of, from as low as 3 to as much as about 15. The following are specific management practices, some of which we have used in the past and some planned for the future, that we believe will assure the maintenance of productivity on the land in question.

1). To assure adequate leaching we apply at least an inch and at times, as much as two inches (if possible without getting stuck or having excess runoff) of water each revolution of the pivot. This assures relatively deep percolation within the root zone and the continued leaching through the root zone.


2). The maintenance of high concentrations of organic matter at the soil surface is an important part of maintaining surface soil structure. This last year we purchased a manure spreader truck so that we will be able to haul manure the 4 or 5 miles to our irrigated fields. It is our plan to apply 6 to 8 ton/acre of manure ever 4 years to these fields. We plan to use tillage practices that will maintain high organic matter close to the surface to minimize the impact of sodium. Shawn and I have been discussing the possibility of using no-till farming practices to increase organic matter at the surface and to minimize soil disturbance that can aggravate the sodium problem. No-till farming should also eliminate water being held within the plow layer. There is evidence to suggest that tillage can break the transmitting macropore structure at the bottom of the plow layer. It is our plan to rotate small grain and alfalfa through some of our irrigated fields. On those fields that we grow corn on corn, we leave all corn stalks in the field.

3). Shawn, Dr. Carlson, and I have discussed the possibility of using beet lime, gypsum, and elemental sulfur as soil amendments. We have been applying beet lime and elemental sulfur in an attempt to resolve our problems.

4). It is our intention to work with the Wheat Growers, SDSU, and the



Department of Agriculture to continue to monitor the problems that we have and to look at alternative solutions. We plan take advantage of any new breakthroughs in Sodium management that are developed.


Paul Wipf

Spink Colony
Frankfort, South Dakota
57440
472-1269

copy to Shawn Thelen
P.O. Box 126, Main Street
Tulare, South Dakota
57476
596-4114(work) or 472-2410



January 22, 1999

2375-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

NOTICE

TO: SPINK COLONY, JOHN J WIPF, 18206 SPINK LN, FRANKFORT, SD 57440 7207

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1998 Irrigation Questionnaires

Our records indicate that the 1998 Irrigation Questionnaires have not been submitted for Permit Nos. 2276-3A & 5737-3, 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3. The request for the Questionnaires was dated October 16, 1998. The Water Management Board has directed that owners of water permits who have not submitted the 1998 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2276-3A & 5737-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 3, 1999 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2276-3A & 5737-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1999, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2375-3

DEPARTMENT of ENVIRONMENT
and NATUHAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

www.state.sd.us/denr

January 22, 1999

NOTICE

TO: SPINK COLONY, JOHN J WIPF, 18206 SPINK LN, FRANKFORT SD 57440

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

RE: Requirement to Report 1998 Chemical Use

The first notice to file chemigation report(s) for Permit No(s) 3272-3; 3467-3; 3468-3; 4195-3; 2276-3A; 1979-3 & 2375-3 was dated October 16, 1998. Our records indicate that we have not received your 1998 chemigation report(s). The Water Management Board has directed that owners of water permits who have not submitted the 1998 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 9:45 am, March 3, 1999, Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 3272-3; 3467-3; 3468-3; 4195-3; 2276-3A; 1979-3 & 2375-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to March 3, 1999, contact the Water Rights Program, 523 E. Capitol, Pierre, SD 57501-3181 (605 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to March 1, 1999 you will no longer be in violation and your name will be deleted from the Board agenda.



23,75-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 1, 1999

John J Wipf
18206 Spink Lane
Frankfort, SD 57440-7207

RE: Water Permit/Right Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3 3467-3,
3468-3, 4195-3 and 5737-3

Dear Mr. Wipf:

I am writing to acknowledge receipt of your 1998 irrigation questionnaires and chemical reporting forms. You may disregard the January 22, 1999, "Notices" concerning reporting requirements for Water Permit/Right Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3 3467-3, 3468-3, 4195-3 and 5737-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2375-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: SPINK COLONY, JOHN J WIPF, 18206 SPINK LN, FRANKFORT, SD 57440 7207

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaires

Our records indicate that the 1999 Irrigation Questionnaires have not been submitted for Permit Nos. 2276-3A & 5737-3, 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3. The request for the Questionnaires was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2276-3A & 5737-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2276-3A & 5737-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2375-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 19, 2000

John J Wipf
Spink Colony
18206 Spink Ln
Frankfort, SD 57440-7207

RE: Water Permit Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3,
4195-3 & 5737-3

Dear Mr. Wipf:

I am writing to acknowledge receipt of your 1999 irrigation questionnaires. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3, 4195-3 & 5737-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 16, 2002

NOTICE

2375-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

TO: SPINK COLONY, JOHN J WIPF, 18206 SPINK LN, FRANKFORT, SD 57440 7207
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaires

Our records indicate that the 2001 Irrigation Questionnaires have not been submitted for Permit Nos. 2276-3A & 5737-3, 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3. The request for the Questionnaires was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2276-3A & 5737-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2276-3A & 5737-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.


The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2375-3

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.		A. Received by (Please Print Clearly) <u>John J. Wipf</u> B. Date of Delivery <u>1-22-02</u>	
1. Article Addressed to: SPINK COLONY JOHN J WIPF 18206 SPINK LN FRANKFORT SD 57440 7207		C. Signature <u>X</u> <u>John J Wipf</u> ☐ Agent ☐ Addressee	
		D. Is delivery address different from item 17 ☒ Yes YES, enter delivery address below: ☐ No	
2. <u>7001 2510 0004</u>		3. Service Type ☐ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.	
PS Form 3811, July 1999		Restricted Delivery? (Extra Fee) ☐ Yes	



102595-99 M-1789



2375-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 30, 2002

John J Wipf
Spink Colony
18206 Spink Lane
Frankfort, SD 57740-7207

RE: Water Permit or Right Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3, 4195-3 and 5737-3.

Dear Mr. Wipf:

I am writing to acknowledge receipt of your 2001 irrigation questionnaires. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Permit or Right Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3, 4195-3 and 5737-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2375-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: SPINK COLONY, JOHN J WIPF, 18206 SPINK LN, FRANKFORT, SD 57440 7207

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaires

Our records indicate that the 2002 Irrigation Questionnaires have not been submitted for Permit Nos. 2276-3A & 5737-3, 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3. The request for the Questionnaires was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2276-3A & 5737-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 5, 2003 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2276-3A & 5737-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1538-3, 1979-3, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3 & 4195-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2003, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2003

John J Wipf
Spink Colony
18206 Spink Ln
Frankfort SD 57440-7207

RE: Water Permit or Right Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3, 3467-3,
3468-3, 4195-3 & 5737-3

Dear Mr. Wipf:

I am writing to acknowledge receipt of your 2002 irrigation questionnaires. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Permit or Right Nos. 1538-3, 1979-3, 2276-3A, 2375-3, 2396-3, 3272-3, 3467-3, 3468-3, 4195-3 & 5737-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.


If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

NOT TO SCALE

Appl. # 2375-3



NOTICE OF TRANSFER OF OWNERSHIP

For assistance call (605) 773-3352

RECEIVED

DEC 18 2013

Mail to: PMB 2020
DENR - Water Rights Program
523 E Capitol Ave
Pierre, SD 57501-3182

WATER RIGHTS
PROGRAMWater Right/Permit No. 2375-3Date: 12-17-13I/We request that Water Right/Permit No. 2375-3 formerly owned by:Spink Hutterian Brethren by Paul P Wijs be transferred to:

New Owner Name:

Collins Hutterian Brethren, Inc.

Address:

19606 Collins Ave

City, State, Zip

Iroquois, SD 57353Telephone No. 605-625-3121

Title to the following described land(s)/property has been transferred as described above:

W 1/2 of 26-115-62

☒ I understand that the validity of Water Right/Permit No. 2375-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is included to cover the filing fee as required by SDCL 46-2-13.

Collins Hutterian Brethren, Inc.

19606 Collins Ave

I, Iroquois, SD 57353, the new owner, certify that the above information is true and correct.

Joey Wijs
(signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:


1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

2375-3

SD EForm - 1621LD V1

SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02

Location NW 1/4 54 1/4 Sec 26 Twp 115 Rg 62County SPIRKPlease mark well
location with an "X"

Well Completion Date

3-28-22

1 Mile

Distance to nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)?

NONE ft. from (Identify source)

PROPOSED USE:

☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

Reverse Circulation

CASING DATA:

☐ Steel ☒ Plastic ☒ Other
 If other describe Stainless Steel

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>5DR26</u> LB/FT	<u>16</u> IN	<u>0</u> FT	<u>70</u> FT	<u>26</u> IN
<u>5.5</u> LB/FT	<u>16</u> IN	<u>70</u> FT	<u>100</u> FT	<u>26</u> IN

GROUTING DATA:

Grout Type	No. of Sacks	Grout Weight	From	To
<u>#20</u>	<u>18</u>	<u>0</u> Lb/gal	<u>0</u> Ft	<u>70</u> Ft
		<u>0</u> Lb/gal		

Describe grouting procedure

Tremie Pipe

SCREEN:

☐ Perforated pipe ☒ Manufactured
 Diameter 16 Inches Length 30 Feet
 Material Stainless Steel
 Slot Size 1/50 Set From 70 Feet to 100 Feet
 Other information
WAS A PACKER OR SEAL USED? ☒ Yes ☐ No
 If so, what material? Enviro Plug
 Describe packer(s) and location above Screen

DISINFECTION: Was well disinfected upon completion?

☒ Yes, How? Chlorine
☐ No, Why Not?
 Lab to which water quality sample sent for analysis
Well Owner: Collins Colony

Business Name:

Address: 19606 Collins AveCity, State, Zip: Irondale SD 57353

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
<u>Yellow Clay</u>	<u>2</u>	<u>25</u>
<u>Rock + yellow Gravel</u>	<u>25</u>	<u>45</u>
<u>Coarse Sand + Co. Gravel</u>	<u>45</u>	<u>85</u>
<u>Coarse Gravel</u>	<u>85</u>	<u>100</u>

STATIC WATER LEVEL

35 FEET

If flowing: closed in pressure

PSI

GPM flow through

Inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other

Reduced flow rate GPM

Can well be completely shut in?

WELL TEST DATA:

☒ Pumped Describe: Air
☐ Bailed
☐ Other

Pumping Level Below Land Surface

35 Ft. After 2 Hrs. pumped 800 GPM

Ft. After Hrs. pumped GPM

If pump installed, pump rate: GPM

REMARKS

Replacement Well

RECEIVED

JUL 07 2022

This well was drilled under license # 722 OFFICE OF WATER

report is true and accurate.

Drilling firm:

Stretch's Well Service Inc.

Signature of License Representative:

Tom Gutierrez

Signature of Well Owner or Equitable Property Holder:

Joey WardDate: 6-7-2022

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date 12/26, 20 13

RECEIVED OF Collins HB 19606 Collins Ave Iroquois SD 57353

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	50	00
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>2395-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	50 00

No. **06551**

By J. James Goodman
Chief Engineer



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 6, 2014

1979-3
2375-3
3272-3

Joey Wipf
Collins Hutterian Brethren, Inc.
19606 Collins Ave
Iroquois SD 57353

Dear Mr. Wipf:

I am writing to acknowledge receipt of the transfer forms and filing fees you submitted for changing ownership on Water Right Nos. 1979-3, 2375-3 and 3272-3.

The ownership changes have been completed. The above listed water rights formerly held by Spink Hutterian Brethren are now listed in the name of Collins Hutterian Brethren Inc.

Enclosed for your records are Receipt Nos. 06550, 06551 and 06552 in the amounts of \$50 each. If I can answer any questions for you, please give me a call.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures