

2422-3

Water Right Number

1. Considered November 12, 19 75

2. Name of Applicant Willis Frankenstein

3. Post Office Address Redfield, S.D.

4. Amount of water claimed 1.93

5. Source of water supply ground water (60' DEEP WELL)

6. Water to be used for irrigation

Acres to be irrigated 135

7. Water to be diverted and used in Spink County

about 1 N, 4 E Miles 1st of TULARE

8. Proof of Publication

Received 11-17-75

Not received

9. Application

Approved

Subject to

Not approved

Action deferred

10. Remarks:

No. 24-22-3
 Map No. 1799-3 Water Division No. 3 JAMES RIVER District
 (Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriately Water within the State of South Dakota

(NOTE: Items in parentheses are through items not applicable)

1. Name of Applicant Willis Frankenstein
 Postoffice address Pied Field, State South Dakota
 If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor

3. Name of diversion work Frankenstein #2

4. Amount of water claimed (cubic feet per second) 1.95

5. Source of water supply ground water

6. Location of point of diversion CENTER OF THE NE 1/4, Section 20, T15N, R63W

7. Annual period or periods during which water is to be used May - September County Spink

8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation

9. For irrigation use, Total number of acres to be irrigated 135

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>NE 20-115-63</u>	<u>135</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 year. Additional time required to complete application of water to the proposed beneficial use 2 years.

11. Choice of newspaper for Notice of Intent to Appropriately Water publication Daily Spinkman, Huron, S. Dak.

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Bowl Pump

B. Works proposed to transport water to place of use.

Main line

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$35,000--

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Beadle

I, Willis Frankenstein the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Willis Frankenstein

Subscribed and sworn to before me this 14 day of Oct. 1975

[Signature]
 Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 24.22-3
WILLIS FRANKENSTEIN REDFIELD
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57469 With the following modifications:
 (State)

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application OCTOBER 16, 19 75
 Date of return to applicant for correction, amendments or changes required _____, 19 ____
 Date of receipt of corrected application OCTOBER 27, 19 75
 Approved NOVEMBER 13, 19 75, Recorded in Book 14 Page 150
 WATER RIGHT PERMIT NO. 24.22-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 24.22.3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 16, 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 13, 19 76
3. The whole of said work is to be completed on or before NOVEMBER 13, 19 76
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 13, 19 78
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 1.93 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before NOVEMBER 13, 19 78; said water to be used during the following described annual period: MAY THRU SEPTEMBER

Witness my hand this 21ST day of NOVEMBER, 19 75

WATER RIGHTS COMMISSION

By: John H. Ketch
 Chief Engineer, Executive Officer

Certificate of Construction Issued January 3, 19 79
 Water License Issued January 3, 19 79

Karl Osberg
FOREMAN

[illegible]

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing, Type _____ Diameter _____ Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen
Type _____, Diameter _____, Length _____
- (4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

Log will be furnished by
owner

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.

✓ On same owner's property 160 rds On property owned by others 240 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Willie Thomas
Signature of Applicant

October 22, 1975

Mr. Willis Frankenstein
Redfield, SD 57469

Dear Mr. Frankenstein:

The water analysis of the water sample you submitted October 14 has been completed. The report accompanying this letter is your copy to keep; please retain it in a safe place. Also enclosed you will find a copy of extension circular 654. On the outside back cover of this circular is a red cross in the water quality diagram. This red cross indicates the approximate quality of this water for irrigation purposes. You will note it is in the high salinity category but low in sodium.

This condition means that there is a distinct hazard with this water of causing salt to accumulate to the point of reducing yield and profitability of agricultural crops. This is particularly true if you irrigate in small quantities and use frequent applications. The use of this water should be such that you completely saturate the soil profile to the depth of rooting, perhaps once or twice a growing season, and then not irrigate at any other time. This is so because frequent, light applications of water tend to recharge the upper part of the root zone only, and when roots and evaporation take this water out the salt is left in the very upper part of the soil profile. For these reasons, I recommend that you develop this water for irrigation use only under conditions where you can irrigate once or twice a year and apply 3 inches or more each time. If this is not done, you will have a salt problem in a matter of 8-10 years which will require 5 or more years of natural leaching by rainfall to reclaim the soil or the installation of a drain tile system to effectuate leaching.

I am sending a copy of this letter, and of the water analysis, and the WI-1 form along with the soils map to the State Conservation Commission.

Sincerely yours,

L. D. Fine

L. D. Fine
Water Quality Lab

LOP:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Robert Sampson, County Extension Agent



STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED

(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: [Signature]

Disapproved: _____

NAME: Willis Frankenstein

ADDRESS: Redfield, S. Dakota

COUNTY: Spink

LEGAL DESCRIPTION

1. WELL LOCATION: N.E. - 30-115-63

2. AREA TO BE IRRIGATED: 135 acres

TYPE OF IRRIGATION

3. GRAVITY _____ SPRINKLER (Indicate Type): Pivot

4. CROPS TO BE IRRIGATED: Corn, alfalfa, small grain

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: attached sheet


6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: _____

WATER QUALITY (To Be Completed by Commission)

7. SAMPLE NO: 75-989

8. SALINITY: EC = 1933 μ mhos/cm (high)

9. SODIUM: SAR = 1.04 (low)



I do hereby certify that a chemical analysis of the ground water to be required for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

Soil Science Test (S.C.S.)

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

Willie's Transcription

Subscribed and sworn before me this

day of Oct 1955.

John S. Williams

P.E.E. 1916

(Title)

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Willis Frankenstein
 Address: Redfield, SD 57469

Date Rec'd: October 14, 1975
 Sample No. 75-289
 Identification Well-
124, Sec. 20, T 115N, R 63E

WATER ANALYSIS

Calcium (Ca)	280	ppm*	14.00	me/l**
Magnesium (Mg)	86	ppm	7.05	me/l
Sodium (Na)	78	ppm	3.39	me/l
Potassium (K)	15	ppm	0.39	me/l
Sulfate (SO ₄)	690	ppm	14.35	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.27	me/l
Bicarbonate (HCO ₃)	442	ppm	7.24	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	362	ppm (as CaCO ₃)		
Alkalinity (Penolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1933	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.04			
Sodium	13.65	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.14			
Others:				

*ppm= parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 24.83 me/l
 Total anions 24.86 me/l



By: Whirley Hitten

Service Performed

Amount Due

Irrigation analysis

\$6.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-289

Amount Enclosed \$

Signed

WATER LICENSE NO. 2422-3

(1) WHEREAS, On the 16th day of October A. D. 19 75

Willis Frankenstein

made Water Right Application No. 2422-3 for a permit to use 1.93 cubic feet per second of the waters of groundwater (one well)

County of Spink, State of South Dakota, for Irrigation

purpose; and

(2) WHEREAS, On the 13th day of November A. D. 19 75

Permit No. 2422-3, with a date of priority of October 16, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 13 day of November A. D. 19 76 and for the application to beneficial use of said water on or before the 13 day of November A. D. 19 78

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.2 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate 3.136 acre circle in the NE 1/4, Section 20, T115N, R63W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Willis Frankenstein

Redfield, South Dakota

the holder _____ and owner _____ of said permit No. 2422-3 a water right, dating from October 16, 1975
to use of 1.2 cubic feet per second of the waters
of groundwater (one well)

in the County of Spink and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted ~~at~~ xx 225' West of the center of the NE $\frac{1}{4}$,
Section 20, T115N, R63W

and conduct to and upon a 136 acre circle in the NE $\frac{1}{4}$, Section 20, T115N, R63W

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2422-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 3rd day of January A. D.
Seventy-nine
Nineteen Hundred and _____

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer JOHN HATCH

Form 15.

Permit No. 2422-3

Water Diversion No. 3 James River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Willis Frankenstein

_____ the holder _____ of
Permit No. 2422-3, issued upon Application No. 2422-3, bearing date of priority of _____
October 16, 1975 authorizing the diversion of 1.93 cu. ft. per second of the waters of _____
groundwater (one well) County of Spink, State of South Dakota ~~xx~~ _____
225' West of the center of the NE $\frac{1}{4}$, Section 20, T115N, R63W

Irrigation

_____ for _____
purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 1.2 cu. ft. per second of water.

Date January 3, 1979

By:

WATER RIGHTS COMMISSION

John Hatch
JOHN HATCH, Chief Engineer

Publish first publication, on or before November 3, 1975NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

October 28, 1975Notice is hereby given that Willis Frankensteinwhose post office address is Redfield, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 1.031.03 cubic feet of water per second of time from the ground water through the Frankenstein #2, the point of diversion of which is to be located in the _____Center of the NE $\frac{1}{4}$ of Section 20, Twp. 115N, Range 63W. Said water to be used for the purpose of providing irrigation on ^aportions of the following described land:NE $\frac{1}{4}$, Section 20, T115N, R63WThis application No. 2422-3 will be considered by the Water Rights Commission at their office at Pierre upon the 12th day of November, 1975, at 2:30 P. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

Willis Frankenstein, Redfield, S.D. 57469

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) ss.
County Beadle)

I, Dorothy Murphy hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

_____ city of Huron
County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

November 3, 1975

November 10, 1975

Dorothy Murphy
(Signature)

Bookkeeper
(Title)

11-10-75

(Date Signed)


F.P. 11-375
NOTICE INTENT TO
APPROPRIATE WATER
PIERRE, SOUTH DAKOTA 57501
October 21, 1975

Notice is hereby given that Willis
Frankenstein whose post office
address is Redfield, South Dakota,
has made an application in ac-
cordance with the provisions of the
water laws of South Dakota for a
permit to appropriate for beneficial
use 1.93 cubic feet of water per
second of time from ground water
through the Frankenstein No. 2, the
point of diversion of which is to be
located in the Center of the NE 1/4 of
Section 20, Twp. 115N, Range 63W.
Said water to be used for the purpose
of providing irrigation on a portion
of the following described land:
NE 1/4, Section 20, T115N, R62W.

This application No. 2422-3 will be
considered by the Water Rights
Commission at their office at Pierre
upon the 12th day of November, 1975,
at 2:30 P.M. All interested persons
may appear and be heard.

WATER RIGHTS COMMISSION
By: BURTON F. JONES
Water Rights Specialist
cc: Willis Frankenstein, Redfield, S.
D. 57469

No. 579 (adv.)



WATER RIGHTS COMMISSION
PIERRE, S. D.

Form 10.



2422-3

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE
DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT
DIVISION OF WATER RIGHTS
JOE FOSS BUILDING
PIERRE, SOUTH DAKOTA 57501

Post Office Redfield
Date 8/5/76

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2422-3

Water Right Permit No. 2422-3 states that the diversion system is to be constructed by _____, 19____ and that the water is to be put to beneficial use by _____, 19____.

The diversion system was completed on June 1st, 1976. Applying the water to beneficial use was completed on June 1, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

William Frankenstein
(Signature)

Permit No. 2422-3Water Division 3 JAMES RIVER Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Willis

FRANKENSTEIN of REDFIELD holder
 of Permit No. 2422, bearing date of priority of October 14, 1975
~~NOVEMBER 13, 1975~~
 authorizing the diversion of 1.93 cu. ft. per second of the waters of GROUND WATER
 for IRRIGATION purposes, in SPINK County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

53' DEEP WELL WITH 16" CASING
WESTERN LAND ROLLER 8" PUMP POWERED BY
60 HP, GE ELECTRIC MOTOR

B. Works used to transport water to place of use,

225' OF 10" BURIED MAINLINE TO CENTER PIVOT

C. Works used to apply water to beneficial use.

1285' VALLEY ELECTRIC SELF PROPELLED CENTER PIVOT
SPRINKLER SYSTEM WITH END GUN

The system is in the following condition: EXCELLENT

The point of diversion is located 225' W OF THE CENTER OF THE
NE⁴ SECTION 20, T115N, R63W

The works are capable of diverting and conveying to the place of use 1.2 (540 GPM)
 cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows:

A 136 ACRE CIRCLE IN THE NE⁴ SECTION 20, T115N, R63W

comprising a total of 136 acres of land.Date OCTOBER 18, 1978

Durston Z...
 (Signature)
 INSPECTING OFFICER

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

№ 4 6609

PIERRE, December 11, 1978

RECEIVED OF Willis Frankenstein, Redfield, SD 57469

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and issuing Cert. of Construction No. (2422-3)	1	00
Fee for Inspecting Beneficial Use, and issuing Water License No. (2422-3)		
Fee for issuing Location Certificate-Dry Draw, No.		
Fee for filing		
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	12	00

WATER RIGHTS COMMISSION

By John Hatch
Chief Engineer, Executive Officer
JOHN HATCH 97

2422-3
2278-3
3261-3A

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501 3181

February 17, 1989

Willis Frankenstein
RR 2, Box 66
Redfield, SD 57469

Dear Mr. Frankenstein:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,



for JOHN HATCH, Chief Engineer
Water Rights Division



January 6, 1993

24/25-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

James Frankenstein
RR 2, Box 65A
Redfield, SD 57460

No. 2278-3
(2422-3)
3261-3A

Dear Mr. Frankenstein:

Enclosed are partially completed "Notice of Transfer" forms for use in filing an ownership change on Water Right Nos. 2278-3, 2422-3 and 3261-3A. The water rights are currently listed in the name of Willis Frankenstein.

The transfer forms should be checked over for accuracy and signed by the new owner in the presence of a notary public. Upon completion, return the forms to our office with a required filing fee of \$2.50 per transfer of ownership, a total of \$7.50.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a water permit or water right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact me.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352


enclosure

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 2422-3

Date: Jan 11, 1993



I\We request that Water Right No. 2422-3

formerly owned by: Willis Frankenstein

be transferred to: James Frankenstein, RR #2 Box 65A, Redfield, SD 57460 (Telephone No:)

Title to the following described land(s)/property has been transferred as described above:

13 1/2 acres in the NE 1/4 Section 20, T115N, R63W

I\We understand that the validity of Water Right No. 2422-3 has not been determined by this transfer action. If I\We have any questions on validity, I\We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of SPINK)

I\We JAMES FRANKENSTEIN being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

James Frankenstein
(Signed)

Subscribed and sworn to before me this 11 day of Jan, 19 93.



Galen G. Gillette
(Notary Public)

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

Division of Water Rights

South Dakota Department of Environment and Natural Resources

413593

Pierre, January 14, 1995

RECEIVED OF James Frankenstein, RR 1 Box 65A, Reffitt, SD 57469
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water, for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Right No. 2422-4</u>	2	50
Fee for Filing Extension Request _____		
Fee for _____		

(Any Other Work Provided by Law)	Total	2 50

By *John H. Hatcher*
Chief Engineer



January 14, 1993

2422-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

No. 2278-3
2422-3
3261-3A

James Frankenstein
RR 2, Box 65A
Redfield, SD 57460

Dear Mr. Frankenstein:

Enclosed are receipts in the amount of \$2.50 each which you paid for the transfer of Water Right Nos. 2278-3, 2422-3 and 3261-3A.

Our records now show you as the owner of Water Right Nos. 2278-3, 2422-3 and 3261-3A.

Sincerely,

Cheryl F. Frost
Secretary
Water Rights Division
(605) 773-3352

enclosure



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

November 2, 2015

James Frankenstein
39194 181st St
Redfield SD 57469-7212

RE: Water Right/Permit Nos. 6234-3, 3261-3A, 2440-3, 2422-3, 2278-3

Dear Mr. Frankenstein:

Enclosed is a "Notice" dated October 23, 2015 concerning the 2015 irrigation questionnaires.

The notice was originally mailed to 39190 181st St, Redfield SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures