

Water Right Number 2425-3

1. Considered November 12, 19 75
2. Name of Applicant Richard Hiles
3. Post Office Address Rt. 2, Wolsey, SD
4. Amount of water claimed 1.95
5. Source of water supply ground water (80' DEEP WELL)
6. Water to be used for irrigation
- Acres to be irrigated 138
7. Water to be diverted and used in Beadle County
about 6N, 9W Miles 1ST of HURON
8. Proof of Publication Received 1ST
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 2726-5Map No. 1803-2 Water Division No. 3 JAMES RIVER District
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

8.57

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Richard Hiles
 Postoffice address Wolsog, S. Dak. State S. Dakota
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct labor
3. Name of diversion work Hiles Well #2
4. Amount of water claimed (cubic feet per second) 1.95
5. Source of water supply ground water
6. Location of point of diversion IN THE NW¹ SE⁴, SECTION 33, T12N, R63W

- County Beadle
7. Annual period or periods during which water is to be used April - October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 138 acres

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>S.E. 33-112-63</u>	<u>138</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Daily Plainsman, Huron
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Bowl Pump

B. Works proposed to transport water to place of use.


Main line

C. Works proposed to apply water to beneficial use.

Center PivotEstimated Total Cost \$ Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of BeadleI, Richard Hiles the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Richard HilesSubscribed and sworn to before me this 16 day of October, 1995James C. Oeding
Notary Public (or other qualified officer)Comm. expires Nov 1996



AREA BY LEGAL SUBDIVISION
160 ACRES SE 1/4, SECTION 33, T112N, R63W, SPM

SURVEYOR'S CERTIFICATE
STATE OF SOUTH DAKOTA)
COUNTY OF BEADLE) SS
I, HARLAN W. MEYER, A REGISTERED LAND SURVEYOR
IN AND FOR THE STATE OF SOUTH DAKOTA, DO HEREBY
CERTIFY THAT AT THE REQUEST OF RICHARD HILES,
SOLE OWNER, I HAVE SHOWN THE LAND PROPOSED TO BE IRRIGATED
WITHIN HIS OWNERSHIP BOUNDARIES OF APRIL 7, 1971 FOR WHICH
APPLICATION FOR APPROPRIATIVE WATER RIGHT IS MADE AND
THIS MAP IS A TRUE REPRESENTATION OF THE SAME.
WITNESS MY HAND AND SEAL THIS 7TH DAY OF APRIL 1971.
Harlan W. Meyer
REGISTERED LAND SURVEYOR #475

RICHARD HILES IRRIGATION PROJECT #1
SHOWS AREA TO BE IRRIGATED & WELL LOCATION WHERE
WATER WILL BE DIVERTED FOR PERMIT TO APPROPRIATE
WATER

OWNER
SURVEYOR

RICHARD HILES
HARLAN W. MEYER
APRIL 1971

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2426-3RICHARD HILES

(Applicant)

R.R. #2, WOLSEY

(Post Office Address)

SOUTH DAKOTA 57384

(State)

With the following modifications:

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application OCTOBER 23, 19 75

Date of return to applicant for correction, amendments or changes required _____, 19 _____

Date of receipt of corrected application _____, 19 _____

Approved NOVEMBER 13, 19 75, Recorded in Book 14 Page 153WATER RIGHT PERMIT NO. 2426-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2426-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is OCTOBER 23, 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before MAY 13, 19 78
3. The whole of said work is to be completed on or before NOVEMBER 13, 19 80
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is NOVEMBER 13, 19 82
5. The water appropriated shall be used for the purpose of IRRIGATION


6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 1.95 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before NOVEMBER 13, 19 82; said water to be used during the following described annual period: APRIL - OCTOBER

Witness my hand this 21ST day of NOVEMBER, 19 75

WATER RIGHTS COMMISSION

By:


 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

HURON DRILLING INC. DRILLERS LOG

PAGE NO. 4

Richard Hiles

JOB NAME

S.E. 33-112-63 Beadle Co.

LOCATION

9/22/75

DATE

15

RIG NO.

Lloyd Peterson

FOREMAN

J#	DEPTH	TIME	REMARKS	DESCRIPTION
			Test Hole # 2	
1	20		Yellow Clay	
2	35		Blue Clay @ 20	S.E. 33-112-63
3	50		20-30 Yellow Clay	Beadle County
4	65		30-35 Whitish grey sand	
5	80		35-50 Whitish grey sand w/Blue Clay, ran out @ 50	
6	85		50-65 3B size gravel	
			65-80 fine dark grey sand	
			80-85 Shale	*2
			Cased up with 2" pipe and pulled it out	
			6 GPM	

No. 1 Went down 50 ft. and hit a rock.

12 Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter _____, Depth _____

(2) Casing, Type _____, Diameter _____, Thickness _____
(wood, concrete, steel, etc)

(3) Perforated Screen.

Type _____, Diameter _____, Length _____

(4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. *100 yd well be furnished by drill (w)*

(1) Water Bearing Materials (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property *100 yd* rds. On property owned by others *246* rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Richard Hill

Signature of Applicant

October 17, 1975

Mr. Richard Hiles
R.R. #2
Wolsey, SD 57384

Dear Mr. Hiles:

We have completed the analysis of the water sample submitted here about 2 weeks ago. The original copy of the report is enclosed herewith for your use and keeping. Also enclosed is a copy of extension circular 654. On the outside back cover, the quality of this water for irrigation purposes is approximately denoted by the red cross drawn therein. You will note that it is quite high in total salinity but in the low sodium class.

This analysis shows that this water will be moderately hazardous to use on any but well drained or moderately well drained soil. Thus, the Hand-Bonilla loams are suited to irrigation with this water and probably will never have any problem with salt accumulation. However, the Tetonka-Dudley silt loam and the Tetonka-Hoven silt loam complexes will very likely show salt accumulation near the surface within 5 years or perhaps even less. This is so because both of these soils are poorly drained and have compact sub-soils which will not let water and salt down and out of the root zone. Also they have some salt naturally, so not only the salt added in irrigation water, but their own native salt content will be available for transfer to the surface if the water table situation develops or if the drainage is poor enough so that evaporation is an appreciable factor in the movement of salt. Under these circumstances I recommend that if you proceed with the development of this irrigation, you think seriously about the possibility of installing drains or some other technique of removing water under the soil delineation given as 29A and as 18 in the soil map for this quarter. If this is not done, there certainly will be a time in the near future when the agricultural production will be extremely disappointing on this soil.


A copy of this letter and the WI-1 form and the copy of the water analysis are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb
Enclosures
cc: State Conservation Commission
/ D. Pahl
Dick Fadgen



STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SECL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: 11/6/11

Disapproved: _____

NAME: Richard Hiles
ADDRESS: Wolsey, S. Dakota 57354
COUNTY: Beadle

LEGAL DESCRIPTION

1. WELL LOCATION: SE 33-112-63
2. AREA TO BE IRRIGATED: 135 acres

TYPE OF IRRIGATION

3. GRAVITY _____ SPRINKLER (Indicate Type): Pivot
4. CROPS TO BE IRRIGATED: Corn, alfalfa

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: Attached separate sheet
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: _____

WATER QUALITY (To Be Completed by Commission)

7. SAMPLE NO: 75-940
8. SALINITY: EC = 1603 μ mhos/cm (high)
9. SODIUM: SAR = 2.02 (Low)

I do hereby certify that a chemical analysis of the ground water to be
required for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

Soil Science Test

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Richard Hiles

Subscribed and sworn before me this


27 day of Sept. 1975.

James A. Coker


Commissioner of the State

James A. Coker

(Title) James A. Coker



SOILS MAP



SE 1/4 33. T.112 N, R.63 W.

SOILS LEGEND .

- 18 Tetonka-Hoven silt loams
This unit consists of poorly drained soils in enclosed depressions. Permeability is very slow and surface drainage is lacking. Dense compact subsoils and ponding generally limit these soils for irrigation. Drainage of these soils is desirable under irrigation.
- 29A Tetonka-Dudley silt loams, 0 to 2 percent
This unit consists of poorly drained soils in enclosed depressions and in swales. Permeability is very slow and surface drainage is very slow to lacking. Dense compact subsoils limit these soils for irrigation when not drained.
- 103A Hand-Bonilla loams, 0 to 3 percent slopes
The Hand are deep, well drained fine loamy soils formed in loamy glacial drift. They have loam surface layers and loam to light clay loam subsoils which grade to calcareous loamy glacial drift at about 22 inch depths. Permeability is moderate in the solon and moderate to moderately slow in the substrata. The Bonilla are deep, dark colored, moderately well drained fine loamy soils. They have loam surface layers about 12 inches thick and moderately permeable light clay loam or loam subsoils underlain by calcareous loamy glacial drift at about 36 inches. Permeability in the subsoil is moderate to moderately slow.
- 103B Hand-Bonilla loams, 3 to 6 percent slopes
The Hand and Bonilla soils are described in the 103A mapping unit above. This unit differs primarily in the degree of slope.
- Richard Hiles unit
- Soil Conservation Service
Beadle County

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Richard Miles Date Rec'd October 1, 1975
 Address: Rt. 2 Sample No. 75-240
Solsey, SD 57384 Identification Well
cc: Ernie Overland, Huron Drilling SE 1/4, Sec. 33, T 112N, R 63W
P.O. Box 1422, Huron, SD

WATER ANALYSIS

Calcium (Ca)	140	ppm*	7.00	me/l**
Magnesium (Mg)	85	ppm	6.97	me/l
Sodium (Na)	123	ppm	5.35	me/l
Potassium (K)	8	ppm	0.22	me/l
Sulfate (SO ₄)	630	ppm	13.10	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	48	ppm	1.33	me/l
Bicarbonate (HCO ₃)	190	ppm	3.72	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		g.p.g.***
Hardness (EDTA as CaCO ₃)		ppm		
Alkalinity (Methyl Orange)	156	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1603	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	2.02			
Sodium	27.37	% of cations		
Residual sodium carbonate	0.0	me/l		
pH	6.50			
Others:				

*ppm==parts per million

**me/l==milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total Cations 19.54 me/l
 Total Anions 17.55 me/l

By: Shirley Litten

Service Performed	Amount Due
Irrigation analysis	\$6.00

Make checks payable to: Water Quality Laboratory


Cut along dotted line and return the lower portion with payment

Sample No. 75-240

Amount Enclosed \$

Signed

SOILS MAP



SE 33, T.112 N, R.63 W.

SOILS LEGEND

- 18 Tetonka-Hoven silt loams
This unit consists of poorly drained soils in enclosed depressions. Permeability is very slow and surface drainage is lacking. Dense compact subsoils and ponding generally limit these soils for irrigation. Drainage of these soils is desirable under irrigation.
- 29A Tetonka-Dudley silt loams, 0 to 2 percent
This unit consists of poorly drained soils in enclosed depressions and in swales. Permeability is very slow and surface drainage is very slow to lacking. Dense compact subsoils limit these soils for irrigation when not drained.
- 103A Hand-Bonilla loams, 0 to 3 percent slopes
The Hand are deep, well drained fine loamy soils formed in loamy glacial drift. They have loam surface layers and loam to light clay loam subsoils which grade to calcareous loamy glacial drift at about 22 inch depths. Permeability is moderate in the solum and moderate to moderately slow in the substrata. The Bonilla are deep, dark colored, moderately well drained fine loamy soils. They have loam surface layers about 12 inches thick and moderately permeable light clay loam or loam subsoils underlain by calcareous loamy glacial drift at about 36 inches. Permeability in the subsoil is moderate to moderately slow.
- 103B Hand-Bonilla loams, 3 to 6 percent slopes
The Hand and Bonilla soils are described in the 103A mapping unit above. This unit differs primarily in the degree of slope.
- Richard Hiles unit

Soil Conservation Service
Beadle County

1. 2426-3

Publish first publication, on or before November 3, 1975

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

October 22, 1975

Notice is hereby given that Richard Hiles

whose post office address is Wolsey, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

1.95 cubic feet of water per second of time from the ground water through the

Hiles Well #2, the point of diversion of which is to be located in the

NW 1/4 SE 1/4

of Section 33, Twp. 112N, Range 63W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SE 1/4, Section 33, T112N, R63W

This application No. 2426-3 will be considered by the Water Rights Commission at their office at Pierre upon the 12th day of November, 1975, at 2:30 P. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Richard Hiles, R.R. #2, Wolsey, S.D. 57394

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Dorothy Murphy hereby

certify that the annexed printed copy of Notice of Intent to Appropriate Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice herein after stated, has been and is printed and published in the

city of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following two dates:

November 3, 1975

November 19, 1975

Dorothy Murphy
(Signature)

Bookkeeper
(Title)

11-10-75
(Date Signed)

F.P. 11-375
NOTICE INTENT TO APPROPRIATE WATER
PIERRE, SOUTH DAKOTA 57501
October 27, 1975
Notice is hereby given that Richard Hiles, who has post office address 511 Wolsey, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 1.95 cubic feet of GWA per second of time from ground water through the Hiles Well (No. 2) the point of diversion of which is to be located in the NW 1/4 SE 1/4 of Section 33, Twp. 2112N, Range 63W, 22S said water to be used for the purpose of providing irrigation on portions of the following described land: SE 1/4 Section 33, T112N, R63W, S22S. This application No. 2426-3 will be considered by the Water Rights Commission at their office at Pierre upon the 12th day of November, 1975, at 2:30 P.M. All interested persons may appear and be heard.
WATER RIGHTS COMMISSION
By: BURTON F. JONES
Water Rights Specialist
cc: Richard Hiles, R.R. No. 2,
Wolsey, S. D. 57384. No. 581 (adv.)

RECEIVED
NOV 17 1975

STATE WATER RIGHTS COMMISSION
PIERRE, SOUTH DAKOTA

August 26, 1968

Re: 2426-3

Richard Hiles
RR 2
Wolsey SD 57384

Dear Mr. Hiles:

This will confirm the order to reduce pumping from your irrigation well issued by Burton Jones during a telephone conversation August 20, 1976 due to interference with domestic wells in your area. The order was for your irrigation well authorized by Water Right No. 2426-3 to be pumped no more than sixteen hours each day with the pump shut off from 12:00 noon to 8:00 p.m.

Very truly yours,

John Hatch, Chief Engineer
WATER RIGHTS COMMISSION

kjw

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

March 31, 1983

N O T I C E

Richard Hiles
RR#2
Wolsey, South Dakota 57384

Dear Mr. Hiles:

The inspection of your water use system and inspection of the extent application of water to beneficial use, as developed under your Water Right No. 2426-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

Section 58 of House Bill 1001 as passed by the 1983 Legislature effective March 8, 1983 states that a permit holder may not divert water until this \$50.00 license fee has been paid.

Sincerely,

Genny Young
Water Rights Specialist

GY:ms

NOTE: On form of payment, please include the number of the water permit.
This insures proper handling of the fee.

WNR-814 3/83
Request for W/L fee(\$50)

August 22, 1983

SECOND NOTICE
Permit No. 2426-2

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Richard Hiles
RR #2
Holsey, SD 57384

Dear Mr. Hiles:

March 31, 1983 you were notified the final inspection fee of \$50.00 is due before Water License No. 2426-3 can be issued. As of this date, the fee has not been received.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$50.00 fee, your Water License will be sent to you. This is the final document for the perfection of your Water Right. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the License fee has been paid. Please submit the required fee immediately to avoid jeopardizing your water permit.

Very truly yours,

John Hatch, Chief Engineer
Water Rights Division
Phone: (605) 773-3352

2426-3



SENDER: Complete boxes 1, 2, and 3.
Put your address in the "RETURN TO" space on piece.

1. The following service is requested:

- ☒ Show to whom and date delivered
- ☐ Show to whom, date and place delivered
- ☐ RESTRICTED DELIVERY
- ☐ Show to whom and date delivered
- ☐ RESTRICTED DELIVERY
- ☐ Show to whom, date, and place delivered

(CONSULT POSTMASTER)

2. ARTICLE ADDRESSED TO:
Richard Hideo
RR #2
Wadena *57384*

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
<i>P351</i>	<i>937</i>	<i>153</i>

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE: *Mrs. Rich Hideo* CLASS: *SD* DATE OF DELIVERY: *8/24/83*

4. ADDRESS (Complete only if requested)

5. UNABLE TO DELIVER BECAUSE:

6. CARRIER'S INITIALS: *57384*

FORM 2: Application for uses other than irrigation (type or print)

Mail to: Water Rights Div.
DWR, Foss Bldg.
Pierre, SD 57501
(605) 773-3352

No. _____	Hydrologic Unit _____
Map No. _____	Basin _____
Newspaper _____	_____

APPLICATION FOR PERMIT
To Appropriate Water within the State of South Dakota



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

August 22, 1983

SECOND NOTICE
Permit No. 2426-2

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Richard Hiles
RR #2
Wolsey, SD 57384


Dear Mr. Hiles:

March 31, 1983 you were notified the final inspection fee of \$50.00 is due before Water License No. 2426-3 can be issued. As of this date, the fee has not been received.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$50.00 fee, your Water License will be sent to you. This is the final document for the perfection of your Water Right. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the License fee has been paid. Please submit the required fee immediately to avoid jeopardizing your water permit.

Very truly yours,


John Hatch, Chief Engineer
Water Rights Division
Phone: (605) 773-3352

Undeveloped.

*We could not find sufficient
Amount of water*



Water Rights Division - DWR
Conversation or File Documentation

File No. 3472-3
2426-3

NAME OF PERSON OR FILE: Richard Hill

ADDRESS: RR#2, Wolley, SD 57384 COUNTY Beadle

DATE: Sept 2, 1983 TELEPHONE 352-5859 or 352-6474 (office)

RE: Status of Permit No. 3472-3 (SWR Ac 35-112-63)

COMMENTS:

I had called Mr. Hill because he had indicated on a letter concerning Permit 2426-3 that he did not find sufficient water. Turns out that he meant 3472-3 was the permit he was not using due to no water. He said to cancel out 3472-3 as they would not develop the Repton Well would not produce enough.

Schedule for Div-Exec Board Meeting

Mr. Hill also wanted to know why he had to pay the \$50 filing fee when he already had a permit. He wanted someone to write to him about it. See Kevin's letter dated September 2, 1983

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: Kenny

2426-3

WATER RIGHTS DIVISION
(605) 773-3352

September 2, 1983

THIRD NOTICE
Permit No. 2426-2

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Richard Hiles
Route #2
Wolsey, South Dakota 57384

Dear Mr. Hiles:

On March 31, 1983 and August 27, 1983 you were notified the final inspection fee of \$50.00 is due before Water License #2426-3 can be issued. On September 2, 1983 in a conversation with Genny McMath of this office you requested a better explanation of why this fee is required. The Water License is the final legal step in obtaining a water right. The inspection and payment of the \$50.00 fee is required by SDCL 46-2-12 (3). South Dakota Water Law 46-5-30.1 prohibits the diversion of water by the permit holder until the fee has been paid. Nonpayment of the \$50.00 fee will ultimately result in an order by the Chief Engineer to cease pumping. In order to avoid jeopardizing the validity of your permit please submit the required fee.

Thank you,

Kevin C. Larson
Water Resources Engineer

KCL:ms

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2426-3.

(1) WHEREAS, On the 23rd day of October A. D. 19 75

Richard Hiles

made Water Right Application No. 2426-3 for a permit to use 1.95 cubic feet per second of the waters of groundwater

County of Beadle, State of South Dakota, for Irrigation

purposes; and

(2) WHEREAS, On the 13th day of November A. D. 19 75

Permit No. 2426-3, with a date of priority of October 25, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 13th day of November A. D. 19 80 and for the application to beneficial use of said water on or before the 13th day of November A. D. 19 82

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate the following land all in Section 33, T112N, R63W

NE $\frac{1}{4}$ SE $\frac{1}{4}$ 34 acres (DA)

NW $\frac{1}{4}$ SE $\frac{1}{4}$ 34 " (DB)

SW $\frac{1}{4}$ SE $\frac{1}{4}$ 34 " (DC)

SE $\frac{1}{4}$ SE $\frac{1}{4}$ 34 " (DD)

TOTAL 136 acres

The above described land is irrigated as a 136 acre circle in the SE $\frac{1}{4}$.

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Richard Hiles

_____ of RR #2, Wolsey SD 57384
the holder _____ and owner _____ of said permit No. 2426-3 a water right, dating from October 23, 1975
_____ to use of 1.78 cubic feet per second of the waters
of groundwater (one well)
in the County of Beadle and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 10'S of the center of the SE $\frac{1}{4}$,
Section 33, T112N, R63W

and conducted to and upon the SE $\frac{1}{4}$ of Section 33, T112N, R63W more fully described on
the face of this License.

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No 2426-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 23rd day of September A. D.
Nineteen Hundred and Eighty-three

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer

JOHN HATCH

Permit No. 2426-3Water Division 3 JAMES RIVER Water District
10160006REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by RICHARD
HILES of WOLSEY holder
of Permit No. 2426-3, bearing date of priority of OCTOBER 23, 1975
authorizing the diversion of 1.95 cu. ft. per second of the waters of GROUNDWATER
for IRRIGATION purposes, in BEADLE County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

80' DEEP WELL WITH 16" PLASTIC CASING - 20' SS SCREEN
AURORA VERTILINE PUMP 6-10 RL - POWERED BY
60HP U.S. ELECTRIC MOTOR

B. Works used to transport water to place of use,

10' OF 8" STEEL MAINLINE TO CENTER OF PIVOT

C. Works used to apply water to beneficial use.

ZIMMATIC MODEL 410 - 10 TOWER CENTER PIVOT, WITH
NELSON #100 END GUN

The system is in the following condition: GOOD

The point of diversion is located 10' S OF THE CENTER OF THE
SE⁴, SECTION 33, T112N, R63W

The works are capable of diverting and conveying to the place of use 1.78 (800 GPM)
cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows:

FOR IRRIGATING A 136 ACRE CIRCLE IN THE
SE⁴, SECTION 33, T112N, R63W

comprising a total of 136 acres of land.

Date MAY 11, 1982
Ruston Jones
(Signature)

No. 2426-3

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

September 23, 1983


Richard Hiles
RR #2
Wolsey SD 57384

Dear Mr. Hiles:

Enclosed herewith is, Water License No. 2426-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division

JH: ks

Enclosures

RECEIPT

Division of Water Rights

No 4 9351

South Dakota Department of Water and Natural Resources

Pierre, September 21, 19 83

RECEIVED OF Hiles Farms, Inc., Robert Hiles RR#5, Box 170, Huron, SD 57350

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 2425-3	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John Hatch
Chief Engineer JOHN HATCH JMS



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

June 24, 2004

2426-3

Richard Hiles
PO Box 77
Huron SD 57350-0077

Dear Mr. Hiles:

I am contacting you in regard to your Water Right No. 2426-3. The water right authorizes diversion of ground water to irrigate the SE ¼ Section 33, T112N, R63W. On your 2003 irrigation questionnaire you indicated your well had quit producing enough water. A review of past irrigation questionnaires reflects no irrigation has taken place since 1991.

Under South Dakota Water Laws, water must be placed to beneficial use at least once every three years in order to maintain the water right. This three-year period may be waived if legal excuse exists for not irrigating. Enclosed are excerpts of the water laws and board rules dealing with these issues.

If no legal excuse exists for the years of non-use, the water right may be subject to cancellation consideration by the Water Management Board. The Board is the entity who determines if a water right has legal standing.

Prior to beginning irrigation, I encourage you to check into the validity of your water right. Simply beginning to irrigate does not cure the past years of non-use.

If you have any questions concerning the water right or how to go about bringing the issue in front of the Water Management Board, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosure

NOT TO SCALE

Keith Brock

112-63

Keith Brock

Richard Braun

Harold W. Braun

y

y

y

278-35R

80.0

727

33

158.8

Keith Dick Merendicks

3.4

Richard W. Braun
Richard W. Braun

3.1

112-63


4.5

47

Map # 1803-3
W/R 2426-3

Prepared by Dick Fadgen, Beadle Co, Extension Agent
Dick Fadgen

Hiles Well No. 2



MAP N^o 1803-3 (APPL N^o 2426-3)



2426-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: RICHARD HILES, PO BOX 77, HURON, SD 57350 0077

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire has not been submitted for Permit No(s) 2426-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:30 am, March 7, 2007, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2426-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 1, 2007, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0799 6620

Status: **Delivered**

Your item was delivered at 8:06 AM on January 29, 2007 in HURON, SD 57350. The item was signed for by E WHITE.

[Additional Details >](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)POSTAL INSPECTORS
Preserving the Trust[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

United States Postal Service™ Signature Confirmation™ Receipt

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0799 6620

RICHARD HILES
PO BOX 77
HURON SD 57350 0077

Waiver of Signature ☐ YES ☐ NOPostmark
Here**POSTAL CUSTOMER:**

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

PS Form 158, May 2002

(See Reverse)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 20, 2007

2426-3

Richard Hiles
PO Box 77
Huron SD 57350

Dear Mr. Hiles:

I am writing to acknowledge receipt of your 2006 irrigation questionnaire. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right No. 2426-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2426-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: RICHARD HILES, PO BOX 77, HURON, SD 57350 0077

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire has not been submitted for Permit No(s) 2426-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2426-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 9, 2018

2426-3

Richard Hiles
PO Box 77
Huron SD 57350 0077

Dear Mr. Hiles:

I am writing to acknowledge receipt of your 2017 irrigation questionnaire.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right No. 2426-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

2426-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
<http://denr.sd.gov>

October 28, 2019

2426-3

Richard Hiles
39263 201st St
Wolsey SD 57384-6013

Dear Mr. Hiles:

Enclosed is a "Notice" dated October 18, 2019 concerning the 2019 irrigation questionnaire.

The notice was originally mailed to PO Box 77, Huron SD. The post office notified us that your address has changed and I will update our records accordingly.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

2019 Water Management Board Irrigation Questionnaire

Please fill out and return before **December 2, 2019**

REMEMBER! Return of this questionnaire is required whether or not you irrigated this year.

Return the completed form(s) to the Water Rights Program at 523 E Capitol, Pierre, SD 57501 3181 ph. (605) 773 3352 or submit your form(s) electronically over the internet at <https://denr.sd.gov/iq> Your temporary password is **CGUCWJ**

Permit No. 2426-3

~~RICHARD HILES~~ Tony Hiles
~~PO BOX 77~~ 39263 201st St.
~~HURON SD 57350 0077~~ Wolsey, SD 57384

Any address/ownership corrections? **Yes**

Richard Hiles passed away. Tony Hiles took over ownership.

Email _____

Phone _____

1. Did you irrigate in 2019? *yes ☐ **no ☒

*If yes, number of acres irrigated? _____

**If no, check reason(s) for not irrigating acres covered by Permit No. 2426-3

sufficient moisture ☒ no water available ☒

system not constructed ☐ use abandoned ☐

enrolled in CRP ☐, through what year? _____

other ☐, please explain in the Comment Box:

Comment Box

2. If your answer to question No. 1 is "no," you are done! If you answered "yes," please complete Nos. 3, 4 & 5.

3. Did you apply chemicals or fertilizer through the system in 2019? yes ☐ no ☐

4. If more than one water source is listed below, circle each source used. A. GROUNDWATER

5. Provide your water use on the back of this form.



NWNW	NENW	NWNE	NENE
NW		NE	
SWNW	SENW	SWNE	SENE
NWSW	NESW	NWSE	NESE
SW		SE	
SWSW	SESW	SWSE	SESE

1 square mile

Office use only

RECEIVED

DEC 04 2019

WATER RIGHTS
PROGRAM

Acreage permitted for irrigation under No. 2426-3

(see above section map for help reading legal descriptions)

sec 33-T112N-R63W, NE1/4SE1/4 - 34.00 acres

sec 33-T112N-R63W, NW1/4SE1/4 - 34.00 acres

sec 33-T112N-R63W, SW1/4SE1/4 - 34.00 acres

sec 33-T112N-R63W, SE1/4SE1/4 - 34.00 acres

Please provide your 2019 water use to irrigate the above acreage on the REVERSE side of this form.

For an example of a completed questionnaire, please refer to the reverse side of your cover letter.

Reported Water Use

12/04/2019

W. WJ

Permit No	Year	Name	Not Irrig	Not Constr
2426-3	1976	See PDF for water use	-	-
2426-3	1977	See PDF for water use	-	-
2426-3	1978	See PDF for water use	-	-
2426-3	1979	See PDF for water use	-	-
2426-3	1983	RICHARDHILES		
2426-3	1984	RICHARDHILES		
2426-3	1985	RICHARDHILES		
2426-3	1986	RICHARDHILES		
2426-3	1987	RICHARDHILES		
2426-3	1988	RICHARDHILES		
2426-3	1989	RICHARDHILES		
2426-3	1990	RICHARDHILES		
2426-3	1991	RICHARDHILES		
2426-3	1992	RICHARDHILES	X	
2426-3	1993	RICHARDHILES	X	
2426-3	1994	RICHARDHILES	X	
2426-3	1995	RICHARDHILES	X	
2426-3	1996	RICHARDHILES	X	
2426-3	1997	RICHARDHILES	X	
2426-3	1998	RICHARDHILES	X	
2426-3	1999	RICHARDHILES	X	
2426-3	2000	RICHARDHILES	X	
2426-3	2001	RICHARDHILES	X	
2426-3	2002	RICHARDHILES	X	
2426-3	2003	RICHARDHILES	X	
2426-3	2004	RICHARDHILES	X	
2426-3	2005	RICHARDHILES	X	
2426-3	2006	RICHARDHILES	X	
2426-3	2007	RICHARDHILES	X	
2426-3	2008	RICHARDHILES	X	
2426-3	2009	RICHARDHILES	X	

Permit No	Year	Name	Not Irrig	Not Constr
2426-3	2010	RICHARDHILES	X	
2426-3	2011	RICHARDHILES	X	
2426-3	2012	RICHARDHILES	X	
2426-3	2013	RICHARDHILES	X	
2426-3	2014	RICHARDHILES	X	
2426-3	2015	RICHARDHILES	X	
2426-3	2016	RICHARDHILES	X	
2426-3	2017	RICHARDHILES	X	
2426-3	2018	RICHARDHILES	X	



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

April 22, 2020

2426-3

Tony Hiles
39263 201st St
Wolsey SD 57384

Dear Mr. Hiles:

I am contacting you regarding Water Right No. 2426-3 listed in the name of Richard Hiles. The water right authorizes diversion of ground water from one well to irrigate the SE ¼ Section 33, T112N, R63W in Beadle County.

On the 2019 irrigation questionnaire submitted for the water right, a notation was made indicating an ownership change was needed. Enclosed is a partially completed "Notice of Transfer of Ownership" form for use in filing an ownership change. Upon completion, please sign and return the form to our office with a required filing fee of \$50. The check or money order for the fee can be made payable to the Water Rights Program.

Our records indicate the land was last irrigated in 1991. In 2003, a notation was placed on the questionnaire indicating the well had quit producing adequate water. Under South Dakota Water Law, water must be placed to beneficial use for the purpose it was appropriated at least once every three years in order to maintain a water right. This three-year period may be waived if legal excuse exists for the years of nonuse. Enclosed for your review are excerpts of water laws and Water Management Board rules dealing with these issues.

If you feel legal excuse has existed and want to go ahead with filing of the ownership change, please complete the enclosed transfer form and submit the filing fee. If that is the case, I would caution you on beginning irrigation without finding out if the water right has legal standing. If you do not wish to maintain the water right, no transfer will be necessary however we will need something in writing from you to that effect.

Sincerely,

A handwritten signature in black ink, appearing to read "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures

PAID

APR 27 2020

NOTICE OF TRANSFER OF OWNERSHIP

Ck# 22791

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

RECEIVED

APR 27 2020

WATER RIGHTS
PROGRAM

No. 2426-3

Date: Apr 24-2020

I/We request that Water Right No. 2426-3

formerly owned by: Richard Hiles

be transferred to: (name & address)

39263 201st st

Wolsey SD 57381

Telephone No. 605-354-1589

Title to the following described land(s)/property has been transferred as described above:

SE 1/4 Section 33, T112N, R63W

I/We understand that the validity of Water Right No. 2426-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Fifty Dollars (\$50.00) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We

Tony Hiles

, the new owner, certify that the above information is true and correct.

Tony Hiles

(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIPT

WATER RIGHTS PROGRAM South Dakota Department of Environment and Natural Resources

Date April 27, 2020

RECEIVED OF Tony Hiles-Hiles Farms Inc. 39263 201st St Wolsey SD 57384

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	\$
Fee for Application for Permit No. _____ to Appropriate Water for Future use	\$
Fee to retain Future Use Permit No. _____ after period of seven years.	\$
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____	\$
Fee for Filing Transfer Form <u>2426-3</u>	\$50.00
Fee for _____	\$
Fee for Issuing New Well Driller's License No. _____	\$
Fee for Renewal of Well Driller's License No. _____	\$
Fee for Issuing Well Pump Installer's License No. _____	\$
Fee for Renewal of Well Pump Installer's License No. _____	\$
(Any Other Work Provided by Law) TOTAL	\$50.00

By Eric Gronlund
Chief Engineer



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

May 18, 2020

2426-3

Tony Hiles
39263 201st St
Wolsey SD 57384

Dear Mr. Hiles:

I am writing to acknowledge receipt of the transfer form and filing fee you submitted for changing ownership on Water Right No. 2426-3.

The ownership change has been completed. Water Right No. 2426-3, formerly held by Richard Hiles is now listed in your name.

Enclosed for your records is a receipt for the filing fee you paid.

Please keep in mind as I discussed in my last letter to you, the ownership change is a "filing" and does not have any bearing on legal standing of the water right. If you have any questions, please let me know.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

October 4, 2024

2426-3

Hiles Farms
c/o Eric Hiles
29263 201st St
Wolsey SD 57384

Dear Mr. Hiles:

On October 1, 2024, a well completion report (copy enclosed) was submitted for an irrigation well drilled in the approximate center of the SE $\frac{1}{4}$ Section 33, T112N, R63W, drilled by Stretch's Well Service Inc., for yourself.

Water Right No. 2426-3, held by Tony Hiles, authorizes the appropriation of 1.78 cfs (approximately 800 GPM) from one well (Warren: West James Aquifer), located in the SE $\frac{1}{4}$ Section 33, for the irrigation of 136.0 acres located within the SE $\frac{1}{4}$ Section 33; all in T112N, R63W.

With this letter I hope to confirm whether the well was drilled with the intention of being used as an additional diversion point, a backup well, a replacement well, or an entirely new permit. I would also like to confirm that the addition of this well does not increase the number of irrigated acres or diversion rate what is permitted under Water Right No. 2426-3.

Please review the provided information and respond at your earliest convenience as a review will need to be conducted to rule out the potential for interference with existing permits/rights in the area, as well as any adequate domestic wells.

Sincerely,

Amanda Dewell
Water Rights Program
Permitting Administrator
605 773-3352
Amanda.Dewell@state.sd.us

enclosure

2426-3

SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02

Location SE 1/4 SE 1/4 Sec 33 Twp 112 Rg 63 Well Owner: Eric Hiles

County Beadle North
Please mark well location with an "X"

Well Completion Date 9/13/24

Distance to nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? None ft. from (identify source)

PROPOSED USE:
☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:
Reverse Circulation

CASING DATA: ☐ Steel ☒ Plastic ☐ Other
If other describe

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>SDR21</u> LB/FT	<u>16</u> IN	<u>0</u> FT	<u>50</u> FT	<u>26</u> IN
<u>S.S.</u> LB/FT	<u>16</u> IN	<u>50</u> FT	<u>80</u> FT	<u>26</u> IN
LB/FT	IN	FT	FT	IN

GROUTING DATA:
Grout Type #20 No. of Sacks 30 Grout Weight 0 Lb/gal From 0 Ft To 45 Ft
Lb/gal 0 Ft 45 Ft

Describe grouting procedure
Tremie Pipe

SCREEN: ☐ Perforated pipe ☒ Manufactured
Diameter 16 Inches Length 30 Feet
Material Stainless Steel
Slot Size .050 Set From 50 Feet to 80 Feet
Other information

WAS A PACKER OR SEAL USED? ☒ Yes ☐ No
If so, what material? Enviro Plug
Describe packer(s) and location Above Screen

DISINFECTION: Was well disinfected upon completion?
☒ Yes, How? Chlorine
☐ No, Why Not?

Lab to which water quality sample sent for analysis

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
<u>Top Soil</u>	<u>0</u>	<u>3</u>
<u>Yellow Clay</u>	<u>3</u>	<u>20</u>
<u>Blue Clay</u>	<u>20</u>	<u>30</u>
<u>Sandy Gravel</u>	<u>30</u>	<u>45</u>
<u>Rocks & Gravel</u>	<u>45</u>	<u>80</u>

STATIC WATER LEVEL 23 FEET
If flowing: closed in pressure _____ PSI
GPM flow _____ through _____ Inch pipe
Controlled by ☐ Valve ☐ Reducers ☐ Other
Reduced flow rate _____ GPM
Can well be completely shut in?

WELL TEST DATA:
☒ Pumped Describe: Air
☐ Bailed
☐ Other
Pumping Level Below Land Surface
34 Ft. After 6 Hrs. pumped 800 GPM
_____ Ft. After _____ Hrs. pumped _____ GPM
If pump installed, pump rate: _____ GPM

REMARKS

RECEIVED
OCT 04 2024
OFFICE OF WATER

This well was drilled under license # 722 and this report is true and accurate.
Drilling firm: Stretch's Well Service Inc.
Signature of License Representative: [Signature]
Signature of Well Owner or Equitable Property Holder: [Signature]
Date: 10-1-2024

WATER RIGHTS PROGRAM -- FILE DOCUMENTATION

NAME & ADDRESS: Tony Hiles – Wolsey SD

DATE: 10/30/2024

TELEPHONE: 605-354-1589

RE: Response to “new well” letter dated October 4, 2024

COMMENTS:

The well completion report submitted by Stretch’s Well Service Inc. for the well drilled 09/13/2024 is a replacement well for the failed well previously authorized under WR No. 2426-3. The new well is in the same quarter-quarter, approximately 30 ft from the old well.

Mr. Hiles understood well plugging needs for failed well.

A handwritten signature in cursive script, reading "Amanda Dewell".

Amanda Dewell
Water Rights Program