

P4
Received
6-8-76

10-10

105' DEEP 16" - RARE

ENTRANCE DOOR: 21' POWER = 117025013.4

3 steps 12' 6" 12

ARRIVAL GEARHEAD at 1760 P.M.

Turned by Octafeller 8701 12000 21000

100 00 10" Butler 2100 1000 10000 10000

Electrojector C.P. 1000 1000

- 2450-3
1. Considered 1-22, 1976
 2. Name of Applicant MARY MARGARET BROWN
 3. Post Office Address ELK POINT
 4. Amount of water claimed 2.48
 5. Source of water supply GROUND WATER (105' DEEP WELL)
 6. Water to be used for IRRIGATION
Acres to be irrigated 174
 7. Water to be diverted and used in Union county
about 3S, 2E miles of ELK POINT
 8. Proof of Publication Received 1-5-76
Not Received _____
 9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
 10. Remarks:

Form 2 - Application for Permit to Appropriate Water Original (Includes Approval and Permit)

No. 2450-B

Map No. 1817-3 Water Division No. 3 BIG SIOUX RIVER
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

NOV 15 1975

WATER RIGHTS
SOUTH DAKOTA

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Mary Margaret Brown
Post-office address Elk Point State South Dakota
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Brown's No. 1
4. Amount of water claimed (cubic feet per second) 2.2 2.48 MAXIMUM ALLOWABLE
5. Source of water supply Well
6. Location of point of diversion 1400' South & 1400' West of the NE Corner of Sec. 5 T 90 N R 49 W
- County Union
7. Annual period or periods during which water is to be used June - Sept
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 160174

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>NE 1/4 Sec 5 T 90 N R 49 W</u>	<u>174700</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Leader Courier Elk Point S.D. 57025
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

Center Point

Estimated Total Cost \$ 110,400

Attachments- Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Union

I, Mary Margaret Brown, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Mary Margaret Brown

Subscribed and sworn to before me this 21 day of October, 19 75

Notary Public (or other qualified officer)

JOHN M. GRAUB
Notary Public, Brooking County, SD
My Commission Expires March 12, 1978

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2450-3

MARY MARGARET BROWN
(Applicant)

ELK POINT
(Post Office Address)

SOUTH DAKOTA 57225 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application NOVEMBER 18 19 75
Date of return to applicant for correction, amendments or changes required --- 19 ---
Date of receipt of corrected application --- 19 ---
Approved JANUARY 23 19 76, Recorded in Book 14 Page 208

WATER RIGHT PERMIT NO. 2450-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2450-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is NOVEMBER 18 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 23 19 78
3. The whole of said work is to be completed on or before JANUARY 23 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 23 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.48 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre land to which water is actually and beneficially applied for irrigation on or before JANUARY 23 19 81; said water to be used during the following described annual period: JUNE - SEPTEMBER

Witness my hand this 29TH day of JANUARY 19 76

WATER RIGHTS COMMISSION

John M. Lott
Chief Engineer, Executive Officer

Certificate of Construction Issued NOVEMBER 8 19 79

Water License Issued NOVEMBER 8 19 79

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30", Depth 105'
- (2) Casing, Type transite Diameter 16" I.D. Thickness 3/4"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type 1/8" Slotted, Diameter 16" I.D., Length 20'
- (4) Gravel Pack, Thickness 6-8", Length of gravel pack 20+ feet

E. Dugout Information or Estimates

- (1) Surface dimensions , Depth

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials water Bearing Sands & coarse
Gravel

Depth to top of water bearing material 30'

Depth to bottom of water bearing material 105'

Thickness of water bearing material 75'

Depth to water (ground surface to water level) 14' Drawdown


- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property None rds. On property owned by others 150 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Mary Margaret Brown
Signature of Applicant



April 24, 1975

Mary Margaret Brown
Elk Point
South Dakota 57025

Dear Ms. Brown:

The water analysis on the sample you submitted about a week ago has been completed and the results are reported on the accompanying sheet. This is yours to keep. Also enclosed you will find a copy of Extension Circular 654 with the approximate quality of this water for irrigation purposes designated by an encircled red cross on the outside back cover. You will note that it is very high in total salt content, but rather low in sodium.

Accordingly, there is a distinct hazard of salt accumulation with this water, and I would recommend that it be used only under conditions where it is applied in rather copious amounts and infrequently. By this I mean about three to four inches per application and only two or three times in a growing season. Frequent light applications will result in a greater tendency to accumulate salt in the root zone and should be definitely avoided. If your application equipment is such that you cannot apply water in this fashion, I recommend very strongly that you do not proceed with the development of this project.

A copy of this letter and of the water analysis and your WI-1 form are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:MRB

Enclosures

cc: State Conservation Commission
Louie DeSmet, Union County Extension Agent
Darrel Pahl

Sample #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE OF

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: ALLS 4/12/25

Disapproved: _____

NAME: Mary Margaret Brown

ADDRESS: Elk Point, S. Dak.

COUNTY: Idaho

LEGAL DESCRIPTION

1. WELL LOCATION: SW Corner of NE 1/4 NE 1/4 Sec 50R 90-49

2. AREA TO BE IRRIGATED: NE 1/4 Sec 5 90-49
160 A.

TYPE OF IRRIGATION

3. GRAVITY SPRINKLER (Indicate Type): Center Pivot

4. CROPS TO BE IRRIGATED: Corn & Beans

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 0 to 1 %

6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: ~~Sandy Loam~~

2M4XW1 - Deep medium textured
permeable soil on nearly level bottom
land

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 75-278

8. SALINITY: EC = 2402 (very high)

9. SODIUM: SAR = 1.71 (low)

I do hereby certify that a chemical analysis of the ground water to be acquired for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

S.C.S. ~~South Dakota State University~~

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

Ed. L. Curry


Subscribed and sworn before me this

21ST day of APRIL 1975.

John F. Wenzling

Notary Public, So. DAKOTA

(Title)



REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Mary Margaret Brown, Elk Point Date Rec'd. April 21, 1975
 Address Curry Seed Co. Sample No. 75-273
Elk Point, SD 57025 Identification #1 Well-
NE 1/4, Sec. 5, T 90N, R 49W

WATER ANALYSIS

Calcium (Ca)	300	ppm*	15.00	me/l**
Magnesium (Mg)	170	ppm	13.94	me/l
Sodium (Na)	150	ppm	6.52	me/l
Potassium (K)	10	ppm	0.25	me/l
Sulfate (SO ₄)	892	ppm	18.56	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	65	ppm	1.82	me/l
Bicarbonate (HCO ₃)	512	ppm	8.40	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	420	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	2407	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.71			
Sodium	13.25	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.78			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 35.71 me/l
 Total anions 28.78 me/l

By: Shirley Litten

Service Performed	Amount Due
-------------------	------------

Irrigation analysis	\$6.00
---------------------	--------

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-273

Amount Enclosed

Signed

Form 6 - Notice of Intent to Appropriate Water

J. 2450-3

Publish first publication, on or before January 8, 1976

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

December 12, 1976

Notice is hereby given that Mary Margaret Brown
whose post office address is Elk Point, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.48 cubic feet of water per second of time from the ground water through the
Brown Co. 1, the point of diversion of which is to be located in the

SW 1 NE 1
of Section 5, Twp 20N, Range 19W. Said water to be used for the purpose
of providing irrigation on the following described land:

NE 1, Section 5, T20N, R19W

This application No. 2450-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 22nd day of January, 1976, at 2:30 PM M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Mary Margaret Brown

Form 6 - Notice of Intent to Appropriate Water

J. 2450-3

Publish first publication, on or before January 8, 1976

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

December 12, 1976

Notice is hereby given that Mary Margaret Brown
whose post office address is Elk Point, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.48 cubic feet of water per second of time from the ground water through the

Brown No. 1, the point of diversion of which is to be located in the _____

SW1 NE4
of Section 5, Twp. 20N, Range 49W. Said water to be used for the purpose
of providing irrigation on the following described land:

NE4, Section 5, T20N, R49W

This application No. 2450-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 22nd day of January, 1976, at 2:30 PM. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Mary Margaret Brown

Form 8 - Proof of Publication Notice of
Intent to Appropriate Water

No. 2450-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Harrison) ss.

I, Lester E. Emerson hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Leader-Courier.

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Elk Point.

County of Harrison and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

December 25, 1975

January 1, 1976

[Signature]
(Signature)

Publisher
(Title)

January 1, 1975
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501.
December 12, 1976

Notice is hereby given that
Mary Margaret Brown whose
post office address is Elk Point,
South Dakota, has made an app-
lication in accordance with the
provisions of the water laws of
South Dakota for a permit to
appropriate for beneficial use
2.48 cubic feet of water per sec-
ond of time from the ground wa-
ter through the Brown No. 1, the
point of diversion of which is to
be located in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of
Section 5, Twp. 90N, Range 49
W. Said water to be used for the
purpose of providing irrigation
on portions of the following des-
cribed land: NE $\frac{1}{4}$, Section 5,
T90N, R49W.

This application No. 2450-3
will be considered by the Water-
Rights Commission at their off-
ice at Pierre upon the 22nd day
of January, 1976, at 2:30 p.m.
All interested persons may app-
ear and be heard.

WATER RIGHTS COMMISSION
By: Burton F. Jones
Water Rights Specialist
Publish: Dec. 25, Jan. 1, 1976

Permit No. 2450-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Mary Margaret Brown

the holder _____ of
Permit No. 2450-3, issued upon Application No. 2450-3, bearing date of priority of November 18,
1975 authorizing the diversion of 2.48 cu. ft. per second of the waters of _____
groundwater (one well) County of Union, State of South Dakota at _____
a point 1400' S. and 1400' W of the NE corner, Section 5, T90N, R49W

for Irrigation

purpose, has 5 complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit, that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.0 cu. ft. per second of water

Date November 8, 1975

John Hatch
JOHN HATCH, Chief Engineer
Water Rights, MHD

WATER LICENSE NO. 2450-3

(1) WHEREAS, On the 18th day of November A. D. 1975

Mary Margaret Brown

made Water Right Application No. 2450-3 for a permit to use 2.48 cubic feet per second of the waters of groundwater (one well)

County of Union, State of South Dakota, for Irrigation

purposes; and

(2) WHEREAS, On the 23rd day of January A. D. 1976

Permit No. 2450-3, with a date of priority of November 18, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 23rd day of January A. D. 1981 and for the application to beneficial use of said water on or before the 23rd day of January A. D. 1981

and,

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.86 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate a 130 acre circle in the NE 1/4, Section 15, T90N, R49W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Mary Margaret Brown

_____ of Elk Point SD

the holder _____ and owner _____ of said permit No. 2450-3 a water right, dating from November 18, 1975

_____ to use of 1.86 cubic feet per second of the waters of groundwater (one well)

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the purposes hereinbelow mentioned, to be diverted at a point 1400' S and 1400' W of the NE corner, Section 5, T90N, R49W

and conduct to and upon a 130 acre circle in the NE 1/4, Section 5, T90N, R49W

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2450-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota


this 8th day of November A. D.

Nineteen Hundred and seventy nine

Board of Water Management

By:

John Hatch
Chief Engineer, JOHN HATCH



NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE
DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT
DIVISION OF WATER RIGHTS
JOE FOSS BUILDING
PIERRE, SOUTH DAKOTA 57501

Post Office _____

Date _____

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2450-3

Water Right Permit No. 2450-3 states that the diversion system is to be constructed by July 23, 1978 and that the water is to be put to beneficial use by Jan 23, 1981.

The diversion system was completed on Feb., 1976. Applying the water to beneficial use was completed on June, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Wm. Margaret Brown
(Signature)

RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7075

PIERRE, October 11, 1979

RECEIVED OF Mary Margaret Brown, PERmit Point, SD 57025
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing) -----		
Fee for inspecting Construction, and issuing Cert. of Construction No. 2450-3 -----	50	0
Fee for inspecting Beneficial Use, and issuing Water License No. 2450-3 -----		
Fee for issuing Location Certificate-Dry Draw, No. -----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for -----		
(any other work as provided by law)		
TOTAL	50	0

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH 9Y

Permit No. 2450-3Water Division 3 Big Sioux River Water District

**REPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE**

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by MARY MARGARET
BROWN of ELK POINT holder.
of Permit No. 2450-3, bearing date of priority of NOVEMBER 18, 1975
authorizing the diversion of 2.48 cu. ft. per second of the waters of GROUND WATER
for IRRIGATION purposes, in UNION County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

105' DEEP WELL WITH 16" DIA TRANSITE CASING
FAIRBANKS MORSE 8" PUMP #NW 24013X - 35HP - 12" BONLS
AMARILLO GEAR HEAD SET AT 1760 RPM
POWERED BY #320B CATAPILLAR DIESEL ENGINE - 150HP

B. Works used to transport water to place of use,

100' OF 10" STEEL CASING - BURIED TO CENTER OF PLOT

C. Works used to apply water to beneficial use.

ELECTROGATOR CENTER PLOT SYSTEM - 1

The system is in the following condition: GOOD

The point of diversion is located 1400' S & 1400' W OF THE NE CORNER,
SECTION 5, T49N, R44W

The works are capable of diverting and conveying to the place of use 2.0cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows:

FOR IRRIGATING A 130 ACRE CIRCLE IN THE NE
SECTION 5, T49N, R44W

comprising a total of 130 acres of land.

= 1.86

Date SEPTEMBER 11, 1979

Burton Jones
(Signature)



DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

CURRY SEED CO-OPERATOR
BOX 517
ELK POINT SD 57025

NOTICE

RE: Violation of Requirement to Submit 1990 Irrigation Questionnaire

Our records indicate that the 1990 Irrigation Questionnaire has not been submitted for Permit No(s) 2450-3. The request for the Questionnaire was dated October 12, 1990. The Water Management Board has directed that owners of water permits who have not submitted the 1990 Irrigation Questionnaire be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 9:15 am, February 27, 1991, at the Governor's Inn in the meeting room, 700 West Sioux Avenue, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s) 2450-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is received in this office before the February 27th hearing date, your name will be deleted from the agenda for the hearing.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

cc: Mary Margaret Brown, Elk Point SD 57025

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.
Put your address in the "RETURN TO" Space on the reverse side. Failure to do so will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to, and the date of delivery. For additional fees the following services are available. Put postmark in for fees and check boxes for additional services requested.

1. ☒ Show to whom delivered, date, and addressee's address. (Extra charge)
2. ☐ Restricted Delivery (Extra charge)

3. Article Addressed to:
*Mary Margaret Brown
Elk Point SD 57025*

4. Article Number
P430 906 194

Type of Service:
☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

Always obtain signature of addressee or agent and **DATE DELIVERED.**

5. Addressee
Mary Margaret Brown

6. Agent
[Signature]

7. Delivery
FEB 11 1991

8. Addressee's Address (ONLY if requested and fee paid)



DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

GREAT FACES. GREAT PLACES

February 11, 1991

Curry Seed Company
Box 517
Elk Point, SD 57025

RE: Irrigation Questionnaires and/or Chemical Application Use
Data for Water Permit Nos. 237-3, 306-3, 324-3, 501-3, 1086-3,
1123-3, 1136-3, 1297-3, 1530-3, 2141-3, 2189-3, 2370-3, 2371-3,
2450-3, 2940-3, 3910-3, 4438-3, 4582-3, 4598-3, 5030-3, 5201-3,
and 5254-3

Dear Sir:

I am writing to acknowledge receipt of your 1990 irrigation questionnaires and/or chemical application use data for the above listed Water Permits. You may disregard the February 1, 1991, Notice of failure to submit the 1990 irrigation questionnaire and the Notice of failure to report chemical use. With receipt of the questionnaires, your name has been deleted from the February Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division

STATE OF SOUTH DAKOTA

REISSUED WATER LICENSE NO. 2450-3


(1) Mary Margaret Brown of Elk Point, SD 57025 was issued Water License No. 2450-3, November 8, 1979 for a water permit to appropriate 1.86 cubic feet of water per second from groundwater (one well), Union County, South Dakota for irrigation purposes. Water License No. 2450-3 with a priority date of November 18, 1975 was issued to the applicant(s) for diversion of water with construction of the described water supply system completed and the application to beneficial use of said water completed.

The original water license contained an error in the legal description of the irrigated acreage. The acreage was described as being in the NE 1/4 Section 15. The land is actually in Section 5, not 15. The license is being reissued to correct the error. Reissuance of this water license, to correct the legal description, does not alter the remaining portions of the original license.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 1.86 cubic feet of water per second for beneficial use. The location of the diversion point is: 1400'S and 1400'W of the NE corner, Section 5, T90N, R49W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate a 130 acre circle in the NE 1/4 Section 5, T90N, R49W.

(4) Pursuant to Section 46-5-30.1 Mary Margaret Brown of Elk Point, SD 57025 the holder(s) and/or owner(s) of Water Right No. 2450-3 is issued a license to appropriate water, the right to use 1.86 cubic feet of water per second from groundwater (one well) with a priority date of November 18, 1975 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Right No. 2450-3 and subject to South Dakota State Law.

 NOV 24 1992
JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources



2450-3

GREAT FACES. GREAT PLACES.

NOV 24 1992

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

2450-3

Mary Margaret Brown
Elk Point, SD 57025


Dear Ms. Brown:

Enclosed is your Reissued Water License No. 2450-3. The license has been reissued to correct an error in the legal description of the acres irrigated. Reissuance of this license did not alter the remaining portions of the original license.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 2450-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

South Dakota



2450-3

GREAT FACES. GREAT PLACES.

NOV 24 1992

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

2450-3

Mary Margaret Brown
Elk Point, SD 57025

Dear Ms. Brown:

Enclosed is your Reissued Water License No. 2450-3. The license has been reissued to correct an error in the legal description of the acres irrigated. Reissuance of this license did not alter the remaining portions of the original license.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 2450-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

October 21, 1993 Called the
Dept of E, NR talked to the Secretary
And informed her that M. Margaret Brown
is moving and all correspondence should be
sent to Curry Seed Co. We have the records. *Bob Curry*



2450-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

September 16, 1993

Curry Seed Company
Box 517
Elk Point, SD 57025

Dear Sirs:

This letter is in reference to Water Right No. 2450-3, currently listed in the name of Mary Margaret Brown. Our records show that you operate the irrigate system described under this water right.

In November, 1992, the water license was reissued to correct an error in the legal description of the acreage (copy enclosed). We attempted to mail the reissued license to Ms Brown and the post office returned the mail marked "Not deliverable as addressed". Do you have a new address for Mary Margaret Brown? if ownership has changed for the land described in the license, we would need the name and mailing address of the owner to mail a "Notice of Transfer of Ownership".

Any assistance you could provide would be appreciated. If you have any questions, please contact me.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352

enclosure



2450-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

October 27, 1993

Bill Curry
Curry Seed Company
Box 517
Elk Point, SD 57025

Dear Mr. Curry:


In response to your note received October 25, 1993, concerning Mary Margaret Brown, enclosed is her Reissued Water License No. 2450-3. You may keep this for your records.

All correspondence concerning this water right will be directed to your attention. Thank you for your assistance in this matter.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352

enclosure



Scale 8" = 1 mile

Mary Margaret Brown
Elk Point So. Dist. 57025
Brown's No. 1

NE 1/4 Sec 5 T90R49 174 Ac.

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed <i>C.K. Dahlquist</i>	Date <i>10-20-75</i>	Approved by <i>C.K. Dahlquist</i>
Drawn <i>C.K. Dahlquist</i>	Date <i>10-20-75</i>	Title <i>Dist. Co. 1</i>
Traced	Sheet	Drawing No.
Checked	No. <i>1</i>	of <i>1</i>

Note - Large Quarter due to correction