

2475-3

1. Considered 1-22, 1976
2. Name of Applicant JESSICA McINERNEY
3. Post Office Address SIOUX FALLS
4. Amount of water claimed 2.28
5. Source of water supply GROUND WATER (100' DEEP WELL)
6. Water to be used for IRRIGATION
Acres to be irrigated 160
7. Water to be diverted and used in UNION county
about 1E, 4-N miles of ELK POINT.
8. Proof of Publication Received 1-5-76
Not received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 2475-3Map No. 1850-3 Water Division No. 3 BIG SIOUX RIVER District
(Blanks to be filled by the Engineer for the W. D. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE: Draw a line through items not applicable.)

1. Name of Applicant Jessica M. McNerny
 Post-office address 210 E 27th St. Sioux Falls State South Dakota 57105
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work McInerny Irrigation Project No 2
4. Amount of water claimed (cubic feet per second) 2.28
5. Source of water supply GROUND WATER
6. Location of point of diversion 850' South of the NE Corner of Sec 31 T92N R49W
 _____ County Minnehaha
7. Annual period or periods during which water is to be used June 1 through September
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 160

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>1/4 NE 1/4 Sec 31 T92N R49W</u>	<u>16.666</u>		
<u>1/4 NW Sec 31 T92N R49W</u>			

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 5 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Leader Newspaper Elk Point
S. D. 57025
12. Principal Features of the Proposed Water Supply System.
- A. Works proposed to divert water from its natural source.
- B. Works proposed to transport water to place of use.
- C. Works proposed to apply water to beneficial use.

Estimated Total Cost \$ 10,000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of MinnehahaI, Jessica McNerny the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Jessica McNernySubscribed and sworn to before me this 8th day of December 1975M. A. Musso
Notary Public (or other qualified officer)

My commission expires March 31, 1983

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2475-3
MRS JESSICA McINERNEY 210 E. 27TH ST. SIOUX FALLS
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57105 With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application DECEMBER 9, 1975
 Date of return to applicant for correction, amendments or changes required --, 19--
 Date of receipt of corrected application --, 19--
 Approved JANUARY 23, 1976, Recorded in Book 14 Page 231

WATER RIGHT PERMIT NO 2475-3

The Water Rights Commission hereby grants and issues this Water Right Permit No 2475-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 9, 1975
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 23, 1978
3. The whole of said work is to be completed on or before JANUARY 23, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 23, 1981
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the St. South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 23, 1981; said water to be used during the following described annual period: JUNE THRU SEPTEMBER

Witness my hand this 30TH day of JANUARY, 1976

WATER RIGHTS COMMISSION

John H. Helt
 Chief Engineer, Executive Officer

Certificate of Construction Issued FEBRUARY 3, 1978

Water License Issued FEBRUARY 3, 1978

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30", Depth 105'
- (2) Casing, Type Iron pipe (wood, concrete, steel, etc) Diameter 16" Thickness 2"
- (3) Perforated Screen,
Type 1/8" slots, Diameter 15", Length 30'
- (4) Gravel Pack, Thickness 6-9', Length of gravel pack 30-35'

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Silt 16' Sand 16' - 20' Gravel
20' to 80' - Rock 80 to 105'

Depth to top of water bearing material 30'

Depth to bottom of water bearing material 105'

Thickness of water bearing material 75'

Depth to water (ground surface to water level) 14' Ground down

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 0 rds. On property owned by others 130 rds.


G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Jessica McInerney
Signature of Applicant Jessica McInerney

November 26, 1975

Ms. Jessica McInerny
210 E. 27th St.
Sioux Falls, SD 57101



Dear Ms. McInerny:

Enclosed you will find the original copies of the reports of analysis for samples 1065 and 1066 designated your wells #1 and #2, respectively. These chemical reports are your copies to keep and should not be lost. I am also enclosing a copy of extension circular 634 with the quality of these 2 waters designated approximately by the intersections of lines representing them on the outside back cover. In this quality chart, you will notice that they are both in the high salinity, low sodium category. That is, they are relatively high in the total salt load that they carry, but the sodium as a proportion of all bases in the water is relatively low. Thus, the water is suitable for irrigation of soils in which there is a considerable natural precipitation almost every year which may cause some leaching of salts and in which there is good internal drainage so that salts can be leached on and out of the root zone. I am interpreting the information on soils although it is very brief to indicate that these soils do have fairly good internal drainage with the textures that they have, even though they are mostly on bottom land. These bottom land soils, as you are aware, are subject to occasional overflow and they also have years in which the water table is fairly high. In these years, the rise of salts by surface evaporation of water and plant use will be considerable and will reverse the normal trend of rainfall to leach salts outward and downward. Thus you will occasionally see evidence of salinity on the soil surface. This will be in the form of gray or white crusts. If these salts accumulate to the point that they are detrimental to crop performance, you should take steps to either reduce the total amount of irrigation you do, or cease it entirely for a few years, or else manage your irrigation operation as to favor the leaching of salts by natural rainfall. This would mean that you would saturate the soil thoroughly in the late fall just before freeze-up so that winter and spring precipitation could be more effective in leaching. Furthermore, you should never apply these waters in frequent, small quantities. By that I mean weekly or bi-weekly applications of one to two inches should be avoided strictly. Rather you should apply large quantities of water and do it infrequently during the growing season, not more than 3 times any growing season. I know that this is not easy to attain with center pivot systems, but nevertheless your land is worth more than the irrigation system, so I am offering this piece of advice on management beforehand.



Ms. McInerney
November 26, 1975
Page 2

Copies of the water analyses and of this letter, and the WI-1 forms are being sent to the State Conservation Commission. They will instruct you on the next steps in obtaining a water use permit.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Glenn Schrader, County Extension Agent



CONSERVATION
COMMISSION
WL #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED WELL IRRIGATION ONLY)

FOR COMMISSION USE ONLY

IRRIGATION SYSTEM _____

WATER QUALITY _____

SOILS CAPABILITY _____

APPROVED Albert J. [Signature]

DISAPPROVED _____

NAME Jessie H. [Signature]

ADDRESS 2101 [Address]

COUNTY _____

LEGAL DESCRIPTION

1. WELL LOCATION 875' South of the NE corner of Sec 31 T 22 N R 42 W

2. AREA TO BE IRRIGATED E 1/2 NE 1/4 Sec 31 T 22 N R 42 W
10 1/2 NW 1/4 Sec 32 T 22 N R 42 W

TYPE OF IRRIGATION

3. GRAVITY Gravity SPRINKLER (INDICATE TYPE) _____

4. CROPS TO BE IRRIGATED Grain & Corn

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE 0-2%

6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION Best quality bottom land
soils with moderate to heavy waterlogging

WATER QUALITY

(TO BE COMPLETED BY COMMISSION)

7. SAMPLE NUMBER 75-1066

8. SALINITY EC = 1493 μ mhos/cm (high)

9. SODIUM SAR = 1.29 (low)

I DO HEREBY CERTIFY THAT A CHEMICAL ANALYSIS OF THE GROUND WATER TO BE
ACQUIRED FOR IRRIGATION FROM SOUTH DAKOTA STATE UNIVERSITY AND;
THE LAND CAPABILITY FOR IRRIGATION INFORMATION HAS BEEN ACQUIRED FROM

Soil Conservation Service

AND;

THAT THE LEGAL DESCRIPTION FOR THE LOCATION OF THE WELL AND LAND TO BE
IRRIGATED IS TRUE AND CORRECT.

Jessica McInerney

SUBSCRIBED AND SWORN BEFORE ME THIS


10th DAY OF October 19 75

M. A. Mueser

Notary Public

(TITLE)

Notary Public
My Commission Expires
March 31, 1983



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Jessie McInerney
 Address: 210 E. 27th St.
Sioux Falls, SD 57101

Date Rec'd: November 13, 1975
 Sample No.: 75-2066
 Identification # 1011-
RD, Sec. 31, T. 92N, R. 49E

WATER ANALYSIS

Calcium (Ca)	170	ppm*	8.50	me/l**
Magnesium (Mg)	66	ppm	5.41	me/l
Sodium (Na)	78	ppm	3.39	me/l
Potassium (K)	17	ppm	0.44	me/l
Sulfate (SO ₄)	400	ppm	8.32	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	5	ppm	0.14	me/l
Bicarbonate (HCO ₃)	436	ppm	7.06	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		g.p.g.***
Hardness (EDTA as CaCO ₃)		ppm		
Alkalinity (Methyl Orange)	398	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1493	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.29			
Sodium	17	% of cations		
Residual sodium carbonate	100	me/l		
pH	7.57			
Others:				

*ppm=parts per million

**me/l=milliequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 17.74 me/l
 Total anions 16.42 me/l

By: Shirley Mitten

Service Performed	Amount Due
Irrigation analysis	26.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-1066

Amount Enclosed

Signed

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2475-3

(1) WHEREAS, On the 9th day of December A. D. 19 75
Jessie McIneray

made Water Right Application No. 2475-3 for a permit to use 2.28 cubic feet per second of the waters
of ground water

County of Union, State of South Dakota, for Irrigation

— purposes; and

(2) WHEREAS, On the 30th day of January A. D. 19 76

Permit No. 2475-3, with a date of priority of December 9, 1975

was issued to said applicant — for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 23rd day of January A. D. 19 81 and for the
application to beneficial use of said water on or before the 23rd day of January A. D. 19 81

and;

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 2.1 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,

for irrigating the following land in T92N, R43W

Section 31 NE $\frac{1}{4}$ NE $\frac{1}{4}$ 33 acres

SE $\frac{1}{4}$ NE $\frac{1}{4}$ 30 acres

Section 32 NW $\frac{1}{4}$ NW $\frac{1}{4}$ 35 acres

SW $\frac{1}{4}$ NW $\frac{1}{4}$ 40 acres

TOTAL 148 acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Jessica McInerney

_____ of Sioux Falls
the holder _____ and owner _____ of said permit No. 2475-3 a water right, dating from December 9, 1975
_____ to use of 2.1 cubic feet per second of the waters
of ground water

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at: a point 850'S and 30'E of the NE corner,
Section 31, T92N, R49W

and conduct to and upon portions of Sections 31 & 32, T92N, R49W, described on the
face of this License

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2475-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 3rd day of February A. D.
Nineteen Hundred and seventy-eight

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer JOHN HATCH

Permit No. 2475-3

Water Diversion No. 3 Dig Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Jessica McInerny

the holder of
Permit No. 2475-3, issued upon Application No. 2475-3, bearing date of priority of December 9,
1975 authorizing the diversion of 2.20 cu. ft. per second of the waters of ground water
County of Union, State of South Dakota at
a point 850'S and 30'E of the NE corner, Section 31, T92N, R49W

for Irrigation

purposes, has complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.9 cu. ft. per second of water.

Date February 3, 1978

By:

WATER RIGHTS COMMISSION

John Hatch
JOHN HATCH, Chief Engineer

Form 6 - Notice of Intent to Appropriate Water

No. 2475-3

Publish first publication, on or before January 8, 1976.

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

December 12, 1975

Notice is hereby given that Jessica McInerney
whose post office address is Sioux Falls, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.73 cubic feet of water per second of time from the ground water through the
McInerney No. 2, the point of diversion of which is to be located in the

NE 1/4, T92N, R49W
of Section 32, Twp. 92N, Range 49W. Said water to be used for the purpose
of providing irrigation on portions of the following described land:

NE 1/4, NE 1/4, Section 31, T92N, R49W, Section 32, T92N, R49W

This application No. 2475-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 22nd day of January, 1976, at 2:30 PM M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Jessica McInerney

No. 2475-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss.

I, Lester E. Emmerson hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Leader-Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Elk Point.

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following

dates:
December 25, 1975
January 1, 1976

Lester E. Emmerson
(Signature)

Publisher
(Title)

January 2, 1976
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
December 12, 1975
Notice is hereby given that
Jesse McInerny, whose post off-
ice address is Sioux Falls, South
Dakota, has made an application
in accordance with the provisions
of the water laws of South Dakota
for a permit to appropriate for
beneficial use 2.28 cubic feet of
water per second of time from
the ground water through the Mc-
Inerny No. 2, the point of diver-
sion of which is to be located in
the NW 1/4 of Section 32, Twp.
92N, Range 49W. Said water to
be used for the purpose of pro-
viding irrigation on portions of
the following described land: E 1/2
NE 1/4, Section 31, W 1/2 NW 1/4, Sect-
ion 32, T92N, R49W.
This application No. 2475-
will be considered by the Water
Rights Commission at their off-
ice at Pierre upon the 22nd day
of January, 1976, at 2:30 p.m.
All interested persons may ap-
pear and be heard.
WATER RIGHTS COMMISSION
By: Burlon F. Jones
Water Rights Specialist
Publish: Dec. 25, Jan. 1 34

Form 10.

No. 2475-3

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE
DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT
DIVISION OF WATER RIGHTS
JOE FOSS BUILDING
PIERRE, SOUTH DAKOTA 57501
TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Post Office Sioux Falls, S.D.
Date Feb. 7, 1976

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2475-3

Water Right Permit No. 2475-3 states that the diversion system is to be constructed by July 23, 1978 and that the water is to be put to beneficial use by January 23, 1981.

The diversion system was completed on Nov. 15, 1975. Applying the water to beneficial use was completed on Dec. 1, 1975.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Jeremiah McInerney
(Signature) Trustee



Permit No. 2475-3Water Division 3 Big Sioux River Water District

REPORT OF EXAMINATION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Jessie McEnery of 210 E 27th St, Sioux Falls, SD. 57105 holder of Permit No. 2475-3, bearing date of priority of December 9, 1975 authorizing the diversion of 2.28 cu. ft. per second of the waters of Ground for Irrigation purposes, in Union County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor - 115 Electrical, I.D. # R 2985-02-625 R 2090478, 30 HP, 1750 RPM
 Pump - Western Land Roller Serial # 75-133
 Model 10 B 1 140 H pumping 1300 GPM.

B. Works used to transport water to place of use,

1500 ft 10" dia. Gated Aluminum Pipe.

C. Works used to apply water to beneficial use.

Gated Pipe - Gravity System.

The system is in the following condition: ExcellentThe point of diversion is located 850 ft South and 30 ft East of the NE Corner of Section 31, T92N, R49WThe works are capable of diverting and conveying to the place of use 2.9cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: NE 1/4 NE 1/4 - 33.0 Ac.
SE 1/4 NE 1/4 - 40.0 Ac. all in Sec. 31, T92N R49W and NW 1/4 NW 1/4 - 35.0 Ac
SW 1/4 NW 1/4 - 40.0 Ac all in Sec. 32 T92N R49W.

comprising a total of 148 acres of land.

Well data:

Depth 89 ft.
 capacity 1300 GPM +

Date May 31, 1977
Leroy J. Merrough
 (Signature)



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3161

February 10, 1978

Jessican McInerny
210 E. 27th Street
Sioux Falls, SD 57101

Dear Ms. McInerny:

Enclosed herewith are, Water License No. 2475-3 and Certificate of Construction.

Water License No. 2475-3 is the final water right document completing your process of obtaining water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
WATER RIGHTS COMMISSION

JH:gy

Enclosures

NOTE: Your pump capacity is ^{2.9}~~2.26~~ cfs (1024 gpm) ¹³⁰². Based upon the actual acreage irrigated, you are entitled to only divert 2.1 cfs (943 gpm). Any diversion in excess of 2.1 cfs would be a violation of your water right.

2475-3
2474-3
1291-3
1088-3

623 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION

(605) 773-3352

November 29, 1982

Marimac Incorporated
210 E. 27th Street
Sioux Falls, South Dakota 57105

Dear Sirs:

This letter is in reference to Water Right Nos. 1088-3, 1291-3, 2474-3 and 2475-3 listed in the name of Jessica McInerny. Enclosed are copies of each of these water rights.

On November 24, 1982 Mrs. Darmon Staum of Elk Point was contacted concerning an irrigation questionnaire they had returned for Mrs. McInerny. Mrs. Staum indicated that Mrs. McInerny had deceased and that the land was now owned by Marimac Incorporated.

In order to keep our records up-to-date, it will be necessary for you to file a Notice of Transfer for each of the water rights. Enclosed please find partially completed transfer forms which should be checked over, dated, signed and notarized before returning them to this office with a \$2.50 filing fee for each, (total of \$10.00). The water rights can then be transferred to Marimac Incorporated.

If you have operators for each of the farms, and would like our yearly irrigation questionnaire sent directly to each of the operators, please include their name and addresses with the transfer forms. This information can be written on the bottom of the transfer form pertaining to the appropriate water right, or written on separate sheets.

If you have any questions, please advise.

Sincerely,

GENNY YOUNG
Water Rights Specialist

GY:ms
Enc.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

December 7, 1982

1088-3

1291-3

2474-3

2475-3

Harlmac, Inc.
210 E 27 St
Sioux Falls SD 57105

Dear Sir:

Enclosed are receipts No. 4 9050 thru 4 9053 in the amounts of \$2.50 each which you paid for the transfer of Water Right Nos. 1088-3, 1291-3, 2474-3 and 2475-3.

Our records now show you as the owner of these Water Rights. The irrigation questionnaires will be sent to the people indicated on each transfer form.

Sincerely,

KAREN SCHLAACK
Administrative Secretary

enclosures

NO. 2475-3

NOTICE OF TRANSFER OF WATER PERMIT

TO: Water Rights
Foss Building
Pierre, SD 57501

Date: 12-2-82

This is to notify you that the title to the lands described as follows:

148 acres- E $\frac{1}{2}$ NE $\frac{1}{4}$, Section 31; W $\frac{1}{2}$ NW $\frac{1}{4}$, Section 32; all in T92N, R49W

formerly owned by Jessica McInarny

has been transferred to Marimac Inc., 210 E. 27th Street, Sioux Falls, SD 57105

(please include complete mailing address)

together with any rights to the beneficial use of water thereon as evidenced by

Water Right Permit No. 2475-3 as provided for in SDCL 46-5-32 and 46-5-33.

You are therefore hereby requested to file this "Notice of Transfer of Water Permit" in its appropriate file at the Office of Water Rights, Water Management Board as evidence of the change of ownership.


A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of MINNEAPOLIS) ss.

I, Marimac Inc. by Mark Goulton, Sec. first duly sworn on my oath depose and say: That my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and I know of my own personal knowledge that the information herein stated is true.

Marimac, Inc. by Mark Goulton, Sec.
(Signed)

Subscribed and sworn to before me this 2nd Day of December, 1982



Alvina L. Davis
(Notary Public)

My commission expires on
October 2, 1988

RECEIPT

WATER RIGHTS COMMISSION

No 4 9053

State of South Dakota


PIERRE, December 3, 1982

RECEIVED OF Marlinac Inc., 210 E. 27th Street, Sioux Falls, SD 57105
the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for Inspecting Construction, and Issuing Cert. of Construction No.		
Fee for Inspecting Beneficial Use, and Issuing Water License No.		
Fee for Issuing Location Certificate-Dry Draw, No.		
Fee for filing <u>Transfer of WR#2475-3</u>	2	50
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	2	50

WATER RIGHTS COMMISSION

By _____
Chief Engineer, Executive Officer
JOHN HATCH/ms



Scale 8" = 1 mi

Jessica McInerney
210 E 27th St., Sioux Falls, S.D. 57105
McInerney Irrigation Project #2

160 Ac. to be irrigated

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed <i>C.K. Dahlgaard 12-3-75</i>	Date <i>12-3-75</i>	Approved by <i>C.K. Dahlgaard</i>
Drawn <i>C.K. Dahlgaard 12-3-75</i>		Title <i>Dist. Con.</i>
Traced	Sheet <i>1</i>	Drawing No.
Checked	No <i>1</i>	of <i>1</i>