

2497-3

1. Considered 1-22, 1976
2. Name of Applicant HARLAN STADHEIM
3. Post Office Address WATERTOWN
4. Amount of water claimed 4.4
5. Source of water supply GROUND WATER (3-58'.60' WELLS)
6. Water to be used for IRRIGATION
- Acres to be irrigated 311
7. Water to be diverted and used in CODINGTON county
about 4 N miles of WATERTOWN.
8. Proof of Publication Received 1-16-76
Not received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

Map No. 1869-3 Water Division No. 3 BIG SIOUX RIVER District
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriative Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

- Name of Applicant Harlan Stadheim
Postoffice address Waterlawn Rt 2 State S. Dakota - 57201
If a corporation show date and place of incorporation N/A
- Method of accomplishing work (contract, employment of others, or by direct labor) Direct labor / contract
- Name of diversion work Harlan Stadheim Irrigation Project #2
- Amount of water claimed (cubic feet per second) 4.4
- Source of water supply Wells
- Location of point of diversion #1 - 4360' N 13° W #2 - 4225' N 23° W
#3 - 2840' N 34° W all of SE corner Sec 12-17-53
County Codington
- Annual period or periods during which water is to be used April through October
- Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
- For irrigation use, Total number of acres to be irrigated 211

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4 NE 1/4 Sec 12-17-53	40	NW 1/4 SE 1/4 Sec 12-17-53	40
NE 1/4 " " " "	40	NE 1/4 " " " "	34
SW 1/4 " " " "	40	SW 1/4 " " " "	39
SE 1/4 " " " "	40	SE 1/4 " " " "	38

Attach sheet if more space is needed

- Time required to complete construction of water supply system 1720 years. Additional time required to complete application of water to the proposed beneficial use 4 years years.
- Choice of newspaper for Notice of Intent to Appropriative Water publication Waterlawn Public Opinion
- Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

3 wells with deep well turbines electrically driven

B. Works proposed to transport water to place of use.

closed canal

C. Works proposed to apply water to beneficial use.

center pivot irrigation machine

Estimated Total Cost \$ 60,000

Attachments. Attach Form 2A if diversion from a well or digout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE SOUTH DAKOTA

County of Becker

I, Harlan Stadheim the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed Harlan Stadheim

Subscribed and sworn to before me this 18 day of Dec 1973

John S. Williams
Notary Public (or other qualified officer)

P.F.H. 1916

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2497-3
HARLAN STADHEIM (Applicant) Rte #2, Watertown (Post Office Address)
SOUTH DAKOTA 57201 (State) With the following modifications:

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application DECEMBER 22, 1975
 Date of return to applicant for correction, amendments or changes required —, 19—
 Date of receipt of corrected application DECEMBER 24, 1975
 Approved JANUARY 22, 1976 Recorded in Book 14 Page 252

WATER RIGHT PERMIT NO. 2497-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2497-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 22, 1975
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 22, 1978
3. The whole of said work is to be completed on or before JANUARY 22, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 22, 1984
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation
7. The amount of the appropriation herein granted shall not exceed 4 1/4 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 22, 1984; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 2ND day of FEBRUARY, 1976

WATER RIGHTS COMMISSION

By:

John H. Ketch
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: 1/4 1/4 NE Section 12 Township 11 Range 5

Well owner Walter Hannon (Name) Walter Hannon, C.D. (Address)

Date well drilling completed April 1976 Purpose of well Drinking
(domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer	Depth to top of water producing aquifer	
0-2	top soil	12	ft.
2-12	sandy clay	6	ft.
12-20	sandy gravel	Name of producing aquifer (if known) <u>sand & gravel</u>	
20-31	sand	Total depth of drill hole <u>55</u>	ft.
31-37	clay	Depth to bottom of casing <u>55</u>	ft.
37-45	sand	Casing information: In the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used. <u>15' 5" 16" Subirrigation</u>	
45-48	clay		
48-55	sand & gravel	Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations. <u>15' 5" 16" Screen Subirrigation</u>	
		If a flowing well, flow of completed well _____ G.P.M.	

Attach sheet if more space is needed

Empire Irrigation Drilling Co. Inc.
Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump Western Pump Co. 6" HP 50

Type of pump TRI-DONE Capacity of installed pump 64 G.P.M. 800 G.P.M.

Depth of pump placement 40 ft., Date of pump installation June 1976

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46.4, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____, tube material _____.

Empire Irrigation Drilling Co. Inc.
Name of Pump Installation Contractor

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: 1/4 1/4 1/4 Section 12 Township 11N Range 2E

Well owner Florian Stelbrink, Waterman, SD.
(Name) (Address)

Date well drilling completed July 1975 Purpose of well Drinking water
(domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in foot	Description of layer
0-2	top soil
2-5	medium clay
5-17	mod & gravel
17-24	clay
24-34	gravel
34-41	clay & gravel
41-51	mod & gravel
51-60	clay

Depth to top of water producing aquifer _____ ft.

Depth to static water level _____ ft.

Name of producing aquifer (if known) Santa Ana

Total depth of drill hole _____ ft.

Depth to bottom of casing _____ ft.

Casing Information: In the space below show kind, size, weight, lengths per diameter, etc., for production casing and surface casing, if used.

C-39' 16" O.D. Steel

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

E-56' 11" 400000
irrigator mill
E-56' 11" 400000

If flowing well, flow of completed well _____ G.P.D.

Attach sheet if more space is needed

Emilio Dominguez Duffield, Jr.
Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump 14" Vertical 2000 GPM 100' Head HP 100

Type of pump flushing Capacity of installed pump 5000 G.P.M.

Depth of pump placement 30 ft., Date of pump installation June 1974

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.402 of Chapter 434, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____, tube material _____.

Ernest Frederick Dillingham, Jr.
Name of Pump Installation Contractor

Identical wells - 3

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 24", Depth 5'8" 22'60"
(2) Casing, Type Steel Diameter 14" Thickness 3/16"
(wood, concrete, steel, etc)
(3) Perforated Screen,
Type Continuous slot, Diameter 14", Length 15'
(4) Gravel Pack, Thickness 5", Length of gravel pack 3'0"

E. Dugout Information or Estimates.

(1) Surface dimensions 14' x 14', Depth N.A.

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0'-3' surface materials; 3'-18' sand;
18'-26' clay; 26'-36' gravel; 36'-46' clay;
46'-48' gravel & coarse sand; 518' - + clay.

Depth to top of water bearing material 6'
Depth to bottom of water bearing material 5' 58' 22' 60"
Thickness of water bearing material 20'
Depth to water (ground surface to water level) 5'

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others _____ rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

3 wells.

H 1

owner's property

170 rds

other property

230 rds

H 2


160 rds

220 rds

H 3

80 rds

170 rds


Signature of Applicant

Harlan & Adair, 2472 2 COUNTY, SOUTH DAKOTA

TOWNSHIP No. 117 RANGE No. 53

(With surrounding tier of sections of adjacent townships)

36	31	22	33	34	35	36	31
1	6	5	4	3	2	1	6
12	7	8	9	10	11	12 #2-#1 #3	7
13	18	17	16	15	14	13	18
24	19	20	21	22	23	24	19
25	30	29	28	27	26	25	30
36	31	32	33	34	35	36	31
1	6	5	4	3	2	1	6

December 19, 1975

Mr. Harlan Stadheim
R.R. #2
Watertown SD 57201

Dear Mr. Stadheim:

The water sample submitted here recently has been analyzed and the original copy of the report of analysis is enclosed for your keeping. Also enclosed is a copy of extension circular 654. On the outside back cover of this circular, I have plotted the approximate quality of your water for irrigation purposes. It is in the lower edge of the high salinity bracket, but in the low sodium category. Thus, in the climatic zone of Codington County and with the well drained Fordville soil which you have, there will be no problem with salt accumulation or with sodium-caused dispersion of clays.

However, the Rauville silty clay loam soil in parts of the area you intend to irrigate is a soil with very slow permeability and the characteristically high water table condition. This soil will not respond to irrigation under most circumstances and should not be included in your plans. If you use a center pivot system and can not avoid irrigating some of this, you should plan on eventually grading to fill the channel or the low area of Rauville or else installing tile drain underneath to remove excess water. There is no other way that I can see that irrigation will be successful on that soil.

A copy of this letter, and of the water analysis, and the WI-1 form are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fire

L. O. Fire
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Fred Morris, County Extension Agent



DEC 22 1975

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE ONLY

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: [Signature]

Disapproved: _____

NAME: Harlan Stadheim
ADDRESS: Rt 2 Watertown SD 57201
COUNTY: Gooding

LEGAL DESCRIPTION

1. WELL LOCATION: Quads - NE¹ of SE⁴ and NE¹ of NE⁴ Sec 17-53-117
2. AREA TO BE IRRIGATED: E² of Sec 17-53-117 except NW corner

TYPE OF IRRIGATION

3. GRAVITY _____ SPRINKLER (Indicate Type): Center Pivot
4. CROPS TO BE IRRIGATED: corn & alfalfa

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 14.5-19 Level
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: Good Fordell, silty

10 am with some Redville silty clay loam in north west part
32 pages 21 of 30.1 Survey
WATER QUALITY (To Be Completed by Commission) of Gooding County

7. SAMPLE NO: 75-1147
8. SALINITY: EC = 885 μ mhos/cm (med. high)
9. SODIUM: SAR = 0.66 (low)

DEC 21 1975



I do hereby certify that a chemical analysis of the ground water to be acquired for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

Published Soil Survey maps

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

Harlan H. H. H.

Subscribed and sworn before me this

18 day of Dec 1975.

John L. W. W.

P. E. # 1916

(Title)

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006



Submitted by: Harlan St. John
Address: Rt. 2
Watertown, SD 57201

Date Rec'd December 18, 1975
Sample No. 75-1147
Identification cell-50
St. Dec. 12, T 117N, R 53E

WATER ANALYSIS

Calcium (Ca)	110	ppm*	5.50	me/l**
Magnesium (Mg)	48	ppm	3.94	me/l
Sodium (Na)	33	ppm	1.44	me/l
Potassium (K)	4	ppm	0.09	me/l
Sulfate (SO ₄)	208	ppm	4.34	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	5	ppm	0.14	me/l
Bicarbonate (HCO ₃)	407	ppm	6.63	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)	0.68	ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)	452	ppm	28	g.p.g.***
Alkalinity (Methyl Orange)	334	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	385	microhmhos per cm at 25° C.		
Sodium Adsorption Ratio	0.66			
Sodium	13.12	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.12			

Others:

*ppm=parts per million
**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 10.97 me/l
Total anions 11.16 me/l

By: Shirley Bitten

Service Performed	Amount Due
Irrigation analysis	\$7.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-1147

Amount Enclosed \$

Signed

Form 6 - Notice of Intent to Appropriate Water

2497-3

Published first publication, on or before January 8, 1976

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501 December 30, 1975

Harlan Stadheim

Notice is hereby given that Harlan Stadheim
whose post office address is Stadheim #2, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
4.4 cubic feet of water per second of time from the xx ground water (3 wells)
the point of diversion of which is to be located in the NE 1/4 NE 1/4, SW 1/4 NE 1/4 and NE 1/4 SE 1/4

of Section 12, Twp. 117N, Range 53W. Said water to be used for the purpose
of providing irrigation on the following described land:
E 1/2, Section 12, T117N, R53W

This application No. 2497-3 will be considered by the Water Rights Commission at their office at
22nd January 76 at 2:30 M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw
cHarlan Stadheim

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Codington) ss.

I, Kenneth B Way hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Watertown Public Opinion

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

city Watertown of

County of Codington and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

January 7th, 1976

January 14th, 1976

Kenneth B. Way
(Signature)
Publisher


(Title)

January 14, 1976

(Date Signed)

PUBLIC NOTICE
NOTICE INTENT TO
APPROPRIATE WATER
December 30, 1975
Notice is hereby given that Marlan
Stadheim whose post office address
is Watertown, South Dakota, has
made an application in accordance
with the provisions of the water laws
of South Dakota for a permit to
appropriate for beneficial use 4.4
cubic feet of water per second of
time from ground water (3 wells)
through the Stadheim No. 2 1/2 the
points of diversion of which are to be
located in the NE 1/4, SW 1/4,
NE 1/4, and SE 1/4 of Section 12,
Twp. 117N, Range 30W. Said water
to be used for the purpose of
providing irrigation on portions of
the following described land: E 1/2,
Section 12, 117N, R30W, AS 4-3-21.
This application No. 2497-3 will be
considered by the Water Rights
Commission at their office at Pierre
upon the 22nd day of January, 1976,
at 2:30 P.M. All interested persons
may appear and be heard.
WATER RIGHTS
COMMISSION
BURTON F. JONES
Water Rights
Specialist
(January 7, 14, 1976)

RECEIVED
JAN 16 1976
STATE WATER RIGHTS COM.
PIERRE SOUTH DAKOTA



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 31, 1986

Notice

Harlan Stadhelm
RR 2, Box 55
Watertown, SD 57201

Re: Violation of Requirement to Submit 1985 Irrigation Questionnaire

Our records indicate that the 1985 Irrigation Questionnaire has not been submitted for Water Permit No(s). 2171-3, 3229-3, and 2497-3. The request for the Questionnaire was dated November 13, 1985. The Water Management Board has directed that owners of water permits who have not submitted 1985 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 p.m., May 14, 1986 in Room 216, Joe Foss Building, Pierre, South Dakota.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 2171-3, 3229-3, and 2497-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,

John Hatch, Chief Engineer
Water Rights Division
(605) 773-3352

Note: If the questionnaire(s) is received in this office before the May 14 hearing date, your name will be deleted from the agenda for the hearings.

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 20, 1986

NOTICE OF AMENDMENT TO WATER PERMIT(s)

To: Harlan Stadheim
RR 2 Box 55
Watertown SD 57201

FROM: John Hatch, Chief Engineer
Water Rights Division
605 773-3352

John Hatch

SUBJECT: Amendment to Water Permit No(s) 2497-3, 3229-3 &
2171-3

Pursuant to the provisions of the notice dated March 31, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No(s). 2497-3, 3229-3 & 2171-3 to add the following qualification:

"This permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

The addition of this qualification to your Permit means that failure to submit the required irrigation questionnaire in the future could result in suspension of the water permit and no use of water for up to one year for the first violation. Please include the enclosed attachment with your permit.

Equal Opportunity Employer

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

Attachment to Water Permit No. 2497-3

Pursuant to the provisions of the notice dated May 20, 1986, and following the Hearing May 14, 1986, the Water Management Board has amended Water Permit No. 2497-3 to add the following qualification:

"This Permit is subject to the Irrigation Water Use Questionnaire being submitted each year."

Equal Opportunity Employer

REPRODUCTION, REDUCTION, & 2/1/87
ROLLING
DATE MICROFILMED
CAMERA OPERATOR

2497-3

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 29, 1988

HARLAN STADHEIM
RR #2 BOX 55
WATERTOWN, SD 57201

NOTICE

Re: Violation of Water Permit No(s): 2497-3, 3229-3, 2171-3

Our records indicate that the 1987 Irrigation Questionnaire has not been received for Permit No(s): 2497-3, 3229-3, 2171-3. The request for the Questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearings(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 2497-3, 3229-3, 2171-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing(s) will be at 9:00 am, March 2, 1988, Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s) the Water Management Board can:

1. Suspend Permit No(s). 2497-3, 3229-3, 2171-3 until either the 1987 Questionnaire is submitted or for a period of up to one year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.

2497-3



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 14, 1988

NOTICE OF ONE YEAR SUSPENSION OF WATER PERMIT

TO: HARLAN STADHEIM
RR #2 BOX 55
WATERTOWN, SD 57201

FROM: John Hatch, Chief Engineer
Water Rights Division
605-773-3352

SUBJECT: One Year Suspension Of Water Permit No(s). 3229-3,
2171-3, 2497-3

Pursuant to the provisions of the notice dated January 29, 1988,
and following the hearing of March 2, 1988, the Water Management
Board has ordered:

That Water Permit No(s). 3229-3, 2171-3, 2497-3 be **SUSPENDED**
until December 31, 1988.

Suspension of a permit means water may not be pumped during the
1988 irrigation season. Decisions of the Board may be appealed
to the Circuit Court and the Supreme Court as provided by law.

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 14, 1988

NOTICE

TO: Harlan Stadheim, RR #2 Box 55, Watertown, SD 572

FROM: JOHN HATCH, Chief Engineer
Water Rights Division
505-773-3352 *John Hatch*

SUBJECT: Notice of Hearing to Consider Request for
Reconsideration of Suspended Water Right No. 2171-3,
Water Permit Nos. 2497-3 and 3229-3

The hearing on your March 27, 1988 request to the Water Management Board to reconsider suspension of Water Right No. 2171-3 and Water Permit Nos. 2497-3 and 3229-3 has been scheduled for 9:15 am, May 11, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, SD.

As stated in the notice to you dated January 29, 1988, the hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

After all evidence is taken at the hearing, the Board may issue a decision to rescind the suspension of your permits, defer action or taken no action. The hearing is an adversary proceeding and any party has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Any decision rendered by the Board may be appealed to the Circuit Court or to the State Supreme Court as provided by law.

cc: Harold Deering, Assistant Attorney General

South Dakota Dept of
Water Natl. Resources
Pierre, S.D.



3-27-88

Dear Mr. member of the Water Board
John Hatch.

I was quite shocked the day we
received your Certified letter dated 3-14-88
permit no. 2497-3 & 3229-3 for the year of
1988. have been surprised.

We are sorry we forgot to send in
the questionnaire in time. I'm sorry to say
that we never received a letter of notice
dated Jan 29, 1988, as of stated on 3-14-88.
The reason we are left for a trip out
between Jan 17-88 & get back Feb. 9-88. While
we were gone our son's daughter in law &
grandchildren stayed here & took care of
the mail. That might explain why we
didn't know of your hearing 3-3-88.
If we knew we sure would have responded.

I still don't know what that 1-29-88 letter
said I have looked everywhere for it.

The day we received your letter I
called your office twice & talked with John
Hatch regarding this matter & he said
you are having a meeting May 11, 1988
you are having 10

and I should come and appear before
you if we want our permit back. We
really need these permits and have
rented 1 plot to a potato farmer and
a lot of expenses involved.

We will be more than happy
to appear before the board May 11th or
if you can reinstate the permits sooner
it would be real helpful.

Questions are enclosed - please
be advised Permit No. 2173-3 (111-3) which is
no longer being used.

Yours Truly
Harlan Shacklem

Harlan Stadheim
Water Right No. 2171-3
Water Permit Nos. 2497-3 & 3229-3

GENERAL

Application No. 2171-3 submitted by:

Harlan Stadheim
RR #2
Watertown, SD 57201

Permit Approved:

January 22, 1975

Permit Licensed:

October 9, 1975

Application No. 2497-3 submitted by:

Harlan Stadheim
RR #2
Watertown, SD 57201

Permit Approved:

January 22, 1976

Application No. 3229-3 submitted by:

Harlan Stadheim
RR #2
Watertown, SD 57201

Permit Approved:

March 28, 1978

The above Water Right and Water Permits were Amended May 14, 1986 to include the Irrigation Questionnaire Qualification for violation of the requirement to submit the 1985 irrigation questionnaire

FIVE YEAR HISTORY OF IRRIGATION QUESTIONNAIRE RETURNS

Year	Date Request Mailed	Date Irrigation Questionnaires Returned	Date of Any Board Action
*1983	November, 1983	May 14, 1985	none
*1984	October, 1984	May 14, 1985	none
1985	November, 1985	did not return forms	May 14, 1986
1986	November, 1986	February 6, 1987	none
1987	October, 1987	March 31, 1988	March 2, 1988

*On May 14, 1985, Mr. Stadheim returned a 1983 questionnaire for Water Right No. 2171-3, no forms were received for Water Permit Nos. 2497-3 and 3229-3. The data for these may have been included on the form for No. 2171-3. Also on this date, he returned the 1984 questionnaires for No. 2171-3, No. 2497-3 and No. 3229-3.

The 1983 questionnaire contained an address correction to add Box 55 to RR #2, Watertown, SD.

PAST VIOLATIONS

1. Violation of Requirement to Submit 1985 Irrigation Questionnaire:

March 31, 1986, Mr. Stadheim was given notice of violation of the requirement to submit the 1985 irrigation questionnaires and of the hearings scheduled before the Water Management Board to be held May 14, 1986.

May 14, 1986, The Water Management Board amended Water Right No. 2171-3 and Permit Nos. 2497-3 and 3229-3 to add the Irrigation Questionnaire Qualification.

May 20, 1986, Mr. Stadheim was notified of the Board action amending Water Right No. 2171-3 and Water Permit Nos. 2497-3 and 3229-3.

2. 1987 Irrigation Questionnaire Violation

January 29, 1988, Mr. Stadheim was given notice of permit violation for non-return of his 1987 irrigation questionnaires and of the hearings scheduled before the Water Management Board to be held March 2, 1988.

March 2, 1988, The Water Management Board suspended Water Right No. 2171-3 and Permit Nos. 2479-3 and 3229-3 until December 31, 1988.

March 14, 1988, Mr. Stadheim was notified of the Board action to suspend his water right and permits.

March 31, 1988, the 1987 irrigation questionnaires were received along with a letter explaining his reasons for not returning the questionnaires and requesting time to meet with the Water Management Board.

April 14, 1988, Mr. Stadheim was sent a Notice of Hearing to Consider Request for Reconsideration of Suspended Water Right No. 2171-3 and Water Permit Nos. 2497-3 and 3229-3.

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
 523 East Capitol
 Pierre, South Dakota 57501-3181

May 13, 1988

NOTICE

TO: Harlan Stadheim
 RR 2, Box 55
 Watertown SD 57201

FROM: John Hatch, Chief Engineer
 Water Rights Division
 (605) 773-3352

John Hatch

SUBJECT: Reinstatement of Suspended Water Permits and Notice of
 One Year Suspension Without Reinstatement for Future
 Irrigation Questionnaire Violations

The Water Management Board, following the May 11, 1988, hearing passed the following motion:

"That the owners of Water Permits No. 1372-2 (Earl Sonnenschein & Sons); 1731-2 (Buckles Ranch); 235-3 (Russell Doolittle); 2171-3, 2497-3, 3229-3 (Harlan Stadheim); 2174-3, 2175-3, 2413-3, 3223-3, 4353-3, 5026-3, 5038-3 (Poinsett Rutterian Brethern); 3264-3 (John Heber); 3479-3, 4237-3 (Bob Kohnen); 3825-3 (Rod Page, operator); 4017-3 (Martin Ronning); 4257-3 (Patricia Ronning & Jeanette Hurrell); 4521-3 (Tos/William Maher & Harvey Buhl); 4564-3, 4611-3 (Wendell Bishop); 4660-3 (Dihl Grohs); 4732-3 (Gerald Benjamin); 4741-3 (Lois J. Elsinger); 4827-3 (Gary Smith); 4844-3 (Gerald Goetsch); 4966-3 (Delano Hofer); 4985-3, 4992-3, 5043-3, 5044-3 (Ray & David Hanson); 4754-3 (Richard Beare); and 375-2 (Rhea Brill), have now submitted the 1987 irrigation questionnaires for these permits, that a 60 day suspension period has been completed and that these permits are reinstated effective immediately. The owners of the permits are also NOTIFIED that failure to submit future required irrigation questionnaires will result in a one year suspension without reinstatement."

If you have any questions, please contact us.

cc: Water Management Board



42497-3
3224-3

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Harlan Stadheim
RR 2, Box 55
Watertown, SD 57201

Dear Mr. Stadheim:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;



Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,

John W. Hatch
for JOHN HATCH, Chief Engineer
Water Rights Division

Permit No. 2497-3

Big Lions River Water District

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, DWRN, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Harlan Stadheim
RR2 Box 55 of Watertown SD 57201 holder of
Permit No. 2497-3, bearing the priority of December 22 1975 authorizing:

the diversion of 4.4 cu. ft. per second of the waters of groundwater
for irrigation purposes, in Codington County.

I have to report on the conditions of the same as follows:

- A. Works used to divert the water: 2 wells
 1 30HP Western Land Roller 6" pump capable of 400 GPM run by
 a General Electric motor Model # SK6238X430B
 1 50HP 6" Western Land Roller pump capable of 600 GPM run by General Electric
 B. Works used to transport water to place of use: Motor Model # SK6248X441
 8" PVC piping 4400' to center pivots

- C. Works used to apply water to beneficial use:
uses 2 T+L 10 tower center pivots both 1300' long with
high pressure capable of 1000 GPM

The system is in the following condition good

The system is in the following condition good

The point of diversion ^{are} is located Well #1 330' South + 330' West of NE corner
and Well #2 1450' South + 1110' West of NE corner Section 12-117-53

The works are capable of diverting and conveying to the place of use 2.22
cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: Section 12-T117N-RS3W

NW 1/4 NE 1/4 - 35 Acres	NE 1/4 SE 1/4 - 39 Acres
NE 1/4 NE 1/4 - 35 Acres	NW 1/4 SE 1/4 - 39 Acres
SW 1/4 NE 1/4 - 40 Acres	SE 1/4 SE 1/4 - 35 Acres
SE 1/4 NE 1/4 - 40 Acres	SW 1/4 SE 1/4 - 35 acres

comprising a total of 298 acres of land and the license should be issued for 2.22 cfs

Applicable permit qualifications have been complied with X Yes No

Applicable permit qualifications have been compiled with X Yes No

Exceptions to compliance are: _____ Date 5/8/1991

Yorma C. Poff
(signature)

LICENSE FOR PERMIT NUMBER

2497-3

1. Legal location of wells: Well #1 NE 1/4 NE 1/4 2 section 12-117-53
Well #2 SW 1/4 NE 1/4 3

dams & structures:

2. Well Information: Well Drilling Firm Empire Well Drilling - Huron

Completion Report Yes ___ No ☒ No. of Wells 2 Depth 58 58
Casing a) diameter 16 16 Screen a) type Johnson fiberglass
b) length 38 15 b) length 20' 140'
c) type Steel fiberglass Static Water Level 5 5
Pump a) make both Western and Roller Motor a) make General Electric
b) model NA b) model No. SK6238X1130B
c) size 6" 6" c) horsepower rating 30 50
d) capacity 400 600 gpm
e) turbine pump - no. of stages turbines General Electric
f) operating PSI 70 SK6 2 1/2 X H 4 1

3. Distribution lines or canals

a) size 8"
b) type PVC
c) length 4400

4. Dam Information:

a) height to crest m) Outlet tubes:
b) height to primary spillway 1) diameter
c) height to secondary spillway 2) type
d) crest width 3) valved (Y/N)
e) crest length 4) valve type
f) spillway length 5) location on structure
g) spillway width
h) approx. storage n) Category of Dam
i) approx. storage to crest
j) date constructed
k) inspection sheet completed (Y/N)
l) Name of Contractor

5. System Type a) sideroll:

- 1) length _____ feet
- 2) diameter of pipe _____
- 3) make, model & number of sprinklers _____
- 4) spacing of sprinklers _____
- 5) nozzle size _____

c) gun

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____
- 4) hose size _____
- 5) hose length _____

e) gated pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

f) portable boom

- 1) make _____
- 2) nozzle size _____
- 3) capacity (GPM) _____

b) towline:

- 1) length _____ feet
- 2) make, model & number of sprinklers _____
- 3) spacing of sprinklers _____
- 4) nozzle size _____

d) center pivot

- 1) make TFL TFL
- 2) number of towers 10 10
- 3) distance between towers 127'
- 4) overall length 1300 1300
- 5) end gun (Y/N) Y Y
- 6) high or low pressure high
- 7) make & size of nozzles rainbird
- 8) capacity (GPM) 1000

g) siphons

- 1) size _____
- 2) number _____

NOTE: For Permits with additional wells or changes in well locations, record the following for each well: pumping capacity, date constructed, well driller and if a well log is available.

Indicate any other permit(s) which are associated with project _____

Yes	No	Check Items
☒	---	1. Soil and water permit lands agree with lands being irrigated and lands listed on permit?
☒	---	2. Special qualifications to permit being abided by?
☒	---	3. All structures, wells and lands on map?
☒	---	4. Irrigation Questionnaires checked to determine if permit owner started irrigation by end of construction period?
---	☒	5. Is chemigation used?
---	---	6. If yes, does equipment comply with chemigation rules?

REMARKS:

South Dakota

GREAT FACES. GREAT PLACES.

July 24, 1991

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE SOUTH DAKOTA 57501-3181

2497-3

Harlan Stadheim
RR #2 Box 55
Watertown, SD 57201

Dear Mr. Stadheim:

The inspection of your water use system and the inspection of the extent of application of water to beneficial use, as developed under Water Permit No. 2497-3, has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuance of the Water License. Upon receipt of the \$50.00 fee from you, we will begin processing your Water License.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Genny McMath

Genny McMath
Natural Resources Analyst
(605) 773-3352

NOTE: On check or money order, please specify your permit number. This will insure proper handling of the fee.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

October 11, 1991

SECOND NOTICE

Permit No. 2497-3

NOTICE OF WATER LICENSE INSPECTION FEE REQUIREMENT

Harlan Stadheim
RR 2, Box 55
Watertown SD 57201

Dear Mr. Stadheim:

July 24, 1991 you were notified the final inspection fee of \$50.00 is due before Water License No. 2497-3 can be issued. As of this date, the fee has not been received.

The fee is a final step in the legal process of obtaining and perfecting a water right and is required by SDCL 46-2-13(3). Upon receipt of the \$50.00 fee, your Water License will be sent to you. This is the final document for the perfection of your Water Right. A perfected water right is similar to a property right and once a water right is perfected, it cannot be lost as long as the water is used.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until the License fee has been paid. Please submit the required fee immediately to avoid jeopardizing your water permit.

Very truly yours,

John Hatch, Chief Engineer
Water Rights Division
Phone: (605) 773-3352

SENDER: Complete items 1 and 2 when additional services are desired, and complete items 3 and 4. Put your address in the "RETURN TO" Space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested. 1. ☐ Show to whom delivered, date, and addressee's address. (Extra charge) 2. ☐ Restricted Delivery (Extra charge)	
3. Article Addressed to: Harlan Stadheim RR2, Box 55 Watertown SD 57201	4. Article Number P 694 059 401 Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail ☐ Return Receipt for Merchandise Always obtain signature of addressee or agent and DATE DELIVERED.
5. Signature — Addressee X <i>Harlan Stadheim</i>	8. Addressee's Address (ONLY if requested and fee paid)
6. Signature — Agent X <i>[Signature]</i>	
7. Date of Delivery 10/12/91	

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

412933

Pierre, November 26, 19 1991

RECEIVED OF Harlan Stadheim, Rt 2, Box 55, Watertown, SD 57201

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. <u>2497-3</u>	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By John H. Hotal Chief Engineer

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2497-3

(1) Harlan Stadheim of RR 2, Box 55, Watertown, SD 57201 made Application No. 2497-3, December 22, 1975 for a water permit to appropriate 4.4 cubic feet of water per second from groundwater (3 wells), Codington County, South Dakota for irrigation purposes. Permit No. 2497-3 with a priority date of December 22, 1975 was approved January 22, 1976 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before January 22, 1981 and for the application to beneficial use of said water on or before January 22, 1984.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 2.22 cubic feet of water per second for beneficial use. The location of the diversion points are: Well #1 - 330'S and 330'W of the NE corner and Well #2 - 1450'S and 1710'W of the NE corner, Section 12, T117N, R53W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land:

T117N, R53W Section 12	NW 1/4 NE 1/4	35 Acres
	NE 1/4 NE 1/4	35 Acres
	SW 1/4 NE 1/4	40 Acres
	SE 1/4 NE 1/4	40 Acres
	NE 1/4 SE 1/4	39 Acres
	NW 1/4 SE 1/4	39 Acres
	SE 1/4 SE 1/4	35 Acres
	SW 1/4 SE 1/4	35 Acres
	Total-----	298 Acres

(4) Pursuant to Section 46-5-30.1 Harlan Stadheim of RR 2, Box 55, Watertown, SD 57201 (the holder(s) and/or owner(s) of Water Permit No. 2497-3 is issued a license to appropriate water, (the right to use 2.22 cubic feet of water per second from groundwater (two wells)) with a priority date of December 22, 1975 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 2497-3 and subject to South Dakota State Law.


JOHN HATCH, Chief Engineer
Water Rights Division
Department of Environment and
Natural Resources

FEB 17 1992

South Dakota

GREAT FACES. GREAT PLACES.

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

FEB 17 1992

2497-3

Harlan Stadheim
RR 2, Box 55
Watertown, SD 57201

Dear Mr. Stadheim:

Enclosed is Water License No. 2497-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 412933 in the amount of \$50.00 which you paid for the inspection and issuance of the Water License.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right No. 2497-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures

2497-3

NOTICE OF WELL CONSTRUCTION

(1) WELL CONSTRUCTION

Location of well: 1/4 1/4 NE Section 12 Township 117 Range 52
 Well owner Barlan Stadium Libertown, SD
 (Name) (Address)
 Date well drilling completed April 1976 Purpose of well Irrigation
 (Domestic, irrigation, municipal, industrial, other)

WELL LOG

Layers, top to top in feet	Description of layer
0-2	top soil
2-12	sandy clay
12-20	sand & gravel
20-31	sand
31-37	clay
37-40	sand
40-42	clay
42-55	sand & gravel

Attach sheet if more space is needed

Depth to top of water producing aquifer 12 ft.
 Depth to static water level 16 ft.
 Name of producing aquifer (if known) sand & gravel
 Total depth of drill hole 55 ft.
 Depth to bottom of casing 55 ft.

Casing information: In the space below show kind, size, weight, length per diameter, etc., for production casing and surface casing if used.

0-15' 16" Fiber glass

Screen information: In the space below show length of screen below bottom of casing, diameter and kind of screen or casing perforations.

15'-55' 16" slotted
Fiberglass

If a flowing well, flow of completed well _____ G.P.M.

Empire Irrigation Drilling Co. Inc.
 Name of Drilling Contractor

(2) PUMP INSTALLATION

Company name and size of pump Western Land Roller 6" HP 50
 Type of pump turbine Capacity of installed pump 500 G.P.M.
 Depth of pump placement 40 ft., Date of pump installation June 1976

(3) WATER SURFACE MEASURING TUBE

On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46A, MINN. WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft., tube diameter _____, tube material _____.

Empire Irrigation Drilling Co. Inc.
 Name of Pump Installation Contractor

NOTICE OF WELL CONSTRUCTION

WELL CONSTRUCTION

Location of well _____ 1/4 _____ 1/4 NE Section 12 Township 117 Range 52

Well owner Harlan Stadheim, Watertown, SD.
(Name) (Address)

Date well drilling completed Fall 1975 Purpose of well Irrigation
(Domestic, Irrigation, Municipal, Industrial, Other)

Layers, top to top in feet	Description of layer
0-2	top soil
2-5	sandy clay
5-17	sand & gravel
17-24	clay
24-34	gravel
34-41	clay w/ sand layer
41-57	sand & gravel
57-60	clay

Depth to top of water producing aquifer 5 ft.
 Depth to static water level 9 ft.
 Name of producing aquifer (if known) sand & gravel
 Total depth of drill hole 58 ft.
 Depth to bottom of casing 58 ft.

Q. 33' 16" OD. Steel

38-58' 11 1/2" Johnson
irrigator well
Screen

If a flowing well, flow of completed well

Empire Irrigation Drilling Co. Inc.
Heavy Drilling Contractors

PUMP INSTALLATION
Company name and size of pump Western Industrial Rollers 6" HP 30
Type of pump turbine Capacity of installed pump set up for 500 gpm.
Depth of pump placement 50 ft., Date of pump installation June 1979

On some wells an air-tight water surface measuring tube is required: See Section 46.408 of Chapter 46, MINIMUM WELL CONSTRUCTION STANDARDS.

Show exact vertical length of water surface measuring tube, when installed _____ ft, tube diameter _____, tube material _____.

Empire Navigation Drilling Co. Inc.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

HARLAN STADHEIM
RR #2 BOX 55
WATERTOWN SD 57201

NOTICE

RE: Violation of Water Permit No(s) 2497-3

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will determine the action to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am, March 4, 1992, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office before the March 4th hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

HARLAN STADHEIM
RR2 BOX 55
WATERTOWN SD 57201

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s) 2497-3


The first notice to file chemigation report(s) for Permit No(s) 2497-3 was dated October 18, 1991. Our records indicate that we have not received the 1991 chemigation report for Permits No(s) 2497-3. The Water Management Board has directed that owners of water permits who have not submitted the 1991 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearings will be held at 9:15 am, on March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol, Pierre SD, and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,


RON DUVALL, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is(are) received by this office prior to the March 4, 1992 hearing, you will no longer be in violation and your name will be deleted from the Board agenda.

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address

2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

2497-3

4a. Article Number

P 906 557 766

4b. Service Type

- ☐ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

1-29-92

5. Signature (Addressee)

Harlan Stadheim

6. Signature (Agent)

8. Addressee's Address (Only if requested and fee is paid)

PS Form 3811, November 1990 • U.S. GPO: 1991-287-068

DOMESTIC RETURN RECEIPT



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 5, 1992

2497-3

Harlan Stadheim
RR #2 Box 55
Watertown, SD 57201

Dear Mr. Stadheim:

I am writing to acknowledge receipt of your 1991 irrigation questionnaire for Water Right No. 2497-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaire was received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Natural Resources Analyst
Water Rights Division



2497-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 5, 1992

HARLAN STADHEIM
RR2 BOX 55
WATERTOWN SD 57201

Dear Mr. STADHEIM:

I am writing to acknowledge receipt of your 1991 chemigation report for Water Right No(s). 2497-3. You may disregard the January 27, 1992 Notice of Failure to Report Chemical Use for 1991. With receipt of the chemigation report, your name has been deleted from the March 4, 1992 Water Management Board meeting agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

DON FRYE, Natural Resources Analyst
Water Rights Division


SOUTH DAKOTA WATER WELL COMPLETION REPORT

2497-3

07-92

Location 1/2 Sec 12 Twp 117N Rg 53W
 County Codington

Please mark well location with an "X"



Well Completion Date

LOCATION:

Distance from nearest potential pollution source (septic tank, abandoned well, feed lot, etc.)? NO H2 ft. from (identify source).

PROPOSED USE:

- ☐ Domestic/Stock ☐ Municipal ☐ Business ☐ Test Holes
☒ Irrigation ☐ Industrial ☐ Institutional ☐ Monitoring well

METHOD OF DRILLING:

CASING DATA: ☐ Steel ☐ Plastic ☒ Other

If other describe Fiber Glass

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
<u>DN7 KNOW</u> LB/FT	<u>12</u> IN	<u>0</u> FT	<u>28</u> FT	<u>19</u> IN
LB/FT	IN	FT	FT	IN
LB/FT	IN	FT	FT	IN

GROUTING DATA

Grout Type CEMENT No. of Sacks KNOW Grout Weight KNOW lb./gal. From 0 ft. To 6 ft.

Describe grouting procedure Ready Mix Truck
PUMP IN FROM TRUCK MOTOR

SCREEN: ☐ Perforated pipe ☒ Manufactured PUMP PIPES
 Diameter 12 IN Length 20 FEET

Material Fiber Glass

Slot Size 60 Set From 28 Feet to 48 Feet

Other information SPUN SCREEN-LIKE

JOHNSON STAINLESS

WAS A PACKER OR SEAL USED? ☐ YES ☒ NO

If so, what material?

Describe packer(s) and location?

DISINFECTION: Was well disinfected upon completion?

YES, How:

☒ NO, Why Not?

Laboratory sent to for water

quality analysis

WASN'T NECESSARY

Well Owner: Harlan Stachheim

Business Name:

Address:

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
<u>HARD CLAY</u>	<u>0</u>	<u>31</u>
<u>GRAVEL + ROCK</u>	<u>31</u>	<u>37</u>
<u>CLAY</u>	<u>37</u>	<u>43</u>
<u>GRAVEL</u>	<u>43</u>	<u>48</u>

STATIC WATER LEVEL 7 Feet

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced Flowrate _____ GPM

Can well be completely shut in? _____

WELL TEST DATA:

☒ Pumped Describe: Air

☐ Bailed _____

☐ Other _____

Pumping Level Below Land Surface

_____ ft. After 50 Hrs. pumped Air GPM

_____ ft. After _____ Hrs. pumped _____ GPM

If pump installed, pump rate 600 GPM

REMARKS This is Replacing
well put in 1976
Steel screen, Got Hole in

This well was drilled under license # H14

And this report is true and accurate.

Drilling firm _____

Signature of License Representative

Harlan Stachheim

Signature of Well Owner or Equitable Property Holder:

Date: 1-28-01



2497-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2002

NOTICE

TO: HARLAN STADHEIM, 2525 STADHEIM DR, WATERTOWN, SD 57201 7517

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaire(s)

Our records indicate that the 2001 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING

523 EAST CAPITOL

PIERRE SOUTH DAKOTA 57501-3182


TEMP RETURN SERVICE REQUESTED

RECEIVED

FEB - 1 2002

WATER RIGHTS
PROGRAM

CERTIFIED MAIL



7001 2510 0004 4797 3817



HARLAN STADHEIM
2525 STADHEIM DR
WATERFOWN SD 57201 7517

1ST Notice
JAN 12 2002
2ND Notice

21

DEPARTMENT OF ENVIRONMENT & NATURAL
RESOURCES

WATER RIGHTS PROGRAM

523 E CAPITOL

PIERRE, SD 57501

PHONE (605) 773-3352 FAX (605) 773-4068

FACSIMILE TRANSMITTAL SHEET

TO: Paul Reisch

FROM: Genny McMath

COMPANY: Farm Credit Services

DATE: May 22, 2002

FAX NUMBER: 605 886-7547

TOTAL NO. OF PAGES INCLUDING COVER: 10

PHONE NUMBER:

RE: Harlan Stadheim

☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS:

The following copies are of Water Right No. 2497-3 - listed in the name of Harlan Stadheim.
If you are unable to read anything, let me know.

Thanks,

Genny



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

May 22, 2002

2497-3

Maryl Stadheim
2525 Stadheim Dr
Watertown, SD 57201-7517

Dear Mrs. Stadheim:

I am writing in regard to Water Right No. 2497-3, currently listed in the name of Harlan Stadheim. Enclosed is a copy for your review.

It is my understanding that the water right should now be listed in your name. I am enclosing a partially completed Notice of Transfer of Ownership form for use in filing the ownership change. Please complete the transfer form, sign it in the presence of a notary public and return it to our office with a required filing fee of \$2.50. The check or money order for the fee can be made payable to the Water Rights Program. If the land has been sold, please let me know who I should be contacting in regard to filing the ownership change.

If possible, we also need to obtain information on any irrigation done last irrigation season (2001). We did not receive an irrigation questionnaire for last year and need to find out how much, if any, water was diverted for irrigation purposes. I am enclosing a questionnaire for reporting the information.

Please return the questionnaire, transfer form and filing fee to our office as soon as possible. If I can answer any questions for you, please let me know.

Sincerely, .

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

September 16, 2002

2497-3

Maryl Stadheim
2525 Stadheim Dr
Watertown SD 57201-7517

Dear Mrs. Stadheim:

In May, 2002, I forwarded you a copy of Water Right No. 2497-3, listed in the name of Harlan Stadheim. The water right authorizes irrigation of land in the E ½ Section 12, T117N, R53W. I am writing as a reminder that we have not yet received the ownership change from you.

I am enclosing a partially completed Notice of Transfer of Ownership form for use in filing the ownership change. Please complete the transfer form as needed. A \$2.50 filing fee is required for filing an ownership change. The check or money order for the fee can be made payable to the Water Rights Program.

If the land has been sold, please let me know who I should be contacting in regard to filing the ownership change.

If possible, we also need to obtain information on any irrigation done last irrigation season (2001). We did not receive an irrigation questionnaire for last year and need to find out how much, if any, water was diverted for irrigation purposes. The questionnaire for the 2002 irrigation season will be forwarded to you in October.

If I can answer any questions for you, please let me know.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date September 19, 2002

RECEIVED OF Maryl Stadheim, 2525 Stadheim Dr., Watertown SD 57201

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	2	50
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>2497-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____		
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	2.50

No.

000202

By

Darland Erbe

Chief Engineer

gmr

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

No. 2497-3

Date: 9-18-02

I/We request that Water Right No. 2497-3

formerly owned by: Harlan Stadheim

be transferred to: (name & address) Margie Stadheim Beck
3525 Starkman Dr. Watatone, SD

Telephone No. 605-886-4997

Title to the following described land(s)/property has been transferred as described above:

RECEIVED

298 acres - E 1/2 Section 12, T117N, R53W

SEP 19 2002

WATER RIGHTS PROGRAM

I/We understand that the validity of Water Right No. 2497-3 has not been determined by the transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is required to cover the filing fees as required under SDCL 46-2-13. This form must be signed by the new owner.

I/We Margie Stadheim Beck the new owner, certify that the above information is true and correct.

Margie Stadheim Beck
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

September 19, 2002

2497-3

Maryl Stadheim Bach
2525 Studheim Dr
Watertown SD 57201-7517

Dear Mrs. Bach:

Thank you for sending in the Notice of Transfer of Ownership form and filing fee. The transfer has been completed. The water right, formerly held by Harlan Stadheim is now listed in your name.

Enclosed is your Receipt No. 000282 in the amount of \$2.50. You may keep this for your records.

If I can answer any questions for you, please let me know.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosure

SD EForm - 0495 V1 NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Program, DENR
523 E. Capitol
Pierre, SD 57501-3181

Water Right/Permit No. 2497-3

Date: 1/30/2004

I/We request that Water Right/Permit No. 2497-3 formerly owned by:

Harlan Stadheim

be transferred to:

New Owner Name: Schleusner Dairy

Address: 17434 460th Ave.

City, State, Zip Watertown

SD 57201

Telephone No. (605) 882-2213

Title to the following described land(s)/property has been transferred as described above:

From Maryl Stadheim Bach to Schleusner Dairy

☒ I understand that the validity of Water Right/Permit No. 2497-3 has not been determined by this transfer action. If I have any questions on validity, I understand that only the Water Management Board has the authority to determine if a water right/permit is valid (see note below.)

You are requested to file this "Notice of Transfer" in the appropriate file with the Water Rights Program, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is included to cover the filing fee as required by SDCL 46-2-13.

I, Schleusner Dairy, the new owner, certify that the above information is true and correct.

Louie Schleusner
(Signed by new owner)

NOTE: Water permits may be cancelled for nonconstruction after the five year construction period has expired. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

RECEIVED

SEP 11 2003

WATER RIGHTS
PROGRAM

RECEIPT

WATER RIGHTS PROGRAM

South Dakota Department of Environment and Natural Resources

Date September 11, 20 03

RECEIVED OF Schleusner Dairy, 17434 460th Ave., Watertown SD 57201

The following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct and to put water to beneficial use	2	50
Fee for Application for Permit No. _____ to Appropriate Water for Future use		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>2497-3</u>		
Fee for _____		
Fee for Issuing New Well Driller's License No. _____ for C.Y. _____		
Fee for Renewal of Well Driller's License No. _____ for C.Y. _____		
Fee for Issuing Well Pump Installer's License No. _____ for C.Y. _____	2	50
Fee for Renewal of Well Pump Installer's License No. _____ for C.Y. _____		
(Any Other Work Provided by Law)	TOTAL	
	2.50	

No.

000876


By

Darland Ebele
Chief Engineer
gm

Would you
please send
me a copy
of the permit

Thank you
Schlager Ding
Cora Schlager

2497-3





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

September 29, 2003

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

I am writing to acknowledge receipt of the change of ownership form and filing fee you submitted for transferring Water Right No. 2497-3. The transfer has been completed. The water right formerly listed in the name of Maryl Stadheim Bach is now listed in the name of Schleusner Dairy.

Each year in October, we mail out the annual irrigation questionnaire. I have been unsuccessful in reaching you by phone and therefore am not certain if the 2003 questionnaire should be directed to Ms. Bach or to you. I will go ahead and mail you the form in a couple weeks and if I should be directing it elsewhere, please give me a call and I can take care of it.

Enclosed is your Receipt No. 000876 in the amount of \$2.50. I have also included a copy of the water right for you to keep. If I can answer any questions for you, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure



2497-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2497-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 9609

Your item was delivered at 10:11 am on January 15, 2004 in WATERTOWN, SD 57201. The item was signed for by J LSCHLEUSNER.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 9609

SCHLEUSNER DAIRY
LOUIE SCHLEUSNER
17434 460TH AVE
WATERTOWN SD 57201

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services



2497-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 11, 2004

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

I am writing to acknowledge receipt of your 2003 irrigation questionnaire. I completed a questionnaire for you based on our February 10th telephone conversation.

You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right No. 2497-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2497-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaire(s)

Our records indicate that the 2004 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 2, 2005 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 25, 2005, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2497-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8516 0810

Your item was delivered at 10:57 am on January 21, 2005 in WATERTOWN, SD 57201. The item was signed for by A ASCHLEUSNER.

[Shipment Details >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

Notification Options

► Track & Confirm by email

[What is this?](#)

[Go >](#)

► Request Proof of Delivery

[What is this?](#)

[Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
0190 9159 0000 046E 10E2
2301 3460 0000 8516 0810

SCHLEUSNER DAIRY
LOUIE SCHLEUSNER
17434 460TH AVE
WATERTOWN SD 57201

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail®
☐ Package Services

PS Form 100, July 2001

(See Reverse)



2497-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 4, 2005

NOTICE OF ONE YEAR SUSPENSION OF WATER RIGHT

TO: Louie Schleusner, Schleusner Dairy, 17434 460th Ave, Watertown SD 57201

FROM: Garland Erbele Chief Engineer
Water Rights Program *Garland Erbele*

SUBJECT: One Year Suspension of Water Right No. 2497-3

On March 2, 2005, the Water Management Board ordered:

That effective April 4, 2005, Water Right No. 2497-3 be suspended for the 2005 irrigation season for failure to submit the 2004 irrigation questionnaire.

If the 2004 irrigation questionnaire is received prior to April 4, 2005 the suspension will not take effect.

Suspension of a water right means water may not be pumped during the 2005 irrigation season. Consistent with the Board's order, you are not permitted to irrigate in 2005 unless the irrigation questionnaire is submitted by April 4th.

After April 4th, you may petition the Water Management Board to rescind the suspension. You will need to submit the 2004 irrigation questionnaire and a letter to our office requesting time on the agenda for the Water Management Board meeting scheduled for May 4, 2005 in Pierre, SD. The letter should include your reasons for not completing the 2004 irrigation questionnaire. Decisions of the Board may be appealed to the Circuit Court and State Supreme Court as provided by law.

Water Rights Staff will conduct compliance checks of suspended water rights this summer to determine if irrigation is taking place.

Please contact Genny McMath (605) 773-3352, if you have any questions.

CERTIFICATION

I hereby certify that on March 4, 2005, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelopes containing a Notice dated March 4, 2005 regarding Notice of One Year Suspension of Water Permit Nos. 5658-3, 1632-2, 1530-2, 3311-3, 2497-3, 4862B-3, 4759-3, 1473-2 & 1502-2 addressed as stated below:

5658-3

Robert Emmick
45345 311th St
Meckling SD 57044

1632-2

Chris Horlock
5471 Hidden Valley Ln
Rapid City SD 57702

1530-2

Vern Keszler
30317 289th St
Clearfield SD 57580

3311-3

Kirby Oswald
12157 323rd Ave
Eureka SD 57437-7104

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

4862B-3

Milton Swayze
13644 461st Ave
Wilmot SD 57279

4759-3

Daniel A Conkling
500 Linn St
Yankton SD 57078

1473-2 & 1502-2

Randy Bachelor Mgr
HC 78 Box 60A
White River SD 57579



Eric Gronlund
Natural Resource Engineer
Water Rights

STATE OF SOUTH DAKOTA)


) SS

COUNTY OF HUGHES)

Sworn to, before me, this 7th day of March, 2005.



Karen Schlaak
Notary Public
My Commission expires April 1, 2007





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 29, 2005

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

On March 2nd, the Water Management Board ordered Water Right No. 2497-3 be suspended if the 2004 irrigation questionnaire was not received prior to April 4, 2005. The questionnaire information for your water right has been received.

Since the irrigation questionnaire is on file, no violation has occurred and no suspension will take place. You are hereby authorized to irrigate during the 2005 irrigation season.


If you have any questions, please contact Genny McMath at (605) 773-3352.

Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program


NOT TO SCALE


prepared by
Norma C. Job
Natural Resources Eng. I
Division of Water Rights
6/27/1991



NOT TO SCALE

2497-3





HARLAN STADHEIM

IRRIGATION PROJECT #2

Watertown 57201 South Dakota

Codington County

Points of Diversion

- #1 - 4360' N 13° W
- #2 - 4225' N 22° W
- #3 - 2840' N 24° W

All of SE corner section 12-117-53

Water claimed - 4.4 cfs
Acres - 311

Surveyor's Certificate

I, John L. Wiersma, do hereby certify that
This map represents a reasonably
accurate record of the land of;

Harlan Stadheim

Watertown 57201 South Dakota

Codington County

Drawn by Sble

John L. Wiersma

12-19-75

P.E.H. 1916

Brookings

MAP NO. 3 APPL NO. 2497-3



2497-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:30 am, March 7, 2007 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 1, 2007**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2497-3

[Home](#) | [Help](#)

Track & Confirm

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0799 6231
Status: Delivered

Your item was delivered at 3:56 PM on January 29, 2007 in
WATERTOWN, SD 57201. The item was signed for by J SCHLEUSNER.

Track & Confirm

Enter Label/Receipt Number.

[Additional Details >](#)[Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)



POSTAL INSPECTORS
Preserving the Trust

[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

USPS Signature Confirmation Receipt	
SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 6231	SCHLEUSNER DAIRY LOUIE SCHLEUSNER 17434 460TH AVE WATERTOWN SD 57201
	Waiver of Signature ☐ YES ☐ NO
	Postmark Here
	POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com or call 1-800-222-1811
	CHECK ONE (POSTAL USE ONLY) ☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2007

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Sir:

I am writing to acknowledge receipt of your 2006 irrigation questionnaire. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right No. 2497-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaire(s)

Our records indicate that the 2007 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2008** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2497-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 3554

Status: **Delivered**

Your item was delivered at 11:14 AM on January 19, 2008 in WATERTOWN, SD 57201. The item was signed for by J SCHLEUSSNER.

Track & Confirm

Enter Label/Receipt Number.

[Additional Details >](#)[Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

First-Class Mail®
Registered Mail™Institutional Sales
Commercial Sales

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 3554	
SCHLEUSNER DAIRY LOUIE SCHLEUSNER 17434 460TH AVE WATERTOWN SD 57201	
Waiver of Signature	☐ YES ☐ NO
Postmark Here	
POSTAL CUSTOMER: Keep this receipt. For inquiries: Access internet web site at www.usps.com ® or call 1-800-222-1811	
☐ Priority Mail® Service ☐ First-Class Mail® parcel ☐ Package Services parcel	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2008

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201


Dear Mr. Schleusner:

I am writing to acknowledge receipt of your 2007 irrigation questionnaire. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right No. 2497-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,


Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2497-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD
57201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 11, 2009** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/efrms/secure/efrms/E0455V7-IQ.pdf>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2497-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 7354

Status: **Delivered**

Your item was delivered at 11:30 AM on January 24, 2009 in WATERTOWN, SD 57201. The item was signed for by L SCHLEUSNER.

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER:
2303 2160 0000 0802 7354

SCHLEUSNER DAIRY
LOUIE SCHLEUSNER
17434 460TH AVE
WATERTOWN SD 57201

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail[®] Service
☐ First-Class Mail[®] parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2009

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

I am writing to acknowledge receipt of your 2008 irrigation questionnaire. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right No. 2497-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 20, 2009

Louie Schleusner
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

I am writing in regard to a well completion report filed by Kaiser Well Drilling. The report shows a new well located in the NE ¼ Section 26-T117N-R52W was completed on July 29, 2008. The form indicates this well replaces an old well.

A review of our files indicates that Schleusner Dairy holds Water Right No. 2497-3 to appropriate 2.22 cubic feet per second of water (1000 gallons per minute) from two wells located in the NE ¼ Section 12 to irrigate 298 acres located in the E ½ Section 12; all in T117N-R53W.

Mr. Schleusner, am I correct in assuming that the legal description on the report is wrong? Also, does the peak diversion rate from the new well and existing well exceed 1000 gpm? If so, a new permit application will be required for the additional diversion rate above 1000 gpm. Please let me know the location and status of this well.

If you have any questions, please contact Eric Gronlund or me. We will be happy to assist you in any way possible.

Sincerely,

Karen Schlaak


Karen Schlaak
Water Rights Program
605 773-3352
karen.schlaak@state.sd.us

SOUTH DAKOTA WATER WELL COMPLETION REPORT

11-02

Location NE 1/4 NE 1/4 Sec 26 Twp 17N Rg 5WWell Owner: Louise SchlenskerCounty
Codington

North

Please mark well
location with an "X"Well Completion Date
7-29-08

1 Mile

Distance to nearest potential pollution source (Septic tank, abandoned well, feed lot, etc.)

? 20 ft. from Old Irr. Well (Identify source)

PROPOSED USE:

☒ Domestic/Stock Irrigation
 ☐ Municipal Industrial
 ☐ Business Institutional
 ☐ Test Holes Monitoring well

METHOD OF DRILLING:

Boring Rig
 CASING DATA: ☐ Steel ☒ Plastic ☐ Other

If other describe

PIPEWEIGHT	DIAMETER	FROM	TO	HOLE DIAMETER
LB/FT	IN	FT	FT	IN
<u>54</u>	<u>18</u>	<u>2.63</u>	<u>40</u>	<u>30</u>

GROUTING DATA:

Grout Type	No. of Sacks	Grout Weight	From	To
		Lb/gal	FT	FT
<u>portland</u>	<u>60</u>	<u>54</u>	<u>0</u>	<u>22</u>

Describe grouting procedure

pressure pull method

SCREEN: ☐ Perforated pipe ☒ Manufactured

Diameter 18 inches Length 20 Feet

Material plastic

Slot Size 1.085 Set From 40 Feet to 60 Feet

Other information

WAS A PACKER OR SEAL USED? ☐ Yes ☐ No

If so, what material?

Describe packer(s) and location

DISINFECTION: Was well disinfected upon completion?

☒ Yes, How? HTH Tablets
☐ No, Why Not?
 Lab sample sent to for water quality analysis

WELL LOG:

FORMATION	DEPTH	
	FROM	TO
<u>Fill</u>	<u>0</u>	<u>8</u>
<u>Top Soil</u>	<u>8</u>	<u>10</u>
<u>yellow clay</u>	<u>10</u>	<u>15</u>
<u>yellow fine to medium</u>	<u>15</u>	<u>27</u>
<u>yellow clay</u>	<u>27</u>	<u>40</u>
<u>medium to coarse</u>	<u>40</u>	<u>60</u>

STATIC WATER LEVEL 8 FEET

If flowing: closed in pressure _____ PSI

GPM flow _____ through _____ inch pipe

Controlled by ☐ Valve ☐ Reducers ☐ Other _____

Reduced flow rate _____ GPM

Can well be completely shut in?

WELL TEST DATA:

☒ Pumped Describe: Sub
☐ Bailed
☐ Other

Pumping Level Below Land Surface

37 Ft. After 12 Hrs. pumped 700 GPM37 Ft. After 24 Hrs. pumped 700 GPMIf pump installed, pump rate: 700 GPM2 stage 40HP

REMARKS

Replace old wellThis well was drilled under license # 689

And this report is true and accurate.

Drilling firm: Kaiser Well Drilling

Signature of License Representative:

Signature of Well Owner or Equitable Property Holder:

Date:

 RECEIVED
 FEB - 6 2009
 WATER RIGHTS
 PROGRAM



2497-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaire(s)

Our records indicate that the 2010 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 9, 2011** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2497-3

[Home](#) | [Help](#) | [Sign In](#)[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 0584

Service(s): Signature Confirmation™

Status: Delivered

Your item was delivered at 7:58 am on January 25, 2011 in WATERTOWN, SD 57201. The item was signed for by J SCHLEUSNER.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 25, 2011, 7:58 am, WATERTOWN, SD 57201
- Notice Left, January 22, 2011, 10:30 am, WATERTOWN, SD 57201
- Out for Delivery, January 22, 2011, 7:32 am, WATERTOWN, SD 57201
- Sorting Complete, January 22, 2011, 7:22 am, WATERTOWN, SD 57201
- Arrival at Post Office, January 22, 2011, 5:42 am, WATERTOWN, SD 57201

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 0584	
SCHLEUSNER DAIRY LOUIE SCHLEUSNER 17434 460TH AVE WATERTOWN SD 57201	
Waiver of Signature	☐ YES ☐ NO
Postmark Here	
POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com or call 1-800-222-1811	
☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 7, 2011

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Sir:

I am writing to acknowledge receipt of your 2010 irrigation questionnaire.

You may disregard the January 21, 2011, "Notice" concerning reporting requirements for Water Right No. 2497-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2497-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2018

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2017 Irrigation Questionnaire(s)

Our records indicate your 2017 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 20, 2017. The Water Management Board has directed that owners of water permits who have not submitted the 2017 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."


The hearing will be held at **Wednesday, March 7, 2018 at 10:00 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 7, 2018** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 8, 2018

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

I am writing to acknowledge receipt of your 2017 irrigation questionnaire.

You may disregard the January 26, 2018, "Notice" concerning reporting requirements for Water Right No. 2497-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

2497-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: VDYXAH**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 26, 2022

2497-3

Louie Schleusner
Schleusner Dairy
17434 460th Ave
Watertown SD 57201

Dear Mr. Schleusner:

I am writing to acknowledge receipt of your 2021 irrigation questionnaire.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Right No. 2497-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: SCHLEUSNER DAIRY, LOUIE SCHLEUSNER, 17434 460TH AVE, WATERTOWN, SD 57201

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire(s) has not been submitted for Permit No(s) 2497-3. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire(s) be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine what action is to be taken for violation of Water Permit No(s) 2497-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2497-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: IRPICS**

NOTE: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 24, 2025

2497-3

Schleusner Dairy
c/o Louie Scheusner
17434 460th Ave
Watertown SD 57201

Dear Mr. Scheusner:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2497-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us