

2499-3

1. Considered 1-22, 1976
2. Name of Applicant RUSSELL ERICKSON
3. Post Office Address SIOUX FALLS
4. Amount of water claimed 2.28
5. Source of water supply GROUND WATER (50' DEEP WELL)
6. Water to be used for IRRIGATION
Acres to be irrigated 160
7. Water to be diverted and used in TURNER county
about 2E miles of DAVIS
8. Proof of Publication
Received 1-14-76
Not received
9. Application
Approved
Subject to
Not Approved
Action deferred
10. Remarks:

No. 2499-3Map No. 1871-3 Water Division No. 3 VERMILLION RIVER District
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

11 38

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Russell C. Erickson
2. Postoffice address 1512 Crestview Drive, State South Dakota, 57103
Sioux Falls,
3. If a corporation show date and place of incorporation N/A
4. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
5. Name of diversion work Russell C. Erickson Irrigation Project #2
6. Amount of water claimed (cubic feet per second) 2.285 cft.
7. Source of water supply Well
8. Location of point of diversion S.W. corner of S/W 1/4 2-97-52

County Turner

9. Annual period or periods during which water is to be used April - October
10. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
11. For irrigation use, Total number of acres to be irrigated 160

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>W 1/2 S/W 1/4 Sec. 2-97-52</u>	<u>80</u>		
<u>E 1/2 SW 1/4 Sec. 2-97-52</u>	<u>80</u>		

Attach sheet if more space is needed

12. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 3 years.
13. Choice of newspaper for Notice of Intent to Appropriate Water publication Argus Leader, Sioux Falls, S.D.
14. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well & Pump

B. Works proposed to transport water to place of use.

Pipe

C. Works proposed to apply water to beneficial use.

SprinklerEstimated Total Cost \$ 22,000Attachment: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of MinnehahaI, RUSSELL C. ERICKSON, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Russell C. EricksonSubscribed and sworn to before me this 15 day of July, 1975.

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Resources Commission hereby approves Water Right Application No. 2499-3
RUSSELL ERICKSON 1512 CRESTVIEW DR., SIOUX FALLS,
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57103 With the following modifications
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application DECEMBER 24 19 75
 Date of return to applicant for correction, amendments or changes required — 19 —
 Date of receipt of corrected application — 19 —
 Approved JANUARY 23 19 76 Recorded in Book 14 Page 255
 WATER RIGHT PERMIT NO. 2499-3

The Water Resources Commission hereby grants and issues this Water Right Permit No. 2499-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is DECEMBER 24 19 75
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 23 19 78
3. The whole of said work is to be completed on or before JANUARY 23 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 23 19 84
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JANUARY 23 19 84 said water to be used during the following described annual period: APRIL - OCTOBER

Witness my hand this 2ND day of FEBRUARY 19 76

WATER RESOURCES COMMISSION

By: John H. H. H.
 Chief Engineer, Executive Officer

Certificate of Construction Issued August 25 19 80

Water License Issued August 25 19 80

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 20 inches, Depth 50 feet
- (2) Casing, Type Steel Diameter 14 inches Thickness 3/16 inch
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Galvanized, Diameter 14 inches, Length 10 feet
- (4) Gravel Pack. Thickness 3 inches, Length of gravel pack 20 feet

E. Dugout Information or Estimates.

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Gravel & coarse sand

Depth to top of water bearing material 10 feet

Depth to bottom of water bearing material 75 feet

Thickness of water bearing material 65 feet


Depth to water (ground surface to water level) 10 feet

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 80 rds. On property owned by others 160 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.


Signature of Applicant

December 19, 1975



Mr. Russell C. Erickson
1512 Creeview Drive
Sioux Falls, SD 57103

Dear Mr. Erickson:

Concerning your application #2 for a permit to use water in the southwest quarter of section 2, township 97, range 52, we have completed the analysis for the water sample submitted here. The original copy of the report of analysis is enclosed for your use and keeping. I am also enclosing a copy of extension circular 654. On the outside of this, on the back cover, you will see a red cross indicating the approximate quality of your water for irrigation purposes. It is in the low sodic, but moderately high salinity category.

This water thus has no appreciable hazard for irrigation uses on the soils which you designate to be irrigated. The leaching effectiveness of our climate is such that you should have no problem with salt accumulation. I would recommend, however, that you do not irrigate consistently with light, frequent applications of water.

A copy of this letter, also of the water analysis, and the WI-1 form are being sent to the State Conservation Commission.

Sincerely yours,

L. C. Aine

L. C. Aine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

L. Pahl

Merlin Pietz, County Extension Agent

DEC 21 1975

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF CIRCUMSTANTIAL WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED

FOR COMMISSION USE ONLY

Irrigation System:

Water Quality:

Soils Capability:

Approved: *[Signature]*

WATER RIGHT APPLICATION NO. 42

NAME: Russell C. Erickson

ADDRESS: Davis, S.Dak. 57021 Mailing address: 1512 Crestview Dr. Sioux Falls, So. Dak. 57103

COUNTY: Turner

LEGAL DESCRIPTION

WELL LOCATION: SW
Corner of SW 2 29-52

SITE TO BE IRRIGATED: SW 2-29-52

WATER QUALITY

TEST WELL SAMPLE: 75-1145

SALINITY: EC = 866 μ mhos/cm (med-high)

SODIUM: SAR = 0.38 (low)

LAND CAPABILITY FOR IRRIGATION

PERCENTAGE OF SLOPE: Average 1%

PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: E₁SW₁ is 70-70 - Deep, loamy, well drained
soils on nearly level (0-2%) uplands. They have few 1-0 limitations in use.
Cap. Unit I₂ W₁SW₁ mostly 11 Cap. Unit IIIw₂ - Deep, slowly permeable, clay soils on
1-0 nearly level (0-2%) bottom lands that are sometimes
poorly drained and occasionally flooded.
(Both suitable for irrigation)

TYPE OF IRRIGATION

GRAVITY:

SPRINKLER TYPE: Big Gun

CROPS TO BE IRRIGATED

Corn, Beans

I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

J. W. Razez, DC, Soil Conservation Service, Parker, S.Dak. 57053

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Russell C. Erickson
Russell C. Erickson

Subscribed and sworn before me this

15 day of Dec. 1975.

Richard L. Culbert

Richard L. Culbert, Notary Public
My Commission Expires, October 10, 1976

(Title)



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Emmett C. Erickson Date Rec'd: April 17, 1975
 Address: 1112 Grantview Dr. Sample No. 71-1145
Sioux Falls, SD 57103 Identification 01-50
1112, 1101, 1102, 1103

WATER ANALYSIS

Calcium (Ca)	110	ppm*	5.50	me/l**
Magnesium (Mg)	53	ppm	4.70	me/l
Sodium (Na)	20	ppm	0.87	me/l
Potassium (K)	4	ppm	0.20	me/l
Sulfate (SO ₄)	02	ppm	4.70	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	11	ppm	0.23	me/l
Bicarbonate (HCO ₃)	20	ppm	6.23	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	344	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	66	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.38			
Sodium	7.7%	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.6			

*ppm==parts per million

**me/l==millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 11.23 me/l
 Total anions 11.39 me/l

By: Emmett C. Erickson

Service Performed

Amount Due

Investigation Analysis

6.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 71-1145

Amount Enclosed \$

Signed

WATER LICENSE NO. 2499-3.

(1) WHEREAS, On the 24th day of December A. D. 19 75

Russell Erickson

made Water Right Application No. 2492-3 for a permit to use 2.28 cubic feet per second of the waters of groundwater (ana well)

County of Hughes, State of South Dakota, for irrigation

purposes; and

(2) WHEREAS, On the 23rd day of January A. D. 19 76

Permit No. 2499-3, with a date of priority of December 24, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 23rd day of January A. D. 19 81 and for the application to beneficial use of said water on or before the 23rd day of January A. D. 19 81

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.11 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

to irrigate the following lands all in Section 2, T97N, R55W

	Acres
<u>E½ SW¼</u>	<u>80</u>
<u>W½ SW¼</u>	<u>60</u>
TOTAL	140 acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Russell Erickson

of Sioux Falls SD

the holder and owner of said permit No. 2499-2 a water right, dating from December 24, 1975

to use of 1.11 cubic feet per second of the waters

of groundwater (one well)

in the County of Hughes and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at a point 100 feet north and 100 feet east of the

SE corner, Section 2, T07N, R52W

and conducted to and upon portions of land located in Section 2, T07N, R52W

more fully described on the face of this license

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2499-2 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 25th day of August A. D.

Nineteen Hundred and Eighty

WATER MANAGEMENT BOARD

By:

John Hatch

Chief Engineer, Executive Officer

JOHN HATCH

Permit No. 2499-3

Water Diversion No. 3 Vermillion River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Russell Erickson

_____ the holder _____ of
Permit No. 2499-3, issued upon Application No. 2499-3, bearing date of priority of December 21,
1975 authorizing the diversion of 2.28 cu. ft. per second of the waters of _____
groundwater (one well) County of Turner, State of South Dakota at _____
a point 100 feet north and 100 feet east of the SW corner, Section 2,
T97N, R52W
_____, for irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.28 cu. ft. per second of water.

Date August 25, 1980

John Hatch
JOHN HATCH, Chief Engineer
Water Rights Division

No. 2499-3

Publish first publication, on or before January 8, 1976

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

December 30, 1975

Notice is hereby given that Russell C. Erickson
whose post office address is Sioux Falls, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.28 cubic feet of water per second of time from the ground water through the
Erickson Irrigation Project #2, the point of diversion of which is to be located in the _____

SW $\frac{1}{4}$ SW $\frac{1}{4}$
of Section 2, Twp. 97N, Range 52W. Said water to be used for the purpose
of providing irrigation on the following described land:

SW $\frac{1}{4}$, Section 2, T97N, R52W

This application No. 2499-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 22nd day of January, 1976, at 2:30 P.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw
cc: Russell Erickson

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Minnehaha) ss.

I, JOHN K. KOLL hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Sioux Falls Argus-Leader

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City _____ of Sioux Falls

County of Minnehaha and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

Monday, January 5

Monday, January 12th

x John K. Koll

JOHN K. KOLL

(Signature)

Controller

(Title)

January 12, 1976

(Date Signed)


NOTICE
INTENT TO APPROPRIATE
WATER

Pierre, South Dakota 57501
December 20, 1975

Notice is hereby given that Russell
C. Erickson whose post office address
is Sioux Falls, South Dakota, has made
an application in accordance with the
provisions of the water laws of South
Dakota for a permit to appropriate for
beneficial use 2.28 cubic feet of water
per second of time from the ground
water through the Erickson Irrigation
Project #2 the point of diversion of
which is to be located in the SW 1/4 SW 1/4
of Section 2 Twp. 97N, Range 32W,
Said water to be used for the purpose
of providing irrigation on portions
of the following described land: SW 1/4,
Section 2, T97N, R32W.
This application No. 2499-3 will be
considered by the Water Rights
Commission at their office at Pierre
upon the 22nd day of January, 1976, at
2:30 P.M. All interested persons may
appear and be heard.

WATER RIGHTS COMMISSION
By BURTON F. JONES
Water Rights Specialist

Jan. 5, 12, 1976



STATE WATER RIGHT COMMISSION
PIERRE, SOUTH DAKOTA

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 7656

PIERRE, August 22, 1926

RECEIVED OF Russell Erickson, 1518 Crestview Drive, Sioux Falls, SD 57102
the following amount in fees for services rendered as provided for by law.

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) -----		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. 2000-2 -----	50	00
Fee for Inspecting Beneficial Use, and Issuing Water License No. 2000-3 -----		
Fee for Issuing Location Certificate-Dry Draw, No. -----		
Fee for filing -----		
Fee for certified copy of -----		
Fee for Print copy of map -----		
Fee for Certifying -----		
Fee for ----- (any other work as provided by law)		
TOTAL	50	00

WATER RIGHTS COMMISSION

By *John Hatch*
Chief Engineer, Executive Officer
JOHN HATCH (sv)

Permit No. 2499-3Water Division 3 VERMILLION RIVER Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by RUSSELL
ERICKSON of SIOUX FALLS holder
of Permit No. 2499-3, bearing date of priority of DECEMBER 24, 1975
authorizing the diversion of 2.28 cu. ft. per second of the waters of GROUNDWATER
for IRRIGATION purposes, in TURNER County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

70' DEEP WELL - 16" STEEL CASING - 20' SS SCREEN
WESTERN LAND ROLLER 6" PUMP - MOD 9.10CHO - SER^{II} C76 190
POWERED BY 60HP US ELECTRIC MOTOR

B. Works used to transport water to place of use,

1800' OF 8" ALUMINUM MAINLINE
600' OF 6" ALUMINUM MAINLINE

C. Works used to apply water to beneficial use.

EZ RAIN TRAVELLING SPRINKLER WITH NELSON BIG GUN,
MODEL P-200 - 1 1/2" ORIFICE - 500 GPM - 660' OF 5"
RUBBER HOSE

The system is in the following condition: GOOD

The point of diversion is located 100' N & 100' E OF THE SW CORNER,
SECTION 2, T97N, R52W

The works are capable of diverting and conveying to the place of use 1.11 (500 GPM)cu. ft. per second of water which is to be used for IRRIGATIONWater has been put to beneficial use to the maximum extent as follows: ALL IN SECTION 2, T97N, R52W

E² SW⁴ 80
W² SW⁴ 60

comprising a total of 14.0 acres of land.Date JUNE 17, 1980

Durston Jones
(Signature)



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

October 29, 2003

2499-3

Russell & Marlene Erickson
4401 Locust Dr Apt 4
Sioux Falls SD 57105

Dear Mr. & Mrs. Erickson:

I am contacting you in regard to the annual irrigation questionnaire for Water Right No. 2499-3. The water right authorizes irrigation of 140 acres in the SW ¼ Section 2, T97N, R52W. Dean Erickson returned the form to us indicating we should contact you as the owners of the water right.

Enclosed is the 2003 irrigation questionnaire pertaining to this water right. Please complete the form and return it to us by December 1st. I have enclosed a postage paid envelope for your reply.

Our records indicate the land was last irrigated in 1995. Something to keep in mind is that water must be placed to beneficial use at least once every three years. This three-year period may be waived if legal excuse exists for not irrigating. Legal excuse as defined in Water Management Board Rules includes, but is not limited to, the following: 1) unavailability of water to satisfy a permit or right; 2) legal proceedings which prevent the use of water; or 3) water use under existing climatic conditions would result in a waste of water.

If irrigation has been discontinued on this property, please let us know when returning the irrigation questionnaire. Thank you in advance for your help in updating the water right.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures

RUSSELL C. ERICKSON IRRIGATION SYSTEM NO. 2

Owner: Russell C. Erickson
1512 Crestview Dr.
Sioux Falls, S. Dak. 57103

MAP NO. 1871-3 APP. NO. 2499-3





2499-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2013

NOTICE

TO: RUSSELL ERICKSON, 4401 LOCUST DR APT 4, SIOUX FALLS, SD 57105

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2012 Irrigation Questionnaire(s)

Our records indicate that the 2012 Irrigation Questionnaire has not been submitted for Permit No(s) 2499-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 12, 2012. The Water Management Board has directed that owners of water permits who have not submitted the 2012 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **8:30 am, March 7, 2013**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2499-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2013**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 25, 2013

2499-3

Russell Erickson
4401 Locust Dr Apt 4
Sioux Falls SD 57105

Dear Mr. Erickson:

I am writing to acknowledge receipt of your 2012 irrigation questionnaire.

You may disregard the January 18, 2013, "Notice" concerning reporting requirements for Water Right No. 2499-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2499-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: RUSSELL ERICKSON, 4401 LOCUST DR APT 4, SIOUX FALLS, SD 57105

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire has not been submitted for Permit No(s) 2499-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2499-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 27, 2016

2499-3

Russell Erickson
4401 Locust Dr Apt 4
Sioux Falls SD 57105

Dear Mr. Erickson:

I am writing to acknowledge receipt of your 2015 irrigation questionnaire.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Right No. 2499-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us