

7561-3

1. Considered 3.17, 1976
2. Name of Applicant DARYLE STARR
3. Post Office Address ~~ED~~ FRANKFORT
4. Amount of water claimed 2.22
5. Source of water supply GROUND WATER (80' WELL)
6. Water to be used for IRRIGATION
- Acres to be irrigated 1100
7. Water to be diverted and used in SPINK county
about 6W, 3N miles _____ of DOLAND
8. Proof of Publication Received _____
Not received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 2561-3
 Map No. 1932-3 Water Division No. 3 JAMES RIVER
 (Blanks to be Filled by the Engineer for the W. B. C.)


APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant D. J. Starn
 Post-office address 700 1st St. S.E. State S.D.
 If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct
3. Name of diversion work STARR #1
4. Amount of water claimed (cubic feet per second) 2.22
5. Source of water supply well
6. Location of point of diversion Section 18, T117N, R61W
5/2
 County Sp. Co.
7. Annual period or periods during which water is to be used Apr - Sept
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 160

List below each forty-acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SW 1/4, Sec 18, T117N, R61W	160		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 years. Additional time required to complete application of water to the proposed beneficial use 0.1 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Redfield Press
12. Principal Features of the Proposed Water Supply System.
- A. Works proposed to divert water from its natural source.
- B. Works proposed to transport water to place of use.
- C. Works proposed to apply water to beneficial use.

center pivot

Estimated Total Cost \$50,000
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Spink
 I, Nancy Starn, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.
Signed Nancy StarnSubscribed and sworn to before me this 27 day of January, 1976

Notary Public (or other qualified officer)

Commission Expires Nov. 12, 1978

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2561-3

DARYLE STARR
(Applicant)

FRANK FORT,
(Post Office Address)

SOUTH DAKOTA 57440 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JANUARY 28, 1976

Date of return to applicant for correction, amendments or changes required —, 19 —

Date of receipt of corrected application FEBRUARY 23, 1976

Approved MARCH 17, 1976 Recorded in Book 15 Page 60

WATER RIGHT PERMIT NO. 2561-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2561-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JANUARY 28, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 17, 1976
3. The whole of said work is to be completed on or before MARCH 17, 1977
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 17, 1978
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.22 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 17, 1978; said water to be used during the following described annual period: APRIL - SEPTEMBER

Witness my hand this 5TH day of APRIL, 19 76

WATER RIGHTS COMMISSION

John Hartsh
Chief Engineer, Executive Officer

Certificate of Construction Issued SEPTEMBER 15, 1977

Water License Issued SEPTEMBER 15, 1977

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to Form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 18", Depth 80 ft
- (2) Casing, Type Galvanized Steel Diameter 1.5" Thickness 3/16"
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type Slot Diameter 1/8", Length
- (4) Gravel Pack, Thickness 7', Length of gravel pack 6.5 feet

E. Dugout Information or Estimates.

- (1) Surface dimensions , Depth

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials well cemented

Depth to top of water bearing material 15 ft

Depth to bottom of water bearing material 78 ft

Thickness of water bearing material 63 ft

Depth to water (ground surface to water level) 20 ft

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 3 miles rds. On property owned by others rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Narish Storrs
Signature of Applicant

SOUTH DAKOTA STATE UNIVERSITY
BROOKINGS, SOUTH DAKOTA 57006

WATER RESOURCES RESEARCH INSTITUTE

February 13, 1976

Mr. Al Griffiths
State Conservation Commission
State Capitol Building 02
Pierre, SD 57501



Dear Mr. Griffiths:

I have just received a telephone call from the county agent at Spink County in which he pointed out an error which had been made by the landowner in respect to a water application permit.

The application was made by Mr. Daryle Starr and had the incorrect legal location of the proposal development. The correct location should be the southwest 1/4 of section 18, township 117N, range 61W. The error apparently was in the range, rather than the section or anything else. Perhaps this change should be made on the WI-1 and other forms if the same error carries through.

The soils are slightly less favorable on the correct location, that is, in range 61, but I believe my basic recommendation would be about the same.


Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

February 9, 1976



Mr. Daryle Starr
Frankfort, SD 57440

Dear Mr. Starr:

We have received and completed the analysis of your water sample #76-057. The report of analysis enclosed herewith is yours to keep. I am also enclosing a copy of extension circular 654 and I have plotted the approximate quality of this water for irrigation purposes on the outside back cover. You will note that it is in the high salinity, medium sodium category. This means that the water has 2 distinct hazards as far as effect on soils is concerned. One of them is that there is a considerable tendency for this water to cause a build-up of salts in the upper portions of the soil profile. This is the part of the soil that is used most by plant roots. This salt could become detrimental to crop performance as soon as 5 years after you begin to irrigate if you follow a practice of irrigating frequently and in light amounts, that is, 4, 5, or 6 times a growing season and 1 to 2 inches per application. If, on the other hand, you irrigate as seldom as possible, not more than 3 times in any growing season and preferably less, and put on fairly large quantities each time, you can probably manage this water so you will not have a detrimental build-up, at least for 15 or 20 years. You may have to follow the practice of completely saturating the profile in the late fall, just before freeze-up, so that winter and spring precipitation will cause the effect of leaching. This should not have to be done more than once every 4 or 5 years, however, and probably will not be needed until at least 10 years have gone by. This is impossible to predict and will depend upon the chance occurrence of effective rain after you have irrigated, and other such unpredictable phenomena.

The soils which you have are largely Beotia great bend and other associated soils, and although they have some salt in the sub-surface, horizons are salt-free at the surface and have quite good internal drainage. There should be adequate movement of salt down and out of the root zone if you follow the recommendations as given above. However, I cannot emphasize above the hazards of using small, frequent applications of water. There is one further complicating problem with this water, and that is that it has a medium sodium content and in addition, it has residual sodium carbonate to the extent of 2.43 me/l. These are properties of waters which can cause a "slick spot or gumbo" characteristic to develop in the surface soil. If you wish to see some soil in which this has happened, take a look at the northwest quarter of section 13, I believe it is, over 1 mile south of the former county poor farm. This was irrigated with low quality water for a number of years and dispersion has caused an almost straight gumbo soil to develop. Therefore, I caution you to

Mr. Starr
February 9, 1976
Page 2

watch the soil carefully as the years go by, and if it begins to appear that salt is building up or that the structure of the soil is deteriorating, please get in touch with someone in Water Resources or someone in soil extension for recommendations on management practices which can alleviate the problem.

A copy of this letter, and the water analysis, and the WI-1 material are being sent to the State Conservation Commission. Please be careful to retain the copy of the water analysis for your future reference.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Robert Sampson, County Extension Agent



CONSERVATION
COMMISSION
W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED WELL IRRIGATION ONLY)

FOR COMMISSION USE ONLY

IRRIGATION SYSTEM _____

WATER QUALITY _____

SOILS CAPABILITY _____

APPROVED [Signature]

DISAPPROVED _____

NAME Douglas "Steve"
ADDRESS 1-1000 7th S.D.
COUNTY S. D.

LEGAL DESCRIPTION

1. WELL LOCATION center of SW 1/4 T117N R61W S18
2. AREA TO BE IRRIGATED T117N R61W S18 SW 1/4
(OR)

TYPE OF IRRIGATION

3. GRAVITY _____ SPRINKLER (INDICATE TYPE) center pivot
4. CROPS TO BE IRRIGATED corn alfalfa

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE 2-3%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION Benton Silt Loam

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NUMBER 76-057
8. SALINITY EC = 1374 μ mhos/cm (high)
9. SODIUM SAR = 6.31 (medium)

Residual Na_2CO_3 = 2.43 me/liter; (Caution!!)

I DO HEREBY CERTIFY THAT A CHEMICAL ANALYSIS OF THE GROUND WATER TO BE
ACQUIRED FOR IRRIGATION FROM SOUTH DAKOTA STATE UNIVERSITY AND:

THE LAND CAPABILITY FOR IRRIGATION INFORMATION HAS BEEN ACQUIRED FROM

Ext Office Sp. Co. David Stant.

AND:

THAT THE LEGAL DESCRIPTION FOR THE LOCATION OF THE WELL AND LAND TO BE
IRRIGATED IS TRUE AND CORRECT.

Harold Stant


SUBSCRIBED AND SWORN BEFORE ME THIS

27 DAY OF January 1976.
Walter Reed

Notary Public

(TITLE)

My Commission Expires May 12, 1978



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: **Doryle Starr**
 Address: **Frankfort, SD 57440**

Date Rec'd: **February 2, 1976**
 Sample No.: **76-057**
 Identification: **Well-**
SW2, Sec. 18, T 117N, R 62W

WATER ANALYSIS

Calcium (Ca)	85	ppm*	4.25	me/l**
Magnesium (Mg)	20	ppm	1.64	me/l
Sodium (Na)	249	ppm	10.83	me/l
Potassium (K)	12	ppm	0.30	me/l
Sulfate (SO ₄)	330	ppm	6.86	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.27	me/l
Bicarbonate (HCO ₃)	508	ppm	8.32	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (ELTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	416	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1374	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	6.31			
Sodium	63.63	% of cations		
Residual sodium carbonate	2.43	me/l		
pH	7.60			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 17.02 me/l
 Total anions 15.45 me/l

By: **Shirley Mitten**

Service Performed

Amount Due

Irrigation Analysis

\$8.00

Make checks payable to: **Water Quality Laboratory**

Cut along dotted line and return the lower portion with payment

Sample No. **76-057**

Amount Enclosed \$

Signed

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2561-3

(1) WHEREAS, On the 28th day of JANUARY A. D. 19 76
Daryle Starr

made Water Right Application No. 2561-3 for a permit to use 2.22 cubic feet per second of the waters
of ground water

County of Spink, State of South Dakota, for irrigation
purposes; and

(2) WHEREAS, On the 17th day of March A. D. 19 76

Permit No. 2561-3, with a date of priority of January 28, 1975

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 17th day of March A. D. 19 77 and for the
application to beneficial use of said water on or before the 17th day of March A. D. 19 78

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent.

for irrigating a 153 acre circle in the SW, Section 18, T117N, R61W

(5) NOW, THEREFORE, by the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Daryle Starr

_____ of Frankfort

the holder _____ and owner _____ of said permit No. 2561-3 a water right, dating from January 28, 1976

_____ to use of 1.73 cubic feet per second of the waters

of ground water

in the County of Spink and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at _____

a point 1320' N and 1285' E of the SW corner, Section 18, T117N, R61W

and conduct to and upon a 153 acre circle in the SW 1/4, Section 18, T117N, R61W

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2561-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 15th day of September A. D.

Nineteen Hundred and seventy-seven

WATER RIGHTS COMMISSION

By:

John Hatch

Chief Engineer, Executive Officer JOHN HATCH

Form 15.

Permit No. 2561-3

Water Diversion No. 3 James River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Daryle Starr

_____ the holder _____ of
Permit No. 2561-3, issued upon Application No. 2561-3, bearing date of priority of January 28, 1976
_____ authorizing the diversion of 2 22 cu. ft. per second of the waters of _____
ground water County of Spill, State of South Dakota at _____
a point 1320'N and 1285'E of the SW corner, Section 18, T117N,
R61W
_____, for irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory condition for diverting and conveying to the place of intended use 1.78 cu. ft. per second of water.

Date September 15, 1977

~~STATE ENGINEER~~
WATER RIGHTS COMMISSION

By:

John Hatch
JOHN HATCH, Chief Engineer

Form 6 - Notice of Intent to Appropriate Water

No. 2561-3

Publish first publication, on or before March 4, 1976.

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

February 24, 1976

Notice is hereby given that Daryle Starr
whose post office address is Frankfort, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.22 cubic feet of water per second of time from the ground water through the
Starr No. 1, the point of diversion of which is to be located in the _____

Center of the SW $\frac{1}{4}$
of Section 18, Twp. 117N, Range 61W. Said water to be used for the purpose
of providing irrigation on ^{portions of} the following described land:
SW $\frac{1}{4}$, Section 18, T117N, R61W

This application No. 2561-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 17th day of March, 1976, at 1:00 P.M. All interested
persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc: Daryle Starr

Frankfort, SD 57440

Affidavit of Publication

STATE OF SOUTH DAKOTA
County of Spink

SS

I, Harold D. Jones, of said County and State, being first duly sworn on oath, say that the REDFIELD PRESS is a legal weekly newspaper as defined in Sec. 65.0508 South Dakota Code 1939, as Amended by Chapter 298 of the Session of Laws of 1939, printed and published in the English language in the City of Redfield, in said County and State, by the SPINK COUNTY PRINTING CO., INC., and has been such newspaper during the time hereinafter

mentioned, and that I, Harold D. Jones, the undersigned, am editor of said newspaper in charge of the advertising

department thereof, and have personal knowledge of all the facts stated in this affidavit, and that the legal or official notice entitled:

Notice Intent to appropriate water

a printed copy of which is hereto attached, was printed and published in said newspaper in two successive issues, to-wit:

The first publication being made on March 4 1976

2nd March 11 1976 5th.....19.....

3rd.....19..... 6th.....19.....

4th.....19..... 7th.....19.....

that the full amount of the fee charged for publishing the same to-wit:

the sum of \$ 10.44 inures to the benefit of

the publisher of the REDFIELD PRESS, that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever.

Subscribed and sworn to before me this 11th day

of March 1976

Wm. J. [Signature]
Notary Public, Spink County, South Dakota

(SEAL)

No. 2

No. 2561-3

NOTICE

INTENT TO

APPROPRIATE WATER

Pierre, South Dakota 57501

February 24, 1976

Notice is hereby given that Daryle Starr, whose post office address is Frankfort, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.22 cubic feet of water per second of time from the ground water through the Starr No. 1, the point of diversion of which is to be located in the Center of the SW 1/4 of Section 18, Twp. 117N, Range 161W, R61W. Said water to be used for the purpose of providing irrigation on portions of the following described land:

SW 1/4, Section 18, T117N, R61W.

This application No. 2561-3 will be considered by the Water Rights Commission at their office at Pierre upon the 17th day of March, 1976, at 1:00 P. M. All interested persons may appear and be heard.

WATER RESOURCES
COMMISSION

By: BURTON F. JONES

Water Rights
Specialist

BFJ-bw

cc:

Daryle Starr
Frankfort, S. D. 57440
(March 4, 1976)



2000 Duff, Sta.

2000 J. 2000 195

2000 4000 1950 1950

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

2000 2000 2000 2000

Permit No. 2561-3Water Division 3 James River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Daryle Starr of Frankfort, S. Dak. 57440 holder of Permit No. 2561-3, bearing date of priority of January 28, 1976 authorizing the diversion of 2.22 cu. ft. per second of the waters of Ground for Irrigation purposes, in Spink County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water: pump: Layne Bowler
Motor: High Thrust, U.S. Electrical, HP-60, RPM 1770,
ID# R-6234-00811

B. Works used to transport water to place of use,
8" dia Pipe 35 ft long

C. Works used to apply water to beneficial use.
T & L Center Pivot and
Corner sprinklers

The system is in the following condition: GoodThe point of diversion is located 1320 ft North and 1283 ft East of the
SW Corner of Section 18, T117N R61WThe works are capable of diverting and conveying to the place of use 1.78
cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: All in Sec. 18, T117N R61W
NW 1/4 SW 1/4 - 39 Ac., NE 1/4 SW 1/4 - 40 Ac., SW 1/4 SW 1/4 - 38 Ac.,
SE 1/4 SW 1/4 36 Ac.comprising a total of 153 acres of land.

Well Data:

Depth 70 ft
Depth to water 20 ft
Capacity 800 gpm

Date Oct 1, 1976

LaRoy J. Mernough
(Signature)



January 9, 1998

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

 JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
NOTICE
TO: DARYLE STARK, RR 1 BOX 42, FRANKFORT, SD 57440

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaires

Our records indicate that the 1997 Irrigation Questionnaires have not been submitted for Permit Nos. 5529-3, 2561-3. The request for the Questionnaires was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2561-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5529-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, February 25, 1998 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5529-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2561-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 20, 1998, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note. Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2561-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 29, 1998

2561-3
5529-3

Daryle Starr
39864 US Hwy 212
Frankfort SD 57440-6802

Dear Mr. Starr:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit Nos. 2561-3 and 5529-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.


If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

PRAIRIE CENTER T117N

R61W S18





**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

December 14, 2010

2561-3

Keith Lambert
40004 167th St
Frankfort SD 57440

Dear Mr. Lambert:

Thank you for taking the time to visit with me regarding the irrigation questionnaire for Water Right No. 2561-3. The water right is currently listed in the name of Daryle Starr.

Enclosed for your review are a copy of the water right and copies of the 2008 and 2009 irrigation questionnaires. They will give you an idea of what is covered under the water right and also show you what information needs to be reported.

Please complete the enclosed 2010 irrigation questionnaire and return it to us by the end of the year. I have included a postage paid envelope for your ease in sending back the form. In the event you wish to use it, there is an on-line form that can be used. The web address for it is shown at the top of the yellow questionnaire.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosures



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

November 7, 2016

2561-3

Keith Lambert
40004 167th St
Frankfort SD 57440

Dear Mr. Lambert:

Thank you for calling with the irrigation information for Water Right No. 2561-3.

I obtained the "depth to water" from the inspection report filed with Water Right No. 2561-3. Based on the kilowatt hours and other information you gave, I completed a questionnaire for you. The report reflects a total water use for 2016 of 77.8 acre feet of water.

Enclosed is a copy of the form for your records. If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

enclosure