

1. Considered 3-17, 1976 2569.3
2. Name of Applicant LEROY SLEIKAS
3. Post Office Address HURON
4. Amount of water claimed 4.0
5. Source of water supply GROUND WATER (90' WELL)
6. Water to be used for IRRIGATION
- Acres to be irrigated 280
7. Water to be diverted and used in BEADLE county
about 6N, 2E miles of HURON
8. Proof of Publication Received 3-10-76
 Not Received
9. Application Approved
 Subject to
 Not Approved
 Action deferred

10. Remarks:

No. 2569-3Map No. 1939-3, Water Division No. 3 JAMES RIVER District
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriately Water within the State of South Dakota

(NOTE-Draw a line through items not applicable)

STATE WATER RIGHTS UNIT
PIERRE, SOUTH DAKOTA1. Name of Applicant Leroy Slepiakas
Postoffice address Rt 2 Huron, State So. Dak.

If a corporation show date and place of incorporation _____

2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & direct labor3. Name of diversion work LEROY SLEPIAKAS IRRIGATION PROJECT4. Amount of water claimed (cubic feet per second) 4.05. Source of water supply Groundwater6. Location of point of diversion NE⁴ NE⁴ 5 - 111 N - 61 W

County _____

7. Annual period or periods during which water is to be used April through October8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation

9. For irrigation use.

Total number of acres to be irrigated 280

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW ⁴ NE ⁴ 5 - 111 - 61	40	NW ⁴ SW ⁴ 33 - 112 - 61	40
SW ⁴ NE ⁴ 5 - 111 - 61	40	SW ⁴ SW ⁴ 33 - 112 - 61	40
SE ⁴ NE ⁴ 5 - 111 - 61	40	SE ⁴ SW ⁴ 33 - 112 - 61	40
NE ⁴ NE ⁴ 5 - 111 - 61	40	NE ⁴ SW ⁴ 33 - 112 - 61	40

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.11. Choice of newspaper for Notice of Intent to Appropriately Water publication Daily Plainsman

12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Bowl pump

B. Works proposed to transport water to place of use.

Main line

C. Works proposed to apply water to beneficial use.

sprinkler

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of BeadleI, Leroy Slepiakas, the applicant, certify that I have read the foregoing application and have examined the attached map, and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Leroy SlepiakasSubscribed and sworn to before me this 18th day of December, 1975

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2569-3
LEROY SLEPIKAS RP #2, HURON
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57350 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JANUARY 13 19 76
 Date of return to applicant for correction, amendments or changes required — 19 —
 Date of receipt of corrected application — 19 —
 Approved MARCH 17 19 76 Recorded in Book 14 Page 347

WATER RIGHT PERMIT NO. 2569-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2569-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which a applicant may claim right is JANUARY 13 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 17 19 78
3. The whole of said work is to be completed on or before MARCH 17 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 17 19 83
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 4.0 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 17 19 83; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 23RD day of MARCH 19 76

WATER RIGHTS COMMISSION

By:

[Signature]
 Chief Engineer, Executive Officer

Certificate of Construction Issued — 19 —

Water License Issued — 19 —

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates *Log with Survey by driller*

(1) Drill Hole, Diameter _____, Depth _____

(2) Casing, Type _____ Diameter _____ Thickness _____
(wood, concrete, steel, etc)

(3) Perforated Screen.

Type _____, Diameter _____, Length _____

(4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property _____ rds. On property owned by others *100* rds.

G. Water Storage Dams.


If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Theresa A. Hinkle

Signature of Applicant

January 6, 1976

Mr. Leroy Slepikas
R.R. #2
Huron, SD 57350



Dear Mr. Slepikas:

After going back to my letter of December 16 concerning water sample 075-1109 submitted by you on December 4, I realize that I did not give very explicit instructions on how this water should be used.

Therefore, I am sending an amendment to my letter with the following suggestions. First, this water should be used very infrequently, that is, not more than twice in any growing season and it should be used when it will do the most good to recharge the soils water reservoir. That is, it should be used when there is a minimum amount of evaporation and cool temperatures if at all possible. It may be used once during the growing season or at the most, twice, if you irrigate thoroughly with sufficient amount to completely rewet the soil profile to the total depth of rooting of whatever crop you are growing. This means that for a silt loam soil, you may have to apply 2 inches of water for each foot of soil that has been dried out by the previous period of growth or evaporation.

The reasons for these two suggestions are that there is a great propensity for water such as this to increase the salt content of the rooting depth of any crop which uses it. When this water is applied frequently and in small amounts, the salt will tend to concentrate in the upper one foot or two feet of soil and therefore cause damage very quickly to agricultural crops. If, however, you use it infrequently and wet the soil profile thoroughly, to a depth of 3 or 4 feet or more, the water extraction will tend to be more uniformly distributed over the upper 4 feet of soil and salt concentration in the surface will not be such a factor. Furthermore, the chance happening of effective rainfall after an irrigation or before a complete drying out of the soil will do some effective leaching in moving salts down and beyond the root zone.

A further management suggestion I would make with this is that after each 4 or 5 years of irrigation, you use a very heavy fall application just before soil freezes up or early spring application, before the May-June precipitation peak which we normally have. This will offer another opportunity for natural leaching to take place with the result of precipitation which we sometimes get in the fall and spring.

Mr. Elapikas
January 6, 1976
Page 2

I am concerned that the tendency to use small applications and frequent applications of waters of this kind will rapidly cause a build-up of salts in the upper part of the soil and result in deterioration of the soil and drastic lowering of crop yields. These are the reasons for the above suggestions. I realize that center pivot and some other sprinkler systems are not well suited to heavy applications and infrequent applications, but one must consider the soil as well as convenience in decisions of this sort. It may be that you will want to put the land into alfalfa about 2 years out of 7 or 2 years out of 7 and do your leaching operations while the land is in alfalfa. It is easier to handle the land when you don't have corn on it for some of these operations.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:clb

cc: State Conservation Commission
D. Fodgen, County Extension Agent
D. Pahl

December 31, 1975

Mr. Leroy Slepikas
R.R. #2
Huron, SD 57350

Dear Mr. Slepikas:

I am returning herewith the original copy of the report of analysis on sample #75-1109 originally received here December 4. I am also returning my letter to you dated December 16 concerning the possible future use of this water and the limitations on it. I strongly urge you to read these suggestions carefully and to study extension circular 651 which was sent to you earlier.

A copy of the letter which I wrote to you December 16 is being sent to the State Conservation Commission for their consideration in acting on this water sample. This will also go to your county agent. You will be receiving word from the Conservation Commission relative to advertising concerning this water. All of the application materials which you have sent to me are now being forwarded to the State Conservation Commission along with the water analysis copy.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab



LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Dick Fadgen, County Extension Agent




SOUTH DAKOTA STATE UNIVERSITY
BROOKINGS, SOUTH DAKOTA 57006

WATER RESOURCES RESEARCH INSTITUTE

December 16, 1975

Mr. Leroy Slepikas
R.R. #2
Huron, SD 57350

Dear Mr. Slepikas:



I am enclosing herewith the original copy of the report of analysis of sample 75-1109 received here on December 4, 1975. I am also enclosing a copy of extension circular 654 with the approximate quality of this water indicated by the red cross in the quality chart on the outside back cover. You will see that it is in the high salt, medium sodium category.

This means that this water has a very considerable trend or tendency to increase the salt content of the root zone of crops on which it is used, and also has a slight sodium hazard. Sodium hazard means that under certain conditions, the soil could disperse and lose its structure and cause you considerable tillage difficulties as well as difficulty in getting seedlings to come up through the crust which normally forms on sodium-affected soils. The salt in itself will not cause this tillage difficulty but will cause difficulty of crops in getting sufficient water out of the soil. For these reasons, this water should be used only in very certain limited fashions. The soil map which I received shows considerable Dudley-Stickney soil, especially in the northern half of the northeast quarter, section 5, and this soil will cause difficulties with salt rise, both from the sub-soil which already contains salt and the salt which you will be adding in your irrigation water. It should not be irrigated, under most circumstances. If, however, you can grade it carefully so that there will not be any accumulation of water or cause for rise in water table, you may be able to get along satisfactorily with it. I am making these statements on the basis of the information which we have about the Prosper-Houdek and the Dudley-Stickney soils.

All the materials needed for your application for formal processing of this are on hand, except the WI-1 form, so if you wish to have me send this in to the Conservation Commission, please forward a WI-1 form at your earliest convenience. If it is received by Friday of this week, we will be able to get it in the mail, and be considered by the January meeting of the State Water Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab
LOF:ckh

Enclosure *South Dakota State University serving South Dakotans through Teaching—Research—Extension*

REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Leroy Sleas
 Address: Box 2
Harmon, SD 57350

Date Rec'd: December 4, 1975
 Sample No.: 75-1109
 Identification: 11-90'
Lot, Sec. 1, T 111N, R 61E

WATER ANALYSIS

Calcium (Ca)	140	ppm*	7.00	me/l**
Magnesium (Mg)	68	ppm	5.53	me/l
Sodium (Na)	330	ppm	14.36	me/l
Potassium (K)	18	ppm	0.47	me/l
Sulfate (SO ₄)	660	ppm	13.73	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	20	ppm	0.57	me/l
Bicarbonate (HCO ₃)	439	ppm	7.20	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	360	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1350	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	5.73			
Sodium	52.38	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.38			


Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 27.41 me/l
 Total anions 21.50 me/l



STATE WATER RIGHT COM
 PIERRE, SOUTH DAKOTA

By: Shirley Mitten

Service Performed	Amount Due
Irrigation analysis	\$ 6.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 75-1109

Amount Enclosed \$

Signed



Conservation
Commission
Form WI #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(This Form Required for Proposed Well Irrigation Only)

FOR COMMISSION USE

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: Albert J. [Signature]

Disapproved: _____

NAME: Leroy Slepikas
ADDRESS: Rt 2 - Huron, S.D. 57350
COUNTY: Beadle

LEGAL DESCRIPTION

1. WELL LOCATION: NE 5 - 111N - 61W
2. AREA TO BE IRRIGATED: NE 5 - 111N - 61W & SW 33 - 112 - 61

TYPE OF IRRIGATION

3. GRAVITY _____ SPRINKLER (Indicate Type): Sprinkler
4. CROPS TO BE IRRIGATED: Alfalfa, corn


LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: Attached sheet
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: _____

WATER QUALITY (To Be Completed by Commission)

7. SAMPLE NO: 75-1109
8. SALINITY: EC = 1859 μ mhos/cm (high)
9. SODIUM: SAR = 5.73 (medium)

RECEIVED
JAN 13 1976
STATE WATER RIGHTS
PIERRE, SOUTH DAKOTA



I do hereby certify that a chemical analysis of the ground water to be
required for irrigation from South Dakota State University and:

the land capability for irrigation information has been acquired from

Soil Scientist SCS

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Henry S. Hepler

Subscribed and sworn before me this


18th day of December 19 75.

Marion H. Bremer

Notary Public

(Title)

SOILS MAP




NE 1/4 Sec 5, T 111 N, R 61 W W 1/2 Sec 33
T 112 N, R 61 W

SOILS LEGEND

- 101A** Prosper-Houdek loams, 0 to 2 percent slopes
This unit consists of deep well and moderately well drained loamy soils with calcareous substratum. The subsoils contain 30-35% clay. Depth to the calcareous clay loam substratum ranges from 18 to 30 inches. Permeability is moderately slow. Included within these areas are small enclosed depressions and small areas of soil with claypan subsoils which contain salts. Drainage or fill of these included areas may become desirable to prevent ponding and excessive wetness.
- 26A** Dudley-Stickney silt loam, 0 to 3 percent slopes
This unit consists of moderately well drained soils with 4 to 10 inches of friable loamy surfaces over dense claypan subsoils. Very slow permeability and salts in the subsoil make these soils generally unsuited for irrigation.

Leroy Slepikas unit

Soil Conservation Service
Readle County



No. 2569-3Publish first publication, on or before March 4, 1976NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

February 20, 1976Notice is hereby given that Leroy Siepikaswhose post office address is Huron, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use4.0 cubic feet of water per second of time from the ground water through theLeroy Siepikas Irrigation Project #1 the point of diversion of which is to be located in theNW 1/4, NE 1/4of Section 4, Twp. 111N, Range 61W. Said water to be used for the purpose of providing irrigation on ^{portions of} the following described land:NE 1/4, Sec. 4, T111N, R61W, SW 1/4 sec. 23, T112N, R61W

This application No. 2569-3 will be considered by the Water Rights Commission at their office at Pierre upon the 17th day of March, 1976, at 1:00 P.M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights SpecialistBFJ/bw
cc:Leroy Siepikas
R. R. #2
Huron, SD 57350Canned
1/16/76
280

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 2569-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Dorothy Murphy hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

_____ of _____

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 2, 1976

March 9, 1976

Dorothy Murphy
(Signature)

Bookkeeper
(Title)

March 9, 1976
(Date Signed)

F.P. 32-75 L.P. 39-76

NOTICE INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501


February 26, 1976

Notice is hereby given that Leroy Slepikas whose post office address is Huron, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 4.0 cubic feet of water per second of time from the ground water through the Leroy Slepikas Irrigation Project No. 1, the point of diversion of which is to be located in the NW 1/4 NW 1/4 of Section 5, Twp. 111N, Range 61W. Said water to be used for the purpose of providing irrigation on portions of the following described land: NE 1/4, Sec. 5, T111N, R61W, SW 1/4, Sec. 33, T112N, R61W.

This application No. 2569.3 will be considered by the Water Rights Commission at their office at Pierre upon the 17th day of March, 1976, at 1:00 P.M. All interested persons may appear and be heard.

WATER RESOURCES COM-
MISSION

By: Burton F. Jones
Water Rights Specialist
No. 98 (adv.)



2569-3 2569-3

10-2-81 10-2-81

10-2-81 10-2-81

1

2569-3

5.21-81

LEROY SLEPIKAS HAS
SYSTEMS COMPLETED
READY FOR INSPECTION

Conversation or File Documentation

NAME OF PERSON OR FILE: LeRoy SlepikasADDRESS: RR 2 Huron, SD 57350 COUNTY BeadleDATE: 3-18-87 TELEPHONE 352-5653RE: Re-advertisement of Permit 2569-3

COMMENTS:

I inspected this permit on 3-11-87.
Everything is in order except for the ad.
The point of diversion was stated as
being in the NW¹/₄ NW¹/₄ of Section 5,
T111N, R61W. It should have read
the NE¹/₄ NE¹/₄ of Section 5, T111N,
R61W. This permit must be readvertised
to state the point of diversion location
correctly.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

NAME: James L. Wendt



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

WATER RIGHTS DIVISION
(605) 773-3352

April 2, 1987

Leroy Slepikas
RR 2
Huron, South Dakota 57350

Dear Mr. Slepikas:

I am contacting you regarding the final inspection of Water Permit No. 2569-3 which was completed on March 11, 1987.

The notice published for Permit No. 2569-3 in the Huron Daily Plainsman on March 2 and 9, 1976, contains errors regarding the diversion point location. The point of diversion was stated as being in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 5, T111N, R61W. It should have read the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 5, T111N, R61W. Therefore, Permit No. 2569-3 will be readvertised to correct the errors contained in the original advertisement. The readvertisement cost will be paid by the Division of Water Rights.

After readvertisement is completed Permit No. 2569-3 can be licensed. Issuance of the water license is the final step in obtaining a water right.

Sincerely,

A handwritten signature in cursive script that reads "James L. Wendte".

James L. Wendte
Natural Resources Engineer

JLW:ms.
Enc.

RECOMMENDATION OF CHIEF ENGINEER FOR READVERTISEMENT OF
WATER PERMIT APPLICATION NO. 2569-3

Pursuant to SDCL 46-2A-2, the following is the recommendation of the Chief Engineer, Water Rights Division, Department of Water and Natural Resources concerning Water Permit Application No. 2569-3, Leroy Slepikas, RR 2, Huron SD.

The Chief Engineer is recommending APPROVAL of Application No. 2569-3 because 1) there is reasonable probability that there is unappropriated water available for the applicant's proposed use, 2) the proposed diversion can be developed without unlawful impairment of existing rights, 3) the proposed use is a beneficial use and 4) in the public interest with the following qualification:

1. The irrigation well approved under this Permit will be located near domestic wells and other wells which may obtain water from the same aquifer. The irrigation well owner under this Permit shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in adequate wells having prior water rights.



JOHN HATCH, Chief Engineer
April 1, 1987

No. 2569-3

Instruction to Newspaper - Publish first publication of the following Notice on or before April 9, 1987 with 2nd publication 1 week later. The applicant is responsible for payment.

READVERTISEMENT OF NOTICE OF HEARING on Application No. 2569-3 to ~~Appropriate Water~~
~~and/or to Amend Water Permit or Water Right No. _____~~

Notice is hereby given that Leroy Slepikas whose mailing address is RR 2, Huron, South Dakota has made an application for a permit

water permit on January 13, 1976. Readvertisement of this notice is to correct the original notice published on March 2 and 9, 1976 for Permit Application No. 2569-3. The original notice contained an error regarding the legal description of the well location. The correct legal description is the NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 5-T111N-R61W not the NW $\frac{1}{4}$ NW $\frac{1}{4}$ as originally advertised. Water Permit No. 2569-3 authorizes irrigation of 280 acres with a water appropriation of 4.0 cfs from one well. This readvertisement does not authorize any increase in water appropriation or increase the number of irrigated acres.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends

APPROVAL of Application No. 2569-3 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at room 216, Joe Foss Building, 523 E. Capitol, Pierre, South Dakota, May 6 1987 at 10:00 am.

The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and the Chief Engineer by April 24, 1987. The petition may be informal, but it must include a statement describing the petitioners interest in the application, the reasons for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provisions of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15; 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17; 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15; 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31; ~~(ground)~~ 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; ~~(future use)~~ 46-5-38 thru 46-5-40; ~~(transfer lands)~~ 46-5-30.4, 46-5-33 thru 46-5-35; ~~(10,000 AFA)~~ 46-5-20.1, 46-5-8.1; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15; ~~(future use)~~ 74:02:01:24 thru 74:02:01:25; ~~(10,000 AFA)~~ 74:02:01:15:02 thru 74:02:01:15:05.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Any person wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWNR, Joe Foss Bldg, Pierre SD (605 773-3352) for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by April 24, 1987.

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 2549-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, James L. Hein hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City _____ of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

April 8, 1987

April 15, 1987

James L. Hein
(Signature)

Content
(Title)

April 15, 1987
(Date Signed)



Cost of Printing: \$81.60

WNR-808-7/79
Proof of Publication

F.P. 4-8 27 L.P. 4-15 87

READVERTISEMENT OF
NOTICE OF HEARING
ON APPLICATION NO. 2549-3

Notice is hereby given that Leroy Slepikas, whose mailing address is RR 2, Huron, South Dakota, made an application for a water permit on January 13, 1976. Readvertisement of this notice is to correct the original notice published on March 2 and 9, 1976, for Permit Application No. 2549-3. The original notice contained an error regarding the legal description of the well location. The correct legal description is the NE 1/4 NE 1/4 Section 5 T11N R61W not the NW 1/4 NW 1/4 as originally advertised. Water Permit No. 2549-3 authorizes irrigation of 280 acres with a water appropriation of 4.0 cfs from one well. This readvertisement does not authorize any increase in water appropriation or increase the number of irrigated acres.

Pursuant to SDCL 46-2A-2 the Chief Engineer of the Water Rights Division recommends approval of Application No. 2549-3 because 1) unappropriated water is available, 2) will be no unlawful impairment of existing rights, 3) is beneficial use of water and 4) is in the public interest.

This application will be considered by the Water Management Board at Room 216, Joe Foss Building, 523 E. Capitol, Pierre, South Dakota, May 4, 1987, at 10:00 a.m. The recommendation of the Chief Engineer is not final or binding upon the Board and the Board is authorized to 1) approve, 2) approve with qualifications, 3) defer, or 4) deny this application after it reaches a conclusion based upon facts presented at the public hearing. Any interested person who may be affected by a Board decision and who intends to participate in the hearing before the Board and present evidence or cross-examine witnesses according to SDCL 1-26, must file a written petition with BOTH the applicant and the Chief Engineer by April 24, 1987. The petition may be informal, but it must include a statement describing the petitioner's interest in the application, the reasons for the petitioner's opposition to or support of the application, and the signature and mailing address of the petitioner or his legal counsel if legal counsel is obtained. The applicant need not file a petition.

This application is made pursuant to the provision of SDCL 46-1-1 thru 46-1-9, 46-1-12 thru 46-1-15, 46-2-3.1, 46-2-9, 46-2-11, 46-2-13, 46-2-17, 46-2A-1 thru 46-2A-10, 46-2A-12, 46-2A-14, 46-2A-15, 46-5-1 thru 46-5-11, 46-5-13 thru 46-5-15, 46-5-24, 46-5-25, 46-5-30.2, 46-5-30.4, 46-5-31, 46-6-3, 46-6-3.1, 46-6-6.1, 46-6-10, 46-6-13, 46-6-14; and Board Rules ARSD 74:02:01:01 thru 74:02:01:15.

This hearing is an adversary proceeding. The applicant or any person, after filing a petition, has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and then to the Supreme Court as provided by law.

Persons wishing a copy of the Chief Engineer's recommendation, further information on this application or to assure access to the hearing by the handicapped can contact the Water Rights Division, DWR, Joe Foss Bldg., Pierre, S.D. (605 773-3352), for assistance prior to the hearing date. The time of the hearing will be automatically extended for at least twenty days upon written request of the applicant or any person who has filed a petition to oppose or support the application. The request for extension must be filed with the Chief Engineer by April 24, 1987.

No. 180 (adv.)

12" @ 3.40 = \$40.80



Job Foss Building
523 East Capitol
Pierre, South Dakota 57501

Division of Water Rights
605 773-3352

No. 2569-3

Department of Water & Natural Resources

May 11, 1987

Leroy Slepikas
Route 2, Box 246
Huron, South Dakota 57350

Dear Mr. Slepikas:

The inspection of your water use system and inspection of the extent of the application of water to beneficial use, as developed under your Water Right No. 2569-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Maxine Stirling
Secretary

ms/

NOTE: On check or money order, please indicate the number of the water permit. This insures proper handling of the fee.

DWNR-814 8/83

RECEIPT

Division of Water Rights
South Dakota Department of Water and Natural Resources

410228

Pierre, May 18, 1987

RECEIVED OF Leroy L. Slepikas, Route 2, Huron, SD 57350

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 2569-3	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)		
Total	50	00

By John Hatch
Chief Engineer JOHN HATCH (ms)

LICENSE FOR PERMIT NUMBER 2569-3

Slepika S
3-11-87
JLW

1. Legal location of wells: NE 1/4 NE 1/4 5--11-61

dams & structures: _____

2. Well Information: Well Drilling Firm Riverside Mining

No. of wells 1 Depth 120'

Casing a) diameter 16" Screen a) type St. Steel

b) length _____ b) length 30'

c) type St. Steel Static Water Level 60'

Pump a) make Layne Bowler Motor a) make Caterpillar Diesel

b) model _____ b) model no. D-330

c) size _____ c) horsepower rating 130 HP

d) capacity 2000 GPM d) motor efficiency rating _____

e) turbine pump
no. of stages _____

3. Distribution lines:

a) size of lines 10"

b) type Alum.

c) length 1300'

4. Dam information:

a) height to crest _____

b) height to spillway _____

c) crest width _____

d) crest length _____

e) spillway length _____

f) spillway width _____

g) approx. storage _____

h) Distribution lines or canals:

1) size _____

2) type _____

3) length _____

i) Outlet tubes:

1) diameter _____

2) type _____

3) valued (Y/N) _____

4) valve type _____

5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet

2) diameter of pipe _____

3) make, model & number of sprinklers _____

4) spacing of sprinklers _____

5) nozzle size _____

b) towline:

1) length _____ feet

2) make, model & number of sprinklers _____

3) spacing of sprinklers _____

4) nozzle size _____

LICENSE FOR PERMIT NUMBER 2569-3

Slopikas
3-11-87
JLW

1. Legal location of wells: NE 1/4 NE 1/4 5-11-61

dams & structures: _____

2. Well Information: Well Drilling Firm Riverside Colony

No. of wells 1 Depth 120'

Casing a) diameter 16" Screen a) type St. Steel

b) length _____ b) length 30'

c) type St. Steel Static Water Level 60'

Pump a) make Loyne Bowler Motor a) make Caterpillar Diesel

b) model _____ b) model no. D-330

c) size _____ c) horsepower rating 150 H.P.

d) capacity 2000 GPM d) motor efficiency rating _____

e) turbine pump no. of stages _____

3. Distribution lines:

a) size of lines 10"

b) type Alum.

c) length 1300'

4. Dam information:

a) height to crest _____

b) height to spillway _____

c) crest width _____

d) crest length _____

e) spillway length _____

f) spillway width _____

g) approx. storage _____

h) Distribution lines or canals:

1) size _____

2) type _____

3) length _____

i) Outlet tubes:

1) diameter _____

2) type _____

3) valued (Y/N) _____

4) valve type _____

5) location on structure _____

5. System Type: a) sideroll:

1) length _____ feet

2) diameter of pipe _____

3) make, model & number of sprinklers _____

4) spacing of sprinklers _____

5) nozzle size _____

b) towline:

1) length _____ feet

2) make, model & number of sprinklers _____

3) spacing of sprinklers _____

4) nozzle size _____

Sust. 5. not
in center
but capacity of
being used
132 Acres
NE 1/4 S-111-41
Anchor Rods

System Type: c) center pivot

- 1) make Valley
- 2) number of towers 13
- 3) distance between towers _____
- 4) overall length 1285
- 5) End gun (Y/N) _____
- 6) high or low pressure _____
- 7) make & size of nozzles _____
- 8) PSI reading while system is running 60
- 9) GPM 1100

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES

NO

Check Items

☒ _____
☒ _____
☒ _____

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.
2. Special Qualifications to permit being abided by.
3. All Structures, wells and lands on map.

REMARKS:

≡ 40 Acres SW 1/4 SW 1/4 33-112-61
Portable Sprinkler - piped over above
ground (Traceline to Traceline → see photo)

Permit No. 2569-3

James River Water District
10160006

Report Of Examination Of Works And/Or Application Of Water To Beneficial Use

TO: Chief Engineer, Division of Water Rights, FWNRR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Leroy Slepikas
Rt. 2 Box 246 of Huron, SD 57350 holder of
 Permit No. 2569-3, bearing the priority of January 13 19 76 authorizing
 the diversion of 4.0 cu. ft. per second of the waters of groundwater (1 well)
 for irrigation purposes, in Beadle County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:

Well: 120' deep, 16" St. Steel Casing, 30' St. Steel Screen
 Pump: Layne Bowler, 2000 gpm capacity
 Motor: Caterpillar Diesel, Model No. D-330, 130 H.P.

B. Works used to transport water to place of use:

1300' of 10" Aluminum Pipe

C. Works used to apply water to beneficial use:

Valley Center Pivot
 13 towers
 operated at 60 psi

portable sprinkler used
on SW 1/4 Section 33-112-61The system is in the following condition Fair

The point of diversion is located NE 1/4 NE 1/4 Sec. 5, T111N, R61W
600' S & 100' W of the NE Corner of Sec. 5

The works are capable of diverting and conveying to the place of use 4.4
 cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: Sec. 5, T111N, R61W
Sec. 33, T112N, R61W NW 1/4 NE 1/4 - 33 acres
NW 1/4 SW 1/4 - 17 acres NE 1/4 NE 1/4 - 33 "
SW 1/4 SW 1/4 - 19 acres SE 1/4 NE 1/4 - 33 "
SW 1/4 NE 1/4 - 33 "

comprising a total of 168 acres of land and the license should be issued for 2.4 cfsApplicable permit qualifications have been complied with ☒ Yes ☐ NoExceptions to compliance are: _____ Date March 11, 1987James L. Wenette
(Signature)

State of South Dakota
Water License No. 2569-3

(1) LeRoy Slepikas
of RR 2, Box 246, Huron, South Dakota 57350
made Application No. 2569-3, January 13, 1976 for a water permit to appropriate
4.0 cubic feet per second of water from groundwater (one well),
Beadle County, South Dakota for irrigation purposes.
Permit No. 2569-3, with a priority date of January 13, 1976
was approved March 17, 1976 and issued to applicant(s) for diversion of water with construction of the described
water supply system to be completed on or before March 17, 1981 and for the application to beneficial use of said
water on or before March 17, 1983.

and

(2) It is certified that the application has complied with the provisions of South Dakota State Law relating to completion of
the construction of the water supply system and is entitled to divert 2.40 cubic feet per second of water
for beneficial use. The location of the diversion point(s) is 600'S and 100'W of the NE Corner of
Section 5, T111N, R61W (NE $\frac{1}{4}$ NE $\frac{1}{4}$)


and

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to the following extent, to irrigate the following land

<u>Section 33, T112N-R61W</u>		<u>Section 5, T111N-R61W</u>	
<u>NW$\frac{1}{4}$SW$\frac{1}{4}$</u>	<u>17 Acres</u>	<u>NW$\frac{1}{4}$NE$\frac{1}{4}$</u>	<u>33 Acres</u>
<u>SW$\frac{1}{4}$SW$\frac{1}{4}$</u>	<u>19 Acres</u>	<u>NE$\frac{1}{4}$NE$\frac{1}{4}$</u>	<u>33 Acres</u>
		<u>SE$\frac{1}{4}$NE$\frac{1}{4}$</u>	<u>33 Acres</u>
		<u>SW$\frac{1}{4}$NE$\frac{1}{4}$</u>	<u>33 Acres</u>
<u>TOTAL ACRES IRRIGATED</u>		<u>168</u>	

(1) Pursuant to §46-5-30.1 LeRoy Slepikas
of RR 2, Box 246, Huron, South Dakota 57350
the holder(s) and/or owner(s) of Water Permit No. 2569-3 is issued a license to appropriate water, the right to use
2.40 cubic feet per second of water from groundwater (one well) with a priority date
of January 13, 1976 from the location specified in (2) of this license. The water to be
conducted to and upon lands specified in (3) of this license for the purpose of irrigation

This license is subject to any limitations or qualifications listed in Water Permit No. 2569-3 and subject
to South Dakota State Law.


Chief Engineer, Water Rights Division
Department of Water and Natural Resources

JOHN HATCH

NOV 2 1987



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

WATER RIGHTS DIVISION
Phone (605) 773-3352

NOV 2 1987

Leroy L. Slepikas
Route 2, Box 246
Huron, South Dakota 57350

Dear Mr. Slepikas:

Enclosed herewith is, Water License No. 2569-3. This is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch". The signature is written in a cursive, flowing style.

JOHN HATCH, Chief Engineer
Water Rights Division

JH:MS

Enclosures



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

May 26, 1988

LeRoy Slepikas
RR 2, Box 246
Huron, SD 57350

Dear Mr. Slepikas:

I am writing in regard of our review of irrigation questionnaire records. No irrigation has been reported for the last five irrigation seasons under Permit No(s). 2569-3.

South Dakota Codified Laws state that when any person fails to use water for the purpose for which it was appropriated for a period of three years, or abandons the use of the water, such unused water shall revert to the public. An exception to the law is when there is legal excuse for nonuse of water. Examples of legal excuse for nonuse of water are when water is not available or legal proceedings which prevent the use of water.

Since your permit(s) has (have) not been used for five years, the permit(s) may be subject to cancellation by the Water Management Board unless there is a legal reason for not using water. Please advise by June 17, 1988 if you still want to keep your water right and if there is a reason why water has not been used. Let us know, if you have any questions.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



Dear John

In regard to the letter
I received about my
water permit - no-2569-3.

We have not needed to
irrigate that particular area,
because of excess moisture.
This well irrigated pasture
when needed, also a
40 acre alfalfa field, which
has been plowed up, with
plans to reseed this year.
Therefore, I wish to keep
my water permit. If
any other questions please
contact me. Thank you

Leroy Stepihar

R#2
Hemlock, S.D.
57354



2569-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

May 18, 1993

Leroy Slepikas
RR #2 Box 246
Huron, SD 57350

Dear Mr. Slepikas:

I am writing to you with reference to ownership of Water Right Nos. 149-3 and 2569-3. You indicated on your 1992 irrigation questionnaires that Water Right No. 149-3 should be listed in your name and Water Right No. 2569-3 should be listed in the names of Scott and Leroy Slepikas.

In order to file an ownership and/or name change on a water right or permit, it is necessary to complete a "Notice of Transfer of Ownership" with our office. Enclosed, are two partially completed transfer forms. Please check over the forms for accuracy and complete where necessary. Once the forms have been completed, they need to be signed in the presence of a notary public by the new owner(s).

Upon completion, return the forms to our office with a required filing fee of \$2.50 each (total of \$5.00). If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Genny McMath', is written over a horizontal line.

Genny McMath
Natural Resources Analyst
Water Rights Division
(605) 773-3352

enclosures



2569-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

July 29, 1993

SECOND NOTICE
Permit No. 149-3
2569-3

LeRoy Slepikas
RR 2, Box 246
Huron, SD 57350

Dear Mr. Slepikas:

On May 18, 1993, notice was sent to you concerning the transfer of Water Right Nos. 149-3 and 2569-3 in the name of Lawrence S. & Edith L. Slepikas and LeRoy Slepikas. To date, we have not heard from you on this matter.

Transfer forms were previously sent to you, enclosed are additional forms. Please sign, have notarized and return the forms to this office with the required filing fee of \$2.50 per transfer, a total of \$5.00. The Water Rights can then be transferred to your name. If you are not the present owner of the land covered under these Water Rights, please notify this office. It is very important that ownership records be kept current. South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a Water Permit or Water Right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact Genny McMath, (605) 773-3352.

Very truly yours,


RON DUVAL
Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Division

enclosure

2569-3

NOTICE OF TRANSFER OF OWNERSHIP

To: Chief Engineer
Water Rights Division, DENR
523 E. Capitol
Pierre, SD 57501-3181



No. 2569-3

Date: 8/2/93

I/We request that Water Right No. 2569-3

formerly owned by: LeRoy Slepikas

be transferred to: (name & address) I still own this land & well

(Telephone No) 352-5653

Title to the following described land(s)/property has been transferred as described above: LeRoy Slepikas

168 acres in the W 1/2 SW 1/4 Section 33, T112N, R61W and the NE 1/4 Section 5, T111N, R61W

I/We understand that the validity of Water Right No. 2569-3 has not been determined by this transfer action. If I/We have any questions on validity, I/We understand that only the Water Management Board has the authority to determine if a water permit/right is valid (see note).

You are requested to file this "Notice of Transfer" in the appropriate file at the Division of Water Rights, as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is attached to cover the filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)

County of _____)

I/We _____ being first duly sworn on my oath depose and say that my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and that I know of my own personal knowledge that the information herein stated is true.

(Signed)

Subscribed and sworn to before me this _____ day of _____, 19____.

(Notary Public)

NOTE: Water permits may be cancelled for nonconstruction within the five year construction period. Once a water permit is developed and the water used, the permit becomes a right. A water right may be lost for three reasons:

1. Abandonment - no intent to use water and use is abandoned.
2. Forfeiture - no use of water for three year period without legal excuse.
3. For a third violation of a condition of a water permit/right.

2569-3

Water Rights Division -DENR
Conversation or File Documentation

NAME OF PERSON OR FILE: LeRoy Slepikas

ADDRESS: RR #2 Box 246, Huron, SD 57350 COUNTY: Beadle

DATE: August 5, 1993 TELEPHONE: 352-5653


RE: owner/operator status

COMMENTS:

I called Mr. Slepikas to inquire about ownership/operator status of Water Right No. 2569-3. Past irrigation questionnaires have been sent to Buell Slepikas, as operator. Leroy stated the partnership between himself and Buell had dissolved.

Mr. Slepikas stated that the water right should be left under his name and list his son, Scott as the operator.

Send the yearly irrigation questionnaire to Scott Slepikas at the same address listed above.


Genny McMath
Natural Resources Analyst
(605) 773-3352

NOT TO SCALE

T-2442
150.7

T-1437
130.8

L.S. Skp. Km

600'
100'
well

33

33

33

33

5①

278-41L

14.0

22.5

81.1

33.4

51.1

38.7

⑧ 111-61

T-2368
71.7

T-2445
73.8

Alfred, N. C.

Water License
2569-3

NOT TO SCALE



Water License
2569-3

File No. 2569-3

WATER RIGHTS PROGRAM -- FILE DOCUMENTATION

**Scott and Tammy Slepikas
20205 402nd Ave
Huron SD 57350**

On April 8, 2008, a water license was issued for the water use system authorized by Water Right Nos. 2569-3 and Water Permit No. 6108-3.

The applicable portions of Water Right No. 2569-3 were incorporated into Water License No. 6108-3.

See Water License No. 6108-3 for licensing details.