


2580.3

1. Considered 3.17, 1976
2. Name of Applicant HAROLD WELLS
3. Post Office Address FREDERICK
4. Amount of water claimed 1.95
5. Source of water supply GROUND WATER (50' WELL)
6. Water to be used for IRRIGATION
- Acres to be irrigated 135
7. Water to be diverted and used in BROWN county
about 19 N. 3 E miles of ABERDEEN
8. Proof of Publication Received 3-12-76
Not received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____

10. Remarks:

Map No. 1949-3 Water Division No. 3 JAMES RIVER District _____
 (Blanks to be filled by the Engineer for the W. R. C.)


APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw)

STEVEN ENGELHART
Box 7, Barnard SD 57426

1. Name of Applicant Harold Wells
 Post-office address Frederick, State South Dakota 57441
 If a corporation show date and place of incorporation No
2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
3. Name of diversion work Harold Wells Unit # 1
4. Amount of water claimed (cubic feet per second) 1.95
5. Source of water supply Ground Water
6. Location of point of diversion A POINT IN THE SW 1/4 SECTION 21, T126N, R23W
 County Brown
7. Annual period or periods during which water is to be used March - November
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use. Total number of acres to be irrigated 135

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
N.E. 1/4 -21-126-63	135		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication American News Aberdeen, South Dakota
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Bow1 Pump

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center Pivot Or Gun

Estimated Total Cost \$ ----
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Brown
 I, Harold Wells the applicant, certify that I have read the foregoing application and I have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.
Signed Harold WellsSubscribed and sworn to before me this 10 day of June, 1949

Notary Public (or other qualified officer)

Notary Public

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2580-3HAROLD WELLS

(Applicant)

FREDERICK

STEVEN ENGELHART

SOUTH DAKOTA 57441

(State)

via

Box 7, Barnard SD 57426

The irrigation well approved under this Permit is located near domestic wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells.

Date of first receipt of application FEBRUARY 26 19 76Date of return to applicant for correction amendments or changes required — 19 —Date of receipt of corrected application FEBRUARY 27 19 76Approved MARCH 17 19 76, Recorded in Book 15 Page 7WATER RIGHT PERMIT NO. 2580-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2580-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which a applicant may claim right is FEBRUARY 26 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 17 19 78
3. The whole of said work is to be completed on or before MARCH 17 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 17 19 83
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 1.45 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 17 19 83; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 24TH day of MARCH 19 76

WATER RIGHTS COMMISSION

By:

John H. Stet
Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 _____

Water License Issued _____, 19 _____

PAGE NO.

N.H. 21-126-63 Brown Co.

15

Lloyd Peterson

JOB NAME

LOCATION

DATE _____

RIG NO. _____

FOREMAN Jr.

[illegible]

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter _____, Depth _____
- (2) Casing Type _____ Diameter _____ Thickness _____
(wood, concrete, steel, etc)
- (3) Perforated Screen
Type _____, Diameter _____, Length _____
- (4) Gravel Pack Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

- (1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. Log will be furnished by driller.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)
Character of Water bearing materials _____

- Depth to top of water bearing material _____
- Depth to bottom of water bearing material _____
- Thickness of water bearing material _____
- Depth to water (ground surface to water level) _____

- (2) Distance to nearest existing household or livestock watering wells.
On same owner's property ____ (0) ____ rds. On property owned by others ____ 160 ____ rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Harold A. Witt
Signature of Applicant

February 24, 1976

Mr. Harold A. Wells
Frederick, SD 57441

Dear Mr. Wells:

We have received your application materials pertaining to your desirability of a water permit for the northeast quarter of section 21, 126, 63. These application materials are all in order and will be forwarded to the State Conservation Commission, along with a copy of this letter and a copy of the water analysis.

I am enclosing for your use a copy of AES publication #13 with the approximate quality of this water for irrigation designated by a red cross on the outside back cover. You will see that it is in the high salinity, low sodium class.

I am also enclosing the original copy of the report of analysis for your keeping.

The water and soils appear to be compatible in a large sense, however, there are 3 or 4 wet spots in this quarter section of which you are probably well aware. It would be desirable, if you could, to grade or smooth this land enough so that water would not stand in these wet spots. This is going to be aggravated by irrigation if you do not fill or drain these areas. The standing of water on them will increase the probability of salts being brought to the surface by evaporation and will decrease the productivity of the spots themselves and perhaps the area around the wet spots.

The water qualities and some aspects of soil-water reactions under irrigation are explained in the publication I am enclosing. Please read it and be guided thereby. I recommend that you use rather substantial quantities of water each time you irrigate, but do not use light, frequent applications, such as 1 to 1 1/2 or 2 inches per operation. This aggravates the tendency of salt to accumulate in the upper part of the soil profile.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab
LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Marvin DeBoogh, County Extension Agent

Huron Drilling Co.



CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 45-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Harold A. Wells
ADDRESS Frederick, South Dakota 57441
COUNTY Brown

LEGAL DESCRIPTION

1. WELL LOCATION: Center N.E. 1/4-21-126-63
2. LOCATION OF AREA TO BE IRRIGATED N.E. 1/4-21-126-63

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X OR GUN X
4. CROPS TO BE IRRIGATED Corn, alfalfa, small grain

WATER QUALITY

5. SAMPLE NUMBER 76-107
6. SALINITY (EC X 10⁶) 1173 (high)
7. SODIUM (SAR) 1.79 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from Brown County Conservation District,
County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true
and correct.

Harold A. Wells
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
13th DAY OF February 19 76.

James A. Loring
(TITLE OR SEAL)

Albert J. Hafferty
APPROVED BY _____

(SOILS INFORMATION ON REVERSE SIDE)

SECTION 21
124-63
Brown Co.

$$\sqrt{2} \frac{1}{4} \quad 21$$

126-63

Brown Co.

L.K. Wilson

D.C.

Sec. 11-B

DESCRIPTIONS OF LAND CAPABILITY UNITS (DIGNAND)

Normal precipitation in this part of the state limits maximum yields on all soils except for some with (w) subclass.

- 11c1 Deep, loamy, well to moderately well drained soils on bottom lands that sometimes receive beneficial overflow. However, moisture is still inadequate in most years. These soils have moderate wind erosion hazard.
- 11c2 Deep, and moderately deep, loamy, well drained soils on nearly level (0 to 2f) uplands. Moisture is inadequate in most years and these soils have slight to moderate wind erosion hazard.
- 11c3 Deep, loamy, well to moderately well drained soils in upland swales that receive beneficial moisture. However, moisture is still inadequate in most years.
- 11e1 Deep and moderately deep, loamy soils on gently sloping (2 to 6f) uplands. They have moderate wind and water erosion hazards.
- 11e2 Deep, loamy soils on gently undulating (2 to 6f) upland slopes. They have moderate wind and water erosion hazards.
- 11e3 Deep, loamy soils on (2 to 6f) slopes of upland swales that receive extra moisture. However, moisture is still inadequate. They have a moderate water erosion hazard.
- 11e4 Deep, loamy, somewhat poorly drained, very limy soils on nearly level (0 to 2f) uplands. They have moderate to severe wind erosion hazard.
- 11s1 Deep, well to moderately well drained soils with loamy to clayey surfaces and clayey or claypan subsoils. Slopes are nearly level (0 to 2f). Clay subsoils limits rooting, water intake, and moisture release to plants. These soils have a moderate wind erosion hazard.
- 11w1 Deep, loamy, somewhat poorly to poorly drained soils on flat slopes and in depressions. Choice of crops and time of tillage are sometimes limited by wetness.
- 11w2 Deep, loamy, poorly drained, limy, nearly level soils on bottom lands. High water table and occasional flooding influences choice of plants and time of tillage.
- 11w3 Deep, loamy, poorly drained, very limy soils on nearly level slopes or in slight depressions. Choice of plants is limited by the high water table and lime.
- 11l1 Deep and moderately deep, loamy soils on sloping (6 to 9f) uplands. They have moderate to severe water and moderate wind erosion hazards.
- 11l2 Deep, loamy soils on undulating (6 to 9f) uplands and eroded soils on gently undulating (2 to 6f) uplands. They have moderate to severe water and moderate wind erosion hazards.
- 11l3 Deep, loamy and clayey soils on gently sloping and gently undulating (2 to 6f) uplands. These soils have clayey or claypan subsoils that restrict root and water penetration. They have moderate to severe water and slight to moderate wind erosion hazards.
- 11l4 Deep and moderately deep, clayey soils on gently sloping (2 to 6f) uplands. The clayey texture retards root growth and water intake. They have moderate to severe wind and water erosion hazards.
- 11l5 Deep, loamy, calcareous soils on nearly level (0 to 2f) uplands. The surface layer is thin and the subsoil is very limy. These soils have a severe wind erosion hazard.
- 11l6 Soils with 20 to 40 inches of limy material over sand and gravel on gently sloping (2 to 6f) uplands. The porous substrate limits water storage capacity and rooting depths. These soils have moderate wind and water erosion hazards.
- 11l7 Deep and moderately deep, moderately sandy soils on nearly level (0 to 2f) uplands. They have a severe wind erosion hazard.
- 11l8 Deep and moderately deep, moderately sandy soils on gently undulating (2 to 6f) uplands and eroded phases of these soils on nearly level (0 to 2f) uplands. They have a severe wind erosion hazard.
- 11l9 Moderately sandy soils with sand and gravel or sandstone at 20 to 40 inches. These soils are on nearly level (0 to 2f) uplands. They have a severe wind erosion hazard.

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: <u>Harold Wells</u>	Date Rec'd <u>February 17, 1976</u>
Address: <u>Frederick, SD</u>	Sample No. <u>76-107</u>
<u>Huron Drilling, Inc.</u>	Identification <u>Well</u>
<u>P.O. Box 1422</u>	<u>Well, Sec. 21, T 126N, R 63W</u>
<u>Huron, SD 57350</u>	

WATER ANALYSIS


Calcium (Ca)	170	ppm*	3.50	me/l**
Magnesium (Mg)	47	ppm	3.35	me/l
Sodium (Na)	102	ppm	4.44	me/l
Potassium (K)	14	ppm	0.36	me/l
Sulfate (SO ₄)	235	ppm	4.89	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)		ppm		me/l
Bicarbonate (HCO ₃)	473	ppm	7.76	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	288	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1173	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.79			
Sodium	25.88	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.57			
Others:				

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations	17.15	me/l
Total anions	13.36	me/l



By: Marley Linton

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-107

Amount Enclosed \$ 5

Signed _____

Publish first publication, on or before March 5, 1976NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 1, 1976Notice is hereby given that Harold Wellswhose post office address is Frederick, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use1.95 cubic feet of water per second of time from the ground water through the Harold Wells Unit #1, the point of diversion of which is to be located in the _____SW 1/4 NE 1/4of Section 21, Twp. 126N, Range 63W. Said water to be used for the purpose of providing irrigation on the ^{portions of} following described land:NE 1/4, Section 21, T126N, R63WThis application No. 2580-3 will be considered by the Water Rights Commission at their office at Pierre upon the 17th day of March, 1976, at 1:00 P. M. All interested persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights SpecialistBFJ/bw
cc:

Harold Wells, Frederick, S.D. 57441

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 2590-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA

County Brown

I, Dianne Brenden hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Aberdeen American News

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City Aberdeen of Aberdeen

County of Brown and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

March 4, 1976

March 11, 1976

Dianne Brenden
(Signature)

Principal Clerk
(Title)

March 11, 1976
(Date Signed)

NOTICE TO APPROPRIATE WATER
Notice is hereby given that Harold
Wells, whose post office address is
Frederick, South Dakota, has made an
application in accordance with the pro-
visions of the Water Laws of South
Dakota for a permit to appropriate for
beneficial use 133 cubic feet of water per
second for 100 days from ground water
through the Harold Wells Unit No. 1, the
point of diversion of which is to be
located in the SW 1/4 NE 1/4 of Section 31,
Twp. 126N, Range 67W, said water to be
used for the purpose of providing
irrigation on portions of the following
described land: NE 1/4 Section 31, T126N,
R67W.
This application, No. 7983, will be
considered by the Water Rights Com-
mission at their office at Pierre upon the
17th day of March, 1976, at 1:00 P.M. All
interested persons may appear and be
heard.
By: Burton F. Jones, Water Rights
Specialist, Water Resources Com-
mission



Form 10.

2580-3

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE
DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT

DIVISION OF WATER RIGHTS
JOE FOSS BUILDING
PIERRE, SOUTH DAKOTA 57501

Post Office Frederick S.D.
Date August 4, 1977

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2580-3.

Water Right Permit No. 2580-3 states that the diversion system is to be constructed by June 1 1977 and that the water is to be put to beneficial use by July 1 1977.

The diversion system was completed on June 1 1977. Applying the water to beneficial use was completed on July 1 1977.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Harold Wells
(Signature)



2-5B-3 Harold Hall

8-9-17 Well #2 - 6 1/2 ft deep 31 ft to water

Pumping 425 gpm - Capacity 500 gal

Pump. Elec Submersible 10 H.P.

Trucklin

Well #1 - 6 1/2 ft deep 31 ft to water

Pumping 425 gpm.

10 H.P. J. Wellin Submersible

Powered by a generator on 8000 lb
pump. Powered by a Case 504 B.D.

Diesel 6 cyl. 115 H.P.

Katolight Generator Model 301K3

Ser # 77975-13

Berkley Pump Ser # 7735214

Model B4URBM CW


Imp Dia 13 1/2 x 13 1/4

018

C.P. Olson Model 107 PL

Sec # 3932

Cont. 132 AC



Has two wells - been
inspected by Le Roy
O.K. to write or should
put in for additional well
Permit approved for anyone

January 10, 1979

Harold A. Wells
Frederick, SD 57441

Dear Mr. Wells:

On August 9, 1978 in the process of making the final inspection on your Water Right Permit No. 2580-3 I found that you have two wells whereas your permit calls for only one well. I discussed the matter with members of the Water Rights Staff and they say you will need to submit an application for the second well in order to comply with the South Dakota Water Laws.

Enclosed is a completed Form 2 "Application for Permit to Appropriate Water" for you to check over, make any corrections that are necessary, sign the form and return it to this office with a check for \$150.00 for filling the application. Also enclosed is a Form 2A for you to fill out for the second well. We will also need a log of the second well. (Also enclosed is a map of the area being irrigated, please check over and make any corrections.)

If you have any questions, please feel free to contact this office.

Sincerely,

LEROY J. MERNAUGH
Water Resources Engineer

LJM/gy

encl

Frederick, S. Dak.
February 23, 1979

Water Rights Commission

Pierre, S. Dak.

Regarding your letter of Jan 16-1979

Gentlemen:



In my "application for Permit to appropriate water" filed February 13, 1976 with your office I specified 1.95 cubic feet of water per second of ground water, on lines 4 and 5 of the application. There was no mention as to the number of wells required to obtain this water nor was there any questions on your part as to the number of wells drilled. A fee of \$8.00 was sent at that time which paid the filing fee in full.

Bonanza Valley Drilling Co. completed drilling the wells Aug. 1 - 1976 at which time the well logs were sent in by the driller.

When I completed installing the system and finished using it in 1977 I returned your Form 10 - "Notice of Completion of Work and Application of Water" along with your data sheet for recording irrigation.

Since all my applications and other papers were filed in 1976 when the fee was \$8.00, I do not think I should now be charged the 1979 fee of \$50.00
(over)

If you do not have the well logs etc you requested
what can I do? since the original logs were filed in
1976?

I am willing to file an amended application if necessary
but I do not think I should have to pay the 1979
fee for permits issued properly in 1976. since we
have the same no. of acres with the same amount of water.

Sincerely
Harold Wells

Regarding Permit No. 2580-2

February 20, 1979

Harold Wells
Frederick,
SD 57441

Dear Mr. Wells:

In answer to your letter received February 8, 1979, regarding the application for an additional diversion on your Permit No. 2580-3. The original application, and map received in this office and subsequently advertised for hearing, was for one well in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 21-T126-R63W. The Water Rights Commission approved the application as submitted.

The final inspection revealed two wells therefore an application must be submitted for the second diversion point. The minimum fee required on State Statutes for the application is \$150.00.

We are enclosing a copy of your permit, log and WI-1 for your information. If you have any questions please contact this office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/SW/plh

Enclosures

October 30, 1979

Mr. Harold Wells
Frederick, SD 57441

Dear Mr. Wells:

As of this date we have not received your application for the additional well on your application 2580-3. If you plan on using the well for irrigation in 1980 a permit must be acquired for the additional diversion.

Sincerely,

BETTY WESTLUND
Water Rights Specialist I

BW/bt

Water Rights Division
605 773-3352

September 3, 1981

Harold Wells
Frederick SD 57441

Dear Mr. Wells:

On January 10, 1979 a completed application with follow up letters in February and October of 1979 were sent to you to bring your water right Application No. 2580-3 into conformance with State Laws. In reviewing our files this has not been done as of this date.

In answer to your letter of February 6, 1979, there was some confusion during that time by the applicants, well drillers and equipment suppliers as to the necessity of specifying the number of wells on an application.

You were present at the March 17, 1976 meeting of the Water Resources Commission, when the application was approved. The minutes, your application and the map show only one 50' well as being approved.

Your Permit No. 2580-3 is subject to suspension for illegal pumping for a period of one year if it is not brought into compliance with State Laws before the 1982 irrigation season.

Enclosed is another completed application for you to check over, make any corrections, sign, notarize and return to this office with a \$150 filing fee. Also enclosed is our Form 2A for you to complete for the second well. We will need a signed drillers log of the well also.

It will not be necessary to send another water sample for soil/water compatibility but you will have to complete a WI-1 form. Contact the State Conservation Commission for forms and instructions, Anderson Bldg., Pierre SD.

Needs Water Sample
Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:kw

enclosure

cc: Martin Gertonson
State Conservation Comm

RECEIPT

WATER RIGHTS COMMISSION

№ 4 8771

State of South Dakota

March 17

82

PIERRE,

19

RECEIVED OF Steven Engelhart, Barnard, South Dakota 57426

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. (examination, processing, recording and filing)		
Fee for inspecting Construction, and issuing Cert. of Construction No.		
Fee for inspecting Beneficial Use, and issuing Water License No.		
Fee for issuing Location Certificate-Ery Draw, No.		
Fee for filing <u>Transfer WR# 2580-3</u>	2	50
Fee for certified copy of		
Fee for Print copy of map		
Fee for Certifying		
Fee for		
(any other work as provided by law)		
TOTAL	2	50

WATER RIGHTS COMMISSION

By Harvie N. John
Chief Engineer, Executive Officer
HARVIE N. JOHN

NO. 2580-3

NOTICE OF TRANSFER OF WATER PERMIT

TO: Water Rights
Foss Building
Pierre, SD 57501

Date: March 2, 1982

This is to notify you that the title to the lands described as follows:

N/E 1/4 Section 21 - 126-63

formerly owned by Harold Wells

has been transferred to Steven Engelhart

together with any rights to the beneficial use of water thereon as evidenced by

Water Right Permit No. 2580-3 2584-BN as provided for in SDCL 46-5-32 and 46-5-33.

You are therefore hereby requested to file this "Notice of Transfer of Water Permit" in its appropriate file at the Office of Water Rights, Water Management Board as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover filing fees as required under SDCL 46-2-13.


STATE OF SOUTH DAKOTA)
County of Brown) ss.

I, Steven Engelhart, being first duly sworn on my oath depose and say:
That my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and I know of my own personal knowledge that the information herein stated is true.

Steven Engelhart
(Signed)

Subscribed and sworn to before me this 5th Day of March, 1982

Benjamin
(Notary Public)



**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Water Rights Division
605 773-3352

October 15, 1982

Steven Engelhart
Box 7
Barnard SD 57426

Dear Mr. Engelhart:

This office has received a call from Alfred Bradke concerning your plans for draining water holes on your land to improve the acreage for irrigation. Bradke is concerned that the waters will run into their pasture and cause damage to their land.

The Board of County Commissioners have jurisdiction over any drainage facilities which are planned to be constructed pursuant to SDCL 46-20-1. Prior approval must be obtained from the Board of County Commissioners before construction begins. SDCL 46-20-18 provides for the assessment of damages sustained by property resulting from construction or maintenance of drain. In part it states "Any person interested may be heard in the matter of damages or compensation for land and the determination of the board of county commissioners shall be final unless an appeal therefrom, as provided in this chapter, shall be taken."

Please take note that you would be liable for any damages caused Mr. Bradke when constructing and operating drainage facilities.

If you have any questions, do not hesitate to contact this office.

Very truly yours,

JAMES WINTERTON
Water Resources Engineer

JW:ks

cc: Alfred Bradke

2580-3



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181
January 29, 1988

STEVEN ENGELHART
RR #1 BOX 18
FREDERICK, SD 57441

NOTICE

Re: Violation of Water Permit No(s). 4890-3 and 1987 Irrigation Questionnaire Requirements

Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 4890-3. The request for the questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of permit violation and of hearing(s) before the Board. The hearing(s) will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4890-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No(s) 2580-3 should be amended with the qualification to require the Questionnaire to be submitted each year.

The hearing(s) will be at 9:00 am, March 2, 1988, in Room 216, Joe Foss Building, 523 E Capitol, Pierre, South Dakota.

The hearing(s) will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11, and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26.

Following the hearing(s), the Water Management Board can:

1. Suspend Permit No(s). 4890-3 until either the 1987 Questionnaire is submitted or for the period of up to one year;
2. Amend Permit No(s) 2580-3 also held by STEVEN ENGELHART to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Sincerely,

A handwritten signature in cursive script, appearing to read "John Hatch".

John Hatch, Chief Engineer
Water Rights Division

Note: If the questionnaire(s) are received in this office before the March 2 hearing date, you will no longer be in violation of your permit(s) and your name will be deleted from the agenda pertaining to these hearings.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 29, 1988

2580-3
4890-3

Steven Engelhart
RR 2, Box 18
Frederick SD 57441

Dear Mr. Engelhart:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 2580-3, 4890-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatcliff". The signature is written in a cursive style with a large, prominent "J" and "H".

JOHN HATCLIFF, Chief Engineer
Water Rights Division
605 773-3352

2580-3

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 8, 1989

STEVEN ENGELHART
RR #1 BOX 18
FREDERICK, SD 57441

NOTICE

RE: Violation of Water Permit No(s). 4890-3 and 1988 Irrigation Questionnaire Requirements

Our records indicate that the 1988 Irrigation Questionnaire has not been submitted for Permit No(s). 4890-3. The request for the Questionnaire was dated October 26, 1988. The Water Management Board has directed that owners of water permits who have not submitted the 1988 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing will be held to determine action to be taken by the Board for violation of Water Permit No(s). 4890-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will also be to determine if Permit No. 2580-3 should be amended with the qualification to require the Questionnaire to be submitted each year. The hearing will be held at 9:45 am, March 1, 1989 at the Howard Johnson's, Roosevelt Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Suspend Permit No(s). 4890-3 until the 1988 Irrigation Water Use Questionnaire is submitted or for a period of up to one year;
2. Amend Permit No(s). 2580-3 also held by STEVEN ENGELHART to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action;
4. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 1st hearing date, you will no longer be in violation of your permit and your name will be deleted from the agenda for the hearing.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



South Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 24, 1989

(2580-3)
4890-3


Steven Engelhart
RR #2 Box 10
Frederick, SD 57441

Dear Mr. Engelhart:

I am writing to acknowledge receipt of your 1988 irrigation questionnaires for Water Permit Nos. 2580-3 and 4890-3. You may disregard the February 8, 1989, Notice of failure to submit the 1988 irrigation questionnaire. With receipt of the questionnaires your name has been deleted from the March Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

#2580-3
#4890-3

February 21, 1989

Steven Engelhart
RR 1, Box 10
Frederick, SD 57441

Dear Mr. Engelhart:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;



February 21, 1989
Engelhart
page 2


Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified.

If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,

for 
JOHN HATCH, Chief Engineer
Water Rights Division



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

STEVEN ENGELHART
RR #2 BOX 10
FREDERICK SD 57441

NOTICE

RE: Violation of Water Permit Nos (2580-3, 4890-3) and 1991 Irrigation
Questionnaire Requirements

Our records indicate that the 1991 Irrigation Questionnaire has not been submitted for Permit Nos 2580-3, 4890-3. The request for the Questionnaires was dated October 18, 1991. The Water Management Board has directed that owners of water permits who have not submitted the 1991 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2580-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4890-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:15 am, March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4890-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2580-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the March 4th hearing date, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

STEVEN ENGELHART
RR2 BOX 10
FREDERICK SD 57441

NOTICE

Re: Failure to Report Chemical Use under Water Permit No(s) 2580-3; & 4890-3

The first notice to file chemigation report(s) for Permit No(s) 2580-3; & 4890-3 was dated October 18, 1991. Our records indicate that we have not received the 1991 chemigation report for Permits No(s) 2580-3; & 4890-3. The Water Management Board has directed that owners of water permits who have not submitted the 1991 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearings will be held at 9:15 am, on March 4, 1992, at the Floyd Matthew Training Center, Joe Foss Building, 523 E. Capitol, Pierre SD, and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2580-3; & 4890-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

Very truly yours,

RON DUVALL, Natural Resources Engineer
for JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the chemigation report(s) is(are) received by this office prior to the March 4, 1992 hearing, you will no longer be in violation and your name will be deleted from the Board agenda.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 4, 1992

STEVEN ENGELHART
RR2 BOX 10
FREDERICK SD 57441

Dear Mr. ENGELHART:

I am writing to acknowledge receipt of your 1991 chemigation report for Water Right No.(s) 2580-3; & 4890-3. You may disregard the January 27, 1992 Notice of Failure to Report Chemical Use for 1991. With receipt of the chemigation report, your name has been deleted from the March 4, 1992 Water Management Board meeting agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

DON FRYE, Natural Resources Analyst
Water Rights Division



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 10, 1992

2580-3
4890-3

Steven Engelhart
RR #2 Box 10
Frederick, SD 57441

Dear Mr. Engelhart:

I am writing to acknowledge receipt of your 1991 irrigation questionnaires for Water Permit Nos. 2580-3 and 4890-3. You may disregard the January 27, 1992, Notice of failure to submit the 1991 irrigation questionnaire. The questionnaires were received prior to the Water Management Board meeting and your name was deleted from the agenda.

If you have any questions, please contact me at (605) 773-3352.

Sincerely,

Genny McMath
Natural Resources Analyst
Water Rights Division

2580-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 16, 1994

NOTICE

TO: STEVEN ENGELHART
RR2 BOX 10
FREDERICK, SD 57441

FROM: Ron Duvall, Natural Resources Engineer IV
for JOHN HATCH, Chief Engineer
Water Rights Division

RE: Failure to Report Chemical Use under Water Permit No(s) 2580-3; & 4890-3

The first notice to file chemigation report(s) for Permit No(s) 2580-3; & 4890-3 was dated October 18, 1993. Our records indicate that we have not received the 1993 chemigation report for Permits No(s) 2580-3; & 4890-3. The Water Management Board has directed that owners of water permits who have not submitted the 1993 chemigation report(s) be given notice of violation and of hearing before the Board. The hearing held by the Board is to determine what action is to be taken concerning violation of Administrative rule 74:02:09:02(3). This rule requires chemigation users to report the type of chemical applied, the dates, hours and amount of chemical application.

The hearing will be held at 8:45 A.M. on April 6, 1994, at the Golden Hills Resort, 900 Miners Avenue, Lead, SD and will be conducted pursuant to SDCL 34A-2A through 34A-2A-5; 46-1-12, 46-1-14, 46-2-11, 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation or up to three years for the second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s). 2580-3; & 4890-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law. Prior to April 1, 1994, contact the Water Rights Division, 523 E. Capitol, Pierre, SD 57501-3181 (603 773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

NOTE: If the chemigation report(s) is(are) received by this office prior to April 1, 1994, you will no longer be in violation and your name will be deleted from the Board agenda.

2580-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 16, 1994

STEVEN ENGELHART
RR #2 BOX 10
FREDERICK SD 57441

NOTICE

RE: Violation of Water Permit No(s) 2580-3, 4890-3 and 1993 Irrigation
Questionnaire Requirements

Our records indicate that the 1993 Irrigation Questionnaire has not been submitted for Permit No(s) 2580-3, 4890-3. The request for the Questionnaires was dated October 18, 1993. The Water Management Board has directed that owners of water permits who have not submitted the 1993 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2580-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 4890-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:45 am, April 6, 1994, at the Golden Hills Resort, 900 Miners Avenue, Lead, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 4890-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2580-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before April 1, 1994, you will no longer be in violation of your permit and your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

Is your RETURN ADDRESS completed on the reverse side?

SENDER:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, and 4a & b.
- Print your name and address on the reverse of this form so that we can return this card to you
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☒ Addressee's Address
2. ☐ Restricted Delivery
- Consult postmaster for fee.

3. Article Addressed to:

STEVEN ENGELHART
RR2 BOX 10
FREDERICK, SD 57441

2580-3

4a. Article Number

P 837 692 672

4b. Service Type

- ☐ Registered ☐ Insured
- ☒ Certified ☐ COD
- ☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

2-17-94

5. Signature (Addressee)

8. Addressee's Address (Only if requested and fee is paid)

6. Signature (Agent)

Charles Big Eagle

PS Form 3811, December 1991

U.S.G.P.O. 1992-207-550

DOMESTIC RETURN RECEIPT

Thank you for using Return Receipt Service.



2580-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

March 3, 1994

2580-3
4890-3

Steven Engelhart
RR #2 Box 10
Frederick, SD 57441

Dear Mr. Engelhart:

I am writing to acknowledge receipt of your 1993 Irrigation questionnaires and chemical reporting forms. You may disregard the February 16, 1994, **Notice of Violation of Water Permit Nos. 2580-3, 4890-3 and 1993 Irrigation Questionnaire Requirements and the Notice of Failure to Report Chemical Use.**

The questionnaires and chemical reporting forms were received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352



2580-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

APR 04 2001

4890-3

Steven Engelhart
11276 386th Ave
Frederick, SD 57441

Dear Mr. Engelhart:

Enclosed is Water License No. 4890-3. This is the final water right document completing your process of obtaining a Water Right. Enclosed is Receipt No. 416762 in the amount of \$50.00 which you paid for the investigation and issuance of the Water License.

As long as you use the water beneficially, as stated in the Water License, State Water Laws provide that you have a continuing right to use the water.


Sincerely,

Garland Erbele, Chief Engineer
Water Rights Program
(605) 773-3352

NOTE: The applicable portions of No. 2580-3 are incorporated into Water License No. 4890-3.

enclosures

Prepared by Dick Fadgen, Beadle Co. Extension Agent Harold A. Wells, Unit No. 1.
Dick Fadgen
N.E. $\frac{1}{4}$ Section 21 T-126 R-63 900'



X-Proposed Well Location

Return to Map Cabinet