

Water Right Number 2587-3

1. Considered March 17, 19 76
2. Name of Applicant Richard Hajek
3. Post Office Address Tyndall, S.D.
4. Amount of water claimed 2.1
5. Source of water supply ground water (250' WELL)
6. Water to be used for ~~XXXXXX~~ irrigation
- Acres to be irrigated 149
7. Water to be diverted and used in Bon Homme County
about 8N Miles of SPRINGFIELD
8. Proof of Publication Received 3-15-76
Not received _____
9. Application Approved _____
Subject to _____
Not approved _____
Action deferred _____

10. Remarks:

No. 2587-1 RIVER
 Map No. 1955-3 Water Division No. 3 MISSOURI
 (Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Richard Hajek
 Postoffice address Tyndall, State South Dakota 57066
 If a corporation show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) employment of others
 3. Name of diversion work Richard Halek Irrigation Project No. 1
 4. Amount of water claimed (cubic feet per second) 2.1
 5. Source of water supply well
 6. Location of point of diversion approximate center of SW $\frac{1}{4}$ section 15-94-60

- County Bon Homme
 7. Annual period or periods during which water is to be used April - November
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
 9. For irrigation use, Total number of acres to be irrigated 149

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
<u>SW$\frac{1}{4}$ section 15-94-60</u>	<u>149.0</u>		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Tyndall Tribune and Register
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well.

B. Works proposed to transport water to place of use.

Pipeline

C. Works proposed to apply water to beneficial use.

Center pivot sprinklerEstimated Total Cost \$ 50,000.00
 Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

) ss.

County of Bon Homme)I, Richard Hajek, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary constructionSigned Richard HajekSubscribed and sworn to before me this 2nd day of February, 19 76.

Notary Public (or other qualified officer)

(SEAL)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2587-3

RICHARD HAJEK

(Applicant)

TYNDALL

(Post Office Address)

SOUTH DAKOTA 57066

(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells, ^{AND THE CITY OF TYNDALL WELL} and other irrigation wells which ~~also~~ obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in ~~irrigation~~ wells having prior water rights.

Date of first receipt of application FEBRUARY 3 19 76

Date of return to applicant for correction, amendments or changes required — 19 —

Date of receipt of corrected application FEBRUARY 23 19 76

Approved MARCH 18 19 76, Recorded in Book 15 Page 12

WATER RIGHT PERMIT NO. 2587-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2587-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is FEBRUARY 3 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 18 19 78
3. The whole of said work is to be completed on or before MARCH 18 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 18 19 83
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.1 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 18 19 83; said water to be used during the following described annual period: APRIL — NOVEMBER

Witness my hand this 24th day of March 19 76

WATER RIGHTS COMMISSION

By:

John M. Smith
Chief Engineer, Executive Officer

Certificate of Construction Issued MARCH 25 19 80

Water License Issued MARCH 25 19 80

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 12 ", Depth 250 '
- (2) Casing, Type steel, Diameter 8", Thickness
(wood, concrete, steel, etc)
- (3) Perforated Screen.
Type steel, Diameter 8", Length 20'
- (4) Gravel Pack, Thickness 2, Length of gravel pack 25

E. Dugout Information or Estimates.

- (1) Surface dimensions , Depth

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials sand and gravel

Depth to top of water bearing material 200

Depth to bottom of water bearing material 240

Thickness of water bearing material 40

Depth to water (ground surface to water level) 75

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 55 rds. On property owned by others 170 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Richard H. Hight
Signature of Applicant

February 10, 1976



Mr. Richard Hajek
Tyndall, SD 57066

Dear Mr. Hajek:

We have completed the analysis of water sample 76-069 received here about a week ago. I am enclosing the original copy of the report of analysis for you to keep. I am also enclosing a copy of extension circular 654. On the outside back cover of this circular, you will find a water quality diagram. The red cross on that diagram indicates the approximate quality of your water for irrigation purposes. As you will see, it is a high salinity, low sodium water.

This analysis reveals this water to be one which is relatively low in total sodium. Thus, there is practically no danger that this water will cause a dispersion and loss of structure and permeability in your soil. However, the salinity level of the water is moderately high and could cause salt accumulations in the surface portion of the soil profile after sustained use. The internal drainage of Reliance soils which you intend to irrigate does vary quite a bit. In some cases, it has loamy materials and even sand or gravel underneath; in other cases, it is underlain by bedded shale or clay. If the internal drainage is good, which usually is the case when there is loamy material or sand or gravel underneath, you should have no difficulty with salt accumulations with this water. However, the soil does have a very high water retaining capacity and does move water slowly. Under these circumstances and with the use of a center pivot system, there is quite a remarkable tendency for salt to accumulate in the upper part of the soil because the water seldom penetrates clear to the bottom of the profile. If salt does accumulate after the use of the water for 5 or 6 or 10 years, you should endeavor to cause leaching by sustained irrigation late in the fall just before freeze-up or early spring irrigation so that May and June precipitation will cause some salt movement out of the profile. Also, you may be able to leach during the growing season by repeated substantial irrigations. You should never follow the practice of frequent, light irrigation on this soil. By frequent, light, I mean more than 3 or 4 times in a growing season and less than 2 inches in any one application.

If the internal drainage of your soil is anywhere near the better conditions described above, you should have no difficulty. Please keep in touch with someone in extension service or someone in Water Resources, especially if you begin to see signs of trouble and we will endeavor to make recommendations to alleviate the situation. Keep a close look-out as to the performance of your crops and for possible signs of salt accumulation on the soil surface as indicated by gray or white crusts in various places.

Mr. Hajek
February 16, 1976
Page 2

A copy of this letter, and of the water analysis, and the WI-1 form are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:clb

Enclosures


cc: State Conservation Commission

D. Pahl

Steve Auch, County Extension Agent



STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Richard Hajek

ADDRESS Tyndall

COUNTY Ben Hamme

LEGAL DESCRIPTION

1. WELL LOCATION Sec 15 94-60

2. LOCATION OF AREA TO BE IRRIGATED Same

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____

4. CROPS TO BE IRRIGATED Corn

WATER QUALITY

5. SAMPLE NUMBER 76-069

6. SALINITY (EC X 10⁶) 11.30 μ Snhas/cm (high)

7. SODIUM (SAR) 0.91 (low)

8. RESIDUAL SODIUM CARBONATE (meq/l.) None

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from Ben Hamme County Conservation District,
County Extension office or Soil Conservation Service.

and:
that the legal description for the location of the well and land to be irrigated is true
and correct.


Richard Hajek
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
2nd DAY OF February 19 76.

[Signature]
(TITLE OR SEAL)

[Signature]
(APPROVED BY APPROVED)

MAP




SW 1/4 - 15 - 74 - 60

NARRATIVE

$\frac{18}{1} + \frac{18}{2}$ Reliance silty clay LOAM

$\frac{20}{1}$ Tetanka silt LOAM



REPORT OF ANALYSIS
 Water Quality Laboratory
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Richard Hajek
 Address: Tyndall, SD 57066

Date Rec'd: February 4, 1976
 Sample No. 76-069
 Identification Well-250*
Sec. 15, T 94N, R 60E

WATER ANALYSIS

Calcium (Ca)	160	ppm*	8.00	me/l**
Magnesium (Mg)	49	ppm	4.02	me/l
Sodium (Na)	51	ppm	2.22	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	422	ppm	8.73	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	10	ppm	0.28	me/l
Bicarbonate (HCO ₃)	283	ppm	4.64	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g-p-g***
Alkalinity (Methyl Orange)	232	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1130	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.91			
Sodium	15.31	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.67			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g-p-g=grains per gallon

COMMENTS: Total cations 14.50 me/l
 Total anions 13.70 me/l

By: S. L. Litten

Service Performed	Amount Due
Irrigation analysis	18.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-069

Amount Enclosed \$

Signed

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2587-3

(1) WHEREAS, On the 3rd day of February A. D. 19 76
Richard Hajek

made Water Right Application No. 2587-3 for a permit to use 2.1 cubic feet per second of the waters
of ground water (one well)

County of Don Homme State of South Dakota, for irrigation

purposes; and

(2) WHEREAS, On the 18th day of March A. D. 19 76
Permit No. 2587-3, with a date of priority of February 3, 1976

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 18 day of March A. D. 19 81 and for the
application to beneficial use of said water on or before the 18 day of March A. D. 19 83

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.8 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,

to irrigate the following lands all in Section 15 - T94N - R60W

	<u>acres</u>
<u>NW SW</u>	<u>25</u>
<u>NE SW</u>	<u>34</u>
<u>SW SW</u>	<u>33</u>
<u>SE SW</u>	<u>34</u>
<u>total</u>	<u>126 acres</u>

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Richard Hajek

_____ of Tyndall, SD
the holder _____ and owner _____ of said permit No. 2587-3 a water right, dating from February 3, 1976
_____ to use of 1.8 cubic feet per second of the waters
of ground water (one well)
in the County of Bon Homme and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 1320 ft. North and 1310 ft. East of
the SW Corner of Section 15 - T94N - R60W

_____ and conduct^{ed} to and upon portions of land in Section 15 - T94N - R60W, more
fully described on the face of this license.

_____ for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2587-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 25 day of March A. D.
Nineteen Hundred and Eighty

Board of Water Management

By:

John Hatch

Chief Engineer

JOHN HATCH

Permit No. 2587-3

Water Diversion No. 3 Missouri River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Richard Hajek

_____ the holder _____ of
Permit No. 2587-3, issued upon Application No. 2587-3, bearing date of priority of _____
February 3, 1976 authorizing the diversion of 2.1 cu. ft. per second of the waters of _____
groundwater (one well) County of Bon Homme, State of South Dakota at a
point 1320 ft. North and 1310 ft. East of the SW Corner of Section 15 -
T94N - R60W
_____, for irrigation

_____, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit, that said works are found in satisfactory
condition for diverting and conveying to the place of intended use. 2.0 cu. ft. per second of water

Date March 25, 1980

John Hatch
JOHN HATCH, Chief Engineer
Water Rights, WND

No. 2587-3

Publish first publication, on or before March 11, 1976

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

March 1, 1976

Notice is hereby given that Richard Hajek
whose post office address is Tyndall, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.1 cubic feet of water per second of time from the ground water through the
Hajek No. 1, the point of diversion of which is to be located in the

Center of the SW 1/4
of Section 15, Twp. 9N, Range 60W. Said water to be used for the purpose
of providing irrigation on ^{portions of} the following described land:

SW 1/4, Sec. 15, T9N, R60W

This application No. 2587-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 17th day of March, 1976, at 1:00 P.M. All interested
persons may appear and be heard.

WATER RESOURCES COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/ew

cc: Richard Hajek
Tyndall, SD 57066

No. 2587-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County DeWitt) ss.

I, Wayne L. Bechtold hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Tyndall Tribune & Register

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City Tyndall of _____

County of DeWitt and State of South Dakota;
that the said notice was published in said newspaper on the following
_____ dates.

March 4, 1976

" 11, 1976

Wayne L. Bechtold
(Signature)

Publisher
(Title)

3-11-76
(Date Signed)

NOTICE INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501
March 1, 1976

Notice is hereby given that
Richard Hajek whose post office
address is Tyndall, South Dakota,
has made an application in
accordance with the provisions of
the water laws of South Dakota
for a permit to appropriate for
beneficial use 2.1 cubic feet of
water per second of time from the
ground water through the Hajek
No. 1, the point of diversion of
which is to be located in the
Center of the SW $\frac{1}{4}$ of Section 15,
Twp. 94N, Range 60W. Said water
to be used for the purpose of
providing irrigation on portions
of the following described land:
SW $\frac{1}{4}$, Sec. 15, T94N, R60W.

This application No. 2587-3 will
be considered by the Water
Rights Commission at their office
of Pierre upon the 17th day of
March, 1976, at 1:00 p.m. All
interested persons may appear
and be heard.

WATER RESOURCES
COMMISSION
Burton F. Jones
Water Rights Specialist
(March 4 and 11)



NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT
DIVISION OF WATER RIGHTS
JOE FOSS BUILDING

Post Office

Tyndall SD

Date

Aug 4, 1976

TO: **PIERRE, SOUTH DAKOTA 57501**
Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2587-3

Water Right Permit No. 2587-3 states that the diversion system is to be constructed by Feb. 2, 1981, and that the water is to be put to beneficial use by Feb. 2, 1978.

The diversion system was completed on June, 1976. Applying the water to beneficial use was completed on June, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right

Richard Hoyle
(Signature)



RECEIPT

WATER RIGHTS COMMISSION

No 4 7374

State of South Dakota

PIERRE, March 11, 1900

RECEIVED OF Richard Hajek, Tondall SD 57066

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for inspecting Construction, and issuing Cert. of Construction No. 2587-3 1	12	00
Fee for inspecting Beneficial Use, and issuing Water License No. 2587-3)		
Fee for issuing Location Certificate-Dry Draw, No. _____		
Fee for filling _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____		
(any other work as provided by law)		
TOTAL	12	00

WATER RIGHTS COMMISSION

By *John H. H. H.*
Chief Engineer, Executive Officer
Jenn H. H. H.

2587-3 Richard Hajek

10-2-74 Well 200 ft 44 ft 1.5 ft

Pumping 700 gpm, Cap. 1000

Hydrol. Well C.P.

Well 10' 72 of C.P.

Motor 100 H.P. 415 C.P. - 1720 H.P.

I.D. R-9985-00-782, R2293809

Pump National, Ser #576-532

Model N 200

Hydrol. Well C.P.

Model 064-3226-921108

Ser #77544-050776

For more info 13000

Permit No. 2587-3Water Division 3 Missouri River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by Richard Hajek
 of Tyndall, South Dakota. 57566 holder
 of Permit No. 2587-3, bearing date of priority of February 3, 1976
 authorizing the diversion of 2.1 cu. ft. per second of the waters of One Well
 for Irrigation purposes, in Bon Homme County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor 415 Elec., ID# R 9955-00-782, R2095809.
100 HP 1770 RPM
 Pump = National, Model N200, Ser.# 576-552

B. Works used to transport water to place of use,

5" pipe to pivot

C. Works used to apply water to beneficial use.

Gifford Hill Center Pivot Model 064-2225-921105
Ser# 79544-050776

The system is in the following condition: Good

The point of diversion is located 1320 ft N and 1310 ft E of the SW Cor.
of Section 15, T94N R60W

The works are capable of diverting and conveying to the place of use 2.0
 cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows. All in Sec 15, T94N R60W
NW 1/4 SW 1/4 - 25 Ac. NE 1/4 SW 1/4 - 34 Ac SW 1/4 SW 1/4 - 33 Ac.
SE 1/4 SW 1/4 - 34 Ac.

comprising a total of 126 acres of land.

Well data.

Depth 200 ft
 Static 74 ft.
 Pumping 900 gpm
 Capacity over 900 gpm

Date October, 2, 1977

LeRoy J. McManis
 (Signature)

357-3
3573-3
3809-3
4650-3

November 13, 1984

Richard Hajek
Box 78
Tyndall, South Dakota 57066

Dear Mr. Hajek:

This letter is in reference to my telephone conversation November 9, 1984 with Mike Hajek concerning transfer of Water Permit No. 3578-3 listed in the name of Kenneth Weisser. The permit covers irrigation of the N $\frac{1}{2}$ Section 15, T94N, R60W. According to Mr. Hajek, the permit should be split and transferred with the NE $\frac{1}{4}$ Section 15 listed in your name and the NW $\frac{1}{4}$ listed under Cary Hajek.

Permit Nos. 2587-3, 3809-3 and 4650-3 listed in your name authorize the following:

Permit 2587-3: Well located in center of SW $\frac{1}{4}$, Section 15, to irrigate land in SW $\frac{1}{4}$ of Section 15.

Permit 3809-3: Same well as under Permit No. 2587-3 to irrigate NE $\frac{1}{4}$, Section 15 (Land also covered under 3578-3, Kenneth Weisser)

Permit 4650-3: 2 wells located in NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 15 and SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 15 to irrigate N $\frac{1}{2}$ Section 15 (Land under 3578-3)

If permit No. 3578-3 is split and transferred, since Permit Nos. 3809-3 and 4650-3 cover the same lands, they too should be split and transferred.

Enclosed is a copy of a map showing Section 15, T94N, R60W (outlined in red). In order to correctly transfer the lands and wells, please plot the location of the wells being used. Identify the wells by number and indicate which wells irrigate which lands. Return the map to our office upon completion. Upon receipt of the map complete with well locations and lands irrigated with those wells, transfer forms will be forwarded to you.

If you have any questions, please contact us.

Sincerely,

Genny McMath
Natural Resources Analyst

GM:ms
Enc.

NOTE: Please complete the enclosed 1984 Irrigation Questionnaire as would pertain to Permit No. 3578-3.

**NORTH BON HOMME STATE
PUBLIC SHOOTING AREA**

well used to
Lirrigate Bunder
permit ±
2587-3

Permits # 3809-3^{BM} 110 are not being used.
3578-3

No permit needs to be split.

Permit # 4650-3 should be transferred to Cary Hajek

2587-3

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 2, 1989

2587-3

Mike Hajek
RR #1 Box 117
Tyndall, SD 57066


Dear Mr. Hajek:

Enclosed is a partially completed "Notice of Transfer" for use in filing an ownership change on Water Right No. 2587-3. Please check over the form and sign in the presence of a notary public. Upon completion of the form, return it to our office with a required filing fee of \$2.50. The water right will then be transferred to your name.

South Dakota Water Law 46-5-30.3 requires Notice of any sale, grant, lease, conveyance or other transfer of a Water Permit or Water Right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact me.

Sincerely,



GENNY MCMATH
Natural Resources Analyst
605 773-3352

enclosure

NOTICE OF TRANSFER OF WATER PERMIT

TO: Water Rights
Foss Building
Pierre, SD 57501

Date:

3/10/89



This is to notify you that the title to the lands described as follows:

126 acres - SW $\frac{1}{4}$ Section 15, T94N, R60W

formerly owned by Richard Hajek

has been transferred to Mike Hajek, RR 1 Box 117, Tyndell, S. Dak. 57066
(please include complete mailing address)
together with any rights to the beneficial use of water thereon as evidenced by

Water Right Permit No. 2587-3 as provided for in SDCL 46-5-32 and 46-5-33.

You are therefore hereby requested to file this "Notice of Transfer of Water Permit" in its appropriate file at the Div. of Water Rights, Water Management Board as evidence of the change of ownership.

A fee of Two Dollars and Fifty Cents (\$2.50) is hereto attached to cover filing fees as required under SDCL 46-2-13.

STATE OF SOUTH DAKOTA)
County of Bent) ss.
Honne

I, Michael Hajek being first duly sworn on my oath depose and say:
That my relation to the above described undertaking is that of Owner, that I have read the above foregoing statement, and I know of my own personal knowledge that the information herein stated is true.

Michael Hajek
(Signed)

Subscribed and sworn to before me this 10th Day of March, 1989.

Allen M. Kozak
(Notary Public)

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

411675

Pierre, March 13, 1989

RECEIVED OF Mike Hajek, RR 1 Box 117, Tyndall, SD 57066

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. _____		
Fee for Filing Transfer Form <u>Water Right Permit NO. 2587-3</u>	2	50
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	2 50

By

John Hatch
Chief Engineer John Hatch/mra

2587-3

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 16, 1989

Mike Hajek
RR #1, Box 117
Tyndall, SD 57066

Dear Mr Hajek:

Enclosed is Receipt No.411675 in the amount of \$2.50 which you paid for transfer of Water Right No.258-2.

Our records now show you as the owner of this Water Right.

Sincerely,

Marie R. Arthur

Marie R. Arthur
Secretary
Water Rights Division



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

#3579-3
#2587-3

February 17, 1989

Richard Hajek
Box 78
Tyndall, SD 57066

Dear Mr. Hajek:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification includes the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,



for JOHN HATCH, Chief Engineer
Water Rights Division

RICHARD HAJEK




2-192

LAND TO BE IRRIGATED
OUTLINED IN RED

Floyd D. Watson
District Conservation
SCS

MAP NO. 1955-3

APP. NO. 2587-3



38.5 Point of Diversion 1320 ft N and
1310 ft E of the SW Cor Sec. 15
T94N R60W

2-192

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2022

NOTICE

TO: MIKE HAJEK, 30570 413 AVE, TYNDALL, SD 57066

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2021 Irrigation Questionnaire(s)

Our records indicate your 2021 Irrigation Questionnaire has not been submitted for Permit No(s) 2587-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 22, 2021. The Water Management Board has directed that owners of water permits who have not submitted the 2021 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 2, 2022 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2587-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 2, 2022** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: TDKXRV**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 26, 2022

2587-3

Mike Hajek
30570 413th Ave
Tyndall SD 57066

Dear Mr. Hajek:

I am writing to acknowledge receipt of your 2021 irrigation questionnaire.

You may disregard the January 20, 2022, "Notice" concerning reporting requirements for Water Right No. 2587-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us