


2624-3

1. Considered MAY 20, 1976
2. Name of Applicant VINCENT T. JUDAU
3. Post Office Address JEFFERSON
4. Amount of water claimed 2.28
5. Source of water supply GROUND WATER (100' WELL)
6. Water to be used for IRRIGATION
Acres to be irrigated 160
7. Water to be diverted and used in UNION county
about 65.1W miles of JEFFERSON
8. Proof of Publication Received 4.23-76
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____

10. Remarks:

No. 2624-3Map No. 1991-3 Water Division No. 3 BIG SIOUX RIVER
(Blanks to be filled by the Engineer for the W. D. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(Draw a line through items not applicable)

1. Name of Applicant Vincent Trudeau
 Postoffice address Jefferson State South Dakota 57033
 If a corporation show date and place of incorporation None
2. Method of accomplishing work (contract, employment of others, or by direct labor) contract
3. Name of diversion work Trudeau Irrigation Project #2
4. Amount of water claimed (cubic feet per second) 2.28 2.7 CFS MAXIMUM AVAILABLE
5. Source of water supply well
6. Location of point of diversion 1320 feet south and 1320 feet East of the NW corner of
section 11, T98N R49W
 County Union
7. Annual period or periods during which water is to be used June through September
8. Use to be made of water. (irrigation, industrial, municipal, commercial, recreation, etc.) irrigation
9. For irrigation use, Total number of acres to be irrigated 160 acres

List below each forty acre subdivision, or lot, or fraction of, and show number of acres to be irrigated in each.	
Land Description	No. Acres Irr.
NW 1/4 Section 11, T98N R49W	160 acres
T89N	

Attach sheet if more space is needed

10. Time required to complete construction of water supply system five (5) years. Additional time required to complete application of water to the proposed beneficial use five (5) years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Leader & Courier, Elk Point, South Dakota
57025
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

B. Works proposed to transport water to place of use.

C. Works proposed to apply water to beneficial use.

Center PivotEstimated Total Cost \$10,000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Union)I, VINCENT TRUDEAU the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Vincent TrudeauSubscribed and sworn to before me this 11 day of March 19 76

Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 7624-3

VINCENT TRUDEAU
(Applicant)

JEFFERSON
(Post Office Address)

SOUTH DAKOTA 57038
(State)

With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MARCH 15 19 76
Date of return to applicant for correction, amendments or changes required _____ 19 ____
Date of receipt of corrected application _____ 19 ____
Approved MAY 20 19 76 Recorded in Book 15 Page 97

WATER RIGHT PERMIT NO. 2624-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2624-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MARCH 15 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 20 19 78
3. The whole of said work is to be completed on or before MAY 20 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 20 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.28 cu feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 20 19 81 said water to be used during the following described annual period: JUNE THRU SEPTEMBER

Witness my hand this 26TH day of MAY 19 76

WATER RIGHTS COMMISSION

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued FEBRUARY 6 19 78

Water License Issued FEBRUARY 6 19 78

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30 inches, Depth 100 feet
- (2) Casing, Type transite (wood, concrete, steel, etc) Diameter 16" I.D. Thickness 3/4 inch
- (3) Perforated Screen.
- Type 1/8 inch slotted, Diameter 16" I.D., Length 20 feet
- (4) Gravel Pack, Thickness 6 - 9 inches, Length of gravel pack 20 + feet

E. Dugout Information or Estimates.

- (1) Surface dimensions -----, Depth -----

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials Water bearing gravels and rock

Depth to top of water bearing material 30 feet

Depth to bottom of water bearing material 100 feet

Thickness of water bearing material 70 feet

Depth to water (ground surface to water level) 14 feet (drawdown)

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 200 rds. On property owned by others 220 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Wm. L. B. B. B.
Signature of Applicant

January 21, 1976

Mr. Vincent Trudeau
Jefferson, SD 57038

Dear Mr. Trudeau:

The 2 water samples which you submitted here recently have been analyzed and the reports are enclosed for your keeping. I am also enclosing a copy of extension circular 654 with the quality of these two waters indicated by the two red crosses on the outside back cover. As you will see, they are almost identical in quality. Both are in the high salinity, low sodium bracket and will probably cause no difficulty as far as sodium and the dispersion of clays is concerned. However, they both have considerable capability of increasing the total salt content of the soil profile, especially that upper part of the profile from which most of the water to support crops comes. For these reasons, you should irrigate as infrequently as possible and with as large an amount as you can apply each time. I would suggest not more than 4 times in any growing season and preferably fewer. You should also irrigate with 2 to 4 inches or more so that the entire soil profile is wet and you keep the salt distributed throughout the whole root zone rather than concentrate it in the upper part. You may also have to depend on late fall substantial irrigations and subsequent winter and spring precipitation to cause leaching and removal of some of the salts. This will be in the years ahead and should you begin to notice gray or whitish salt crusts on the soil surface, you should consult some extension service personnel or someone in the Water Resources group here at SDSU for advice and recommendations on these leaching procedures.

A copy of the water analysis, and of this letter, and the WI-1 forms are being sent to the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality


LOF:ckb
Enclosures
cc: State Conservation Commission

D. Pahl
Louis DeSmet, County Extension Agent



100/1 75

DISAPPROVED



I DO HEREBY CERTIFY THAT A CHEMICAL ANALYSIS OF THE GROUND WATER TO BE
ACQUIRED FOR IRRIGATION FROM SOUTH DAKOTA STATE UNIVERSITY AND:
THE LAND CAPABILITY FOR IRRIGATION INFORMATION HAS BEEN ACQUIRED FROM

Soil Conservation Service
AND:


THAT THE LEGAL DESCRIPTION FOR THE LOCATION OF THE WELL AND LAND TO BE
IRRIGATED IS TRUE AND CORRECT.

Vincent J. Friedman

SUBSCRIBED AND SWORN BEFORE ME THIS

9th DAY OF December 1975.
T. P. Olson

Notary Public
(TITLE)



REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Vincent Tredeau
 Address: Jefferson, SD 57038

Date Rec'd: Jan 3, 1976
 Sample No.: 76-016
 Identification: 3-11-102
114, Sec. 11, T. 82N, R. 62E

WATER ANALYSIS


Calcium (Ca)	140	ppm*	7.00	me/l**
Magnesium (Mg)	43	ppm	3.53	me/l
Sodium (Na)	75	ppm	3.25	me/l
Potassium (K)	12	ppm	0.21	me/l
Sulfate (SO ₄)	151	ppm	3.14	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	0.5	ppm	0.01	me/l
Bicarbonate (HCO ₃)	685	ppm	11.20	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	560	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1067	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.42			
Sodium	23.13	% of cations		
Residual sodium carbonate	0.67	me/l		
pH	7.47			
Others:				

*ppm=parts per million

**me/l=millequivalent per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 14.10 me/l
 Total anions 14.35 me/l



By: Shirley Vitten

Service Performed

Amount Due

Irrigation analysis

\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-016

Amount Enclosed \$

Signed

2624-3

Publish first publication, on or before May 6, 1976NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

April 6, 1976

Notice is hereby given that Vincent Trudeau
whose post office address is Jefferson, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.28 cubic feet of water per second of time from the ground water through the
XXXXX Trudeau #1, the point of diversion of which is to be located in the _____

Center of the NW $\frac{1}{4}$

of Section 11, Twp. 89N, Range 49W. Said water to be used for the purpose
of providing irrigation on the following described land:
NE $\frac{1}{4}$, Section 11, T30N, R49W

This application No. 2624-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 20th day of May, 1976, at 1:00 P. M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights SpecialistBFJ/bw
cc:

Vincent Trudeau, Jefferson, S.D. 57638

500R

No. 2624-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss.

I, Lester E. Emerson hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Leader-Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City of Elk Point

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

April 15, 1976

April 22, 1976

Lester E. Emerson
(Signature)

Publisher
(Title)

April 22, 1976
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
April 6, 1976

Notice is hereby given that
Vincent Trudeau, whose post
office address is Jefferson, S.D.,
South Dakota, has made an app-
lication in accordance with the
provisions of the water laws of
South Dakota for a permit to
appropriate for beneficial use
2.28 cubic feet of water per sec-
ond of time from ground water
through the Trudeau #1, the
point of diversion of which is to
be located in the Center of the
NW 1/4 of Section 11, Twp. 89N,
Range 48W. Said water to be
used for the purpose of provid-
ing irrigation on portions of the
following described land: NE 1/4
Section 11, T89N, R49W.

This application No. 2624-3
will be considered by the Water
Rights Commission at their off-
ice at Pierre upon the 20th day
of May, 1976, at 1:00 P.M. All
interested persons may appear
and be heard.

WATER RIGHTS COMMISSION
By: Burton F. Jones
Water Rights Specialist
Publish: April 15, 72



Form 15.

Permit No. 2624-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Vincent Trudeau

_____ the holder _____ of
Permit No. 2624-3, issued upon Application No. 2624-3, bearing date of priority of March 15,
1976 authorizing the diversion of 2.28 cu. ft. per second of the waters of _____
ground water County of Union, State of South Dakota at _____
a point 1320'E and 1300'E of the NW corner, Section 11, T89N, R49W

_____, for _____

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.63 cu. ft. per second of water.

Date February 3, 1978

By: WATER RIGHTS COMMISSION
John Hatch
JOHN HATCH, Chief Engineer

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2624-3

(1) WHEREAS, On the 15th day of March, A. D. 19 76,
Vincent Trudeau

made Water Right Application No. 2624-3 for a permit to use 2.28 cubic feet per second of the waters
of groundwater

County of Union, State of South Dakota, for irrigation

_____ purposes; and

(2) WHEREAS, On the 26th day of May, A. D. 19 81

Permit No. 2624-3, with a date of priority of March 15, 1976

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 20th day of May, A. D. 19 81 and for the
application to beneficial use of said water on or before the 20th day of May, A. D. 19 81

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 1.8 cubic feet
per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent,

for irrigating a 125 acre circle in the NW 1/4, Section 11, T80N, R40W

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Vincent Trudeau

_____ of Jefferson
the holder _____ and owner _____ of said permit No. 2024-3 a water right, dating from March 10, 1976
_____ to use of 1.8 cubic feet per second of the waters
of groundwater

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at a point 1320' E and 1300' N of the NE corner,
Section 11, T89N, R49W

and conduct to and upon a 125 acre circle in the NW 1/4, Section 11, T89N, R49W

for the purpose of irrigation

Subject to any limitations listed in Water Right Permit No. 2024-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 6th day of February A. D.
Nineteen Hundred and seventy-eight

WATER RIGHTS COMMISSION

By:

John Hatala
Chief Engineer, Executive Officer

Form 10.

No. _____

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE
DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT
DIVISION OF WATER RIGHTS
JOE FOSS BUILDING
PIERRE, SOUTH DAKOTA 57501

Post Office JEFFERSON S. DAKOTA
Date 06-2-76

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:


This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2624-3

Water Right Permit No. 2624-3 states that the diversion system is to be constructed by 6-5-76, 1976 and that the water is to be put to beneficial use by 7-1, 1976.

The diversion system was completed on 5-1, 1976. Applying the water to beneficial use was completed on 5-1, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Vincent Trudeau
(Signature)



Permit No. 2624-3Water Division 3 Big Sioux River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Vincent
Trudeau of Jefferson, South Dakota 57035 holder
of Permit No. 2624-3, bearing date of priority of March 15, 1976
authorizing the diversion of 2.28 cu. ft. per second of the waters of Ground
for Irrigation purposes, in Union County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor - 21.5 Electrical EP# 6326-01-824 R 2048312
75 HP, 1770 RPM
Pump - Well Line, Pump # 74577K, 4 stage, KW Bowl.
Pumping 1000 gpm

E. Works used to transport water to place of use,

18 ft. 8" dia. Aluminum pipe

C. Works used to apply water to beneficial use.

Pierce Circle Master Center Pivot, Ser# 6101000 10156

The system is in the following condition: Excellent

The point of diversion is located 1320 ft South and 1300 ft East of the NW
Corner of Section 11, 89N R49W

The works are capable of diverting and conveying to the place of use 2.23
cu. ft. per second of water which is to be used for Irrigation

Water has been put to beneficial use to the maximum extent as follows: All in Section 11, T89N R49W

NW 1/4 NW 1/4 - 33.0 Ac; NE 1/4 NW 1/4 - 33.0 Ac; SW 1/4 NW 1/4 - 33.0 Ac.
SE 1/4 NW 1/4 - 26.0 Ac

comprising a total of 125 acres of land.

Well data:

Depth 103 ftPumping 1000 gpm

Date June 2, 1977
LeRoy J. McNaugh
(Signature)



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Jon Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

February 10, 1978

Vincent Trudeau
Jefferson, SD 57038

Dear Mr. Trudeau:

Enclosed herewith are, Water License No. 2624-3 and Certificate of Construction.

Water License No. 2624-3 is the final water right document completing your process of obtaining water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
WATER RIGHTS COMMISSION

JH:9Y

Enclosures

NOTE: Your pump capacity is 2.23 cfs (1001 gpm). Based upon the acreage actually irrigated you are entitled to divert only 1.8 cfs (808 gpm). Any diversion in excess of this 1.8 cfs would be a violation of your water right.

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1988

1100-3
2624-3
2625-3

Trudeau Farms Inc.
RR #1 Box 58
Jefferson, SD 57038

Dear Sirs:

Enclosed are partially completed "Notice of Transfer" forms for use in filing an ownership change of Water Right Nos. 1100-3, 2624-3 and 2625-3. These forms are being forwarded to you in response to the 1987 irrigation questionnaires on which you indicated the water rights should be listed under Trudeau Farms Inc instead of Vincent Trudeau.

Please check over the forms and sign in the presence of a notary public. Upon completion of the forms, return them to our office with a required filing fee of \$2.50 each (total of \$7.50). The water rights will then be transferred to Trudeau Farms Inc.

South Dakota Water Law 46-54-30.3 requires Notice of any sale, grant, lease, conveyance, or other transfer of a Water Permit or Water Right to appropriate water to be filed with this office within ninety days.

If you have any questions, please contact us.

Sincerely,

Genny McMATH

GENNY MCMATH
Natural Resources Analyst
605 773-3352

encl

Water Rights Division - DVNR
Conversation or File Documentation

File No. 1100-3
2624-3
2625-3

NAME OF PERSON OR FILE: Trudeau Farms Inc.

ADDRESS: RR #1 Box 58, Jefferson, SD COUNTY

DATE: February 12, 1988 TELEPHONE //

RE: ownership status of Nos. 1100-3, 2624-3 and 2625-3

COMMENTS:

The 1987 irrigation questionnaires were returned for Vincent Trudeau marked "Trudeau Farms Inc." which was assumed to be an ownership change. Transfer forms were sent February 9, 1988. A son of Vincent Trudeau called February 12, 1988 and indicated the change was just an address change and not an ownership change. The permits should be left under Vincent Trudeau with the questionnaires sent to Trudeau Farms Inc. Vincent Trudeau has retired and his sons will be completing the questionnaires.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.

4/82

NAME: Henry M. Math.

2624-3

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

January 29, 1988

VINCENT TRUDEAU
RR #1 BOX 57
JEFFERSON, SD 57038

NOTICE

Re: Violation of Requirement To Submit 1987 Irrigation
Questionnaire


Our records indicate that the 1987 Irrigation Questionnaire has not been submitted for Permit No(s). 1100-3, 2624-3, 2625-3. The request for the Questionnaire was dated October 8, 1987. The Water Management Board has directed that owners of water permits who have not submitted 1987 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 10 am, March 2, 1988 in Room 216, Joe Foss Building, 523 E. Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 1100-3, 2624-3, 2625-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the March 2 hearing date, your name will be deleted from the agenda for the hearing.

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1988

1100-3
2624-3
2625-3


Vincent Trudeau
RR 1, Box 57
Jefferson SD 57038

Dear Mr. Trudeau:

I am writing to acknowledge receipt of your 1987 Irrigation Questionnaire(s). A notice was sent to you January 29, 1988 regarding the requirement to submit the Irrigation Questionnaire(s) for Water Permit No. 1100-3, 2624-3 & 2625-3 and the hearing date before the Water Management Board.

Since your questionnaire was received prior to the March 2, 1988 Water Management Board Meeting, your name has been deleted from the Board Meeting agenda. If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



February 16, 1994

TRUDEAU FARMS INC., OPERATOR
RR 1 BOX 370
JEFFERSON SD 57038

2624-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

NOTICE

RE: Violation of Requirement to Submit 1993 Irrigation Questionnaire

Our records indicate that the 1993 Irrigation Questionnaire has not been submitted for Permit No(s) 1100-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3 & 4370-3. The request for the Questionnaire was dated October 18, 1993. The Water Management Board has directed that owners of water permits who have not submitted the 1993 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning the violation.

The hearing will be held at 8:45 am, April 6, 1994, at the Golden Hills Resort, 900 Miners Ave, Lead, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 1100-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3 & 4370-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before April 1, 1994, your name will be deleted from the Board agenda.

Very truly yours,

Ron Duvall, Natural Resources Engineer IV
Water Rights Division
605 773-3352

cc: Paul Vondrak, RR #1, Jefferson, SD 57038
Vincent Trudeau, RR #1 Box 58, Jefferson, SD 57038
Joseph Trudeau, RR 1 Box 57, Jefferson, SD 57038



2624-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 23, 1994

Trudeau Farms Inc.
RR #1 Box 370
Jefferson, SD 57038

RE: Water Permit Nos. 1100-3, 2340-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3 & 4370-3

Dear Sirs:

I am writing to acknowledge receipt of your 1993 Irrigation questionnaires. You may disregard the February 16, 1994, Notice of Violation of the Requirement to Submit the 1993 Irrigation Questionnaires and the Notice of Violation of Water Permit No. 2340-3.

The questionnaires were received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.



If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Division
(605) 773-3352

cc: Steve Heitman, RR #1 Box 150, Jefferson, SD 57038
Paul Vondrak, RR #1 Jefferson, SD 57038
Vincent Trudeau, RR #1 Box 58, Jefferson, SD 57038
Joseph Trudeau, RR #1 Box 57, Jefferson, SD 57038

NW Corner
SECTION 11,
T89N R49W



scale 8" = 1 mile

VINCENT TRUDEAU
JEFFERSON, SOUTH DAKOTA 57038
TRUDEAU IRRIGATION PROJECT

NW 1/4 SECTION 11, T89N R49W

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed <u>JMBOLINE 12/10/75</u>	Date <u>12/10/75</u>	Approved by.....
Drawn <u>JMBOLINE 12/10/75</u>		Title.....
Traced.....		Title.....
Checked.....		Sheet No.
		Drawing No.



2624-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

August 15, 2019

Joe Trudeau
Trudeau Farms Inc
33060 480th Ave
Jefferson SD 57038

RE: Water Right Nos. 1100-3, 2340-3, 2347-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3 and 3869-3

Dear Mr. Trudeau:

I am writing you regarding ownership of the above water rights. For many years we have forwarded the annual irrigation questionnaires for these water rights to you as the "operator". In reviewing the files, I believe ownership of the land described in the water rights has changed over the years and has never been updated.

Below is a list of these water rights:

- 1100-3: Vincent Trudeau, E ½ SE ¼ Section 35, T90N, R49W
- 2624-3: Vincent Trudeau, NW ¼ Section 11, T89N, R49W
- 2625-3: Vincent Trudeau, SW ¼ Section 23, T90N, R49W
- 2401-3: Paul Vondrak, NE ¼ & NE ¼ SE ¼ Section 13, T90N, R49W
- 2402-3: Paul Vondrak, SW ¼ NE ¼, N ½ SE ¼ Section 13, T90N, R49W
- 3286-3: Paul Vondrak, NE ¼ Section 26, T90N, R49W
- 2340-3: Steve Heitman, SE ¼ Section 12 and N ½ N ½ Section 13, T89N, R49W
- 2347-3: Merlyn Karpen, SW ¼ Section 27, T90N, R49W
- 3869-3: Clarence Kneebone, NW ¼ Section 15, T90N, R49W

Would you please review the list and let me know if ownership has changed, and if so, where I should direct transfer forms to. Thanks in advance for your help.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 19, 2024

NOTICE

TO: KEMPS C/O TRUDEAU FARMS INC. OP, JOE TRUDEAU, 33060 480TH AVE, JEFFERSON, SD 57038

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2023 Irrigation Questionnaires

Our records indicate your 2023 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 20, 2023. The Water Management Board has directed owners of water permits who have not submitted the 2023 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 1100-3, 2347-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3, 3869-3 & 4370-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 2340-3, 2623-3, 5666-3, 6001-3, 6079-3 & 6956-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Wednesday, March 6, 2024 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 2340-3, 2623-3, 5666-3, 6001-3, 6079-3 & 6956-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 1100-3, 2347-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3, 3869-3 & 4370-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office before the **March 6, 2024** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaires for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: TEFGBZB**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 13, 2024

1100-3, 2347-3, 2401-3, 2402-3
2624-3, 2625-3, 3286-3, 3869-3
4370-3, 2340-3, 2623-3, 5666-3
6001-3, 6079-3 & 6956-3

Trudeau Farms Inc.
c/o Joseph Trudeau
33060 480th Ave
Jefferson SD 57038

Dear Mr. Trudeau:

I am writing to acknowledge the receipt of your 2023 irrigation questionnaire(s).

You may disregard the January 19, 2024, "Notice" concerning the reporting requirements for Water Permit No(s). 1100-3, 2347-3, 2401-3, 2402-3, 2624-3, 2625-3, 3286-3, 3869-3, 4370-3, 2340-3, 2623-3, 5666-3, 6001-3, 6079-3 & 6956-3. The information was received prior to the March 6, 2024, Water Management Board meeting and these permit numbers have been removed from the agenda.

If you have any questions, please contact me.

Sincerely,

Amanda Dewell
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us

cc: STEVE HEITMAN, RR 1 BOX 150, JEFFERSON SD 57038
MERYLN KARPEN, BOX 187, JEFFERSON, SD 57038
CLARENCE KNEEBONE, PO BOX 366, ELK POINT SD 57025
PAUL VONDRAK, RT 1, JEFFERSON SD 57038