


1. Considered MAY 21, 1976 2702-3
2. Name of Applicant DUANE PALGBATE
3. Post Office Address FREEMAN
4. Amount of water claimed 3.1
5. Source of water supply 2-42' WELLS
6. Water to be used for IRRIGATION
Acres to be irrigated 216
7. Water to be diverted and used in BROOKINGS county
about 1W, 1S miles of BRUCE
8. Proof of Publication Received 5-17-76
Not Received
9. Application Approved
Subject to
Not Approved
Action deferred
10. Remarks:

No. 2702-3Map No. 2064-3 Water Division No. 3 BIG SIOUX RIVER District _____
(Blanks to be filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Deane Parkratz
Postoffice address Free man State South Dakota
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & Direct Labor
3. Name of diversion work Deane Parkratz Irrigation Project # 3
4. Amount of water claimed (cubic feet per second) 3.1
5. Source of water supply 2 wells
6. Location of point of diversion H1 - 4170' N 19° W of SE corner sec 14-11-51
H2 - 2380' N 58° W of SE corner sec 14-11-51
County Brookings
7. Annual period or periods during which water is to be used April through October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 216

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4 of SE 1/4 sec 14-11-51	39	NW 1/4 of SE 1/4 sec 14-11-51	40
NE 1/4 " " " "	36	SW 1/4 of SE 1/4 sec 14-11-51	36
SW 1/4 " " " "	40		
SE 1/4 " " " "	25		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use three years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Water town Public Opinion
12. Principal Features of the Proposed Water Supply System.
- A. Works proposed to divert water from its natural source. 2 wells with electrically driven deep well turbines
- B. Works proposed to transport water to place of use. closed conduit
- C. Works proposed to apply water to beneficial use. center pivot irrigation machines

Estimated Total Cost \$ 70,000Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of BrookingsI, Myrdal Miller, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Signed

Subscribed and sworn to before me this

13

days

John W. Deane
Notary Public (or other qualified officer)

P. E. D 1916

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2702-3
DUANE PANKRATZ FREEMAN
 (Applicant) (Past Office Address)
SOUTH DAKOTA 57029 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application APRIL 14, 1976
 Date of return to applicant for correction, amendments or changes required _____
 Date of receipt of corrected application APRIL 28, 1976
 Approved MAY 20, 1976 Recorded in Book 15 Page 148

WATER RIGHT PERMIT NO. 2702-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2702-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is APRIL 14, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 20, 1978
3. The whole of said work is to be completed on or before MAY 20, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 20, 1984
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 3.1 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MAY 20, 1984 said water to be used during the following described annual period: APRIL THEN OCTOBER

Witness my hand this 8TH day of JUNE, 1976

WATER RIGHTS COMMISSION

By:

John H. Welch
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

2 Nearly identical wells in section
14-111-51

Form 2A - Wells, Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 30", Depth 42'
(2) Casing Type Steel, Diameter 14", Thickness 1/4"
(wood, concrete, steel, etc.)
(3) Perforated Screen.
Type Continuous Slot, Diameter 14", Length 10'
(4) Gravel Pack, Thickness 2", Length of gravel pack 15'

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout.

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0' to 3' top soil, 3' to 7' mixed
sand silt & clay, 7' to 42' mixed sand &
gravel

Depth to top of water bearing material 7'

Depth to bottom of water bearing material 42'

Thickness of water bearing material 35'

Depth to water (ground surface to water level) 7'

(2) Distance to nearest existing household or livestock watering wells.

* In same owner's property _____ rds. On property owned by others _____ rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Well #1

Well #2

Owner property
90 rds
250 rds


Other property
260 rds
150 rds

Diane Perkey
Signature of Applicant
By Mark Miller, agent

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED

(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)



NAME Duane Parkratz
ADDRESS Freeman South Dakota
COUNTY Laudin Breckinridge County

LEGAL DESCRIPTION

1. WELL LOCATION See map on reverse side
2. LOCATION OF AREA TO BE IRRIGATED NE⁴ and W² of SE⁴ of Sec 14-111-5-1
Note: there is a water analysis for each of the
TYPE OF IRRIGATION two wells

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED corn & alfalfa

WATER QUALITY

- | | | |
|---------------------------------------|-----------------------|-----------------------|
| 5. SAMPLE NUMBER | <u>76-342</u> | <u>76-343</u> |
| 6. SALINITY (EC X 10 ⁶) | <u>792 (mod-high)</u> | <u>756 (mod-high)</u> |
| 7. SODIUM (SAR) | <u>0.79 (low)</u> | <u>1.98 (low)</u> |
| 8. RESIDUAL SODIUM CARBONATE (meq/l.) | <u>0</u> | <u>0</u> |

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from _____ Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

SUBSCRIBED AND SWORN BEFORE ME THIS
13 DAY OF April 19 76.

John S. Williams
(TITLE OR SEAL)

APPLICANT'S SIGNATURE

Duane Parkratz
By Mark Miller, agent


Albert J. Duffin
APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)

1/2 mile


MAP

NE 1/4 of Sec 14-111-51



NE 1/4 of Sec 14-111-51

NARRATIVE




Fm

- Ea - Estelline Sandy loam
- Hp - Hecla sandy loam
- Fm - Fordville loam
- So - Solomon loam

Note! there is a water analysis for each well

NOT TO SCALE

2906-3
2902-3



27023 Duane Property

5-10-78 East Well Depth 53 ft - 9 ft 10 in

450 gpm - pumping

West well same depth & capacity

May pool or
containing water

East well 2 J.E. - 3011 P - 1750 R.P.M.

Depth 5 ft 6 in 25 x 1501 ft - 15 ft 10 in 25 ft 10 in

Pump Station 10 ft 10 in

See "CT6119" for 6 M 1 P.C.M.C.

West 11 ft 10 in 15 ft 10 in

30 P.P. 1750 R.P.M.

FD# R-2207-15 15 ft 10 in 15 ft 10 in

10 ft 10 in 15 ft 10 in

10 ft 10 in 15 ft 10 in

10 ft 10 in

Form 6 - Notice of Intention to Appropriate Water

No. 2702-3

Publish first publication, on or before May 6, 1976

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

April 30, 1976

Notice is hereby given that Duane Pankratz

whose post office address is Freeman, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

3.1 cubic feet of water per second of time from the ground water through the

Pankratz #3, the point of diversion of which is to be located in the

Center of the NE $\frac{1}{4}$ and Center of the W $\frac{1}{2}$ SE $\frac{1}{4}$

of Section 14, Twp. 111N, Range 51W. Said water to be used for the purpose

of providing irrigation on ^{portions of} the following described land:

NE $\frac{1}{4}$ and W $\frac{1}{2}$ SE $\frac{1}{4}$, Section 14, T111N, R51W

This application No. 2702-3 will be considered by the Water Rights Commission at their office at Pierre upon the 20th day of May, 1976, at 1:00 P. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw
cc:

Duane Pankratz, Freeman, S.D. 57020

No. 2702-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
) ss.
County Brookings)

I, Dennis D. Koenders hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Brookings Daily Register

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the _____

City of Brookings

County of Brookings and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

May 6, 1976

May 13, 1976

Dennis D. Koenders
(Signature)

Advertising Manager
(Title)


5-13-76
(Date Signed)

No. 232—May 6 & 13
**NOTICE
INTENT TO APPROPRIATE WATER**
Pierre, South Dakota 57501
April 30, 1976
Notice is hereby given that Duane
Pankratz whose post office address is
Freeman, South Dakota, has made an
application in accordance with the
provisions of the water laws of South
Dakota for a permit to appropriate for
beneficial use 3.1 cubic feet of water per
second of time from ground water
through the Pankratz No. 3, the point of
diversion of which is to be located in the
Center of the NE $\frac{1}{4}$ and Center of the W $\frac{1}{2}$
SE $\frac{1}{4}$ of Section 14, Twp. 111N, Range
51W. Said water to be used for the
purpose of providing irrigation on
portions of the following described land:
NE $\frac{1}{4}$ and W $\frac{1}{2}$ SE $\frac{1}{4}$, Section 14, T111N,
R51W
This application No. 2702-3 will be
considered by the Water Rights
Commission at their office at Pierre
upon the 20th day of May, 1976, at 1:00
P.M. All interested persons may appear
and be heard.
WATER RIGHTS COMMISSION
By: BURTON F. JONES
Water Rights Specialist



Form 10.

No. 2727-3



NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE

DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT

DIVISION OF WATER RIGHTS

JOE FOSS BUILDING

PIERRE, SOUTH DAKOTA 57501

TO: Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Post Office Freeman S.D.

Date Nov 11 1977

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2727-3.

Water Right Permit No. 2727-3 states that the diversion system is to be constructed by May 20, 1971 and that the water is to be put to beneficial use by May 20, 1974.

The diversion system was completed on May 1977, 1977. Applying the water to beneficial use was completed on May 1977, 1977.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Quane Runkel
(Signature)

REPORT OF ANALYSIS

Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Quinn, Sandra
Address: Brookings, SD 57029

Date Rec'd: April 23, 1976
Sample No.: 76-342
Identification: Well 140
Box 14, T 111N, R 51W

WATER ANALYSIS

Calcium (Ca)	93	ppm*	4.55	me/l**
Magnesium (Mg)	42	ppm	3.44	me/l
Sodium (Na)	36	ppm	1.57	me/l
Potassium (K)	6	ppm	0.16	me/l
Sulfate (SO ₄)	188	ppm	3.92	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	24	ppm	0.59	me/l
Bicarbonate (HCO ₃)	229	ppm	3.76	me/l
Carbonate (CO ₃)	19	ppm	0.64	me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	188	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	32	ppm (as CaCO ₃)		
Electrical Conductivity	792	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.79			
Sodium	16.15	% of cations		
Residual sodium carbonate	0.90	me/l		
pH	8.20			
Others:				

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon



COMMENTS: Total cations 7.72 me/l
Total anions 7.01 me/l

By: Shirley Witten

Service Performed

Amount Due

Irrigation analysis

\$8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-342

Amount Enclosed \$

Signed

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57006

Submitted by: Duane Fankhauser
Address: Fremont, SD 57029

Date Rec'd: April 13, 1976
Sample No.: 76-343
Identification: 911-401
NEA, Area 14, T 111N, R 51W

WATER ANALYSIS

Calcium (Ca)	90	ppm*	4.50	me/l**
Magnesium (Mg)	41	ppm	3.36	me/l
Sodium (Na)	36	ppm	1.52	me/l
Potassium (K)	6	ppm	0.16	me/l
Sulfate (SO ₄)	178	ppm	3.71	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	35	ppm	0.21	me/l
Bicarbonate (HCO ₃)	283	ppm	4.64	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	232	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	756	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.93			
Sodium	16.37	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	8.11			

Others:

*ppm=parts per million

**me/l=millequivalents per liter

***g.p.g.=grains per gallon

COMMENTS: Total cations 9.89 me/l
Total anions 9.06 me/l



By: Shirley Kitten

Service Performed	Amount Due
Irrigation analysis	18.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-343

Amount Enclosed \$

Signed

Permit No. 4239-3Water Division 3 BIG SIOUX RIVER Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / HOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by DUANE
PANKRATZ of FREEMAN holder
of Permit No. 4239-3, bearing date of priority of APRIL 14, 1976
authorizing the diversion of 6.6 cu. ft. per second of the waters of GROUNDWATER
for IRRIGATION purposes, BROOKINGS County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

- A. Works used to divert the water:
2 WELLS - BOTH 25' DEEP WITH 14" DIA STEEL CASING - 10' SS SCREEN
BOTH WITH WESTERLAND ROLLER 6" PUMPS - 6M - 610CMC
& BOTH WITH 30 HP GE ELECTRIC MOTORS @ 1750 RPM
- B. Works used to transport water to place of use,
350' 8" BURIED PVC PIPE BETWEEN WELLS
1130' 8" BURIED PVC TO N PIVOT PAD
1585' 8" BURIED PVC TO S PIVOT PAD
- C. Works used to apply water to beneficial use.
ELECTROGATOR 8 TOWER CENTER PIVOT SYSTEM WITH
NELSON #150 END GUN - TOWED BETWEEN TWO POINTS

The system is in the following condition: GOODThe point of diversion is located WELL #1 - 300' W & 50' N; WELL #2 - 650' W & 40' N
OF THE CENTER OF THE $\frac{1}{4}$ SECTION 14, T11N, R51WThe works are capable of diverting and conveying to the place of use 1.78 (800 GPM)
cu. ft. per second of water which is to be used for IRRIGATIONWater has been put to beneficial use to the maximum extent as follows: ALL IN SEC 14, T11N, R51W

NW ⁴ NE ⁴	27 ACRES	NW ⁴ SE ⁴	38 ACRES
NE ⁴ NE ⁴	20 "	SW ⁴ SE ⁴	34 "
SW ⁴ NE ⁴	38 "		
SE ⁴ NE ⁴	15 "		

comprising a total of 172 acres of land.

NORTH PIVOT SWING COVERS ABOUT 4 ACRES IN THE
NE⁴ SE⁴, SECTION 14, WHICH IS COVERED UNDER WATER
LICENSE # 2906-3 OF HARVEY CUNNINGHAM.

DATE JUNE 25, 1981
Dustin Jones
(Signature)

4083-3

2701-3

2702-3

SOUTH DAKOTA Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 17, 1989

Duane Pankratz
Route 1
Freeman, SD 57029

Dear Mr. Pankratz:

On October 6, 1988, the Water Management Board adopted rules to implement a 1988 law for application of chemicals through irrigation systems. The rules establish equipment standards, performance standards and installation requirements for irrigation systems that apply chemicals (fertilizers, insecticides, or herbicides) with irrigation water.

You have indicated on your 1988 Water Management Board Irrigation Questionnaire that you do apply chemicals with irrigation water. A copy of the new rules for chemigation are enclosed for your information.

The new standards include:

- * a check valve between the irrigation pump and the point of chemical injection;
- * a vacuum relief valve on top of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a low-pressure drain on the bottom of the pipeline between the irrigation pump and the irrigation pipeline check valve;
- * a chemical injection line check valve between the chemical injection pump and the point at which the chemical is injected into the irrigation line; a second check valve is required if the chemical injection pump is not a positive displacement pump;
- * an interlock system which ensures that the chemical injection pump will stop whenever the irrigation pump stops;
- * an inspection port between the irrigation pump and the check valve on the irrigation line;




Each of these equipment requirements are discussed more thoroughly in Sections 74:02:09:05 through 74:02:09:10 of the enclosed rules. Appendix A contains diagrams of the arrangements of these anti-pollution devices.

The equipment must be installed according to the manufacturer's specifications, calibrated, and maintained in good working condition. All chemical product labels must be followed and warning signs must be posted. These rules also require reporting of all spills, accidents, and system malfunctions. A 24-hour telephone number is provided.

The chemigation rules contain notification and record keeping requirements. Prior to using chemigation, notification must be given to the Chief Engineer on the enclosed Form 1C. Information that must be provided in this notification include the water permit or right number, the name, address, and telephone number of the water permit or right holder and of the system operator, and the legal description of the lands on which the system is located. A record of the name, quantity, dates and hours of each chemical applied must be provided to the Chief Engineer on Form 2C. A copy of this form is also enclosed for your information. It will be mailed with the annual irrigation questionnaire and must be returned with the questionnaire by the date specified. If you have any questions regarding these rules or need additional copies of the forms, please contact Susan Bowar, Water Rights Engineer (605-773-3352).

Very truly yours,



for JOHN HATCH, Chief Engineer
Water Rights Division



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

SEP 14 1989

Duane Pankratz
RR 3, Box 36
Freeman SD 57029

Dear Mr. Pankratz:

Enclosed are Water License Nos. 4088A-3 and 2702A-3. These are the final water right documents completing your process of obtaining Water Rights. Enclosed are the receipts in the amount of \$50.00 each which you paid for the inspection and issuance of the Water Licenses.

The applicable portions of Water Permit No. 4088-3 have been incorporated into this Water License No. 4088A-3. The applicable portions of Water Permit No. 2702-3 have been incorporated into this Water License No. 2702A 3.

For your information SDCL 46-6-27 requires that if the owner of an existing well, such as the well authorized by Water Right Nos. 4088A-3 and 2702A-3, constructs a replacement well and does not plan to use the old well, the old well is considered abandoned and must be plugged. Also, any well that is being used or is not considered abandoned must be valved and controlled, if flowing, or sealed and capped so that no leaking occurs either underground or at the surface.


As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water. If you have any questions, please contact our office.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division
(605) 773-3352

enclosures





DUANE PANKRATZ

Irrigation Project # 3

Freeman South Dakota

Land in Brookings County

Acres Irrigated 216

Water claimed - 3.1 cfs

Points of Diversion

well #1 - 4170' N 19° W of SE corner Sec 14-111-51

well #2 - 2380' N 56° W of SE corner Sec 14-111-51

Surveyor's Certificate

I John L. Wiersma, do hereby certify that this map identifies a reasonably accurate record of the land of:

Duane Pankratz

Freeman

S. Dakota

Land in

Brookings Co.

4-13-76

Drawn by S.L.W.

John L. Wiersma

PEB 1916

MAP NO 266-3 APPL NO 2702-3

2702-3



16.1

45.6

250R

4.4

NOT TO SCALE

2906-3
2702-3

