

2706-3

1. Considered MAY 20, 1976
2. Name of Applicant RONNIE REIMERS
3. Post Office Address PUKWANA
4. Amount of water claimed 13.71
5. Source of water supply MISSOURI RIVER
6. Water to be used for IRRIGATION
Acres to be irrigated 960
7. Water to be diverted and used in BRULE county
about 85, 2E miles of CHAMBERLAIN
8. Proof of Publication Received 5-14-76
Not received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred _____
10. Remarks:

No. 2706-3Map No. 2068-3 Water Division No. 3 MISSOURI RIVER District
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

1. Name of Applicant Ronnie Reimer
 Postoffice address Pukwana, State South Dakota
 If a corporation show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
 3. Name of diversion work Diamond D. U. Irrigation Project #2
 4. Amount of water claimed (cubic feet per second) 13.71
 5. Source of water supply Missouri River
 6. Location of point of diversion 2500' ESE of the center of Section 5
T-102-N, R-71-W
 _____ County Brule

7. Annual period or periods during which water is to be used Irrigation Season
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
 9. For irrigation use, _____ Total number of acres to be irrigated 960

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
SW $\frac{1}{4}$ Sec. 26 T103N, R71W	160	NW $\frac{1}{4}$ Sec. 26 T103N, R71W	160
SE $\frac{1}{4}$ Sec. 26 T103N, R71W	160	NE $\frac{1}{4}$ Sec. 26 T103N, R71W	160
NE $\frac{1}{4}$ Sec. 35 T103N, R71W	160		
SE $\frac{1}{4}$ S c. 23 T103N, R71W	160		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system five years. Additional time required to complete application of water to the proposed beneficial use four years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Chamberlain Register
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Centrifugal Pumps

B. Works proposed to transport water to place of use.


Buried Pipe Line

C. Works proposed to apply water to beneficial use.

Sprinkler IrrigationEstimated Total Cost \$ 240,000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)


County of Brule)I, Ronnie Reimer the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Ronnie ReimerSubscribed and sworn to before me this 19th day of March 19 76.John D. Kirkpatrick County Public W. R. C. S. Dak.



SURVEYOR'S CERTIFICATE

I, R. V. Summerside, Registered Land Surveyor, State of South Dakota, do hereby certify that, at the direction of Ronnie Reimer + Wayne Kent, I have surveyed the tract of land as shown, and that the above drawn Plot is a reasonably accurate description of the land of the proposed irrigation project. In witness whereof I have set my hand and seal this 27th day of April, 1976, A.D.

R. V. Summerside
REGISTERED LAND SURVEYOR



T103N - R71W
T102N - R71W

BRULE COUNTY

LAND TO BE IRRIGATED		
DESCRIPTION	ACRES	LAND OWNER
SE 1/4 SEC. 23 T103N-R71W	160	RONNIE REIMER
NW 1/4 SEC. 26 T103N-R71W	160	WAYNE KENT
NE 1/4 SEC. 26 T103N-R71W	160	WAYNE KENT
SE 1/4 SEC. 26 T103N-R71W	160	RONNIE REIMER
SW 1/4 SEC. 26 T103N-R71W	160	RONNIE REIMER
NE 1/4 SEC. 26 T103N-R71W	160	RONNIE REIMER
TOTAL	960	

WATER APPROPRIATION MAP

SCALE: 1" = 1320'	APPROVED BY:	DRAWN BY
DATE: 30 APR 76		REVISED
RONNIE REIMER		
POKWANA, S.D.		DRAWING NUMBER

MAP NO 2068-3 (APPL NO 2708-3)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2706-3
RONNIE REIMERS POKWANA
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57370 With the following modifications:
 (State)

Date of first receipt of application APRIL 29, 1976
 Date of return to applicant for correction, amendments or changes required _____, 19____
 Date of receipt of corrected application _____, 19____
 Approved MAY 20, 1976, Recorded in Book 15 Page 150

WATER RIGHT PERMIT NO. 2706-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2706-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is APRIL 29, 1976
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before NOVEMBER 20, 1978
3. The whole of said work is to be completed on or before MAY 20, 1981
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MAY 20, 1985
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water, must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 13.71 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before MAY 20, 1985; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 8TH day of JUNE, 1976

WATER RIGHTS COMMISSION

By:

John Hatch
 Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19____

Water License Issued _____, 19____

Form 6 - Notice of Intent to Appropriate Water

No. 2706-3

Publish first publication, on or before May 6, 1976

NOTICE
INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501
April 30, 1976

Notice is hereby given that Ronnie Reimers

whose post office address is Pukwana, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use

13.71 cubic feet of water per second of time from the Missouri River through the Diamond D.U. Irrigation Project #2, the point of diversion of which is to be located on the

Between points in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ and in the SE $\frac{1}{4}$ SE $\frac{1}{4}$

of Section 5, Twp. 102N, Range 71W. Said water to be used for the purpose of providing irrigation on ^{portions of} the following described land:

SE $\frac{1}{4}$, Section 23; Section 24; NE $\frac{1}{4}$, Section 35, T103N, R71W

This application No. 2706-3 will be considered by the Water Rights Commission at their office at Pierre upon the 20th day of May, 1976, at 1:00 P. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw
cc:

Ronnie Reimers. Pukwana, S.D. 57370

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 5705-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Brule) ss.

I, E. J. Buckingham, Jr. hereby
certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Chamberlain Register

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City Chamberlain of Brule
County of Brule and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

May 6, 1976

May 13, 1976

E. J. Buckingham, Jr.
(Signature)

Publisher
(Title)

May 13, 1976
(Date Signed)

NOTICE
OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
April 30, 1976
Notice is hereby given, that
Ronnie Reimer, whose post
office address is Pukwana,
South Dakota, has made an
application in accordance with
the provisions of the water laws
of South Dakota for a permit to
appropriate for beneficial use
13.71 cubic feet of water per
second of time from the
Missouri River through the
Diamond D. U. Irrigation
Project, 2. The point of
diversion of which is to be
located between points 16, the
SW 1/4 NW 1/4 and in the SE 1/4
SE 1/4 of Section 5, Twp 102N,
Range 71W, Sd. water to be
used for the purpose of
providing irrigation on portions
of the following described land:
SE 1/4, Section 23, Section 26,
NE 1/4, Section 35, T103N,
R71W, Sd. water to be used
This application No. 2705-3
will be considered by the Water
Rights Commission at their
office at Pierre, upon the 20th
day of May, 1976, at 1 p.m. All
interested persons may appear
and be heard.
WATER RIGHTS
COMMISSION
By: BURTON F. JONES
Water Rights Specialist
(May 6 - 13)



Form 10.

No. 2706-3

NOTICE OF COMPLETION OF WORKS AND/OR APPLICATION OF WATER TO BENEFICIAL USE
DEPARTMENT OF NATURAL RESOURCE DEVELOPMENT
DIVISION OF WATER RIGHTS
JOE FOSS BUILDING

Post Office Pulaski, S. Dak

Date Dec. 19-1976

TO: PIERRE, SOUTH DAKOTA 57501
Water Resources Commission
State Office Building No. 2
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2706-3

Water Right Permit No. 2706-3 states that the diversion system is to be constructed by Sept 28, 1976 and that the water is to be put to beneficial use by Sept 28, 1976.

The diversion system was completed on Oct 28, 1976. Applying the water to beneficial use was completed on Oct 28, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Ronnie Reimer
(Signature)



Permit No. 2706-3Missouri River Water District**Report Of Examination Of Works And/Or Application Of Water To Beneficial Use**

TO: Chief Engineer, Division of Water Rights, DWNR, Foss Bldg., Pierre, SD 57501

I have this day made a thorough examination of the water use system constructed by Ronnie Reimer
 of RA-2, Parkwana, SD 57370 holder of
 Permit No. 2706-3, bearing the priority of April 29 1976 authorizing
 the diversion of 13.71 cu. ft. per second of the waters of Missouri River Water
 for irrigation purposes, in Baule County.

I have to report on the conditions of the same as follows:

A. Works used to divert the water:
See attached Addendum

B. Works used to transport water to place of use:
See attached Addendum

C. Works used to apply water to beneficial use: 3 center pivots
 - two (a) Electrogator center pivots, towable, 10 towers each w/ent guns, 70 psi operating pressure
 - one (b) Electrogator center pivot, 8 towers w/ent gun, 55 psi operating pressure

The system is in the following condition Good

The ^(a) points of diversion ^{are} located at a point 1600' east and 1470' south of the center
of section 5, T102N R71W

The works are capable of diverting and conveying to the place of use 4.46
 cu. ft. per second of water which is to be used for irrigation

Water has been put to beneficial use to the maximum extent as follows: All in T103N R71W

34 acres in the NW 1/4 SW 1/4 Sec. 26; 33 acres in the NW 1/4 SE 1/4 Sec. 26; 31 acres in the NW 1/4 NE 1/4 Sec. 35

35 acres in the NE 1/4 SW 1/4 Sec. 26; 35 acres in the NE 1/4 SE 1/4 Sec. 26; 31 acres in the NE 1/4 NE 1/4 Sec. 35

34 acres in the SW 1/4 SW 1/4 Sec. 26; 34 acres in the SW 1/4 SE 1/4 Sec. 26; 31 acres in the SW 1/4 NE 1/4 Sec. 35

34 acres in the SE 1/4 SW 1/4 Sec. 26; 34 acres in the SE 1/4 SE 1/4 Sec. 26; 32 acres in the SE 1/4 NE 1/4 Sec. 35

comprising a total of 400 acres of land and the license should be issued for 4.46 cfs

Applicable permit qualifications have been complied with ☒ Yes ☐ No

Exceptions to compliance are: _____

Date November 18, 1989

David J. Brown
 (signature)

LICENSE FOR PERMIT NUMBER 2706-3

N/A 1. Legal location of wells: _____

dams & structures: _____

N/A 2. Well Information: Well Drilling Firm _____

No. of wells _____ Depth _____

Casing a) diameter _____
b) length _____
c) type _____

Screen a) type _____
b) length _____

Static Water Level _____

Pump a) make _____
b) model _____
c) size _____
d) capacity _____ GPH
e) turbine pump
no. of stages _____

Motor a) make _____
b) model no. _____
c) horsepower rating _____
d) motor efficiency rating _____

3. Distribution lines:

- a) size of lines 12", 12", 13", 3"
b) type steel, asbestos, PVC, PVC
c) length 2000', 1000', 4 miles, 1.4 miles

4. Dam Information:

- a) height to crest _____
b) height to spillway _____
c) crest width _____
d) crest length _____
e) spillway length _____
f) spillway width _____
g) approx. storage _____
h) Distribution lines or canals:
1) size _____
2) type _____
3) length _____

i) Outlet tubes:

- 1) diameter _____
2) type _____
3) valued (Y/N) _____
4) valve type _____
5) location on structure _____

5. System Type: a) slideroll:

- 1) length _____ feet
2) diameter of pipe _____
3) make, model & number of sprinklers _____
4) spacing of sprinklers _____
5) nozzle size _____

b) towline:

- 1) length _____ feet
2) make, model & number of sprinklers _____
3) spacing of sprinklers _____
4) nozzle size _____

5. System Type: c) center pivots (3)

- 1) make electrogator
- 2) number of towers 10, 10, 8
- 3) distance between towers _____
- 4) overall length _____
- 5) End gun (Y/N) Yes
- 6) high or low pressure high
- 7) make & size of nozzles _____
- 8) PSI reading while system is running 70, 70, 55
- 9) GPM 2000 when all center pivots running

d) Gate Pipe

- 1) length _____
- 2) diameter _____
- 3) spacing of gates _____

e) Siphons

- 1) number _____
- 2) size _____

f) Portable boom

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____

g) Gun

- 1) make _____
- 2) serial number _____
- 3) nozzle size _____
- 4) capacity (GPM) _____
- 5) PSI _____
- 6) hose size _____
- 7) hose length _____

h) Hydromatic

- 1) make _____
- 2) model _____
- 3) serial number _____
- 4) length _____
- 5) nozzle size _____
- 6) spacing _____
- 7) PSI _____
- 8) capacity (GPM) _____

YES

NO

Check Items

1. Soil and water permit lands agree with lands being irrigated and lands listed on permit.

☒

2. Special Qualifications to permit being abided by.

☒

3. All Structures, wells and lands on map.

REMARKS:

For detailed description of irrigation system see: Addendum to Report of Examination of works and/or Applications of Water to Beneficial Use For Water Permit No. 2706-3.

Addendum to Report of Examination of Works and/or Application
of Water to Beneficial Use for Water Permit No. 2706-3

Works used to divert the water:

Two (2) 15 HP intake Pumps located in the Missouri River, two
(2) 200' intake 8" steel pipes: two (2) sets of two (2) pumps and
motors in series

Pump and Motor Set #1

- 1) Cornell Pump, Model 4YBVM75-2, Serial #E2393 8 3/4
- 1) Marathon Electric Motor, Model 364TDS7325AAW, 75 HP, 3
phase, Frame 364 HP, Type TDS-BE, 3550 RPM, continuous
duty
- 2) Cornell Pump, Model 4YBVM75-2, Serial #E2389 8 3/4
- 2) Marathon Electric Motor, Model 364TDS7325AAW F1, 75 HP,
Frame 364 HP, Type TDS-BE

Pump and Motor Set #2

- 1) Cornell Pump, Model 4YBVM75-2, Serial #E2250 8 3/4
- 1) General Electric Motor, Model 5K6257XH303A, 75 HP, Type
K, Serial #KLJ1008378
- 2) Cornell Pump, Model 4YBVM75-2, Serial #E2249 8 3/4
- 2) General Electric Motor, Model 5K6257XH303A, 75 HP, Type
K, Serial #KLJ1008379

NOTE: The pumping station proper is capable of diverting more
than 2000 GPM but the combined pumping rate of the above
pumps is 2000 GPM when irrigation system is in operation.

Works used to transport water to place of use:

2000' of 12" steel pipe, 1000' of 12" asbestos pipe, 4 miles of
12" PVC pipe, 1.4 miles of 8" PVC pipe

Booster Station

two (2) pumps and motors

Pump and Motor Set #1

- Cornell Pump, Model 5W2 18 8 9/32
- General Electric Motor, Model 5K6257XH313A, 75 HP, Type
K, Serial #ELJ521427

Pump and Motor Set #2

- Cornell Pump, Model 5W2 18 8 9/32
- General Electric Motor, Model 5K6257XH2004A, 75 HP, Serial
#DMJ428 366

Regulating irrigation dugout

A dugout (with an estimated 10 acre-feet of storage) is used
to regulate and insure an adequate water supply to a third
center pivot. When two center pivots are running, the excess
water (200 - 400 GPM) is diverted into the dugout and then
pumped out to the third center pivot via the following pump
and motor: General Electric Pump, Model 5WB-50-2 7 1/2",
Serial #33993; General Electric Motor, Model 5K2324JL149, 50
HP.



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501

Division of Water Rights
605 773-3352

No. 2706-3

December 2, 1988

Ronnie Reimer
RR 1, Box 145
Pukwana, South Dakota 57370

Dear Mr. Reimer:

The inspection of your water use system and inspection of the extent of the application of water to beneficial use, as developed under your Water Right No. 2706-3 has been completed. Your final water right document, the Water License, can now be issued.

Statutes require that we charge a \$50.00 fee for the inspection and issuing of the Water License. Upon receipt of the \$50.00 fee from you, your Water License will be sent to you.

South Dakota Water Law 46-5-30.1 requires that a permit holder may not divert water until this \$50.00 license fee has been paid. Please contact us if you have any questions.

Sincerely,

Maxine Stirling
Secretary

ms/

NOTE: On check or money order, please indicate the number of the water permit. This insures proper handling of the fee.

DWNR-814 8/83

RECEIPT

Division of Water Rights

South Dakota Department of Water and Natural Resources

411532

Pierre, December 7, 1988

RECEIVED OF Ronnie/Sally Reimer, RR 1, Box 145, Pukwana, SD 53370

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit No. _____ to Appropriate Water, to construct works and to put water to beneficial use _____		
Fee for Application for Permit No. _____ to Appropriate Water for Future Use _____		
Fee to retain Future Use Permit No. _____ after period of seven years.		
Fee for Inspecting Constructed Works, confirming beneficial use and issuing Water License No. 2706-3	50	00
Fee for Filing Transfer Form _____		
Fee for Filing Extension Request _____		
Fee for Certified Copy of _____		
Fee for Print Copy of Map _____		
Fee for Certifying _____		
Fee for _____		
(Any Other Work Provided by Law)	Total	50 00

By

John Hatch
Chief Engineer JOHN HATCH (ms)

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2706-3

(1) Ronnie Reimer of RR #1, Box 145, Pukwana, SD 57370 made Application No. 2706-3, April 29, 1976 for a water permit to appropriate 13.71 cubic feet of water per second from the Missouri River, Brule County, South Dakota for irrigation purposes. Permit No. 2706-3 with a priority date of April 29, 1976 was approved May 20, 1976 and issued to applicant(s) for diversion of water with construction of the described water supply system to be completed on or before May 20, 1981 and for the application to beneficial use of said water on or before May 20, 1985.

(2) It is certified that the applicant has complied with the provisions of South Dakota State Law relating to completion of the construction of the water supply system and is entitled to divert 4.46 cubic feet of water per second for beneficial use. The location of the diversion points are at a point 1600' east and 1470' south of the center of Section 5, T102N, R71W*.

* A regulating dugout, with approximately 10 acre-feet of storage, is located in the NE1/4 of Section 35, T103N, R71W.

(3) The applicant has complied with the provisions of South Dakota State Law relating to the application of water to beneficial use to irrigate the following land all in T103N, R71W:

Section 26	NW1/4 SW1/4	34 acres
	NE1/4 SW1/4	35 acres
	SW1/4 SW1/4	34 acres
	SE1/4 SW1/4	34 acres
	NW1/4 SE1/4	35 acres
	NE1/4 SE1/4	35 acres
	SW1/4 SE1/4	34 acres
	SE1/4 SE1/4	34 acres
Section 35	NW1/4 NE1/4	31 acres
	NE1/4 NE1/4	31 acres
	SW1/4 NE1/4	31 acres
	SE1/4 NE1/4	32 acres
	Total	400 acres

(4) Pursuant to Section 46-5-30.1 Ronnie Reimer of RR #1, Box 145, Pukwana, SD 57370 the holder(s) and/or owner(s) of Water Permit No. 2706-3 is issued a license to appropriate water, the right to use 4.46 cubic feet of water per second from the Missouri River with a priority date of April 29, 1976 from the location specified in (2) of this license. The water is to be conducted to and upon lands specified in (3) of this license for the purpose of irrigation. This license is subject to any limitations or qualifications listed in Water Permit No. 2706-3 and subject to South Dakota State Law.



JOHN HATCH, Chief Engineer
Water Rights Division
Department of Water and Natural
Resources

MAR 22 1989

South Dakota
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

MAR 22 1989

Ronnie Reimer
RR #1, Box 145
Pukwana, SD 57370

Dear Mr. Reimer:

Enclosed is Water License No. 2706-3. This is the final water right document completing your process of obtaining a water right. Also enclosed is your Receipt No. 411532 in the amount of \$50.00 which you paid for the inspection and issuance of the water license.

As long as you use the water beneficially, as state in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

enclosures



DEPARTMENT OF WATER & NATURAL RESOURCES
Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

2706-3

April 24, 1991

Ronnie Reimer
RR 1, Box 145
Pukwana SD 57370

Dear Mr. Reimer:

This letter is in response to your request for an inspection of your chemigation system. On April 15, 1991, an inspection of your chemigation system was completed by Mark Rath, staff engineer. Enclosed is a copy of the inspection findings.

The equipment inspected meets the requirements of the chemigation rules pertaining to the vacuum relief valve, inspection port, and irrigation pipeline check valve. In addition, the topography of the area coupled with the location of the vacuum relief valve further ensures that chemicals can not reach the water source through the irrigation pipeline. However, the equipment used to inject chemicals was not inspected and this equipment needs to comply with ARSD 74:02:09:08 and 74:02:09:09 (chemigation rules enclosed). All of the equipment must be maintained in good operating condition for future chemical applications.

If you have any questions, please contact me.

Sincerely,

Ron Duvall
Natural Resources Engineer IV
605 773-3352

enc.

Water Rights Division -DWNR
Conversation or File Documentation

File No. 2706-3

NAME OF PERSON OR FILE: Ronnie Reimer

ADDRESS: RR1 Box 145 Pukwana, SD COUNTY: Brule

DATE: 4/15/91 TELEPHONE: 734-5126

RE: Inspection of Chemigation Equipment

COMMENTS:

Mr Reimers called this office and requested that somebody look at his the chemigation setup on his irrigation system to make sure that it is installed and being operated correctly.

I inspected his chemigation equipment located at his booster pump site located approximately 1300 feet south from the center of Section 26-T103N-R71W. These pumps are used to supply water to two center pivots located in the centers of the SE1/4 and SW1/4 of Section 26. Due to the change in topography the center pivots are located at a lower elevation than the booster pump site. The main supply line runs from the Missouri River over a hill and down to the booster pumps. The required chemigation check valves with vacuum relief ports are located between the booster pumps and the center pivots. If the main river pumps were to shut off the check valves and vacuum relief ports keep water from back siphoning from the center pivots to the river.

File in Permit or other file as necessary. Use to document conversations and what the other party was told; why action or decision was made.



Mark D. Rath
Natural Resources Engineer II
DWNR, Water Rights Division

2706-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 23, 1996

2706-3

Ordean Eddy
Farm Credit Services
PO Box 1248
Mitchell, SD 57301

Dear Mr. Eddy:

Enclosed, as requested, is a copy of Water Right No. 2706-3 currently listed in the name of Ronnie Reimer. I was unable to find any information concerning Corps easements for this land.

If you have any questions, please contact me.

Sincerely,

Genny McMath

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

enclosures



January 30, 1996

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

NOTICE

TO: RONNIE REIMER, RR #1 BOX 145, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Violation of Water Permit No(s) 3068-3, 2706-3 and 1995 Irrigation Questionnaire Requirements

Our records indicate that the 1995 Irrigation Questionnaire has not been submitted for Permit No(s) 3068-3, 2706-3. The request for the Questionnaires was dated October 20, 1995. The Water Management Board has directed that owners of water permits who have not submitted the 1995 Irrigation Questionnaire be given notice of permit violation and a hearing to be held by the Board. The hearing held by the Board will be to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 3068-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 9:45 am, March 6, 1996 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 3068-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 1, 1996, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2706-3



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

February 6, 1996

2706-3
3068-3

Ronnie Reimer
RR 1 Box 145
Pukwana, SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 1995 irrigation questionnaires. You may disregard the January 30, 1996, Notice of Violation of Water Permit No. 3068-3 and Violation of the Requirement to Submit the 1995 Irrigation Questionnaire for No. 2706-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2706-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

www.state.sd.us/denr

January 14, 2000

NOTICE

TO: RONNIE REIMER, RR 1 BOX 145, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaires

Our records indicate that the 1999 Irrigation Questionnaires have not been submitted for Permit Nos. 5885-3, 2706-3. The request for the Questionnaires was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 1:30 pm, March 1, 2000 in Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 28, 2000, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2706-3

SENDER COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

RONNIE REIMER
RR 1 BOX 145
PUKWANA SD 57370

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

C. Signature

X Ronnie Reimer ☐ Agent
☐ Addressee

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

- ☒ Certified Mail ☐ Express Mail
☐ Registered ☐ Return Receipt for Merchandise
☐ Insured Mail ☐ C.O.D.

4. Restricted Delivery? (Extra Fee) ☐ Yes

2. Article Number (Copy from service label)

Z 227 670 295

PS Form 3811, July 1999

Domestic Return Receipt

102595-99 M-1789



2706-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 2, 2000

2706-3
5885-3

Ronnie Reimer
RR 1 Box 145
Pukwana, SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of the information for your 1999 irrigation questionnaires. I completed forms for you based on my phone conversation with Sally Reimer. The forms reflect that no irrigation was done in 1999.

You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Permit Nos. 2706-3 and 5885-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 16, 2002

NOTICE

2706-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

TO: RONNIE REIMER, 34611 255 ST, PUKWANA, SD 57370
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaires

Our records indicate that the 2001 Irrigation Questionnaires have not been submitted for Permit Nos. 5885-3, 2706-3. The request for the Questionnaires was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 10:00 am, March 13, 2002 in the Visitor Center (west side of Capitol Lake), 650 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on or before March 8, 2002, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2706-3

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

RONNIE REIMER
34611 255 ST
PUKWANA SD 57370

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly)

B. Date of Delivery

01-17-02

C. Signature

X *Ronnie Reimer*☐ Agent☐ Addressee

D. Is delivery address different from item 1?

☒ Yes

If YES, enter delivery address below:

☐ No

3. Service Type

☒ Certified Mail☐ Registered☐ Insured Mail☐ Express Mail☐ Return Receipt for Merchandise☐ C.O.D.4. Restricted Delivery? (Extra Fee) ☐ Yes

2. A

7001 2510 0004 4797 5637

PS Form 3811, July 1999

Domestic Return Receipt

102595-99-M-1789



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 28, 2002

2706-3
5885-3

Ronnie Reimer
34611 255th St
Pukwana, SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2001 irrigation questionnaires. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right Nos. 2706-3 and 5885-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



January 14, 2004

2706-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

NOTICE

TO: RONNIE REIMER, 34611 255 ST, PUKWANA, SD 57370
FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaires

Our records indicate that the 2003 Irrigation Questionnaires have not been submitted for Permit Nos. 5885-3, 2706-3. The request for the Questionnaires was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at 8:30 am, March 3, 2004 in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 27, 2004, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. If you have questions or need assistance in completion of the irrigation questionnaire(s), please contact Genny McMath (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2706-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 7971

Your item was delivered at 11:06 am on January 16, 2004 in PUKWANA, SD 57370. The item was signed for by R REHMER.

[Shipment Details >](#)

Notification Options

▶ Track & Confirm by email

[What is this?](#)

[Go >](#)

▶ Request Proof of Delivery

[What is this?](#)

[Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 7971

RONNIE REIMER
34611 255 ST
PUKWANA SD 57370

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:

Keep this receipt. For inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

☐ Priority Mail®
☐ Package Services



2706-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 29, 2004

2706-3
5885-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. I completed questionnaires for you based on our January 28th telephone conversation.

You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right Nos. 2706-3 (your name) and 5885-3 (William McDonald). The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for calling and if you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352

(201-R)
(F3)

Prepared by *DSB.*
David Brown
Natural Resources Engineer
11/22/88

102-11

Pumping Station
Intakes (2)

Water
License
No. 2706-3

* **NOT TO SCALE**

103-71

274.0


+ 1787

38.3

15.3

26

22.6




Booster Pumping Station

Irrigation Storage

10 acre-feet in storage, used for irrigating NE 1/4 of section 35 T103N R71W

Prepared by D.B.
David Brown
Natural Resources Engineer
11/22/88





2706-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: RONNIE REIMER, RENTER, 34611 255 ST, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaires

Our records indicate that the 2009 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 10, 2010** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq.aspx>

c: WILLIAM MCDONALD, 114 S CRAWFORD, CHAMBERLAIN, SD 57325

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 1, 2010

2706-3
5885-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2009 irrigation questionnaires. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right Nos. 2706-3 and 5885-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2706-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: RONNIE REIMER, RENTER, 34611 255 ST, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaires

Our records indicate that the 2010 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 9, 2011** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:
<http://denr.sd.gov/iq.aspx>

c: WILLIAM MCDONALD, PO BOX 495, CHAMBERLAIN, SD 57325 0495

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 3, 2011

2706-3
5885-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2010 irrigation questionnaires.

You may disregard the January 21, 2011, "Notice" concerning reporting requirements for Water Right Nos. 2706-3 and 5885-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: William McDonald



2706-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2012

NOTICE

TO: RONNIE REIMER, RENTER, 34611 255 ST, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2011 Irrigation Questionnaires

Our records indicate that the 2011 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 14, 2011. The Water Management Board has directed that owners of water permits who have not submitted the 2011 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **10:00 am, March 7, 2012** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 2, 2012**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:
<http://denr.sd.gov/iq.aspx>

c: WILLIAM MCDONALD, PO BOX 495, CHAMBERLAIN, SD 57325 0495

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 6, 2012

2706-3
5885-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2011 irrigation questionnaires.

You may disregard the January 24, 2012, "Notice" concerning reporting requirements for Water Right Nos. 2706-3 and 5885-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

c: William McDonald



2706-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2013

NOTICE

TO: RONNIE REIMER, RENTER, 34611 255 ST, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2012 Irrigation Questionnaires

Our records indicate that the 2012 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 12, 2012. The Water Management Board has directed that owners of water permits who have not submitted the 2012 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **8:30 am, March 7, 2013** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2013**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link:

<http://denr.sd.gov/iq.aspx>

c: WILLIAM MCDONALD, PO BOX 495, CHAMBERLAIN, SD 57325 0495

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

February 7, 2013

2706-3
5885-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2012 irrigation questionnaires.

You may disregard the January 18, 2013, "Notice" concerning reporting requirements for Water Right Nos. 2706-3 and 5885-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2706-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: RONNIE REIMER, RENTER, 34611 255 ST, PUKWANA, SD 57370
FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaires

Our records indicate your 2015 Irrigation Questionnaires have not been submitted. The request for the Questionnaires was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaires be given notice of permit violation and a hearing to be held by the Board. The hearing is to determine if Permit No(s) 2706-3 should be amended to require the Questionnaire to be submitted each year and to determine action to be taken for violation of Water Permit No(s) 5885-3 qualification:

"This permit is approved subject to the Irrigation Water Use Questionnaire being submitted each year."

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD, and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. According to SDCL 46-1-12, the Board may suspend a permit for a period of up to one year for the first violation of a permit qualification or up to three years for a second violation, or cancel a permit for a third violation. Following the hearing, the Water Management Board can:

1. Suspend or cancel Permit No(s) 5885-3 in accordance with applicable provisions of SDCL 46-1-12;
2. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
3. Postpone any action or take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

c: WILLIAM MCDONALD, PO BOX 495, CHAMBERLAIN, SD 57325 0495

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

January 26, 2016

2706-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of your 2015 irrigation questionnaire.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for Water Right No. 2706-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

Thank you for visiting with me about the irrigation questionnaire for Water Right No. 5885-3 listed in the name of William McDonald. I will contact him to find out who now leases the land.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2706-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2020

NOTICE

TO: RONNIE REIMER, 34611 255 ST, PUKWANA, SD 57370

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2019 Irrigation Questionnaire(s)

Our records indicate your 2019 Irrigation Questionnaire has not been submitted for Permit No(s) 2706-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 18, 2019. The Water Management Board has directed that owners of water permits who have not submitted the 2019 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, February 26, 2020 at 8:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **February 26, 2020** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq> using this password: VPLMWL**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.denr.sd.gov

January 29, 2020

2706-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

Thank you for calling about your irrigation questionnaire. I completed a form for you based on our conversation indicating no irrigation took place due to 44 ½ inches of rain last season.

You may disregard the January 23, 2020, "Notice" concerning reporting requirements for Water Right No. 2706-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me. Hopefully this coming season will be better than last year.

Sincerely,

A handwritten signature in cursive script, reading "Genny McMath".

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us

2706-3



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2023

NOTICE

TO: RONNIE REIMER, 34611 255 ST, PUKWANA, SD 57370

FROM: Ron Duvall, Water Rights Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2022 Irrigation Questionnaire(s)

Our records indicate your 2022 Irrigation Questionnaire has not been submitted for Permit No(s) 2706-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 21, 2022. The Water Management Board has directed owners of water permits who have not submitted the 2022 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Wednesday, March 8, 2023 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 8, 2023** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: JQATWZ**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2706-3

USPS Tracking®

FAQs >

Tracking Number:

Remove X

70201810000098486631

Copy

Add to Informed Delivery (<https://informedelivery.usps.com/>)

Latest Update

Your item has been delivered to the original sender at 8:08 am on February 10, 2023 in PIERRE, SD 57501.

Get More Out of USPS Tracking:

USPS Tracking Plus®

Delivered

Delivered, To Original Sender

PIERRE, SD 57501

February 10, 2023, 8:08 am

Arrived at Post Office

PIERRE, SD 57501

February 10, 2023, 7:40 am

Out for Delivery

PIERRE, SD 57501

February 10, 2023, 6:10 am

Arrived at USPS Regional Facility

HURON SD DISTRIBUTION CENTER

February 9, 2023, 7:41 pm

Arrived at USPS Regional Facility

SIOUX FALLS SD DISTRIBUTION CENTER

February 9, 2023, 9:28 am

Arrived at USPS Regional Facility

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only		Postmark Here
For delivery information, visit our website at www.usps.com ®.		
OFFICIAL USE		
Certified Mail Fee	\$	
Extra Services & Fees (check box, add fee as appropriate)		
☐ Return Receipt (hardcopy)	\$	
☐ Return Receipt (electronic)	\$	
☐ Certified Mail Restricted Delivery	\$	
☐ Adult Signature Required	\$	
☐ Adult Signature Restricted Delivery	\$	
Postage		
\$	Total P	
\$	Sent To	RONNIE REIMER
Street a		34611 255 ST
City, Sta		PUKWANA SD 57370
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions		

MINNEAPOLIS MN DISTRIBUTION CENTER
February 8, 2023, 12:29 pm

Unclaimed/Being Returned to Sender

PUKWANA, SD 57370
February 6, 2023, 9:55 am

Notice Left (No Authorized Recipient Available)

PUKWANA, SD 57370
January 26, 2023, 2:13 pm

Reminder to Schedule Redelivery of your item

January 26, 2023

Notice Left (No Authorized Recipient Available)

PUKWANA, SD 57370
January 21, 2023, 2:21 pm

Departed USPS Regional Facility

HURON SD DISTRIBUTION CENTER
January 21, 2023, 3:02 am

Arrived at USPS Regional Facility

HURON SD DISTRIBUTION CENTER
January 20, 2023, 10:38 pm

Hide Tracking History

Text & Email Updates



USPS Tracking Plus®



Product Information



See Less

Track Another Package

Enter tracking or barcode numbers



2706-3

**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 13, 2023

NOTICE

TO: Ronnie Reimer, 34611 255th St, Pukwana SD 57370

FROM: Ron Duvall, Natural Resources Permitting Administrator
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Unclaimed Certified Mail Concerning Violation of the reporting requirement for
Water Right No. 2706-3

The attached notice was sent certified mail, return-receipt requested. The post office has returned the certified mail to our office marked "unclaimed". The envelope indicated the post office notified you January 21st and January 26th to pick up and sign for the certified mail.

If you have any questions, please contact Genny McMath, (605) 773-3352.

CERTIFICATION

I hereby certify that on February 13, 2023, I have personally deposited with the United States mail at Pierre, South Dakota, first class postage, prepaid envelope containing a Notice dated February 13, 2023 regarding Unclaimed Certified Mail to the Water Right/Permit Holders addressed as stated below:

No. 2706-3: Ronnie Reimer, 34611 255th St, Pukwana SD 57370

Nos. 1222A-1 & 1524-1: John A Ismay, Ismay Ranch LLC, PO Box 396, Sturgis SD 57785-0396

Nos. 4687-3A & 4687-3B: James L Sutton, PO Box 33, Onida SD 57564-0033

No. 1014-2: Donn Paulson, 30121 323rd Ave., Colome SD 57528

No. 6168-3: Todd Hattum, 21742 W Bend Rd, Harrold SD 57536

No. 1994-3: Albert Hattum, 21862 W Bend Rd, Harrold SD 57536

Nos. 835-2 & 959-2: Alva Lee Wiley, 31450 301st St, Winner SD 57580

Vickie Maberry

Vickie Maberry

Senior Secretary-Water Rights


STATE OF SOUTH DAKOTA)
) SS
COUNTY OF HUGHES)

Sworn to, before me, this 13th day of February, 2023.

Karen Schlaak

Karen Schlaak Notary Public

My Commission expires April 1, 2025





**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**
JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 16, 2023

2706-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge receipt of the information for your 2022 irrigation questionnaire. A questionnaire was completed for you based on our phone conversation.

You may disregard the January 20, 2023, "Notice" concerning reporting requirements for Water Right No. 2706-3. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
605 773-3352
Genny.mcmath@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 14, 2025

NOTICE

TO: RONNIE REIMER, 34611 255TH ST, PUKWANA, SD 57370

FROM: Ron Duvall, Engineer III
for Eric Gronlund, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2024 Irrigation Questionnaire(s)

Our records indicate your 2024 Irrigation Questionnaire has not been submitted for Permit No(s) 2706-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 23, 2024. The Water Management Board has directed owners of water permits who have not submitted the 2024 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held on **Wednesday, March 5, 2025, at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 5, 2025**, hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Amanda Dewell at (605) 773-3352 or email at amanda.dewell@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: KSRPCJ**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 4, 2025

2706-3

Ronnie Reimer
34611 255th St
Pukwana SD 57370

Dear Mr. Reimer:

I am writing to acknowledge the receipt of your 2024 irrigation questionnaire(s).

You may disregard the January 14, 2025, "Notice" concerning the reporting requirements for Water Permit No(s). 2706-3. The information was received prior to the March 5, 2025, Water Management Board meeting and the above listed permit number(s) have been removed from the agenda.

If you have any questions or concerns, please contact me.

Sincerely,

Amanda Dewell
Permitting Administrator
Water Rights Program
605 773-3352
Amanda.Dewell@state.sd.us



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E. CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

January 20, 2026

NOTICE

TO: RONNIE REIMER, 34611 255TH ST, PUKWANA, SD 57370

FROM: Ron Duvall, Engineer III
for Adam Mathiowetz, PE, Acting Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2025 Irrigation Questionnaire(s)

Our records indicate your 2025 Irrigation Questionnaire has not been submitted for Permit No(s) 2706-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 8, 2025. The Water Management Board has directed owners of water permits who have not submitted the 2025 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held on **Wednesday, March 4, 2026 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2706-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 4, 2026** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Shannon Konst at (605) 773-3352 or email at shannon.konst@state.sd.us. **If you prefer, you can complete the questionnaire online at the following link: <https://danr.sd.gov/iq> using this password: PFUHXF**

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of AGRICULTURE
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 E CAPITOL AVE
PIERRE SD 57501-3182
danr.sd.gov

February 4, 2026

2706-3

Ronnie Reimer
36411 255th St
Pukwana, SD 57370

Dear Mr. Reimer,

I am writing to acknowledge receipt of your 2025 irrigation questionnaire(s).

You may disregard the January 20, 2026, "Notice" concerning irrigation reporting requirements for your water permit/right(s). The information was received in our office prior to the Water Management Board meeting, and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Shannon Konst
Water Rights Program
605 773-8204
Shannon.konst@state.sd.us