

2750-3

1. Considered 7-21, 1976
2. Name of Applicant LAWRENCE DONNELLY
3. Post Office Address ELK POINT
4. Amount of water claimed 2.28
5. Source of water supply 100' DEEP WELL
6. Water to be used for IRRIGATION

Acres to be irrigated 160

7. Water to be diverted and used in UNION county
about 2W miles of ELK POINT

8. Proof of Publication Received 7-6-76

Not Received _____


9. Application Approved _____

Subject to _____

Not Approved _____

Action deferred _____

10. Remarks:

No. 2750-3Map No. 2107-3 Water Division No. 3 BIG SIOUX RIVER District 1
(Blanks to be filled by the Engineer for the W. D. C.)

APPLICATION FOR PERMIT

To appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Lawrence Donnelly
 Post-office address Elk Point, State South Dakota 57025
 If a corporation show date and place of incorporation None
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Donnelly Irrigation Project
4. Amount of water claimed (cubic feet per second) 2.7 CFS 2.28 MAXIMUM ALLOWABLE
5. Source of water supply Well
6. Location of point of diversion 1320 feet south of the Northwest corner of Section 23,
T91N R50W
 _____ County Union
7. Annual period or periods during which water is to be used June through September
8. Use to be made of water. (Irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 160 acres

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
W $\frac{1}{2}$ NW $\frac{1}{4}$ Section 23, T91N R50W	80 acres		
E $\frac{1}{2}$ NE $\frac{1}{4}$ Section 22, T91N R50W	80 acres		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system five (5) years. Additional time required to complete application of water to the proposed beneficial use five (5) years.
11. Choice of newspaper for Notice of Intent to appropriate Water publication Leader-Courier, Elk Point, S. Dakota
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

- - - -

B. Works proposed to transport water to place of use.

- - - -

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$ 10,000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)STATE OF SOUTH DAKOTA)
County of Union) ss.I, Lawrence Donnelly, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary constructionSigned Lawrence DonnellySubscribed and sworn to before me this 27 day of April 1926Walter J. McVitt
Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2750-3LAWRENCE DONNELLY
(Applicant)ELK POINT
(Post Office Address)SOUTH DAKOTA 57025
(State) With the following modifications:

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application MAY 10, 19 76Date of return to applicant for correction, amendments or changes required —, 19 —Date of receipt of corrected application —, 19 —Approved JULY 22, 19 76, Recorded in Book 15, Page 231WATER RIGHT PERMIT NO. 2750-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2750-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is MAY 10, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JANUARY 22, 19 79
3. The whole of said work is to be completed on or before JULY 22, 19 81
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JULY 22, 19 81
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.28 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before JULY 22, 19 81; said water to be used during the following described annual period: JUNE THRU SEPTEMBER

Witness my hand this 28TH day of JULY, 19 76

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued FEBRUARY 6, 19 78Water License Issued FEBRUARY 6, 19 78

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 30 inches, Depth 120 feet
- (2) Casing, Type Asphite Diameter 16" I.D. Thickness 3/4 inch
(wood, concrete, steel, etc)
- (3) Perforated Screen
Type 1/8 inch slotted, Diameter 16" I.D., Length 20 feet
- (4) Gravel Pack, Thickness 6 - 9 inches, Length of gravel pack 20 + feet

E. Dugout Information or Estimates

- (1) Surface dimensions - - - -, Depth - - - -

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Material. (Please attach a copy to test well log if available.)

Character of Water bearing materials Water bearing gravels and rock

Depth to top of water bearing material 30 feet

Depth to bottom of water bearing material 100 feet

Thickness of water bearing material 70 feet


Depth to water (ground surface to water level) 14 feet drawdown

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 100 rds. On property owned by others 180 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.


Signature of Applicant

Form 15.

Permit No. 2750-3

Water Diversion No. 3 Big Sioux River Water District

CERTIFICATE OF CONSTRUCTION

This is to certify, That Lawrence Donnelly

_____ the holder _____ of
Permit No. 2750-3, issued upon Application No. 2750-3, bearing date of priority of May 10, 1976
_____ authorizing the diversion of 2.28 cu. ft. per second of the waters of _____
groundwater County of Union, State of South Dakota at _____
Point 122012 of the NE corner, Section 23, T91N, R50W
_____, for Irrigation

purposes, has _____ complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 2.0 cu. ft. per second of water.

Date February 6, 1976

By:

WATER RIGHTS COMMISSION

John Hatch
JOHN HATCH, Chief Engineer

WATER LICENSE NO. 2750-3

(1) WHEREAS, On the 10th day of May, A. D. 19 76
Lawrence Donnelly

made Water Right Application No. 2750-3 for a permit to use 2.28 cubic feet per second of the waters of groundwater

County of Union, State of South Dakota, for irrigation

purposes; and

(2) WHEREAS, On the 28th day of July, A. D. 19 76

Permit No. 2750-3, with a date of priority of May 10, 1976

was issued to said applicant for the diversion of said water, and provided for the completion of construction of the water supply system therein described on or before the 22nd day of July, A. D. 19 81 and for the application to beneficial use of said water on or before the 22nd day of July, A. D. 19 81

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to completion of the construction of the water supply system and is entitled to divert 1.8 cubic feet per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota relating to the application of water to beneficial use of the following extent,

for irrigating a 128 acre circle in the E1/4, Section 22 and
W1/4, Section 23, T91N, R50W

(5) NOW, THEREFORE by the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Lawrence Donnelly

_____ of Elk Point
the holder _____ and owner _____ of said permit No. 2750-3 a water right, dating from May 10, 1976
_____ to use of 1.8 cubic feet per second of the waters
of groundwater

in the County of Union and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinafter mentioned, to be diverted at a point 1320'S of the NW corner, Section 23,
T91N, R50W

_____ a 126 acre circle in the E $\frac{1}{2}$ NE $\frac{1}{4}$, Section 22 and W $\frac{1}{2}$ NW $\frac{1}{4}$,
and conduct to and upon Section 23, T91N, R50W

_____ irrigation
for the purpose of _____

Subject to any limitations listed in Water Right Permit No. 2750-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 6th day of February A.D.

Nineteen Hundred and Seventy-eight

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

April 23, 1976



Mr. Lawrence Donnelly
Box 336
Elk Point, SD 57025

Dear Mr. Donnelly:

We have now received the WI-1 form pertaining to your application for a water permit in section 22 and 23 of township 91, range 50.

The water analysis has also been completed and the original copy of this report of analysis is enclosed for your keeping. I am also enclosing a copy of the AES publication #13 with a red cross in the chart on the outside back cover denoting the approximate quality of this water for irrigation purposes.

Although the water is moderately high in total salt, it is low in sodium and probably will in itself cause no specific chemically-induced problem in irrigating the soils you propose to irrigate. The one problem which might develop is moderate salinity as a result of the poor drainage of the Blancoe soils especially, which you have. There are also some areas in small delineations in the south half of the 80 and the west half of the northwest quarter of section 23, such as soil area #3, which is a Perci9013 silty clay, and is a slow draining soil.

The main difficulty in irrigating this area is in soil delineation #18, which is the Blancoe and has a very low permeability in the upper 24 inches. Below 24 inches the movement of water is somewhat better and therefore, if you proceed to develop this water supply and irrigate this land, you must make provision to keep the surface soil in excellent physical condition by frequent incorporation of organic matter, either heavy amounts of manure or a grass-legume mixture grown and plowed down periodically. Otherwise, the movement of water in the upper 2 feet of the soil will be extremely disappointing and crops will not respond to profitability to irrigate. With this knowledge, you perhaps will make the decision based on what you think you can do with these soils and perhaps observations of some neighbors who are irrigating will help. I do not think there will be any chemically-induced problem as a result of this water, as I have indicated above.

A copy of this letter, and the WI-1 forms, as well as a copy of the water analysis are being sent to the State Conservation Commission.


Sincerely,

L. O. Fine
Water Quality Lab
LOF:ckb

cc: State Conservation Commission, D. Pahl, Louie DeSmet (Co. Ext. Agent)

Conservation
Commission
Form WI #1

STATE CONSERVATION COMMISSION
SUPPORTING IRRIGATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-623 AS AMENDED
(This Form Required for Proposed Irrigation Only)



FOR COMMISSION USE OF

Irrigation System: _____

Water Quality: _____

Soils Capability: _____

Approved: MR. S. J. JEFF

Disapproved: _____

NAME: Lawrence Dannelly
ADDRESS: Box 336 Elk Point, S.D. 57025
COUNTY: Union

LEGAL DESCRIPTION

1. WELL LOCATION: 1500' south of NW corner of Section 25, T4N R30W
2. AREA TO BE IRRIGATED: W 1/2 Sec. 25 and E 1/2 NE 1/4 Sec. 25, T4N R30W

TYPE OF IRRIGATION

3. GRAVITY ☐ SPRINKLER (Indicate Type): Center Pivot
4. CROPS TO BE IRRIGATED: Corn & Beans

LAND CAPABILITY FOR IRRIGATION

5. PERCENTAGE OF SLOPE: 0-1%
6. PHYSICAL SOILS CLASSIFICATION FOR IRRIGATION: III.2 soils that are slightly depressions or on the better drained areas of bottomlands. and (2H2X102, 2H25X102) soils that are nearly level but have some slight flooding or water table that interferes with the choice of crops.

WATER QUALITY (TO BE COMPLETED BY COMMISSION)

7. SAMPLE NO.: 76-269
8. SALINITY: EC = 11.97 μ -mhos/cm (high)
9. SODIUM: SAR = 1.89 (low)



I do hereby certify that a chemical analysis of the ground water to be
acquired for irrigation from South Dakota State University and:
the land capability for irrigation information has been acquired from

Soil Conservation Service, Elk River, S.D.

and:

that the legal description for the location of the well and land to be
irrigated is true and correct.

Theresa R. Dwyer

Subscribed and sworn before me this

23 day of March 1976.

Gloria R. Howard

Notary Public

(Title)

Form 6. - Notice of Intent to Appropriate Water

No. 2750-3

Publish first publication, on or before

July 8, 1976

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

June 11, 1976

Notice is hereby given that Lawrence Donnelly

whose post office address is Elk Point, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.28 cubic feet of water per second of time from ~~the~~ ground water through the Donnelly Irrigation Project, the point of diversion of which is to be located in the _____

NW 1/4 NW 1/4

of Section 23, Twp. 91N, Range 50W. Said water to be used for the purpose of providing irrigation on the following described land:
portions of

W 1/2 NW 1/4, Section 23; E 1/2 NE 1/4, Section 22, T91N, R50W

This application No. 2750-3 will be considered by the Water Rights Commission at the Court House at Winner, South Dakota

upon the 21st day of July, 1976 at 10:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/bw

cc:

Lawrence Donnelly, Elk Point, S.D. 57025

REPORT OF ANALYSIS
Water Quality Laboratory
Water Resources Research Institute
South Dakota State University
Brookings, South Dakota 57005

Submitted by: Lawrence Donnelly
 Address: Box 336
Elk Point, SD 57025

Date Rec'd: March 29, 1976
 Sample No. 76-269
 Identification Well-
NW 1/4, Sec. 23, T 91N, R 50W

WATER ANALYSIS

Calcium (Ca)	210	ppm*	10.50	me/l**
Magnesium (Mg)	49	ppm	4.02	me/l
Sodium (Na)	117	ppm	5.09	me/l
Potassium (K)	25	ppm	0.65	me/l
Sulfate (SO ₄)	662	ppm	13.78	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	40	ppm	1.12	me/l
Bicarbonate (HCO ₃)	264	ppm	4.32	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	216	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1197	mic. omhos per cm at 25° C		
Sodium Adsorption Ratio	1.89			
Sodium	25.12	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.45			
Others:				

*ppm=parts per million
 **me/l=millequivalents per liter
 ***g.p.g.=grains per gallon

COMMENTS: Total cations 20.26 me/l
 Total anions 19.22 me/l

By: Shirley Mittan

Service Performed

Amount Due

Irrigation analysis

\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-269

Amount Enclosed \$

Signed

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 2750-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Union) ss.

I, Lester E. Emerson hereby

certify that the annexed printed copy of Notice of Intent to Appropriate
Water was taken from the Leader Courier

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

city of Elk Point

County of Union and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

June 24, 1976

July 1, 1976

Lester E. Emerson
(Signature)

Publisher
(Title)

July 2, 1976
(Date Signed)

NOTICE OF INTENT TO
APPROPRIATE WATER

Pierre, South Dakota 57501


June 11, 1976

Notice is hereby given that
Lawrence Donnelly, whose post
office address is Elk Point, South
Dakota, has made an application
in accordance with the provisions
of the water laws of South Dakota
for a permit to appropriate for
beneficial use 2.28 cubic feet of
water per second of time from
ground water through the Donnelly
Irrigation Project, the point
of diversion of which is to be
located in the NW 1/4 NW 1/4 of Section 23,
T91N, R50W.
Said water to be used for the purpose of
providing irrigation on portions of the
following described land: W 1/2 NW 1/4 Section 23,
E 1/2 NE 1/4 Section 22, T91N, R50W.
This application No. 2750-3 will be considered by the Water
Rights Commission at the Court
House at Winner, South Dakota
upon the 21st day of July, 1976
at 10:00 a.m. All interested
persons may appear and be heard.
WATER RIGHTS COMMISSION
By: Burton F. Jones,
Water Rights Specialist
Publish: June 24, July 1 34



Form 10.

No. 2750-3



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Ark Point

Date Aug. 17, 1976

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2750-3

Water Right Permit No. 2750-3 states that the diversion system is to be constructed by July 22, 1981 and that the water is to be put to beneficial use by July 22, 1981.

The diversion system was completed on July 30, 1976. Applying the water to beneficial use was completed on July 30, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Lawrence Donnelly
(Signature)

Permit No. 2750-3Water Division 3 Big Sioux River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: Water Resources Commission, State Office Building No. 2, Pierre, South Dakota 57501

I have this day made a thorough examination of the water use system constructed by Lawrence
Donnelly of Elk Point, S. Dak. 57025 holder
of Permit No. 2750-3, bearing date of priority of May 10, 19 76
authorizing the diversion of 2.28 cu. ft. per second of the waters of Ground.
for Irrigation purposes, in Union County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor - U.S. Electrical. 10" R6327-00-959 R2102246
75HP, 1770 RPM

Pump - Wel Line # 79595K, 12-KM Bowl.

B. Works used to transport water to place of use,

8" Dia. Aluminum Pipe

C. Works used to apply water to beneficial use.

Lockwood Center Pivot.

The system is in the following condition: Excellent

The point of diversion is located 1320 ft South of the North west corner of
Section 23, T91N, R50W

The works are capable of diverting and conveying to the place of use 2.0cu. ft. per second of water which is to be used for IrrigationWater has been put to beneficial use to the maximum extent as follows: NE 1/4 NE 1/4 - Sec 22 - 32.0 Ac;

SE 1/4 NE 1/4 Sec 22 - 32.0 Ac and NW 1/4 NW 1/4 Sec 23 - 32.0 Ac;
SW 1/4 NW 1/4 Sec 23 - 32.0 Ac. all in T91N, R50W.

comprising a total of 128 acres of land.

Well data:

Depth 86 ft.

Pumping 900 gpm

Date June 1, 1977
Leroy J. Mernau
(Signature)



Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

February 10, 1978

Lawrence Donnelly
Elk Point SD 57025

Dear Mr. Donnelly:

Enclosed herewith are, Water License No. 2750-3 and Certificate of Construction.

Water License No. 2750-3 is the final water right document completing your process of obtaining water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
WATER RIGHTS COMMISSION

JH: kjw

Enclosures

NOTE: Your pump capacity is 2.0 cfs (898 gpm). Based upon the acreage actually irrigated you are entitled to divert 1.8 cfs (808 gpm). Any diversion in excess of 1.8 cfs would be a violation of your water right.

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

LAWRENCE DONNELLY
BOX 336
ELK POINT, SD 57025

NOTICE

Re: Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s). 2750-3, 3920-3. The request for the Questionnaire was dated November 5, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 215, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 2750-3, 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.


JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.

South Dakota
Department of
Water & Natural Resources

Jon Foss, Acting
523 East Capitol
Pierre, South Dakota 57501-3181

April 15, 1987

2750-3
3920-3

Lawrence Donnelly
Box 336
Elk Point, SD 57025


Dear Mr. Donnelly:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 2750-3 and 3920-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.

Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

 **Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 2, 1989

LAWRENCE DONNELLY
BOX 336
ELK POINT, SD 57025

NOTICE

RE: Violation of Requirement to Submit 1988 Irrigation Questionnaire

Our records indicate that the 1988 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3, 3920-3. The request for the Questionnaire was dated October 26, 1988. The Water Management Board had directed that owners of water permits who have not submitted the 1988 Irrigation Questionnaire be given notice of hearing to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 9:45 am, March 1, 1989 at the Howard Johnson's, Roosevelt Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s). 2750-3, 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire is received in this office before the March 1st hearing date, your name will be deleted from the agenda for the hearings.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



South Dakota Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 23, 1989

2750-3
3920-3


Lawrence Donnelly
Box 336
Elk Point, SD 57025

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 1988 irrigation questionnaires for Water Permit Nos. 2750-3 and 3920-3. You may disregard the February 8, 1989, Notice of failure to submit the 1988 irrigation questionnaire. With receipt of the questionnaires your name has been deleted from the March Water Management Board meeting agenda.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Very truly yours,


JOHN HATCH, Chief Engineer
Water Rights Division

**SOUTH DAKOTA Department of
Water & Natural Resources**

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 9, 1990

LAWRENCE DONNELLY
BOX 336
ELK POINT, SD 57025

NOTICE

RE: Violation of Requirement to Submit 1989 Irrigation Questionnaire

Our records indicate that the 1989 Irrigation Questionnaire has not been submitted for Permit No(s). (2750-3, 3920-3. The request for the Questionnaire was dated October 13, 1989. The Water Management Board had directed that owners of water permits who have not submitted 1989 Irrigation Questionnaire be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 8:30 am, March 7, 1990 at the Howard Johnson's, Jefferson-Roosevelt Room, I-90 at LaCrosse, Rapid City SD.


The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 2750-3, 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is received in this office before the March 7th hearing date, your name will be deleted from the agenda for the hearing.

Very truly yours,



JOHN HATCK, Chief Engineer
Water Rights Division
605 773-3352



Department of Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

February 23, 1990

2750-3
3920-3

Lawrence Donnelly
Box 336
Elk Point SD 57025

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 1989 irrigation questionnaire for Water Permit Nos. 2750-3, 3920-3. You may disregard the February 9, 1990 Notice of failure to submit the 1989 irrigation questionnaire. Your questionnaire was received prior to the March Water Management Board meeting and your name was deleted from the agenda pertaining to the hearing.

If you have any questions, please contact Genny McMath, at (605) 773-3352.

Sincerely,

Ron Duvall /ks

RON DUVAL
Natural Resources Engineer
Water Rights Division



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181

January 9, 1998

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for John Hatch, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1997 Irrigation Questionnaire(s)

Our records indicate that the 1997 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 17, 1997. The Water Management Board has directed that owners of water permits who have not submitted the 1997 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 9:45 am, February 25, 1998, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 20, 1998, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

Is your RETURN to the reverse side?

INSTRUCTIONS:

- Complete items 1 and/or 2 for additional services.
- Complete items 3, 4a, and 4b.
- Print your name and address on the reverse of this form so that we can return this card to you.
- Attach this form to the front of the mailpiece, or on the back if space does not permit.
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt will show to whom the article was delivered and the date delivered.

I also wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to: 2750-3
LAWRENCE DONNELLY
BOX 966
ELK POINT SD 57025

4a. Article Number

2179-157189

4b. Service Type

- ☐ Registered ☒ Certified
☐ Express Mail ☐ Insured
☐ Return Receipt for Merchandise ☐ CCD

7. Date of Delivery

JAN 13-98

5. Received By: (Print Name)

8. Addressee's Address (Only if requested)

Is your RETURN to the reverse side?

PS Form 3811, December 1994

102595-97-8-01/9

Domestic Return Receipt

Thank you for using Return Receipt Service.

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3181

February 12, 1998

2750-3
3920-3

Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 1997 irrigation questionnaires. You may disregard the January 9, 1998, "Notice" concerning reporting requirements for Water Permit Nos. 2750-3 and 3920-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

January 14, 2000

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 1999 Irrigation Questionnaire(s)

Our records indicate that the 1999 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 7, 1999. The Water Management Board has directed that owners of water permits who have not submitted the 1999 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 1:30 pm, March 1, 2000, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2000, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2750-3

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. ■ Print your name and address on the reverse so that we can return the card to you. ■ Attach this card to the back of the mailpiece, or on the front if space permits.		A. Received by (Please Print Clearly) B. Date of Delivery	
1. Article Addressed to: LAWRENCE DONNELLY BOX 966 ELK POINT SD 57025		C. Signature X <i>Lawrence Donnelly</i> ☐ Agent ☐ Addressee	
		D. Is delivery address different from item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D.	
		4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Copy from service label) 2227 670 325			

PS Form 3811, July 1999

Domestic Return Receipt

102595-99 M-1789



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3181
www.state.sd.us/denr

February 24, 2000

Melvin & Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

Dear Sirs:

I am writing to acknowledge receipt of your 1999 irrigation questionnaires. You may disregard the January 14, 2000, "Notice" concerning reporting requirements for Water Right Nos. 3531-3 & 5423-3 (Melvin) and Water Right Nos. 2750-3 & 3920-3 (Lawrence).

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 19, 2001

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2000 Irrigation Questionnaires

Our records indicate that the 2000 Irrigation Questionnaire has not been submitted for Permit Nos. 2750-3 & 3920-3. The request for the Questionnaire was dated October 20, 2000. The Water Management Board has directed that owners of water permits who have not submitted the 2000 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:00 am, March 7, 2001, in the Federal Matthew Training Center, Joe Foss Building, 523 E Capitol, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit Nos. 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before March 2, 2001, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaires, please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 20, 2001

2750-3
3920-3

Lawrence Donnelly
PO Box 966
Elk Point, SD 57025-0966

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 2000 irrigation questionnaires. You may disregard the January 19, 2001, "Notice" concerning reporting requirements for Water Right Nos. 2750-3 and 3920-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 16, 2002

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2001 Irrigation Questionnaire(s)

Our records indicate that the 2001 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 12, 2001. The Water Management Board has directed that owners of water permits who have not submitted the 2001 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:00 am, March 13, 2002, in the Visitor Center (west bank of Capitol Lake), 650 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before March 8, 2002, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2750-3

SENDER: COMPLETE THIS SECTION-

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

LAWRENCE DONNELLY
BOX 966
ELK POINT SD 57025

COMPLETE THIS SECTION ON DELIVERY

A. Received by (Please Print Clearly) B. Date of Delivery

Lawrence Donnelly 1-18-07

C. Signature

X Lawrence Donnelly

☐ Agent☐ AddresseeD. Is delivery address different from item 1? ☒ YesIf YES, enter delivery address below ☐ No

3. Service Type

☒ Certified Mail☐ Express Mail☐ Registered☐ Return Receipt for Merchandise☐ Insured Mail☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

2

7001 2510 0004 4797 5378

PS Form 3811, July 1999

Domestic Return Receipt

102595-99 1A-1789



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 25, 2002

2750-3
3920-3

Lawrence Donnelly
Box 966
Elk Point SD 57025

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 2001 irrigation questionnaires. You may disregard the January 16, 2002, "Notice" concerning reporting requirements for Water Right Nos. 2750-3 and 3920-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 17, 2003

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2002 Irrigation Questionnaire(s)

Our records indicate that the 2002 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 11, 2002. The Water Management Board has directed that owners of water permits who have not submitted the 2002 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 5, 2003, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 28, 2003, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2750-3

Track & Confirm

Delivery Status

You entered 2301 0370 0000 7540 5720

Your item was delivered at 10:42 am on January 18, 2003 in ELK POINT, SD 57025. The item was signed for by M DMNNELLY.

[Shipment History >](#)
[Request Delivery Record >](#)

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)


POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)
Copyright © 1999-2002 USPS. All Rights Reserved. [Terms of Use](#) [Privacy Policy](#)

U.S. Postal Service Signature Confirmation Receipt	
SIGNATURE CONFIRMATION NUMBER: 2301 0370 0000 7540 5720	LAWRENCE DONNELLY
	BOX 966
	ELK POINT SD 57025
Postmark Here	
POSTAL CUSTOMER: Keep this receipt. For inquiries: Access Internet web site at www.usps.com or call 1-800-222-1811	
CHECK ONE (POSTAL USE ONLY): ☐ Priority Mail ☐ Package Services	
PS Form 153, February 2001 (See Reverse)	



2750-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 20, 2003

2750-3
3531-3
3920-3
5423-3

Melvin Donnelly
PO Box 966
Elk Point SD 57025

Dear Mr. Donnelly:

I am writing to acknowledge receipt of the 2002 irrigation questionnaires water permits/rights listed in your name and in the name of Lawrence Donnelly. You may disregard the January 17, 2003, "Notice" concerning reporting requirements for Water Permit No. 5423-3 and Water Right Nos. 2750-3, 3531-3 and 3920-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 14, 2004

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2003 Irrigation Questionnaire(s)

Our records indicate that the 2003 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 17, 2003. The Water Management Board has directed that owners of water permits who have not submitted the 2003 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 3, 2004, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before February 27, 2004, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2750-3

Track & Confirm

Current Status

You entered 2301 3460 0000 8515 8275

Your item was delivered at 10:18 am on January 16, 2004 in ELK POINT, SD 57025. The item was signed for by M DONNELLY.

[Shipment Details >](#)

Notification Options

► Track & Confirm by email

[What is this?](#)

[Go >](#)

► Request Proof of Delivery

[What is this?](#)

[Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

United States Postal Service Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER:
2301 3460 0000 8515 8275

LAWRENCE DONNELLY
BOX 966
ELK POINT SD 57025

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

mailing.

POSTAL CUSTOMER:

Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

☐ Priority Mail®

☐ Package Services



2750-3

**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 17, 2004

2750-3
3920-3

Lawrence Donnelly
Box 966
Elk Point SD 57025

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 2003 irrigation questionnaires. You may disregard the January 14, 2004, "Notice" concerning reporting requirements for Water Right Nos. 2750-3 and 3920-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 20, 2005

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2004 Irrigation Questionnaires

Our records indicate that the 2004 Irrigation Questionnaire has not been submitted for Permit Nos. 2750-3 & 3920-3. The request for the Questionnaire was dated October 22, 2004. The Water Management Board has directed that owners of water permits who have not submitted the 2004 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 8:30 am, March 2, 2005, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit Nos. 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaires are received in this office on/or before February 25, 2005, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaires, please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2750-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 15, 2005

2750-3
3531-3
3920-3
5423-3

Melvin & Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

Dear Sirs:


I am writing to acknowledge receipt of your 2004 irrigation questionnaires. You may disregard the January 20, 2005, "Notice" concerning reporting requirements for Water Right Nos. 2750-3, 3531-3, 3920-3 and 5423-3.

The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



Scale 8 inches = 1 mile

LAURENCE DONNELLY
ELK POINT, SOUTH DAKOTA 57025
DONNELLY Irrigation Project
Center Pivot
160 ACRES TO BE Irrigated

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed <i>J.M. Belme</i>	Date <i>7/9/72</i>	Approved by <i>AK. [Signature]</i>
Drawn <i>J.M. Belme</i>	Title <i>Center Pivot</i>	Title <i>7/9/72</i>
Traced	Sheet No. <i>1</i>	Drawing No. <i>1</i>
Checked	of <i>1</i>	



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 24, 2006

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2005 Irrigation Questionnaire(s)

Our records indicate that the 2005 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 28, 2005. The Water Management Board has directed that owners of water permits who have not submitted the 2005 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:30 am, March 2, 2006, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **February 24, 2006**, your name will be deleted from the Board agenda. If you have any questions or need assistance with completion of the irrigation questionnaire(s), please contact Genny McMath at (605) 773-3352.

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2750-3

Track & Confirm

Current Status

You entered 2303 2160 0000 0799 4107

Your item was delivered at 1:29 pm on February 03, 2006 in ELK POINT, SD 57025. The item was signed for by L DONNELLY.

[Shipment Details >](#)

Notification Options

► Track & Confirm by email

[What is this?](#)

[Go >](#)

► Request Proof of Delivery

[What is this?](#)

[Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#) [contact us](#) [government services](#)

Copyright © 1999-2002 USPS. All Rights Reserved. Terms of Use Privacy Policy

Track & Confirm

Enter label number:

[Track & Confirm FAQs](#)

U.S. Postal Service™ Signature Confirmation™ Receipt

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 4107

LAWRENCE DONNELLY
BOX 966
ELK POINT SD 57025

mailing.

Waiver of Signature ☐ YES ☐ NO

Postmark
Here

POSTAL CUSTOMER:


Keep this receipt. For Inquiries:
Access internet web site at
www.usps.com®
or call 1-800-222-1811

CHECK ONE (POSTAL USE ONLY)

- ☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel

PS Form 153, May 2002

(See Reverse)



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 14, 2006

Melvin Donnelly
PO Box 966
Elk Point SD 57025-0966

RE: Water Right Nos. 2750-3 & 3920-3 (Lawrence Donnelly)
Water Right Nos. 3531-3 & 5423-3 (Melvin Donnelly)

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 2005 irrigation questionnaires. You may disregard the January 24, 2006, "Notice" concerning reporting requirements for Water Right Nos. 2750-3, 3531-3, 3920-3 and 5423-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Genny McMath".

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 26, 2007

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2006 Irrigation Questionnaire(s)

Our records indicate that the 2006 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 20, 2006. The Water Management Board has directed that owners of water permits who have not submitted the 2006 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at 10:30 am, March 7, 2007, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 1, 2007**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:
<https://www.state.sd.us/eforms/secure/eforms/E0455V5-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2750-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0799 6538

Status: **Delivered**

Your item was delivered at 9:51 AM on January 27, 2007 in ELK POINT, SD 57025. The item was signed for by M DONNELLY.

[Additional Details >](#)[Return to USPS.com Home >](#)

Track & Confirm

Enter Label/Receipt Number.

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

POSTAL INSPECTORS
Preserving the Trust

[site map](#)[contact us](#)[government services](#)[jobs](#)[National & Premier Accounts](#)

Copyright © 1999-2004 USPS. All Rights Reserved. Terms of Use Privacy Policy

U.S. Postal Service [™] Signature Confirmation [™] Receipt	
SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0799 6538	LAWRENCE DONNELLY BOX 966 ELK POINT SD 57025
	Waiver of Signature ☐ YES ☐ NO
	Postmark Here
	POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com [®] or call 1-800-222-1811
CHOOSE ONE (POSTAL SERVICE)	
☐ Priority Mail [™] Service	
☐ First-Class Mail [®] parcel	
☐ Package Services parcel	
PS Form 3800, May 2002 (See Reverse)	



2750-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 13, 2007

Melvin & Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

RE: Irrigation Questionnaires for Water Right Nos. 2750-3 & 3920-3, Lawrence Donnelly and
Water Right Nos. 3531-3 and 5423-3, Melvin Donnelly

Dear Sirs:

I am writing to acknowledge receipt of your 2006 irrigation questionnaires. You may disregard the January 26, 2007, "Notice" concerning reporting requirements for Water Right Nos. 2750-3, 3531-3, 3920-3 and 5423-3.

The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3

DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

PMB 2020
JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 18, 2008

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2007 Irrigation Questionnaire(s)

Our records indicate that the 2007 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 19, 2007. The Water Management Board has directed that owners of water permits who have not submitted the 2007 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 11, 2008**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is(are) received in this office on/or before **March 3, 2008**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V6-IQ.pdf>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2750-3

[Home](#) | [Help](#)[Track & Confirm](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 3950
Status: **Delivered**

Your item was delivered at 11:00 AM on January 22, 2008 in ELK POINT, SD 57025. The item was signed for by M DONNELLY.

Track & Confirm

Enter Label/Receipt Number.

[Additional Details >](#)[Return to USPS.com Home >](#)

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)

[Site Map](#)[Contact Us](#)[Forms](#)[Gov't Services](#)[Jobs](#)[Privacy Policy](#)[Terms of Use](#)[National & Premier Accounts](#)

Copyright© 1999-2007 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA



Seal of the United States Postal Service



Seal of the United States Postal Service

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 3950	
LAWRENCE DONNELLY BOX 966 ELK POINT SD 57025	
Waiver of Signature ☐ YES ☐ NO	
Postmark Here	
POSTAL CUSTOMER: Keep this receipt. For Inquiries: Access internet web site at www.usps.com ® or call 1-800-222-1811	
☐ Priority Mail™ Service ☐ First-Class Mail® parcel ☐ Package Services parcel	



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

February 19, 2008

Melvin & Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

RE: Water Right Nos. 2750-3, 3531-3, 3920-3 and 5423-3

Dear Sirs:

I am writing to acknowledge receipt of your 2007 irrigation questionnaires. You may disregard the January 18, 2008, "Notice" concerning reporting requirements for Water Right Nos. 2750-3, 3531-3, 3920-3 and 5423-3.

The information was received in our office prior to the Water Management Board meeting and your names have been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 23, 2009

NOTICE

TO: LAWRENCE DONNELLY, BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2008 Irrigation Questionnaire(s)

Our records indicate that the 2008 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 24, 2008. The Water Management Board has directed that owners of water permits who have not submitted the 2008 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 11, 2009**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 6, 2009**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352. If you prefer, you can complete the questionnaire on-line at the following link:

<https://www.state.sd.us/eforms/secure/eforms/E0455V7-IQ.pd>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 3, 2009

Melvin or Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

Dear Sirs:

I am writing to acknowledge receipt of your 2008 irrigation questionnaires. You may disregard the January 23, 2009, "Notice" concerning reporting requirements for Water Right or Permit Nos. 2750-3, 3531-3, 3920-3, 5423-3 and 6975-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 22, 2010

NOTICE

TO: LAWRENCE DONNELLY, PO BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2009 Irrigation Questionnaire(s)

Our records indicate that the 2009 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3. The request for the Questionnaire was dated October 16, 2009. The Water Management Board has directed that owners of water permits who have not submitted the 2009 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 10, 2010**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 5, 2010**, you will no longer be in violation of your permit and your name will be deleted from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <https://denr.sd.gov/iq/asp>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

[Track & Confirm](#)[FAQs](#)

Track & Confirm

Search Results

Label/Receipt Number: 2303 2160 0000 0802 7859

Service(s): **Signature Confirmation™**Status: **Delivered**

Your item was delivered at 9:32 AM on January 27, 2010 in ELK POINT, SD 57025. The item was signed for by L DONNELLY.

Track & Confirm

Enter Label/Receipt Number.

[Go >](#)

Detailed Results:

- Delivered, January 27, 2010, 9:32 am, ELK POINT, SD 57025
- Notice Left, January 23, 2010, 9:25 am, ELK POINT, SD 57025
- Arrival at Post Office, January 23, 2010, 7:41 am, ELK POINT, SD 57025

Notification Options

Track & Confirm by email

Get current event information or updates for your item sent to you or others by email. [Go >](#)

Proof of Delivery

Verify who signed for your item by email, fax, or mail. [Go >](#)[Site Map](#)[Customer Service](#)[Forms](#)[Gov't Services](#)[Careers](#)[Privacy Policy](#)[Terms of Use](#)[Business Customer Gateway](#)

Copyright© 2010 USPS. All Rights Reserved.

No FEAR Act EEO Data

FOIA

Signature Confirmation Receipt

SIGNATURE CONFIRMATION NUMBER: 2303 2160 0000 0802 7859

LAWRENCE DONNELLY
PO BOX 966
ELK POINT SD 57025

Waiver of Signature ☐ YES ☐ NO

Postmark Here

POSTAL CUSTOMER:
Keep this receipt. For Inquiries:
Access internet web site at www.usps.com®
or call 1-800-222-1811

☐ Priority Mail™ Service
☐ First-Class Mail® parcel
☐ Package Services parcel



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 3, 2010

Melvin & Lawrence Donnelly
PO Box 966
Elk Point SD 57025-0966

RE: Water Right Nos. 2750-3, 3531-3, 3920-3, 5423-3 and Water Permit No. 6975-3

Dear Sirs:

I am writing to acknowledge receipt of your 2009 irrigation questionnaires. You may disregard the January 22, 2010, "Notice" concerning reporting requirements for Water Right Nos. 2750-3, 3531-3, 3920-3, 5423-3 and Water Permit No. 6975-3.

The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads "Genny McMath". The signature is written in a cursive, flowing style.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 21, 2011

NOTICE

TO: LAWRENCE DONNELLY, PO BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Garland Erbele, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2010 Irrigation Questionnaire(s)

Our records indicate that the 2010 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 15, 2010. The Water Management Board has directed that owners of water permits who have not submitted the 2010 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **10:00 am, March 9, 2011**, in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office on/or before **March 4, 2011**, you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.

2750-3



**DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES**

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

March 3, 2011

Melvin Donnelly
PO Box 966
Elk Point SD 57025 0966

RE: Water Right or Permit Nos. 2750-3, 3920-3 (Lawrence Donnelly) and 3531-3, 5423-3 &
6975-3 (Melvin Donnelly)

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 2010 irrigation questionnaires.


You may disregard the January 21, 2011, "Notice" concerning reporting requirements. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Genny McMath'.

Genny McMath
Environmental Scientist
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
PMB 2020
523 EAST CAPITOL
PIERRE SOUTH DAKOTA 57501-3182
www.state.sd.us/denr

January 15, 2016

NOTICE

TO: LAWRENCE DONNELLY, PO BOX 966, ELK POINT, SD 57025

FROM: Ron Duvall, Natural Resources Engineer
for Jeanne Goodman, Chief Engineer
Water Rights Program

SUBJECT: Reporting Requirement for 2015 Irrigation Questionnaire(s)

Our records indicate your 2015 Irrigation Questionnaire has not been submitted for Permit No(s) 2750-3 & 3920-3 as required by administrative rule 74:02:01:14.02. The request for the Questionnaire was dated October 23, 2015. The Water Management Board has directed that owners of water permits who have not submitted the 2015 Irrigation Questionnaire be given notice of hearing to determine if any Board action is to be taken concerning this issue.

The hearing will be held at **Thursday, March 3, 2016 at 9:30 am (Central Time)** in the Floyd Matthew Training Center, Joe Foss Building, 523 E Capitol Avenue, Pierre, SD and will be conducted pursuant to SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to Chapter 1-26. Following the hearing, the Water Management Board can:

1. Amend Permit No(s) 2750-3 & 3920-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action; or
3. Take no action.

The hearing is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.

If the questionnaire(s) is (are) received in this office before the **March 3, 2016** hearing you will no longer be in violation of your permit and your name will be removed from the Board agenda. Enclosed are additional questionnaire(s) for your use. If you have questions or need assistance, please contact Genny McMath at (605) 773-3352 or email at genny.mcmath@state.sd.us. If you prefer, you can complete the questionnaire online at the following link: <http://denr.sd.gov/iq.aspx>

Note: Please contact the Water Rights Program, Joe Foss Building, 523 E Capitol, Pierre, SD (605-773-3352) to assure access to the meeting room for the handicapped or to obtain an interpreter for the hearing impaired.



2750-3
DEPARTMENT of ENVIRONMENT
and NATURAL RESOURCES

JOE FOSS BUILDING
523 EAST CAPITOL
PIERRE, SOUTH DAKOTA 57501-3182

denr.sd.gov

February 1, 2016

Melvin Donnelly
PO Box 966
Elk Point SD 57025 0966

RE: Water Permit or Right Nos. 2750-3, 3531-3, 3920, 5423-3, 6975-3, 7808-3 & 8079-3

Dear Mr. Donnelly:

I am writing to acknowledge receipt of your 2015 irrigation questionnaires.

You may disregard the January 15, 2016, "Notice" concerning reporting requirements for the water permits and water rights described above. The information was received in our office prior to the Water Management Board meeting and your name has been deleted from the agenda.

If you have any questions, please contact me.

Sincerely,

Genny McMath
Water Rights Program
(605) 773-3352
email: genny.mcmath@state.sd.us