

2828-3

1. Considered 7-21, 1976
2. Name of Applicant CITY OF BLUNT
3. Post Office Address _____
4. Amount of water claimed .50
5. Source of water supply 80' DEEP WELL
6. Water to be used for MUNICIPAL

Acres to be irrigated _____

7. Water to be diverted and used in HUGHES county
about IN CITY LIMITS miles _____ of _____.

8. Proof of Publication Received 7-20-76

Not received _____

9. Application Approved _____

Subject to _____

Not Approved _____

Action deferred _____

10. Remarks:

Map No. 2164-3 Water Division No. 3 Missouri RIVER District
(Blanks to be filled by the Engineer for the S. D. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE: Draw a line through items not applicable)

1. Name of Applicant City of Blunt
Postoffice address Blunt State South Dakota
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract
3. Name of diversion work Municipal Well
4. Amount of water claimed (cubic feet per second) 0.5 cubic feet per second
5. Source of water supply underground well
6. Location of point of diversion See attached layout drawing
Lot 1, Block 12, Smith's Addition to the City of Blunt in the NW 1/4 of
Sec. 9, T 112 N, R 76 W of the 5th PM County Hughes
7. Annual period or periods during which water is to be used Daily
8. Use to be made of water (irrigation, industrial, municipal, commercial, recreation, etc.) Municipal
9. For irrigation use, _____ Total number of acres to be irrigated _____

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 1 N/A years. Additional time required to complete application of water to the proposed beneficial use 1 N/A years.
a 11. Choice of newspaper for Notice of Intent to Appropriate Water publication Pierre Capital Journal, Pierre, SD
12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Well

B. Works proposed to transport water to place of use.

Transmission Line and Pumps


C. Works proposed to apply water to beneficial use.

Water Storage Unit and Distribution LinesEstimated Total Cost \$ 26,435.60

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

I, Mayor of Blunt, the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.

Subscribed and sworn to before me this 6th day of July 1976Signed Ramona K. Peery Notary Public (or other qualified officer)

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2828-3

CITY OF BLUNT

(Applicant)

(Post Office Address)

SOUTH DAKOTA 57522

(State)

With the following modifications:

The ~~irrigation~~ well approved under this Permit will be located near domestic wells and ~~irrigation~~ wells which may obtain water from the same aquifer. The ~~irrigation~~ well owner, under this Permit, shall control his ~~irrigation~~ withdrawals so there is not a reduction of needed water supplies in existing domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JULY 7, 19 76

Date of return to applicant for correction, amendments or changes required ---, 19 ---

Date of receipt of corrected application ---, 19 ---

Approved JULY 22, 19 76, Recorded in Book 15 Page 277

WATER RIGHT PERMIT NO. 2828-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2828-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JULY 7, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JANUARY 22, 19 77
3. The whole of said work is to be completed on or before JULY 22, 19 77
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JULY 22, 19 78
5. The water appropriated shall be used for the purpose of MUNICIPAL USE

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed .5 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for ~~beneficial use~~ ~~and if for the irrigation purposes said appropriation must be limited to not more than 3 acre-feet per acre per year and be limited to not more than one-twentieth (1/20) of one cubic foot of water per second of time for each acre of land to which water is~~ USED FOR MUNICIPAL PURPOSES actually and beneficially ~~applied for irrigation~~ applied for irrigation on or before JULY 22, 19 78; said water to be used during the following described annual period: CONTINUOUSLY

Witness my hand this 3RD day of AUGUST, 19 76

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued August 25, 19 80

Water License Issued August 25, 19 80

12 Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drill Hole, Diameter 30" Bore, Depth 80 feet
 (2) Casing, Type Schedule 40, Diameter 16" I.D., Thickness _____
 (wood, concrete, steel, etc.)
 (3) Perforated Screen
 Type Galvanized, Diameter 10", Length 15'
 (4) Gravel Pack, Thickness 7", Length of gravel pack 80'

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Filled out for Either a Well or a Dugout

*1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material See F (1)

Depth to bottom of water bearing material See F (1)

Thickness of water bearing material See F (1)

Depth to water (ground surface to water level) See F (1)

(2) Distance to nearest existing household or livestock watering wells.

(On same owner's property N/A rds. On property owned by others approx. 30 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

* Depth	Material
0-13	Top soil, Clay, rocks
13-20	Clay, Sandy clay, gravel
20-24	Soft Clay, sandy clay
24-36	Clay
36-45	Sand, Gravel, rocks
45-80	Sand, gravel, rocks, thin clay layers
80-	Clay or shale

Reginald A. Roy Meyer
 Signature of Applicant

Permit No. 2828-3

Water Diversion No. 3 Missouri River Water District


CERTIFICATE OF CONSTRUCTION

This is to Certify, That the City of Blunt

_____ the holder of
Permit No. 2828-3, issued upon Application No. 2828-3, bearing date of priority of July 7, 1976
authorizing the diversion of .5 cu. ft. per second of the waters of groundwater (one well) County of Hughes, State of South Dakota at in the NE corner of Lot #1, Block 12, Smith's addition to the City of Blunt, in the SW 1/4 NW 1/4, Section 9, T112N, R76W
for municipal use

purposes, have ve complied with the provisions of the laws of the State of South Dakota relating to proof of completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory condition for diverting and conveying to the place of intended use .14 cu. ft. per second of water.

Date August 25, 1980


JOHN HATCH, Chief Engineer
Water Rights Division

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2828-3.

(1) WHEREAS, On the 7th day of July A. D. 19 76
the City of Blunt

made Water Right Application No. 2828-3 for a permit to use 5 cubic feet per second of the waters
of groundwater (one well)
County of Hughes, State of South Dakota, for municipal use
purposes; and

(2) WHEREAS, On the 22nd day of July A. D. 19 76

Permit No. 2828-3, with a date of priority of July 7, 1976
was issued to said applicant s. for the diversion of said water, and provided for the completion of construction of the water
supply system therein described on or before the 22nd day of July A. D. 19 77 and for the
application to beneficial use of said water on or before the 22nd day of July A. D. 19 78

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to completion of the construction of the water supply system and is entitled to divert 44 cubic feet
per second of water for beneficial use and.

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
relating to the application of water to beneficial use of the following extent.

water supplies for the City of Blunt

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to the City of Plunt, South Dakota

_____ of _____
the holder s and owner s of said permit No. 2828-1 a water right, dating from July 7, 1976
_____ to use of .444 cubic feet per second of the waters
of groundwater (one well)

in the County of Hughes and State of South Dakota, or so much thereof as may be necessary for the
purposes hereinbelow mentioned, to be diverted at in the NE corner of Lot #1, Block 12, Smith's
additiona^l to the City of Plunt, in the SW¹/₄ NW¹/₄, Section 9, T112N, R76W

and conducted to ~~and xxxxxx~~ thru the City's distribution system

for the purpose of municipal use

Subject to any limitations listed in Water Right Permit No. 2828-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota
this 25th day of August A. D.
Nineteen Hundred and Eighty

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer
JOHN HATCH

No. 2828-3

Publish first publication, on or before

July 12, 1976

NOTICE OF INTENT TO APPROPRIATE WATER

Pierre, South Dakota 57501

July 7, 1976

Notice is hereby given that the City of Blunt

~~whose post office address is~~ _____, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use .5 cubic feet of water per second of time from ~~the~~ ground water through the Blunt Municipal Well, the point of diversion of which is to be located in the _____

SW $\frac{1}{4}$ NW $\frac{1}{4}$

of Section 9, Twp. 112N, Range 76W. Said water to be used for the purpose of providing ~~irrigation on the 2500 acre described and~~ municipal supplies for the City of Blunt

This application No. 2828-3 will be considered by the Water Rights Commission at the Court House in Winner, S.D. upon the 21st day of July, 1976 at 10:00 A. M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BFJ/bw

cc: Wayne Pool, Mayor, City of Blunt 57522

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 2828-3

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Hughes) ss.

I, John H. Hinkle hereby
certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Daily Capital Journal

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

city of Pierre

County of Hughes and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

July 9, 1976 and

July 16, 1976.

John H. Hinkle
(Signature)

Business Manager
(Title)

July 16, 1976
(Date Signed)

LEGAL NOTICES

No. 3460 - 21 dly July 9-16

No. 2828-3

NOTICE OF INTENT

TO APPROPRIATE WATER

Notice is hereby given that the
City of Blunt, South Dakota, has
made an application in accordance
with the provisions of the
water laws of South Dakota for a
permit to appropriate for beneficial
use .5 cubic feet of water
per second of time from ground
water through the Blunt Municipal
Well, the point of diversion of
which is to be located in the SW $\frac{1}{4}$
NW $\frac{1}{4}$ of Section 9, Twp. 112N,
Range 76W. Said water to be used
for the purpose of providing
municipal supplies for the City of
Blunt.

This application No. 2828-3 will
be considered by the Water
Rights Commission at the Court
House in Winner, S.D. upon the
21st day of July, 1976, at 10:00
A.M. All interested persons may
appear and be heard.

WATER RIGHTS COMMISSION

By: BURTON F. JONES
Water Rights Specialist



City of Blunt, South Dakota 57522

July 10, 1980



Department of Water & Natural Resources
Joe Foss Building
Pierre, So. Dak.

Att: Genny Young:

The Blunt City Council requested that I write to you regarding your letter of June 30, 1980 and the Water License fee of \$50.00.

They would like to know what you inspected. Also the EPA, the FHA and the Engineers have all approved this. They would like you to quote the South Dakota compiled law number stating that we have to purchase this water license.

Thank you.

Sincerely,

A handwritten signature in cursive script that reads 'Dorothy Roberts'.

Dorothy Roberts
Finance Officer
City of Blunt

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building Division of Water Rights (605) 773-3352
Pierre, South Dakota 57501

2828-3

July 11, 1980

Dorothy Roberts
Finance Officer
City of Blunt
Blunt, SD 57522

Dear Ms. Roberts:

Reference is made to your letter regarding the \$50.00 for a water license under your Permit No. 2828-3.

The inspection of the well and distribution system was conducted by Mr. LeRoy Hernaugh of this office on September 4, 1979. He contacted Mr. Bob Russell regarding the inspection. SDCL 46-5-30 requires such an inspection, this statute reads:

46-5-30. Application of water to beneficial use--Inspection of use and works by commission--Issuance of license.--On or before the date set for the application of the water to a beneficial use, the commission shall cause the works to be inspected, after due notice to the owner of the permit. Upon completion of such inspection, the commission shall issue a license to appropriate water to the extent and under the conditions of the actual application thereof to beneficial use, but in no manner extending the rights described in the permit. The inspection to determine the amount of water applied to beneficial use shall be made at the same time as that of the constructed work, if requested by the owner, and if such action be deemed proper by the commission.

Regarding the fee, SDCL 46-2-13, paragraph 3 reads:

46-2-13. Fees of board--Payment to state treasury. The water management board shall charge and receive the following fees, to be collected in advance; provided, that such fees shall not be collected from any state agency or state institution:

- (3) For inspection of water use works, built under provisions of permits to appropriate water, including dams not in excess of ten feet in height and pumping plants, canals or other conduits not in excess of twenty cubic feet per second capacity, and for inspection of the constructed works and the application of water to beneficial use under provisions of permits to appropriate water, including issuance of the certificate of construction and the water license, fifty dollars for each inspection, provided that when inspections of works and beneficial use of water are made concurrently, the fee for both inspections shall be fifty dollars,

Equal Opportunity Employer


Page 2
Dorothy Roberts
July 11, 1980

If you have any further questions, feel free to contact this office.

Sincerely,

GENNY YOUNG
Staff Assistant

gy



RECEIPT

WATER RIGHTS COMMISSION

State of South Dakota

No 4 7630

PIERRE, August 6, 1980

RECEIVED OF City of Blunt, Blunt, SD 57522

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for inspecting Construction, and Issuing Cert. of Construction No. 2828-3	-----	50.00
Fee for inspecting Beneficial Use, and Issuing Water License No. 2828-3		
Fee for Issuing Location Certificate-Dry Draw, No. _____		
Fee for filling _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL		50.00

WATER RIGHTS COMMISSION

By *(John Hatch)*
Chief Engineer, Executive Officer
JOHN HATCH / *(gt)*

Permit No. 2828-3Water Division 3 Missouri River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by City of Blunt._____ of Blunt, South Dakota, 57522 holder _____of Permit No. 2828-3, bearing date of priority of July 7, 1976authorizing the diversion of .5 cu. ft. per second of the waters of One Wellfor Municipal purposes, in Hughes County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

Motor = G-E Model 5K6288X145A, Ser. # CMJ331280
Pump = Aurora Verti-line. Pumping 200 gpm.

B. Works used to transport water to place of use,

City Water System Main & laterals.

C. Works used to apply water to beneficial use.

City Water SystemThe system is in the following condition: GoodThe point of diversion is located in NE Cor. of Lot 1, Block 12, Smith's
addition to the City of Blunt in the SW 1/4 Sec. 9, T112N R76WThe works are capable of diverting and conveying to the place of use .44cu. ft. per second of water which is to be used for Municipal Use

Water has been put to beneficial use to the maximum extent as follows: _____

_____ comprising a total of _____ acres of land.

Well Data:

Depth 72 ftPumping 200 gpmDate September 4, 1979LeRoy J. McLaughlin
(Signature)

January 17, 2001

2000 South Dakota Water Use Questionnaire

To:

Address correction requested:

CITY OF BLUNT
MAYOR, PO BOX 127
BLUNT SD 57522

One questionnaire is being provided for each permitted water source. The following information is based on Water Permit\Right No. 2828-3. If you have other permits\rights in the same water source, also include water use under those permits\rights on this questionnaire.

Water Source: GROUNDWATER
Aquifer: HIGHMORE-BLUNT
Management Unit: NOT APPLICABLE

County: HUGHES
Pumping Pt. Legal: SEC 09-T112N-R76W
Type of Water Use: MUNICIPAL

- 1) Please estimate your year 2000 water use from the above water source: _____ gallons
2) If no water use in 2000, please list the reason(s) why in the comments section.

Comments: We are connected to Mid-Dakota Rural water -
our old tank is on a standby basis

Contact Person: Kevin Tassler

Telephone No: 912-6262

Questions? Please call Mark Rath or Ron Duval at 605 773-3352 for assistance.

Thank you for completing the 2000 water use questionnaire.

Water Rights on the Web: www.state.sd.us/denr/wr




Schmucker . paul . nohr & associates

33' 33' 80' ST.

AVE.

BLUFF

SECTION LINE



A PLAT OF A PERMANENT EASEMENT IN LOT 1
 BLOCK 12 OF SMITH'S ADDITION TO THE CITY OF
 BLUNT IN THE NW $\frac{1}{4}$ OF SECTION 9, T112N, R76W
 OF THE 5th P. M. HUGHES COUNTY

mittchell, south dakota

SPN
 ASSOCIATES

MAP NO 2164-3 APRIL 28-28-3

28.7

(-61)

17.8

New Well: 2000' S and
300' E of NE Cor Sec. 8
T112N R76W

Old well: 4150' S and
175' of the NE Cor
Sec. 8 T112N R76W

City of Blunt
Permit #2828-3

New city well

Block
12

34.1
11.4

* Well

BLUNT

2.0

8.5

4.7

Map prepared by
Soil Conservation Service
at Pierre

MAPS 1449-3 K444 2043-3