


2832-3

1. Considered 7-21, 1976
2. Name of Applicant BOB W. MATTHE
3. Post Office Address HURON
4. Amount of water claimed 2.2
5. Source of water supply 75' DEEP WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 200
7. Water to be diverted and used in BEADLE county
about 5W, 6S miles of LAVOUR.
8. Proof of Publication
Received 7-28-76
Not received _____
9. Application
Approved 3-29-79
Subject to WI
Not Approved _____
Action deferred _____
10. Remarks:

Map No. 2168-3 Water Division No. 3 JAMES RIVER District _____
 (Blanks to be Filled by the Engineer for the W. R. C.)



APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE--Draw a line through items not applicable)

3:00 PM

1. Name of Applicant Bob W. Mattke (Delvin)
 Postoffice address R.R. #3, Box 43, Huron, State South Dakota 57350
 If a corporation show date and place of incorporation _____
 2. Method of accomplishing work (contract, employment of others, or by direct labor) Direct Labor
 3. Name of diversion work Bob W. Mattke, Unit #1
 4. Amount of water claimed (cubic feet per second) 2.2
 5. Source of water supply Ground Water
 6. Location of point of diversion NW⁴ NE⁴, Sec. 3-T109N-R61W

 _____ County Beadle
 7. Annual period or periods during which water is to be used March - November
 8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
 9. For irrigation use: _____ Total number of acres to be irrigated 200

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
N.E. Quarter 3-109-61	160		
N.W. Quarter 3-109-61	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system 5 years. Additional time required to complete application of water to the proposed beneficial use 2 years.
 11. Choice of newspaper for Notice of Intent to Appropriate Water publication The Daily Plainman, Huron, South Dakota
 12. Principal Features of the Proposed Water Supply System.

A. Works proposed to divert water from its natural source.

Pump Bowl

B. Works proposed to transport water to place of use.

Main Line

C. Works proposed to apply water to beneficial use.

Center Pivot

Estimated Total Cost \$ _____

Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
 (See instructions concerning preparation.)

STATE OF SOUTH DAKOTA

County of Beadle

I, Bob W. Mattke the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction

Signed Bob W. MattkeSubscribed and sworn to before me this 28th day of July 1976

Notary Public (or other qualified officer)

COMMISSION EXPIRES
MARCH 4, 1984.

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2832-3
ROB W. MATTHE R.R. #1, Box 43, HURON,
 (Applicant) (Post Office Address)
SOUTH DAKOTA 57350 With the following modifications:
 (State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Dec # 4488-3

Date of first receipt of application JULY 6, 19 76
 Date of return to applicant for correction, amendments or changes required _____, 19 ____
 Date of receipt of corrected application _____, 19 ____
 Approved MARCH 28, 19 79 Recorded in Book 20 Page 201

WATER RIGHT PERMIT NO. 2832-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2832-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JULY 6, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before SEPTEMBER 28, 1981
3. The whole of said work is to be completed on or before MARCH 28, 19 84
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is MARCH 28, 19 86
5. The water appropriated shall be used for the purpose of IRRIGATION
6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.
7. The amount of the appropriation herein granted shall not exceed 2.2 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 2 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is actually and beneficially applied for irrigation on or before MARCH 28, 19 86; said water to be used during the following described annual period: MARCH - NOVEMBER

Witness my hand this 3RD day of APRIL, 19 79

WATER RIGHTS COMMISSION

By: [Signature]

Chief Engineer, Executive Officer

Certificate of Construction Issued _____, 19 ____

Water License Issued _____, 19 ____

HURON DRILLING INC. DRILLERS LOG

PAGE NO. 1

Bob W. Mattke
JOB NAME

N.E. -3-109-61
LOCATION

6/21/76
DATE

10
RIG NO.

Lloyd Peterson,
FOREMAN Jr.

[illegible]

12 Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

(1) Drift Hole, Diameter _____, Depth _____

(2) Casing, Type _____, Diameter _____ Thickness _____
(wood, concrete, steel, etc)

(3) Perforated Screen

Type _____, Diameter _____, Length _____

(4) Gravel Pack, Thickness _____, Length of gravel pack _____

E. Dugout Information or Estimates

(1) Surface dimensions _____, Depth _____

F. Fill out for Either a Well or a Dugout. *Log will be furnished by driller

(1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials _____

Depth to top of water bearing material _____

Depth to bottom of water bearing material _____

Thickness of water bearing material _____

Depth to water (ground surface to water level) _____

(2) Distance to nearest existing household or livestock watering wells.

On same owner's property 80 rds. On property owned by others 80 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

B. W. Matthe
Signature of Applicant

July 1, 1976

Mr. Delvin W. Mattke
R.R. #3, Box 43
Huron, SD 57350



Dear Mr. Mattke:

The analysis of your water sample submitted a few days ago has been completed. It is reported to you on the attached sheet and has been given our laboratory #76-717. I have also enclosed our AES publication #13 with the quality of this water approximately plotted by means of a red cross in the chart on the outside back cover. As you will see, it is in the high salinity, low sodium category.

Accordingly, this water has practically no hazard for sodium-induced dispersion of soil aggregates and loss of soil structure but does have an appreciable hazard for the increase of the total salt content of soil. This water carries about 1.3 tons of salt for each acre foot you pump. This salt will be left in the surface layer of the soil unless specific measures are taken to keep the distribution of the salt such that natural leaching will occasionally remove it or that you are able to leach it by means of heavy irrigation during the later fall or early spring. This means that you must apply water in substantial amounts each time you irrigate and avoid frequent, light applications. By this, I mean you should put on enough water each time you irrigate to refill the root zone completely and allow uniform distribution of the salt including some down at lower depths of the root zone. Occasionally, rains will follow an irrigation before the soil water is completely used up and leaching will result. Also, late fall and early spring irrigations will encourage leaching by means of the cool weather precipitation which we sometimes get in fall and spring. Only with the adoption of infrequent, substantial applications will you be able to manage with this water for a long period of time to keep your soils at a satisfactory production level.

The soils which you propose to irrigate are only moderately well suited to irrigation. Those in the delineations 101B, Prosper-Houdek soils, are fairly well suited but do have some low spots which have claypan soils in them or salts or both. Furthermore, these will easily become sticky, wet spots after irrigation has been conducted for a period of time. In addition, the Tetonka-Hoven soils in delineations #18 are not suited for irrigation. Fortunately, they are in a far corner. The soils labeled as 26A, Dudley-Stickney silt loam do have claypans in them and you should be very cautious about irrigating them. Avoid getting water on them if possible. Fortunately, again this is in the north edge of the area and should not give you much trouble. The Tetonka-Dudley soils which are in delineation 29A do extend down into the main body of land,

Mr. Matzka
July 1, 1976
Page 2

however and will give you considerable problems unless you take measures to conduct excess water off the land quickly, because once these soils get really soaked up, the traffic problem with a center pivot system will be substantial.

If you observe these precautions, you should be able to irrigate satisfactorily with this water for a considerable length of time.

I am sending a copy of this letter, along with a copy of the water analysis and your soils information and WI-1 form to the State Conservation Commission for their action.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab

LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Dick Fadden, County Extension Agent

Huron Drilling, Inc.

Kenneth Houska

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 46-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Bob W. Mattke (Delvin)
ADDRESS R.R. #3, Box 43, Huron, South Dakota 57350
COUNTY Beadle

LEGAL DESCRIPTION

1. WELL LOCATION N.W. ¼ of the N.E. Quarter 3-109-61
2. LOCATION OF AREA TO BE IRRIGATED N.W. & N.E. Quarters of 3-109-61

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT X GUN _____
4. CROPS TO BE IRRIGATED Corn, Alfalfa, Small Grain

WATER QUALITY

5. SAMPLE NUMBER 76-217
6. SALINITY (EC X 10⁶) 1402 (high)
7. SODIUM (SAR) 1.01 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) 0

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and: the soils information has been acquired from Beadle Conservation District, County Extension office or Soil Conservation Service.
and:
that the legal description for the location of the well and land to be irrigated is true and correct.

Bob W. Mattke
APPLICANT'S SIGNATURE

SUBSCRIBED AND SWORN BEFORE ME THIS
DAY OF June 1976.

[Signature]
(TITLE OR SEAL)

COMMISSION EXPIRES
MARCH 4, 1984

[Signature]
APPROVED/DISAPPROVED

(SOILS INFORMATION ON REVERSE SIDE)


101A Houdek-Prosper loams, 0 to 2 percent slopes

This unit consists of deep well and moderately well drained loamy soils with calcareous substratums. The subsoils contain 30-35% clay. Depth to the calcareous clay loam substratum ranges from 18 to 30 inches. Permeability is moderately slow. Included within these areas are small enclosed depressions and small areas of soil with claypan subsoils which contain salts. Drainage or fill of these included areas may become desirable to prevent ponding and excessive wetness.

Bob W. Mattke Unit

Soil Conservation Service
Beadle County

SOIL MAP



N¹₂-3-109-61

SOILS LEGEND

- 4B** Houdek-Ethan loam, 2 to 6 percent slopes
This unit consists of deep, undulating, well drained soils on uplands. Soils have high available water capacity. Permeability is moderate in the upper part of these soils and moderately slow in the underlying material. Houdek soil has loam surface layer 5" to 6" thick and a clay loam subsoil about 22" thick. Ethan soil has loam surface layer 5" to 10" thick and a clay loam subsoil about 3" thick. Soils range from medium acid to mildly alkaline in the upper part and from mildly alkaline to strongly alkaline in the underlying materials. Included in these soils are small areas of poorly drained Hoven and Tetonka soils in potholes.
- 18** Tetonka-Hoven silt loams
This unit consists of poorly drained soils in enclosed depressions. Permeability is very slow and surface drainage is lacking. Dense compact subsoils and ponding generally limit these soils for irrigation. Drainage of these soils is desirable under irrigation.
- 26A** Dudley-Stickney silt loams, 0 to 3 percent slopes
This unit consists of moderately well drained soils with 4 to 10 inches of friable loamy surface over dense claypan subsoils. Very slow permeability and salts in the subsoil make these soils poorly suited for irrigation.
- 29A** Tetonka-Dudley silt loams, 0 to 2 percent slopes
This unit consists of poorly drained soils in enclosed depressions and in swales. Permeability is very slow and surface drainage is very slow to lacking. Dense compact subsoils limit these soils for irrigation when not drained.

Bob W. Mattke Unit

REPORT OF ANALYSIS
 Water Quality Laboratory,
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Bob (Delvin) W. Mattke Date Rec'd June 29, 1976
 Address Rt. 3, Box 43 Sample No. 76-717
Huron, SD 57350 Identification #1 Well-
cc: Huron Drilling, Inc. NE 1/4, Sec. 3, T 109N, R. 61W
Huron, SD 57350

WATER ANALYSIS

Calcium (Ca)	200	ppm*	10.00	me/l**
Magnesium (Mg)	58	ppm	4.76	me/l
Sodium (Na)	63	ppm	2.74	me/l
Potassium (K)	10	ppm	0.26	me/l
Sulfate (SO ₄)	383	ppm	7.96	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	31	ppm	0.86	me/l
Bicarbonate (HCO ₃)	454	ppm	7.44	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	372	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	1402	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	1.01			
Sodium	15.42	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	6.89			
Others:				

*ppm=parts per million
 **me/l=millequivalents per liter
 ***g.p.g.=grains per gallon

COMMENTS: Total cations 17.76 me/l
 Total anions 16.26 me/l

By: Shirley Mittan

Service Performed	Amount Due
Irrigation analysis	\$8.00 PAID

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-717

Amount Enclosed \$

Signed

38332-3

Public first publication of notice

July 12, 1976

NOTICE OF INTENT TO APPROPRIATE WATER

Notice, No. 1, Notice of Intent

July 12, 1976

Notice is hereby given that Bob W. Mattko

whose post office address is Huron, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.2 cubic feet of water per second of time from the ground water through the

Wattke #1, the point of diversion of which is to be located in the

NW 1/4 NE 1/4

of Section 3, Twp. 109N, Range 61W. Said water to be used for the purpose of providing irrigation on the following described land: portions of

NE 1/4 and NW 1/4, Section 3, T109N, R61W

X

This application No. 38332-3 will be considered by the Water Rights Commission at the Court House in Winner, S.D.

upon the 21st day of July, 1976, at 10:00 A.M. All interested persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES, Water Rights Specialist

BRJ/bw
cc:

Bob W. Mattko, Route 3, Box 43, Huron, S.D. 57350

Form 8 - Proof of Publication - Notice of
Intent to Appropriate Water

No. 283203

PROOF OF PUBLICATION

STATE OF SOUTH DAKOTA)
County Beadle) ss.

I, Dorothy Murphy hereby

certify that the annexed printed copy of Notice of Intent to Appropriate

Water was taken from the Huron Daily Plainsman

A newspaper which during the whole time of publication of said notice
herein after stated, has been and is printed and published in the

City Huron of Huron

County of Beadle and State of South Dakota;
that the said notice was published in said newspaper on the following
two dates:

July 12, 1976

July 19, 1976

Dorothy Murphy
(Signature)

Bookkeeper
(Title)

July 19, 1976

(Date Signed)

F.P. 7-12-76 L.P. 7-19-76
NOTICE OF INTENT TO
APPROPRIATE WATER
Pierre, South Dakota 57501
July 7, 1976
Notice is hereby given that Bob W.
Matlke whose post office address is
Huron, South Dakota, has made an
application in accordance with the
provisions of the water laws of South
Dakota for a permit to appropriate
for beneficial use 2.2 cubic feet of
water per second 26.7 times from
ground water through the Matlke
No. 1, the point of diversion of which
is to be located in the NW 1/4, NE 1/4
Section 3, Twp. 109N, Range 61W,
Said water to be used for the purpose
of providing irrigation on portions of
the following described land: NE 1/4
and NW 1/4 Section 3, T109N, R61W, E-
3. This application may be
considered by the Water Rights
Commission at the Court House in
Winner, S.D. upon the 21st day of
July, 1976 at 10:00 A.M. All in-
terested persons may appear and be
heard.
WATER RIGHTS COMMISSION
By: BURTON F. JONES,
Water Rights Specialist
No. 369 (Adv.)



July 28, 1976

Mr. Bob W. Mattke
R. R. #3, Box 43
Huron, SD 57350

Dear Mr. Mattke:


The Water Rights Commission deferred action on your application No. 2832-3 at the July 21-22, 1976 Commission meeting, pending investigation by the Commission Staff and to allow time to determine the recovery of water levels in your area.

If you have any questions, feel free to contact this office.

Very truly yours,

John Hatch, Chief Engineer
WATER RIGHTS COMMISSION

JH:nlm



24 32

Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

November 15, 1976

Bob Mattke
R. R.
Cavour, S. D. 57324

Dear Sir:

The Water Rights Commission will be meeting in Huron, November 16, 17 and 18, 1976. Wednesday afternoon, November 17, at 3:15 p.m., a discussion on Beadle County Water Supplies is scheduled. Part of the discussion will be in regard to 40 deferred Water Right applications in Beadle County. Since your application is one of those in deferred status, you may wish to attend this meeting.

We would also like to know your answer to the following two questions:


1. Would you develop your application during 1977 if approved or would you wait two or three years before development?
2. Would you be interested in a temporary trial permit with no pumping during July and August? If the results of the trial pumping were successful, the Commission maybe able to approve a permanent full-time permit after a one to two year trial period.

Very truly yours,

A handwritten signature in cursive script, which appears to read "John Hatch".

John Hatch, Chief Engineer
Water Right Commission

JH/eb



2835-3
BEADLE COUNTY DEFERRED

Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501

Phone 605/224-3151

January 16, 1978

TO: Holders of Deferred Applications in Beadle County
FROM: John Hatch, Chief Engineer, Water Rights Commission
SUBJECT: Reconsideration of Deferred Applications

The Water Rights Commission will reconsider deferred Beadle County Water Right Applications at 4:00 P.M., January 25, 1978 at the South Dakota Education Association Building, 411 E. Capitol, Pierre, South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-8; 46-2-9 thru 46-2-11, 46-2-13; 46-5-1 thru 46-5-8, 46-5-10 thru 46-5-22, 46-5-41, 46-6-3, 46-6-5, 46-6-5.1, 46-6-10, 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13.

These Applications were deferred by the Water Rights Commission during 1977, pending Staff investigation.

After reconsideration of the deferred Applications the Commission can approve, defer, or deny all or part of any of these Applications.

Very truly yours,

A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/BFJ/bw



2832-3

Department of Natural Resource Development

WATER RIGHTS COMMISSION

Joe Foss Building, Pierre, South Dakota 57501
Phone 605/224-3151

January 30, 1978

TO: Holders of Deferred Applications in Beadle County

FROM: John Hatch Chief Engineer Water Rights Commission

SUBJECT: Reconsideration of Deferred Applications

This is to inform you that the Water Rights Commission reviewed your Water Right Application at the January 25-26, 1978 meeting and decided, at this time, that it remain in a deferred status pending further investigation by the Commission Staff.


If you have any questions, feel free to contact this office.

Very truly yours,

A handwritten signature in dark ink, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/BW/gy



Department of Natural Resource Development

WATER RIGHTS COMMISSION
Joe Foss Building, Pierre, South Dakota 57501
Phone 605/773-3151

March 14, 1979

TO: Holder of Deferred Applications in Beadle County
FROM: John Hatch, Chief Engineer, Water Rights Commission
SUBJECT: Reconsideration of Deferred Applications

The Water Rights Commission will reconsider deferred water right applications in Beadle County at 4:15 p.m., March 28, 1979, at the Community Room, Pierre City Hall, 222 East Dakota, Pierre South Dakota.

This reconsideration hearing will be conducted in accordance with the provisions of SDCL 46-1-1 thru 46-1-9; 46-1-14; 46-2-9 thru 46-2-11; 46-2-13; 46-5-1 thru 46-5-8; 46-5-10 thru 46-5-22; 46-5-41; 46-6-3; 46-6-5; 46-6-6.1; 46-6-10; 46-6-3.1; 46-6-14 and Commission Rules ARSD 52:01:01:01 thru 52:01:01:13.

These applications were previously deferred by the Water Rights Commission, pending Staff investigation.

After reconsideration of the deferred applications the Commission can approve, conditionally approve, defer, or deny all or part of the Application.

This hearing is an adversary proceeding. Any person has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised at the hearing. Decisions of the Commission may be appealed to the Courts as provided by law.

Very truly yours,


A handwritten signature in cursive script, appearing to read "John Hatch".

JOHN HATCH, Chief Engineer
Water Rights Commission

JH:kjw

Form 10.

No. 2833-3



NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE

Post Office Conde SD

Date 2-2-1977

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2833-3.

Water Right Permit No. 2833-3 states that the diversion system is to be constructed by July 22, 1981 and that the water is to be put to beneficial use by July 22, 1983.

The diversion system was completed on June 28, 1976.
Applying the water to beneficial use was completed on July 25, 1976.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.


C. Thomas Huber
(Signature)

Form 10.

No. 2332-3

Beadle

NOTICE OF COMPLETION OF WORKS AND/OR
APPLICATION OF WATER TO BENEFICIAL USE



Post Office Huron, So. Dak.

Date June 26, 1980

TO: Water Rights Commission
Joe Foss Building
Pierre, South Dakota 57501

Dear Sirs:

This is to inform you that I have completed the construction of the water diversion system and/or that I have put the water to beneficial use to the maximum extent it is going to be used, not exceeding the amounts as specified in Water Right Permit No. 2832-3.

Water Right Permit No. 2832-3 states that the diversion system is to be constructed by September 28, 1981 and that the water is to be put to beneficial use by March 28, 1986.

The diversion system was completed on June 15, 1980.
Applying the water to beneficial use was completed on June 15, 1980.

You may schedule an inspection so that the Certificate of Construction and/or the Water License may be issued, thus completing my acquisition of a water right.

Bob W. Matthee
(Signature)

No. 4488-3A

**South Dakota Department of
Water & Natural Resources**

Joe Foss Building Water Rights Division
Pierre, South Dakota 57501

(605) 773-3352

July 29, 1982

Bob W. Mattke
RR #3, Box 128
Huron SD 57350

Dear Mr. Mattke:

Enclosed herewith are, Water License No. 4488-3A and Certificate of Construction.

Water License No. 4488-3A is the final water right document completing your process of obtaining a water right.

As long as you use the water beneficially, as stated in the Water License, the State Water Laws provide that you have a continuing right to use the water.

Very truly yours,

JOHN HATCH, Chief Engineer
Water Rights Division

JH:ks

enclosures

NOTE: The applicable portions of Permit No. 4488-3 and No. 2832-3 have been incorporated into this Water License.

WNR-817-7/79
Transmittal of Water License