


2841-3

1. Considered 9-29, 1976
2. Name of Applicant WAYNE JANSSEN
3. Post Office Address CASTLEWOOD
4. Amount of water claimed 2.1
5. Source of water supply 82' WELL
6. Water to be used for IRRIGATION
Acres to be irrigated 149
7. Water to be diverted and used in HAMLIN County
about 5 E miles of CASTLEWOOD.
8. Proof of Publication Received 8-30-76
Not Received _____
9. Application Approved _____
Subject to _____
Not Approved _____
Action deferred ☒
10. Remarks:

APPROVED
1-21-77

No. 2841-3Map No. 2177-3 Water Division No. 3 Big Sioux River District _____
(Blanks to be Filled by the Engineer for the W. R. C.)

APPLICATION FOR PERMIT

To Appropriate Water within the State of South Dakota

(NOTE - Draw a line through items not applicable)

1. Name of Applicant Wayne Janssen
Postoffice address Cassville, State South Dakota
If a corporation show date and place of incorporation _____
2. Method of accomplishing work (contract, employment of others, or by direct labor) Contract & Direct Labor
3. Name of diversion work Wayne Janssen Irrigation Project # 4
4. Amount of water claimed (cubic feet per second) 2.1
5. Source of water supply Well
6. Location of point of diversion 1860' N 135° E of NW corner Section 34
114-51
- County Hamlin
7. Annual period or periods during which water is to be used April through October
8. Use to be made of water, (irrigation, industrial, municipal, commercial, recreation, etc.) Irrigation
9. For irrigation use, Total number of acres to be irrigated 149

List below each forty acre subdivision, or lot, or fraction thereof and show number of acres to be irrigated in each.

Land Description	No. Acres Irr.	Land Description	No. Acres Irr.
NW 1/4 Sec 34 - 114-51	27		
NE 1/4 NW 1/4 " "	39		
SW 1/4 NW 1/4 " "	33		
SE 1/4 NW 1/4 " "	40		

Attach sheet if more space is needed

10. Time required to complete construction of water supply system Five years. Additional time required to complete application of water to the proposed beneficial use Five years.
11. Choice of newspaper for Notice of Intent to Appropriate Water publication Waterman Public Opinion
12. Principal Features of the Proposed Water Supply System.
- A. Works proposed to divert water from its natural source. Well in deep well tubin
- B. Works proposed to transport water to place of use. closed conduit
- C. Works proposed to apply water to beneficial use. center pivot irrigation machine

Estimated Total Cost \$ 4000.00Attachments: Attach Form 2A if diversion from a well or dugout, or if storage of water, is proposed. Attach map.
(See instructions concerning preparation.)

STATE OF SOUTH DAKOTA)

County of Brookings) ss.I, Wayne Janssen the applicant, certify that I have read the foregoing application and have examined the attached map and that the matters therein stated are true and that I intend, and am able to complete the necessary construction.Signed Wayne JanssenSubscribed and sworn to before me this 24 day of June 1976John Sedgewick
Notary Public (or other qualified officer)

D. E. H. 1916

WATER RIGHT APPLICATION APPROVAL

The Water Rights Commission hereby approves Water Right Application No. 2841-3

WAYNE JANSSEN
(Applicant)

CASTLEWOOD
(Post Office Address)

SOUTH DAKOTA 57223 With the following modifications:
(State)

The irrigation well approved under this Permit will be located near domestic wells and other irrigation wells which may obtain water from the same aquifer. The irrigation well owner, under this Permit, shall control his irrigation withdrawals so there is not a reduction of needed water supplies in adequate domestic wells or in irrigation wells having prior water rights.

Date of first receipt of application JUNE 29, 19 76

Date of return to applicant for correction, amendments or changes required _____, 19 _____

Date of receipt of corrected application JULY 2, 19 76

Approved JANUARY 26, 19 77, Recorded in Book 17 Page 12

WATER RIGHT PERMIT NO. 2841-3

The Water Rights Commission hereby grants and issues this Water Right Permit No. 2841-3 authorizing the construction of the water use system and the putting of water to beneficial use as stated in the Application and as modified in the Water Right Application approval, subject, however, to the following limitations and conditions:

1. The date from which applicant may claim right is JUNE 29, 19 76
2. The equivalent of at least one-fifth of the work above specified is to be completed on or before JULY 26, 19 79
3. The whole of said work is to be completed on or before JANUARY 26, 19 82
4. The limit of time from proof of beneficial use of water appropriated in accordance herewith is JANUARY 26, 19 85
5. The water appropriated shall be used for the purpose of IRRIGATION

6. The prior right of all persons who, by compliance with the laws of the State of South Dakota, have acquired a right to the use of water must not be injuriously affected by this appropriation.

7. The amount of the appropriation herein granted shall not exceed 2.1 cubic feet per second; neither shall it exceed the capacity of the above described water supply system, nor shall it exceed the amount of water needed for beneficial uses served, and if for the irrigation purposes said appropriation must be limited to not more than 3 acre feet per acre per year and be limited to not more than one-seventieth (1/70) of one cubic foot of water per second of time for each acre of land to which water is

actually and beneficially applied for irrigation on or before JANUARY 26, 19 85; said water to be used during the following described annual period: APRIL THRU OCTOBER

Witness my hand this 13th day of APRIL, 19 77

WATER RIGHTS COMMISSION

By:

John Hatch
Chief Engineer, Executive Officer

Certificate of Construction Issued November 10, 19 81

Water License Issued November 10, 19 81

Form 2A - Well or Dugouts or Water Storage Dams (Supplement to form 2)

12. Principal Features of the Proposed Water Supply System (continued.)

D. Well Information or Estimates

- (1) Drill Hole, Diameter 2 8", Depth 82'
(2) Casing, Type Fiberglass Diameter 16" Thickness 3/8"
(wood, concrete, steel, etc.)
(3) Perforated Screen
Type S/O + Diameter 16" Length 20'
(4) Gravel Pack, Thickness 5" Length of gravel pack 30'

E. Dugout Information or Estimates

- (1) Surface dimensions —, Depth —

F. Fill out for Either a Well or a Dugout.

- (1) Water Bearing Materials. (Please attach a copy to test well log if available.)

Character of Water bearing materials 0' to 2' top soil; 3' to 25' yellow
clay; sand and gravel from 25' to 82';
82' down is clay

Depth to top of water bearing material 30'
Depth to bottom of water bearing material 82'
Thickness of water bearing material 52'
Depth to water (ground surface to water level) 30'

- (2) Distance to nearest existing household or livestock watering wells.

On same owner's property 66 rds. On property owned by others 170 rds.

G. Water Storage Dams.

If the proposed water use system contains one or more water storage dams, please show in the space below, the height, maximum water depth, surface area and storage capacity of each storage dam. The location of each water storage dam should be shown on the water right map.

Wayne Johnson
Signature of Applicant

CONSERVATION
COMMISSION
FORM W1 #1

STATE CONSERVATION COMMISSION
SUPPORTING INFORMATION
FOR APPROPRIATION OF GROUND WATER IN ACCORDANCE
WITH SDCL 45-6-3 AS AMENDED
(THIS FORM REQUIRED FOR PROPOSED GROUND WATER IRRIGATION ONLY)

NAME Wayne Janssen
ADDRESS Castlemont Street Salato
COUNTY Hamlin

LEGAL DESCRIPTION

1. WELL LOCATION Center of NW⁴ Sec 34 - 114 - 51
2. LOCATION OF AREA TO BE IRRIGATED NW⁴ Sec 34 - 114 - 51

TYPE OF IRRIGATION

3. GRAVITY _____ TOWLINE _____ CENTER PIVOT ☒ GUN _____
4. CROPS TO BE IRRIGATED Corn & alfalfa

WATER QUALITY

5. SAMPLE NUMBER 76-696
6. SALINITY (EC X 10⁶) 761 (medium-high)
7. SODIUM (SAR) 0.51 (low)
8. RESIDUAL SODIUM CARBONATE (meq/l.) _____

I do hereby certify that a chemical analysis of the ground water representative of that used to irrigate shall be acquired from South Dakota State University and:
the soils information has been acquired from _____ Conservation District,
County Extension office or Soil Conservation Service.

and:

that the legal description for the location of the well and land to be irrigated is true and correct.

Wayne Janssen
APPLICANT'S SIGNATURE


SUBSCRIBED AND SWORN BEFORE ME THIS
24 DAY OF April 1976.

John L. Janssen
(TITLE OR SEAL)

Alfred J. Janssen
APPROVED/DENIED

(SOILS INFORMATION ON REVERSE SIDE)

NY 34-114-51



<u>2M4G</u> 2-1	I2	Deep, loamy, well drained soils on nearly level uplands. They are fertile with few or no limitations in use. Barnes loam Silty Range Site 0.5" per hr. intake rate
<u>2M4G</u> 4-1	IIc2	Deep, loamy, well drained soils on gently undulating (2 to 6 percent) glacial uplands having moderately permeable loam and clay loam subsoils. They are fertile with moderate susceptibility to water erosion and slight wind erosion hazard. Barnes loam Silty Range Site 0.5" per hr. intake rate
<u>2M4G</u> 8-1	IIIc1	Deep, loamy, well drained soils on undulating and sloping (6 to 9 percent slopes) uplands and eroded soils on gently sloping and undulating slopes (2 to 6 percent). They have wind and severe water erosion hazards. Runoff limits available moisture. Mechanical, vegetative, and moisture conservation practices are necessary to maintain productivity and prevent soil loss. Barnes loam Silty Range Site 0.5" per hr. intake rate
<u>2M4U</u> 1-1	I3	Deep, loamy, moderately well drained soils on nearly level upland slopes and swales that receive beneficial moisture from adjacent adjacent slopes. They have thick, very dark surface layers. They are fertile and have few or no limitations for use. Anstad Silt loam Overflow Range Site 0.5" per hr. intake rate
<u>2F3w2</u> 1-1	IVw2	Deep, loamy to clayey, poorly drained soils in depressions and on bottom lands. An intermittent water table, occasional flooding, and salinity cause low crop yields and limited choice of crops. Tillage operations are often delayed and shorten growing season. Drainage, crop selection, and improvement of fertility is necessary. Lamoure Silty Clay Loam Subirrigated Range Site 0.3" per hr. intake rate

REPORT OF ANALYSIS
 Water Quality Laboratory,
 Water Resources Research Institute
 South Dakota State University
 Brookings, South Dakota 57006

Submitted by: Wayne Jensen
 Address: Cattlewood, SD 57223

Date Rec'd June 24, 1976
 Sample No. 76-696
 Identification 11-82
111, Sec. 34, T 114N, R 51E

WATER ANALYSIS

Calcium (Ca)	120	ppm*	6.00	me/l**
Magnesium (Mg)	44	ppm	3.61	me/l
Sodium (Na)	26	ppm	1.11	me/l
Potassium (K)	4	ppm	0.10	me/l
Sulfate (SO ₄)	98	ppm	2.04	me/l
Nitrate (as N)		ppm		me/l
Chloride (Cl)	5	ppm	0.13	me/l
Bicarbonate (HCO ₃)	439	ppm	7.20	me/l
Carbonate (CO ₃)		ppm		me/l
Iron (Fe)		ppm		me/l
Fluoride (F)		ppm		me/l
Hardness (EDTA as CaCO ₃)		ppm		g.p.g.***
Alkalinity (Methyl Orange)	360	ppm (as CaCO ₃)		
Alkalinity (Phenolphthalein)	0	ppm (as CaCO ₃)		
Electrical Conductivity	761	micromhos per cm at 25° C.		
Sodium Adsorption Ratio	0.51			
Sodium	10.25	% of cations		
Residual sodium carbonate	0.00	me/l		
pH	7.41			
Others:				

*ppm=parts per million
 **me/l=millequivalents per liter
 ***g.p.g.=grains per gallon

COMMENTS: Total cations 10.32 me/l
 Total anions 9.37 me/l



By: Shirley Litter

Service Performed	Amount Due
Irrigation analysis	8.00

Make checks payable to: Water Quality Laboratory

Cut along dotted line and return the lower portion with payment

Sample No. 76-696

Amount Enclosed \$

Signed

June 30, 1976

Mr. Wayne Janssen
Castlewood, SD 57223

Dear Mr. Janssen:

Your water sample submitted here a few days ago has been analyzed and the original copy of the report of analysis is enclosed for your safe keeping and use. I am also enclosing a copy of AES publication #13 with the quality of this water plotted approximately for irrigation use by means of the chart on the outside back cover. The red cross indicates that your water is in the high salinity, low sodium category. However, it is in the very lower edge of the high salinity category so it is fairly well suited to irrigation. You should have no chemical difficulty arising with the soil changes as a result of the use of this water.

However, there is a soil area in the NW quarter of 34-114-51 which should not be irrigated. It is the Lamour soil in the drainage-way right about through the middle of the west side of the quarter and right at the center of the quarter. This soil will have occasional high water table problems and does have some salinity in the profile already. Therefore, you should avoid this, if at all possible in your irrigation operations. Center pivot equipment will very likely become mired in the soil because of its poor drainage and cause twisting and breakage of machinery.

A copy of this letter, and the water analysis are accompanying the WI-1 materials and soil information being sent to Pierre for their action. You will be hearing from the State Conservation Commission.

Sincerely yours,

L. O. Fine

L. O. Fine
Water Quality Lab


LOF:ckb

Enclosures

cc: State Conservation Commission

D. Pahl

Harold Campbell, County Extension Agent



Permit No. 2841-3

Water Diversion No. 3 Big Sioux River Water District
10170202

CERTIFICATE OF CONSTRUCTION

This is to Certify, That Wayne Janssen

_____ the holder _____ of
Permit No. 2841-3, issued upon Application No. 2841-3, bearing date of priority of
June 29, 1976 authorizing the diversion of 2.1 cu. ft. per second of the waters of
groundwater (one well) County of Hamlin, State of South Dakota at
a point 15'S of the center NW 1/4, Section 34, T114N, R51W

_____, for irrigation

purposes, has 5 complied with the provisions of the laws of the State of South Dakota relating to proof of
completion of the works of diversion set out and described in said Permit; that said works are found in satisfactory
condition for diverting and conveying to the place of intended use 1.78 cu. ft. per second of water.

Date October November 10, 1981


JOHN HATCH, Chief Engineer
Water Rights Division

STATE OF SOUTH DAKOTA

WATER LICENSE NO. 2841-3

(1) WHEREAS, On the 29th day of June A. D. 1976
Wayne Janssen

made Water Right Application No. 2841-3 for a permit to use 2.1 cubic feet per second of the waters
 of groundwater (one well)

County of Hamlin, State of South Dakota, for Irrigation
 purposes; and

(2) WHEREAS, On the 26th day of January A. D. 1977
 Permit No. 2841-3, with a date of priority of June 29, 1976

was issued to said applicant _____ for the diversion of said water, and provided for the completion of construction of the water
 supply system therein described on or before the 26th day of January A. D. 1982 and for the
 application to beneficial use of said water on or before the 26th day of January A. D. 1985

and:

(3) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
 relating to completion of the construction of the water supply system and is entitled to divert 1.78 cubic feet
 per second of water for beneficial use and,

(4) WHEREAS, It is hereby certified that the applicant has complied with the provisions of the laws of the State of South Dakota
 relating to the application of water to beneficial use of the following extent,

for Irrigation of the following land all in Section 34, T114N, R51W:

NW $\frac{1}{4}$ NW $\frac{1}{4}$ (BD)	30 acres
NE $\frac{1}{4}$ NW $\frac{1}{4}$ (BA)	34 acres
SW $\frac{1}{4}$ NW $\frac{1}{4}$ (BC)	26 acres
SE $\frac{1}{4}$ NW $\frac{1}{4}$ (BD)	34 acres
TOTAL	124 acres

(5) NOW, THEREFORE, By the virtue of the authority vested in us by the laws of the State of South Dakota, We hereby grant and confirm to Wayne Janssen

_____ of Castlewood, South Dakota

the holder _____ and owner _____ of said permit No. 2841-3 a water right, dating from _____

June 29, 1976 to use of 1.78 cubic feet per second of the waters

of groundwater (one well)

in the County of Hamlin and State of South Dakota, or so much thereof as may be necessary for the

purposes hereinbelow mentioned, to be diverted at _____ a point 1516 of the center line,

Section 34, T114N, R51W

and conducted to and upon _____ portions of Section 34, T114N, R51W

more fully described on the face of this license

for the purpose of Irrigation

Subject to any limitations listed in Water Right Permit No. 2841-3 and subject to the laws of the State of South Dakota.

WITNESS, My hand and seal of our office at Pierre, South Dakota

this 10th day of November A. D.

Nineteen Hundred and Eighty-one

WATER MANAGEMENT BOARD

By:

John Hatch
Chief Engineer, Executive Officer

JOHN HATCH

Permit No. 2841-3Water Division 3 Big Sioux River Water DistrictREPORT OF EXAMINATION OF WORKS
AND/OR APPLICATION OF WATER TO BENEFICIAL USE

TO: WATER RIGHTS, WATER MANAGEMENT BOARD / FOSS BLDG., PIERRE, SOUTH DAKOTA 57501

I have this day made a thorough examination of the water use system constructed by WAYNE
JANSSEN of CASTLEWOOD holder
of Permit No. 2841-3, bearing, date of priority of JANUARY 26²⁹, 1978
authorizing the diversion of 2.1 cu. ft. per second of the waters of GROUNDWATER
for IRRIGATION purposes, in HAMLIN County.

I have to report on the condition of the same as follows:

The Water Use System consists of,

A. Works used to divert the water:

82' DEEP WELL - 16" STEEL CASING - 20' SS SCREEN
VALLEY 8" PUMP #12MHE 2A1B, POWERED BY
60HP GE ELECTRIC MOTOR @ 1765 RPM

B. Works used to transport water to place of use,

15' of 8" ALUMINUM PIPE TO CENTER OF PILOT

C. Works used to apply water to beneficial use.

6 TOWER ELECTROGATOR MODEL 680 CENTER PILOT,
1312' LONG WITH NELSON #100 END GUN.

The system is in the following condition: GOOD

The point of diversion is located 15' S OF THE CENTER NW⁴ SECTION 34,
T114N, R51W

The works are capable of diverting and conveying to the place of use 1.78 (800 GPM)
cu. ft. per second of water which is to be used for IRRIGATION

Water has been put to beneficial use to the maximum extent as follows. A.U. IN SEC 34, T114N, R51W

NW ⁴ NW ⁴	30	ACRES
NE ⁴ NW ⁴	34	"
SW ⁴ NW ⁴	86	"
SE ⁴ NW ⁴	34	"

comprising a total of 124 acres of land

Date JULY 23, 1981
Burton Jones
(signature)

RECEIPT

WATER RIGHTS COMMISSION
State of South Dakota

No 4 8500

PIERRE, _____ October 2, 1981

RECEIVED OF Wayne Janssen, RR 2, Box 76, Castlewood, SD 57223

the following amount in fees for services rendered as provided for by law:

Fee for Application for Permit to Appropriate Water No. _____ (examination, processing, recording and filing) _____		
Fee for Inspecting Construction, and Issuing Cert. of Construction No. <u>2841-3</u>	-----	50 00
Fee for Inspecting Beneficial Use, and Issuing Water License No. <u>2841-3</u>		
Fee for issuing Location Certificate-Dry Draw, No. _____		
Fee for filing _____		
Fee for certified copy of _____		
Fee for Print copy of map _____		
Fee for Certifying _____		
Fee for _____ (any other work as provided by law)		
TOTAL		50 00

WATER RIGHTS COMMISSION

By (Signature)
Chief Engineer, Executive Officer
South Dakota

NOT TO SCALE

114-51

149.2

145.7

379-200-R

204.5

34

133.2

149.8

8.5

114-51

115.6

Publish first publication, on or before Sept. 16, 19 76

**NOTICE
INTENT TO APPROPRIATE WATER**

Pierre, South Dakota 57501

August 10, 19 76

Notice is hereby given that Wayne Janssen
whose post office address is Castlewood, South Dakota, has made an application in accordance
with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use
2.1 cubic feet of water per second of time from the ground water through the
Janssen #1, the point of diversion of which is to be located in the _____

Center of the NW $\frac{1}{4}$
of Section 34, Twp. 114N, Range 51W. Said water to be used for the purpose
of providing irrigation ^{portions of} on the following described land:

NW $\frac{1}{4}$, Section 34, T114N, R51W

This application No. 2841-3 will be considered by the Water Rights Commission at their office at
Pierre upon the 29th day of September, 19 76, at 10:00 A.M. All interested
persons may appear and be heard.

WATER RIGHTS COMMISSION

By:

BURTON F. JONES
Water Rights Specialist

BFJ/bw

cc:

Wayne Janssen, Castlewood, S.D. 57223

AFFIDAVIT OF PUBLICATION

PUBLIC NOTICE

NO. 2841-3
NOTICE INTENT
TO APPROPRIATE WATER
Pierre, South Dakota 57501

August 10, 1976
Notice is hereby given that Wayne Janssen whose post office address is Castlewood, South Dakota, has made an application in accordance with the provisions of the water laws of South Dakota for a permit to appropriate for beneficial use 2.1 cubic feet of water per second of time from ground water through the Janssen No. 4, the point of diversion of which is to be located in the center of the NW 1/4 of section 34, Twp. 114N, Range 51W. Said water to be used for the purpose of providing irrigation on the portions of the following described land: NW 1/4, Section 34, T114N, R51W.
This application No. 2841-3 will be considered by the Water Rights Commission at their office at Pierre upon the 29th day of September, 1976, at 10:00 A.M. All interested persons may appear and be heard.
WATER RIGHTS
COMMISSION
By: Burler, F. Jones
Water Rights Specialist
(September 4, 11, 1976)



STATE OF SOUTH DAKOTA, }
COUNTY OF CODINGTON } ss.

John R. Lowrie of Watertown, S. D.,
being duly sworn, on oath says: That the WATERTOWN PUBLIC OPINION has been during all the times herein mentioned, and is a daily legal newspaper of general circulation, printed and published daily (except Sundays), in Watertown, in said county and state, by Watertown Public Opinion Co., a corporation organized and existing under the laws of the state, with its main office and place of business at Watertown, S. D.; that said corporation is the owner, printer and publisher of said newspaper; and that I, the undersigned am the Manager of said newspaper, and as such have charge of legal publications;

And that I have personal knowledge of all the facts herein stated, and am duly authorized to make, and do make this affidavit in behalf of said corporation; and that the "Notice" headed or designated a printed copy of which is hereunto attached, was printed and published in the regular and entire issue of said newspaper, and not in supplement, for successive weeks, as follows:

- The 1st publication was made on the 4th day of Sept., 1976.
- The 2nd publication was made on the 11th day of Sept., 1976.
- The 3rd publication was made on the day of 19.....
- The 4th publication was made on the day of 19.....
- The 5th publication was made on the day of 19.....
- The 6th publication was made on the day of 19.....
- The 7th publication was made on the day of 19.....
- The 8th publication was made on the day of 19.....
- The 9th publication was made on the day of 19.....
- The 10th publication was made on the day of 19.....

And that said newspaper has been during all the time herein mentioned, and is a legal newspaper, and has a bona fide circulation of at least 200 copies daily, and has been published in the English language, in Watertown in said Codington County, six days each week, for more than two years next prior to the first publication of said notice, and was and is printed in whole in an office maintained at Watertown, S. D., the place of publication thereof; that the full amount of the fee charged for the publishing of said notices inures to the benefit of the publisher of said newspaper; that no agreement or understanding for the division thereof has been made with any other person, and that no part thereof has been agreed to be paid to any person whomsoever, and that the fees charged for the publication thereof are \$.....

Subscribed and sworn to before me this 11th day of
A. D. 1976
(Seal)
Notary Public S. D.

2841-3

October 5, 1976

Wayne Janssen
Castlewood
South Dakota 57223

Dear Mr. Janssen:

The Water Rights Commission deferred action on your Application No. 2841-3 at the September 29-30, 1976 Commission meeting, to allow time to determine the availability of water for this application.

If you have any questions feel free to contact this office.

Sincerely,

JOHN HATCH, Chief Engineer
Water Rights Commission

JH/bw

SOUTH DAKOTA
Department of
Water & Natural Resources

Joe Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

March 23, 1987

WAYNE JANSSEN
RR #2 BOX 76
CASTLEWOOD, SD 57223

NOTICE

Re. Violation of Requirement To Submit 1986 Irrigation
Questionnaire

Our records indicate that the 1986 Irrigation Questionnaire has not been submitted for Permit No(s) 2841-3, 2723-3. The request for the Questionnaire was dated November 3, 1986. The Water Management Board has directed that owners of water permits who have not submitted 1986 Irrigation Questionnaires be given notice of hearing(s) to be held by the Board to determine if any action is to be taken concerning the violation.

The hearings will be held at 2:00 pm, May 6, 1987 in Room 216, Joe Foss Building, 523 E Capitol, Pierre SD.

The hearing will be conducted pursuant to the provisions of SDCL 46-1-12, 46-1-14, 46-2-9, 46-2-11 and 46-2-17. These are contested case hearings pursuant to procedures contained in SDCL 1-26. Following the hearing(s), the Water Management Board can:

1. Amend Permit No(s). 2841-3, 2723-3 to require the Irrigation Water Use Questionnaire to be submitted each year;
2. Postpone any action;
3. Take no action.

The hearing(s) is an adversary proceeding. The permit owner has the right to be present or to be represented by a lawyer. These and other due process rights will be forfeited if they are not exercised. Decisions of the Board may be appealed to the Circuit Court and the State Supreme Court as provided by law.



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352

NOTE: If the questionnaire(s) is received in this office before the hearing date, your name will be deleted from the agenda for the hearing.

South Dakota
Department of
Water & Natural Resources

Jon Foss Building
523 East Capitol
Pierre, South Dakota 57501-3181

April 15, 1987

2723-3
2841-3

Wayne Janssen
RR #2 Box 76
Castlewood, SD 57223


Dear Mr. Janssen:

This will acknowledge receipt of and thank you for the return of your 1986 Irrigation Questionnaires. A notice was sent to you March 23, 1987 regarding the Irrigation Questionnaire submittal violation of Water Permit Nos. 2723-3 and 2841-3 and the date hearings were to be held before the Water Management Board to determine any action to be taken concerning the violation.


Please disregard the notice sent to you dated March 23, 1987. Your name has been deleted from the agenda pertaining to these hearings.

If you have any questions, please contact us.

Very truly yours,



JOHN HATCH, Chief Engineer
Water Rights Division
605 773-3352



WAYNE JANSSEN

Irrigation Project # 4
Castlewood S. Dakota

Hamlin County

Acres Irrigated - 149

Water claimed 2.1 cfs

Point of Diversion: 1860' N 135° W
of NW corner Sec 34 - 114-51

Scale - 1" = 660'

Surveyor's Certificate

I, John L. Wiersma, do hereby certify that
this map identifies a reasonably accurate
record of the land of

Wayne Janssen

Castlewood

South Dakota

Hamlin County

6-24-76

Drawn by JEW

P.E. #1916

John L. Wiersma

Brookings
S. Dak

~~MAP # 2712-3~~ APPL. NO. 2841-3